SpecWriter Data

Form Version: 10/13/2023 1:23:47 PM

Report Type: Full Detail

Project Database: WESSQL300.MEPSSpring2024

Language: English

Spec Label:

This is the cover page. Additional contents currently project specific.

BOX 00 (OF1000) Item Type: Route Type Class: If Then

Route Details: 01 Box = BOX_00, BOX_10, BOX_20, BOX_30, BOX_40

04 Single Select = OF10, OF90, OF120, OF130, OF150, OF160, OF170, OF180, OF190,

OF210, OF220, OF230

05 Single Select with Display Roster = OF20, OF30, OF40, OF50, OF60

06 Single Select with Fill in Answer Text = OF70

12 Address – Newly Collected = OF200_02, OF200_03, OF200_04, OF200_05, OF200_06

14 Regular date entry = OF100_01, OF100_02, OF100_03, OF140_01, OF140_02, OF140_

03

19 Numeric Field = OF110

23 Text Field = OF80_01, OF80_02, OF80_03, OF200_01

24 Information Screen = OF240, OF250, OF260

BOX_10 (OF1005) Item Type: Route Type Class: If Then

Route Details: Continue with OF10.

The OF section is a combination of Manipula pop-up boxes and Blaise screens with a green background (i.e., "green path"). The OF section is accessed with the F2 hot key or selection of "Review/Add" from the menu and runs "parallel" to the main interview.

Items OF10-OF60 are all Manipula pop-up boxes with the blue background. Items OF70-OF260 are traditional Blaise screens with a green (instead of beige) background. The color of the green background is: rgb(153, 255, 153).

If the FI doesn't complete the entire OF section, no data is saved for added person or added event(s).

The options available via the F2 function will be customized based on which section of the CAPI interview you are in.

The F2 function is disabled in the following sections:

Reenumeration (RE)

Off Path Navigation (OF)

Otherwise, F2 is enabled in all sections, but with limited functionality as described below and at applicable items in the OF section.

- ST80 (only F2 disabled at other items in ST) F2 available for:
 - PERSONS (review only)
 - EVENTS (review only)
 - MEDICINES (review only)
 - JOBS (review only)
 - INSURANCE (review only)
- PE,HE F2 available for:
 - PERSONS (can review or add)
- CA, PP, EE, EV, PV, ED, HS, ER, OP, MV, TH, DN, HH, IC, CP, FF, EF F2 available for:
 - PERSONS (can review or add)
 - EVENTS (review only; add is grayed out)
- PM, OM, AH, CS F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (review only; add is grayed out)
- AC, FS F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)
- EM, RJ, EW F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)
 - JOBS (review only; add is grayed out)
- HX, HP, HQ, MC, OE, PR F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)

- JOBS (can review or add in comments)
- INSURANCE (review only; add is grayed out)
- IN, AS, CM, RF, QS, CL F2 available for:
 - PERSONS (can review or add)
 - EVENTS (can review or add)
 - MEDICINES (can review or add in comments)
 - JOBS (can review or add in comments)
 - INSURANCE (can review or add in comments)

<u>OF10</u>	(OF1010)	BLAISE NAME: AddRosterItem					
Item Type:	Type: Question Field kind: Datafield ArrayMin:		in: Mi	n value:			
Type Class:	Enumerated	Field Size:					
Answer Type:	TREVADD2	Answers allowed: 1	ArrayMa	ax: M	ax value:		
☐ Help Available	e()	☐ Show Card ()		☐ Look Up File ()	
Question Text:							
WHAT WOULD	YOU LIKE TO RE	VIEW?					
Responses:	PERSONS		1	OF20	(OF1015)		
-	EVENTS		2	OF30	(OF1020)		
	MEDICINES		3	OF40	(OF1025)		
	JOBS		4	OF50	(OF1030)		
	INSURANCE		5	OF60	(OF1035)		

)

Programmer Instructions:

This is a Manipula pop-up box that allows FIs to choose what they would like to review. It is called whenever the F2 hotkey is pressed or when Review/Add is selected from the menu.

The response options listed should be radio-buttons with two larger buttons at the bottom of the box labeled "OK" and "CANCEL".

If "OK" is selected, go to the item specified next to the response. If "CANCEL" is selected, go to BOX_40.

Display Instructions:

Customize the response options listed in the pop-up based on the section F2 is called.

- PE, HE Display only response option '1' (PERSONS)
- CA, PP, EE, EV, PV, ED, HS, ER, OP, MV, TH, DN, HH, IC, CP, FF, EF Display response options '1' (PERSONS) and '2' (EVENTS)
- PM, OM, AH, CS, AC, FS Display response options '1' (PERSONS), '2' (EVENTS), and '3' (MEDICINES)
- EM, RJ, EW Display response options '1' (PERSONS), '2' (EVENTS), '3' (MEDICINES), and '4' (JOBS)
- HX, HP, HQ, MC, OE, PR, IN, AS, CM, RF, QS, CL Display response options '1' (PERSONS), '2' (EVENTS), '3' (MEDICINES), '4' (JOBS), and '5' (INSURANCE)

Testing/Editing

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main

Notes: Variable not stored

OF20 (OF1015) BLAISE NAME: AddPers

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: Enumerated Field Size:

Answer Type: TADDPERSON Answers allowed: 1 ArrayMax: Max value:

☐ Help Available (\square Show Card ()		ook Up File (
Question Text:					
${Text} {M/F} {X} {Text} {M/F} {X}$	Keyness Ref Period S XXX} {Yes/No} {Text} XXX} {Yes/No} {Text} XXX} {Yes/No} {Text}	Start Date Ref	Period End {Text} {Text} {Text}	Date Status	{Text} {Text} {Text}
Responses:	EDIT PERSON INFOR ADD NEW PERSON TO CLOSE			BOX 40	(OF1205)

This is a Manipula pop-up box.

Display a list of all DU members (RE_Person.PERSID), including DU members from a multi-RU DU and including those with PriorRndInelig flag=YES and those who were just added off path via OF80_01-OF80_03. Display a blank line between RU members on the current Person array and other DU members.

Display grid as a Manipula look-up with three larger buttons at the bottom of the box labeled "EDIT PERSON INFORMATION", "ADD NEW PERSON TO RU" and "CLOSE".

The pop-up should be scrollable.

The "EDIT PERSON INFORMATION" and "ADD NEW PERSON TO RU" buttons are always active when F2 is accessible.

If "EDIT PERSON INFORMATION" option is selected, go to the comments type box (where you select the topic for the comment) and auto select 'RU/RU Member' and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX_40.

If "ADD PERSON" is selected and only current RU members are listed in this pop-up, go to

OF80_01. Otherwise (when "ADD PERSON" is selected), go to OF70.

Display Instructions:

The following fields should be displayed in the DU Members Overview screen.

Format Columns headers: Person, Sex, Age, Keyness, Ref Period Start Date, Ref Period End Date, Status.

Col #1: Person

Display DU members' full name

Col #2: Sex

Display the sex of the DU member. Display "M" for male and "F" for female.

Col #3: Age

Display the age or age category of the DU member.

Col #4: Keyness

Display only for current RU members on the person array. Leave empty for all other DU members. Display "Yes" if CtrlPersKey=Yes. Display "No" if CtrlPersKey=No.

Col #5: Ref Period Start Date

Display only for current RU members on the person array. Leave empty for all other DU members. Display the person's reference period start date using BegRefM, BegRefD, BegRefY. Display as "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year).

Col #6: Ref Period End Date

Display only for current RU members on the person array. Leave empty for all other DU members. Display the person's reference period end date using EndRefM, EndRefD, EndRefY. Display as "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year).

Col #7: Status

Display a customized status for each person listed.

- Display "Current RU Member" for all persons on the person array (anyone part of this RU).
- For all other persons who are part of the DU, but not the RU, use the following status labels.
 - If person is already part of another RU within the DU (never merged into this RU), display their status as their RU letter. For example, "RU-B", "RUC", etc.
 - Display "Mover" if CtrlTrackSumm=7, 10 or 11 for this person.
 - Display "Student Mover" if CtrlNewStudent = YES for this person.
 - Display "Incorrectly Listed" if RemovedAtRE330=Yes for this person.
 - Display "Still Institutionalized" if RemovedatRE180=Yes for this person.
 - Display "Not Eligible" if MoverAtLoop10=No or MoverAtLoop20=No or MoverAtLoop30=NO or MoverAtRE940=NO or StudentMoverAtLoop80 =NO or RemoveAtBOX_350=YES or RemoveAtBOX_400=YES for this person or PriorRndInelig flag=YES for this person
 - Display "Added Off Path" if person added via OF80_01-OF80_03 during the current round.

Testing/Editing Notes:

Variable not collected Variable not stored

<u>OF30</u>	(OF1020)	BLAISE NAME: AddEv	nt		
Item Type:	Question	Field kind: Datafield	ArrayMin	: Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TADEVENT	Answers allowed: 1	ArrayMax	: Max value:	
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
Question Text:					
Person:	Sort Field:				
{Text} {XX} {Text} {Text} {XX} {Text}	{Text} {MM/DD/YY {Text} {MM/DD/YY	Dept (Admit/ Visit) Date Disch YYY	X {Text} { X } {Text} { X } {Text} { X } {Text} { X }	Text)	
Responses:	ADD EVENT		1	OF250 (OF1185)	
	CLOSE		2	BOX 40 (OF1205)	

This is a Manipula pop-up box.

Display the events by person i.e., all events for one person listed in order (as described below), followed by the events for the next person, etc. Each person will be separated by a blank row.

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled "ADD EVENT" and "CLOSE".

You should be able to sort by person and the column headers should be sortable and the popup should be scrollable.

The "ADD EVENT" button is:

- <u>IN</u>ACTIVE (grayed-out) during: CA, PP, EE, EV, PV, ED, HS, ER, OP, MV, TH, DN, HH, IC, CP, FF, EF
- ACTIVE during: PM, OM, AH, CS, AC, FS, EM sections, HX sections, IN, AS, CM, RF, QS, CL

Display Instructions:

The following fields should be displayed in the RU Event Overview screen:

Format Columns headers: RU member, Event Type, Provider, Doctor/Dept, Date, Repeat Visit, Util Status, C/P Status.

Col #1: RU member

Display RU members' full name

Col#2: Event Type

Display the abbreviation for the event type associated with the event.

Col#3: Provider

Display the provider for the event

Col#4: Doctor/Dept

Display the doctor or department that was selected or added at PV70, if PV70 has a value other than 0.

Col#5: (Admit/Visit) Date

Display the date the event took place. For HS and IC events, display the admit date. For HH events, display the Month (3 letter abbreviation) the care took place. Dates should display as MM/DD/YYYY.

Col# 5a: Discharge Date

For HS and IC events, display the discharge date of the event. Leave this field empty if event type is not HS or IC.

Col# 6: Repeat Visit

Display the letter associated with the repeat visit group. Allow empty.

Col#7: Util Status

Display the status of the corresponding utilization section (Not Started, Started, Done, N/A)

Col# 8: C/P Status

MEPSSpring2024

Off Path Navigation (OF) Section

Full Detail Spec	Display the status of the C/P status. If applicable, display the status of the EF section (Not Started, Started, Done, N/A).							
	Display the rows on this pop-up in ascending event ID order within each RU member.							
	Display the	RU member	s by ascending PID	order.				
Testing/Editing Notes:	Variable no Variable no							
OF40 Item Type: Type Class: Answer Type:	(OF1025) Question Enumerated TADDMEDO	Fiel Fiel	SE NAME: AddPMd kind: Datafield d Size:	ArrayMin: ArrayMax:	Min value: Max value:			
☐ Help Available (()		☐ Show Card ()	☐ Look Up	File ()		
Question Text:								
Person:	_ A							
{Text} {T {Text}}	dicine Pext} Pext} Pext}	Number of {XXX} {XXX} {XXX}	times obtained	l during ref	period			
Responses:	ADD/EDIT CLOSE		IN COMMENT	_	OX_40 (OF12	205)		

This is a Manipula pop-up box.

Display all current round medicines by person i.e., all medicines for one person listed in order, followed by the medicines for the next person, etc. Each person will be separated by a blank row. If there are no medicines for this person, display their name with a blank entry next to it.

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled "ADD/EDIT MEDICINE IN COMMENT" and "CLOSE".

You should be able to sort by person and the pop-up should be scrollable.

The "ADD/EDIT MEDICINE IN COMMENT" button is:

- INACTIVE (grayed-out) during: PM, OM, AH, CS
- ACTIVE during: AC, FS, EM sections, HX sections, IN, AS, CM, RF, QS, CL

If "ADD/EDIT MEDICINE IN COMMENT" option is selected when it is active, go to the comments type box (where you select the topic for the comment) and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX 40.

Display Instructions:

The following fields should be displayed in the RU Medicines Overview screen.

Format Columns headers: RU member, Medicine, Number of times obtained during ref period.

Col #1: RU member

Display RU members' full name

Col #2: Medicine

Display the name of each medicine for this person that is flagged as selected this round. Display the full length of the allowable characters for a medicine = 60 characters.

Col #3: Number of times obtained during ref period

Display the value of PM140 for this medicine. Leave cell empty if PM140 not yet collected.

Display the RU members by ascending PID order.

Testing/Editing Notes: Variable not collected Variable not stored

OF50	(OF1030) BLAISE NAME: AddJob							
Item Type:	(Question	Field kind: Da	atafield	ArrayMi	n: Min	value:	
Type Class: Enumerated		Enumerated	Field Size:					
Answer Typ	e: 7	TADDJOBCOM	Answers allo	owed: 1	ArrayMa	x: Max	value:	
☐ Help Ava	ilable ()		v Card ()		☐ Look Up File ()
Question Te	xt:							
Person:		A						
RU Member {Text} {Text}	,	,	Job Start {Text} {Text}	Job En {Text} {Text}	d			
Responses:			IN COMMENT			BOX 40	(OF1205)	

This is a Manipula pop-up box.

Display all jobs by person who is = or > 16 years of age (or age categories 4-9), i.e., all jobs for one person listed in order, followed by the jobs for the next person, etc. Each person will be separated by a blank row. If there are no jobs for this person who is = or > 16 years of age (or age categories 4-9), display their name with a blank entry next to it.

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled "ADD/EDIT JOB IN COMMENT" and "CLOSE".

You should be able to sort by person and the pop-up should be scrollable.

The "ADD/EDIT JOB IN COMMENT" button is:

- <u>IN</u>ACTIVE (grayed-out) during: EM sections
- ACTIVE during: HX sections, IN, AS, CM, RF, QS, CL

If "ADD/EDIT JOB IN COMMENT" option is selected when it is active, go to the comments type box (where you select the topic for the comment) and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX_40.

Display Instructions:

The following fields should be displayed in the RU Jobs Overview screen.

Format Columns headers: RU member, Age, Job, Job Start, and Job End.

Col #1: RU member

Display RU members' full name. Display only RU members = or >16 years of age or in age categories (4-9).

Col #2: Age

Display the age or age category of the RU member.

Col #3: Job

Display all jobs on the jobs array for this person. No filter.

Col #3: Job Start

Display the Job start date using JobStartMM/DD/YYYY. Display as the "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year). If MM or DD is missing for JobStart, display that piece as empty.

Col #4: Job End

Display the Job end date using JobStopMM/DD/YYYY. Display as the "Mon DD, YYYY" (3 letter month abbreviation in mixed case, then the day, then the year). If MM or DD is

Full Detail Spec	missing for JobTp, display that piece as empty. If JobTp=CurrMainJob or CurrMiscJob then the Job End column should display 'CURRENT'.						
	Display the RU r	members by ascendi	ing PID o	rder.			
Testing/Editing Notes:	Variable not coll Variable not stor						
<u>OF60</u>	(OF1035)	BLAISE NAME	: AddIns				
Item Type:	Question	Field kind: Dat	tafield	ArrayMir	n: Min v	alue:	
Type Class:	Enumerated	Field Size:					
Answer Type:	TADDINSCOM	Answers allo	wed: 1	ArrayMa	x: Max	value:	
☐ Help Available (()	☐ Show	Card ()		☐ Look Up File ()
Question Text:							
Policyholder {Text} {Text}	Insura: {Text} {Text}	nce Source		an ext} ext}	Covered {Text} {Text}	RU Members	
Responses:	YES, HAS MEPS {PERSON}	S RECORD KEEPI	ER FOR	1			
	NO, DOES NOT KEEPER FOR {	HAVE MEPS REC PERSON}	CORD	2	BOX_40	(OF1205)	

This is a Manipula pop-up box.

Display insurance in the insurance array. Display all insurance that is public insurance first, then all insurance that is private insurance. Separate public from private insurance with a blank row. Display insurance that is "active" and covers at least one person during the current round (at least one RU member is in the covered person array for this insurance).

Display grid as a Manipula look-up with two larger buttons at the bottom of the box labelled "ADD/EDIT INSURANCE IN COMMENT" and "CLOSE".

The pop-up should be scrollable.

The "ADD/EDIT INSURANCE IN COMMENT" button is:

- <u>IN</u>ACTIVE (grayed-out) during: HX sections
- ACTIVE during: IN, AS, CM, RF, QS, CL

If "ADD/EDIT INSURANCE IN COMMENT" option is selected when it is active, go to the comments type box (where you select the topic for the comment) and then go to the comment area to record text. When routing to the comment type box – link the comment to the item where F2 was called from. When the comment box is closed, go to BOX_40.

Display Instructions:

The following fields should be displayed in the RU Insurance Overview screen.

Format Columns headers: Policyholder, Insurance Source, Plan, Covered RU Members.

Column Header #1: Policyholder

Display the first 35 characters of the full name (Person.FullName) of policyholder for this insurance source (Insurance.Plcyhldr). This includes the full name of any RU or DU member selected as the policyholder. If the policyholder is outside of the DU, display the policyholder name as 'PLCYHLDR NOT IN DU-' followed by the first 15 characters of the entry at HP100. If the policyholder is deceased, display the policyholder name as 'PLCYHLDR DECEASED-'followed by the first 15 characters of the entry at HP110.

Column Header #2: Insurance Source

Display the first 30 characters of the name of the insurance source name (Insurance.HISrcName)

Column Header #3: Plan

Display the first 25 characters of the plan name of the insurance source (Insurance.Insurer). Leave cell blank if plan name is empty.

Column Header #4: Covered RU Members

Display the first 11 characters of the first names (Pers.FName) of all current RU members

listed in the covered person array for this insurance source (Pers.PersID =CovdPers.Depend). Separate each name with a comma. Do not substitute "you" for respondent. Allow up to 95 characters for this column (which would allow for the first 8 covered persons if each first name is truncated to 11 characters).

Testing/Editing
Notes:

Variable not collected Variable not stored

<u>OF70</u>	(OF1040)	BLAISE NAME: SelectPers			
Item Type:	Question	Field kind: Datafield	Field kind: Datafield ArrayMin: Min value:		
Type Class:	Enumerated	Field Size:			
Answer Type:	TADDPERROS	Answers allowed: 1	ArrayMax:	Max value:	
☐ Help Available ()		\square Show Card ()	☐ Look Up File ()	

Question Text:

IF PERSON RESPONDENT INDICATED SHOULD BE PART OF THE HOUSEHOLD IS ALREADY LISTED, SELECT THAT PERSON BELOW.

OTHERWISE, SELECT '0' TO ADD A PERSON.

Responses:	ADD A PERSON	0	OF80_01	(OF1045)
	{FIRST NAME, [MIDDLE NAME], LAST	1	OF240	(OF1180)

NAME}1

{FIRST NAME, [MIDDLE NAME], LAST 2 OF240 (OF1180)

NAME}2

{FIRST NAME, [MIDDLE NAME], LAST 3 OF240 (OF1180)

NAME}3

{FIRST NAME, [MIDDLE NAME], LAST ----- 4 OF240 (OF1180)

NAME}4

{FIRST NAME, [MIDDLE NAME], LAST 5 OF240 (OF1180)

NAME}N

Programmer Instructions:	Roster behavior: 1. Only single select allowed.
Display Instructions:	Roster 2 – no add/edit/delete Roster definition: Display the DU-Members-Roster for selection. Roster filter: Display all DU members (RE_Person.PERSID), including those with the flag PriorRndInelig flag=YES, but exclude any person marked as a current RU member (i.e., any person on the current person array)
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable not stored
OF80_01 Item Type: Type Class: Answer Type:	(OF1045) BLAISE NAME: AddPersFName Question Field kind: Datafield ArrayMin: Min value: String Field Size: 40 {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value:
☐ Help Available ()
Question Text:	
I'm going to pause the	he questions I was asking and make sure I have all the needed information about this person.
What is their first na	me?
VERIFY SPELLING	G.
Responses:	
Display Instructions:	Display OF80_01, OF80_02, and OF80_03 on the same form pane.
Testing/Editing Notes:	Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[130]

OF80 02	(OF1050)	BLAISE NAME: AddPer	rsMName	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40		
Answer Type:	{Continuous Answ	wer.} Answers allowed: 1	ArrayMax	: Max value:
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
Question Text:				
What is {{FIRST N	AME}'s/their} mid	ddle name or initial?		
IF NO MIDDLE NA	AME, LEAVE FIE	ELD BLANK.		
Responses:			1	OF80_03 (OF1055)
•	EMPTY			OF80_03 (OF1055)
Display	Eor "EIDCT MA	ME" dienlay the tayt entry f	From OE90 0	1
Instructions:	roi Firsi NA	ME", display the text entry f	10III OF60_0	1.
	Display OF80_0	01, OF80_02, and OF80_03	on the same f	orm pane.
m + m + +	W	A LA MEDGATA ING A TAN NAV	WW OF M.	
Testing/Editing Notes:		ed at MEPS(Fall/Spring)YY at MEPS(Fall/Spring)YYYY		
<u>OF80_03</u>	(OF1055)	BLAISE NAME: AddPer		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	String	Field Size: 40	. 3.5	
Answer Type:	{Continuous Ans	wer.} Answers allowed: 1	ArrayMax	: Max value:
Help Available ()	☐ Show Card ()	☐ Look Up File ()
Question Text:				
What is {{FIRST N	AME}'s/their} last	t name?		
Responses:			1	OF90 (OF1060)

Display Instructions:	For "FIRST NAME", display the text entry from OF80_01. Display OF80_01, OF80_02, and OF80_03 on the same form pane.						
Testing/Editing Notes:		d at MEPS(Fall/Spring)YY t MEPS(Fall/Spring)YYYY					
OF90 Item Type: Type Class: Answer Type:	(OF1060) Question Enumerated TSEXDKRF	BLAISE NAME: SexC Field kind: Datafield Field Size: Answers allowed: 1	ArrayMi ArrayMa		value: value:		
☐ Help Available (()	☐ Show Card ()		☐ Look Up File ()	
Question Text: What is {PERSON}'s	sex?						
Responses:	FEMALE		2	OF100_01 OF100_01 OF100_01 OF100_01	(OF1065) (OF1065) (OF1065) (OF1065)		
Display Instructions:	For '{PERSON}' d	isplay the first, middle, and	last name e	entered at OF	80_01-OF80_03.		
Testing/Editing Notes:		d at MEPS(Fall/Spring)YY t MEPS(Fall/Spring)YYYY					

OF100 01	(OF1065)	BLAISE NAME: DOBM	IMC	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1
Type Class:	Integer	Field Size: 2		
Answer Type:	{Continuous Answ	ver. } Answers allowed: 1	ArrayMax:	Max value: 12
☐ Help Available (()	☐ Show Card ()	□ Look Up File ()
Question Text:				
What is {PERSON}	's date of birth?			
ENTER MONTH.				
Responses:			RF O	F100_02 (OF1070) F100_02 (OF1070) F100_02 (OF1070)
Display Instructions:		display the first, middle, and 01, OF100_02, and OF100		
Testing/Editing Notes:		ed at MEPS(Fall/Spring)YY at MEPS(Fall/Spring)YYYY		30]
OF100_02	(OF1070)	BLAISE NAME: DOBD	DC	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1
Type Class:	Integer	Field Size: 2	·	
Answer Type:	{Continuous Answ	wer.} Answers allowed: 1	ArrayMax:	Max value: 31
☐ Help Available (<u> </u>	☐ Show Card ()	☐ Look Up File ()
Question Text:				
[What is {PERSON	's date of birth?]			
ENTER DAY.				
Responses:			1 O	F100_03 (OF1075)
			RF O	F100_03 (OF1075)
	DON'T KNOW		DK O	F100_03 (OF1075)

Display Instructions:	Display OF100_01,	lay the first, middle, and OF100_02, and OF100_t in brackets and lighter	03 on the same	•	
Testing/Editing Notes:		t MEPS(Fall/Spring)YY IEPS(Fall/Spring)YYYY		30]	
OF100 03		LAISE NAME: DOBY			
Item Type:		Field kind: Datafield	ArrayMin:	Min value: 1900	
Type Class: Answer Type:	C	Field Size: 4 } Answers allowed: 1	ArrayMax:	Max value: 2100	
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
Question Text:					
[What is {PERSON]	's date of birth?]				
ENTER 4- DIGIT Y	EAR.				
Responses:			1 O	F110 (OF1080)	
	REFUSED		RF O	F110 (OF1080)	
	DON'T KNOW		DK O	F110 (OF1080)	

Hard check:

1. Date entered must be between {YEAR} - 120 years where 'YEAR' is the current year and RU level reference period end date/interview date (RUEndM, RUEndD, RUEndY). If a date outside of this range is entered, display the following message: "UNLIKELY RESPONSE. DATE CANNOT BE AFTER TODAY'S DATE OR BEFORE {YEAR-120}. VERIFY WITH RESPONDENT AND RE-ENTER."

Soft check:

- 1. Check if the first and last name entered matches the first and last name of an existing DU member. Check the OF80_01 value entered against the 'First name' value (RE_Person.FName) and the OF80_03 value against the 'Last name' value (RE_Person.LName) of all persons in the DU. For the name value, do not consider case of characters, middle name (RE_Person.MName) or non-alpha characters as differences.
- 2. Check the OF90 value entered against the 'Sex' value (RE_Person.Sex).
- 3. Check if the date of birth entered matches the date of birth of an existing RU member. Check the OF100_01 value entered against the 'Month' value (RE_Person.DOBM), the OF100_02 value against the 'Day' value (RE_Person.DOBD) and the OF100_03 value against the 'Year' value (RE_Person.DOBY) of all persons in the DU.

For all checks, include the use of 'DK' (Don't Know') and 'RF' (Refused) as values.

If each of the name, sex, and date of birth values (FName, LName, Sex, DOBM, DOBD, DOBY) match the information of an existing DU member, display the following message: "The information you have entered is the same as an existing DU member. Please verify the name, sex, and date of birth. If you need to correct an existing DU member's information, please back up to OF20 and select 'EDIT PERSON INFORMATION'."

Control Variables Impacted during MHOP: CtrlCurrHere

Display Instructions:

For '{PERSON}' display the first, middle, and last name entered at OF80 01-OF80 03.

Display OF100 01, OF100 02, and OF100 03 on the same form pane.

Display question text in brackets and lighter "grayed-out" text.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF Person[1..30]

<u>OF110</u>	(OF1080)	BLAISE NAME: AgeRn	dC		
Item Type:	Question	Field kind: Datafield	ArrayMin	: Min v	value: 0
Type Class:	Integer	Field Size: 3			
Answer Type:	{Continuous Answ	ver. } Answers allowed: 1	ArrayMax	: Max	value: 120
☐ Help Available ()	☐ Show Card ()		☐ Look Up File ()
Question Text:					
		E IS INCORRECT, RE-ENT (K:) How old is {PERSON		OF BIRTH.	
Responses:			1	OF140_01	(OF1095)
	REFUSED		RF	OF120	(OF1085)
	DON'T KNOW		DK	OF120	(OF1085)
Programmer Instructions:	DECEMBER 31. (InterviewDate Y	nd is the final round of the part of the p	s the calendar licts the DOI	r year of the 3, CAPI will	final round of the panel still calculate AGE (See
Display Instructions:	OF100_03 if age Display "VERIFY BIRTH. IF DAT entered at OF100	th RU member's age as calc can be calculated. If age c { {PERSON}'s AGE - IF AGE E OF BIRTH UNKNOWN 0_01-OF100_03. Otherwise isplay the first, middle, and	annot be calc GE IS INCO , ASK:" if ag e, use a null d	rulated, do n RRECT, RE e can be cal lisplay.	ot prefill an age. E-ENTER DATE OF culated from responses
Testing/Editing Notes:		d at MEPS(Fall/Spring)YY t MEPS(Fall/Spring)YYYY			

OF120	(OF1085)	BLAISE NAME: AgeRn	gC		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min	value:
Type Class:	Enumerated	Field Size:			
Answer Type:	TAGERANG2	Answers allowed: 1	ArrayMa	ax: Max	value:
☐ Help Available	()	☐ Show Card ()		☐ Look Up File ()
Question Text:					
PROBE FOR RESI	PONDENT'S BEST	ESTIMATE OF AGE.			
Is {PERSON} less	than 1 year old 1-4	5-15, 16-23, 24-34, 35-44,	45-54 55-6	54 or 65 vea	rs or older?
15 (1 2165011) 1055	inan' i year ora, i 'i,	10, 10, 20, 21, 51, 55, 11,	10 0 1, 00 (51, 01 05 jeu	is of order.
Responses:	LESS THAN 1 Y	YEAR OLD	1	OF140 01	(OF1095)
•	1 - 4		2	OF140_01	(OF1095)
	5 - 15		3	OF140_01	(OF1095)
	16 - 23		4	OF140_01	(OF1095)
	24 - 34		5	OF140_01	(OF1095)
	35 - 44		6	OF140_01	(OF1095)
	45 - 54		7	OF140_01	(OF1095)
	55 - 64		8	OF140_01	(OF1095)
	65 YEARS OR C	OLDER	9	OF140_01	(OF1095)
	REFUSED		RF	OF130	(OF1090)
	DON'T KNOW		DK	OF130	(OF1090)
Display Instructions:	For '{PERSON}' d	lisplay the first, middle, and	last name e	ntered at OF	80_01-OF80_03.
msu actions.					
Testing/Editing		d at MEPS(Fall/Spring)YY			
Notes:	variable stored a	t MEPS(Fall/Spring)YYYY	OF_Perso	1130]	

OF130 Item Type: Type Class:	(OF1090) Question Enumerated	BLAISE NAME: AgeGu Field kind: Datafield Field Size:	essC ArrayMi	n: Min	value:	
Answer Type:	TAgeGuess	Answers allowed: 1	ArrayMa	x: Max	value:	
☐ Help Available ()	☐ Show Card ()		☐ Look Up File ()
Question Text:						
ENTER YOUR BES	ST GUESS FOR {	PERSON}'S AGE.				
Responses:		YEAR OLD		OF140_01 OF140_01	(OF1095)	
			_	OF140_01 OF140_01	(OF1095) (OF1095)	
				OF140_01	(OF1095)	
			-	OF140_01	(OF1095)	
	_		-	OF140_01	(OF1095)	
	45 - 54		7	OF140_01	(OF1095)	
	55 - 64		8	OF140_01	(OF1095)	
	65 YEARS OR	OLDER	9	OF140_01	(OF1095)	
Testing/Editing Notes:		ed at MEPS(Fall/Spring)YY at MEPS(Fall/Spring)YYYY				
OF140 01	(OF1095)	BLAISE NAME: LiveFa	mStartMM			
Item Type:	Question	Field kind: Datafield	ArrayMi	n: Min	value: 1	
Type Class:	Integer	Field Size: 2	·			
Answer Type:	•	wer.} Answers allowed: 1	ArrayMa	x: Max	value: 12	
☐ Help Available ()	☐ Show Card ()		☐ Look Up File ()
Question Text:						
	?,{First Name,[Mi	ng with {{First Name,[Midddle Name],Last Name}3, {ne}N}?				е
ENTER MONTH.						
Responses:			1	OF140_02	(OF1100)	

Display Instructions: Roster definition: Roster 1 - Report This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names.(PL_Person.FullName)	Programmer Instructions:	DK and RF disallo	wed for month.			
If round 1, display all RU members on the original NHIS roster. If round > 1, display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.) (RE_Person.PreloadRU = RUUnit) Display OF140_01, OF140_02 and OF140_03 on the same form pane. For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03. Testing/Editing		This item displays	current NHIS/previous ro	und roster. I	Display RU mei	mber's first, middle,
Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[130] OF140_02 (OF1100) BLAISE NAME: LiveFamStartDD Item Type: Question Field kind: Datafield ArrayMin: Min value: 1 Type Class: Integer Field Size: 2 Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: 31 Help Available () Show Card () Look Up File () Question Text: [On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1,.{First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name]4, {First Name,[M		If round 1, display all RU members on the original NHIS roster. If round <> 1, display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.)				
Testing/Editing Notes: Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[130] OF140_02		Display OF140_01,	OF140_02 and OF140_03	on the sam	e form pane.	
Notes: Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[130] OF140_02 (OF1100) BLAISE NAME: LiveFamStartDD Item Type: Question Field kind: Datafield ArrayMin: Min value: 1 Type Class: Integer Field Size: 2 Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: 31 Help Available () Show Card () Look Up File () Question Text: [On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}2, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}4, {Fi		For '{PERSON}' dis	play the first, middle, and	last name en	ntered at OF80	_01-OF80_03.
Notes: Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[130] OF140_02 (OF1100) BLAISE NAME: LiveFamStartDD Item Type: Question Field kind: Datafield ArrayMin: Min value: 1 Type Class: Integer Field Size: 2 Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: 31 Help Available () Show Card () Look Up File () Question Text: [On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}2, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}4, {Fi						
Item Type: Question Field kind: Datafield ArrayMin: Min value: 1 Type Class: Integer Field Size: 2 Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: 31 Help Available () Show Card () Look Up File () Question Text: [On what date did {PERSON} start living with {First Name,[Middle Name],Last Name}], Last Name}], First Name,[Middle Name],Last Name,[Middle Name],Last Name], Last Name,[Middle Name],Last Name], Last Name], First Name,[Middle Name],Last Name], Rist Name,[Middle Name],Last Name], Rist Name, [Middle Name], Last Name], Rist Name, Rist Name, Rist Name], Rist Name,	0 0					
Type Class: Integer Field Size: 2 Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: 31 Help Available () Show Card () Look Up File () Question Text: [On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N}?] ENTER DAY. Responses: 1 OF140_03 (OF1105) REFUSED REFUSED RF OF140_03 (OF1105)	OF140_02	(OF1100)	BLAISE NAME: LiveFa	mStartDD		
Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value: 31 Help Available () Show Card () Look Up File () Question Text: [On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1,{First Name,[Middle Name],Last Name}2,{First Name,[Middle Name],Last Name}4,{First Name,[Middle Name],Last Name}N}?] ENTER DAY. Responses: 1 OF140_03 (OF1105) REFUSED RF OF140_03 (OF1105)		~		ArrayMir	ı: Min val	ue: 1
Help Available () Show Card () Look Up File () Question Text: [On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1,{First Name,[Middle Name],Last Name}2,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N}?] ENTER DAY. Responses: 1 OF140_03 (OF1105) REFUSED		•		ArrayMa	v· May va	due: 31
Question Text: [On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N}?] ENTER DAY. Responses: 1 OF140_03 (OF1105) REFUSED RF OF140_03 (OF1105)	Answer Type.	(Continuous Answer	1. Answers anoweu. 1	AllayMa		nue. 31
[On what date did {PERSON} start living with {{First Name,[Middle Name],Last Name}1 ,{First Name,[Middle Name],Last Name}2 ,{First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N}?] ENTER DAY. Responses:	☐ Help Available ()	\square Show Card ()		Look Up File ()
Name],Last Name,[Middle Name],Last Name,[Middle Name],Last Name]4, {First Name,[Middle Name],Last Name}N}?] ENTER DAY. Responses: 1 OF140_03 (OF1105) REFUSED RF OF140_03 (OF1105)	Question Text:					
Responses: 1 OF140_03 (OF1105) REFUSED RF OF140_03 (OF1105)	Name],Last Name}2	,{First Name,[Midd]	le Name],Last Name}3, {1			
REFUSED RF OF140_03 (OF1105)	ENTER DAY.					
_ ` ` /	Responses:			RF		

Display Instructions:	Roster definition	n:			
	Roster 1 – Report This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names.(PL_Person.FullName)				
	If round <> 1, disther the roster from		-	er. s roster (i.e. if round 2 display	
	Display OF140_0	01, OF140_02 and OF140_0	3 on the same fo	rm pane.	
	Display question	n text in brackets and lighte	r "grayed-out" te	xt.	
	For '{PERSON}'	display the first, middle, and	d last name entere	ed at OF80_01-OF80_03.	
Testing/Editing Notes:		ed at MEPS(Fall/Spring)YY at MEPS(Fall/Spring)YYY		30]	
OF140 03	(OF1105)	BLAISE NAME: LiveFa	amStartYYYY		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value: 1900	
Type Class: Answer Type:	Integer {Continuous Answ	Field Size: 4 wer. } Answers allowed: 1	ArrayMax:	Max value: 2100	
☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()	
Question Text:					
	,{First Name,[Mic	ddle Name],Last Name}3,		Name}1 ,{First Name,[Middle dle Name],Last Name}4,	
ENTER 4-DIGIT Y	EAR.				
Responses:			1		

If Round 1 and date entered is [on or before NHIS date (NHISDt)] or if [(month is equal to NHIS month) and (day is RF or DK) and (year entered is equal to NHIS year)], go to OF150.

If Round <> 1 and date entered is [on or before NHIS date (NHISDt)] or if [month is equal to NHIS month) and (day is RF or DK) and (year entered is equal to NHIS year), autocode OF150 as '1' (YES) and go to OF240.

Otherwise, go to OF160.

DK and RF disallowed for year.

Hard Check:

1. (if the current round is the final round of the panel (RndType=Final)): Date entered must be on or before 12/31/{YEAR}, where 'YEAR' is the calendar year of the final round of the panel (InterviewDate Year -1). If a date after 12/31/{YEAR} is entered, display the following message: "DATE MUST BE ON OR BEFORE 12/31/{YEAR}. VERIFY DATE ENTERED. ONLY PERSONS JOINING RU BEFORE 12/31/{YEAR} SHOULD BE ADDED. IF PERSON JOINED RU AFTER 12/31/{YEAR}, CANCEL OUT OF OFF- PATH AND DO NOT ADD THIS PERSON TO THE RU."

2. Hard Check: Date entered must be between Person's DOB (DOBD, DOBM, DOBY) and the RU reference period end date/interview date (RUEndM, RUEndD, RUEndY). If a date outside of this range is entered, display the following message: DATE CANNOT BE AFTER {REFERENCE PERIOD END DATE} OR BEFORE PERSON'S DATE OF BIRTH. VERIFY WITH RESPONDENT AND RE-ENTER."

Control Variables Impacted during MHOP: BegRefM, BegRefD, and BegRefY

Display Instructions:

Roster definition:

Roster 1 - Report

This item displays current NHIS/previous round roster. Display RU member's first, middle, and last names. (PL_Person.FullName)

Roster filter:

If round 1, display all RU members on the original NHIS roster.

If round <>1, display all RU members on the previous rounds roster (i.e. if round 2 display the roster from round 1.)

(RE_Person.PreloadRU = RUUnit)

Display OF140 01, OF140 02 and OF140 03 on the same form pane.

Display question text in brackets and lighter "grayed-out" text.

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF150	(OF1110)	BLAISE NAME: VerfBe	gDate	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available (()	☐ Show Card ()	☐ Look Up File ()
Question Text:				
I have recorded that	{PERSON} began	living at {NHIS ADDRESS	S} on {OF140_[1-3] DATE}. Is that correct?
		establish if {PERSON} wa n {DATE OF NHIS INTER		s household when they
Responses:	YES		1 OF	(OF1180)
	NO		2	
	REFUSED		RF OF	(OF1115)
	DON'T KNOW		DK OF	(OF1115)
Programmer Instructions:	RU AT PREVIO			ECT DATE PERSON JOINED
Display Instructions:	For '{PERSON}' di	isplay the first, middle, and	last name entere	ed at OF80_01-OF80_03.
	code. Use Preload	RESS' display the NHIS ful d.CurrStrt1, Preload.CurrSt components with a comma,	rt2, Preload.Cur	
	For 'OF140_[1-3]	DATE', display date entere	ed at OF140_[0:	1-03].
	For 'DATE OF N	IHIS INTERVIEW', displa	y date of NHIS i	interview. Use NHISDt.
Testing/Editing Notes:		d at MEPS(Fall/Spring)YY t MEPS(Fall/Spring)YYYY		30]

Full Detail Spec BLAISE NAME: Jan1 Abroad **OF160** (OF1115) **Item Type:** Question Field kind: Datafield **ArrayMin:** Min value: Type Class: Enumerated Field Size: **Answer Type:** TIN OUT Answers allowed: 1 ArrayMax: Max value: ✓ Help Available (LIVEUSHelp) \square Show Card () ☐ Look Up File () **Ouestion Text:** Was {PERSON} living within the U.S. or outside the U.S. on {MONTH, DAY, YEAR OF NHIS INTERVIEW/January 1, {YEAR}}? HELP: F1 **Responses:** WITHIN U.S. _____1 OUTSIDE U.S. 2 OF240 (OF1180) RF REFUSED DON'T KNOW DK If coded '1' (WITHIN US), 'RF' (REFUSED), or 'DK' (DON'T KNOW), and person is 18 Programmer Instructions: years old or older or in age categories 4-9 (use age variables collected at OF100 through OF130), continue with OF170. Otherwise, go to OF180. Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS **Display** For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03. **Instructions:** Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt. Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Testing/Editing **Notes:**

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30] **Full Detail Spec** BLAISE NAME: Jan1Milit **OF170** (OF1120)**Item Type:** Question Field kind: Datafield **ArrayMin:** Min value: Type Class: Enumerated Field Size: **Answer Type: TYESNO** Answers allowed: 1 ArrayMax: Max value: ✓ Help Available (ACTDUTYHelp) ☐ Show Card () ☐ Look Up File () **Question Text:** Was {PERSON} serving on full-time active duty with the Armed Forces of the United States on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}? HELP: F1 **Responses:** YES OF180 (OF1125) NO OF180 (OF1125) ----- RF (OF1125) **REFUSED** OF180 DK OF180 DON'T KNOW (OF1125) **Display** For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03. **Instructions:** Display 'MONTH, DAY, YEAR OF NHIS INTERVIEW' if Round 1. Use NHISDt. Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

(OF1180)

Full Detail Spec BLAISE NAME: WherePersJan1 **OF180** (OF1125) **Item Type:** Question Field kind: Datafield ArrayMin: Min value: Type Class: Enumerated Field Size: **Answer Type:** TWHERJAN1 Answers allowed: 1 Max value: ArrayMax: ✓ Help Available (WhereJan1) ☐ Show Card () ☐ Look Up File () **Question Text:** {Was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence when {{First Name, [Middle Name], Last Name}}, {First Name, [Middle Name], Last Name}}, {First Name, [Middle Name], Last Name} Name, [Middle Name], Last Name \}3, \{First Name, [Middle Name], Last Name \}4, \{First Name, [Middle Name], Last Name, [Middle Name], Middle Name], Last Name, [Middle Name], Middle Name, [Middle Name], Middle Name], Middle Name, [Middle Name \ N \ participated in the National Health Interview Survey on \ NHIS INTERVIEW DATE \} at \ \ NHIS ADDRESS \? / On January 1, {YEAR}, was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence?} HELP: F1 LIVING AWAY AT SCHOOL 1 **Responses:** LIVING ON A MILITARY FACILITY 2 (OF1180) OF240 INSTITUTIONALIZED IN A FACILITY...... 3 OF190 (OF1130) IN A PRIVATE RESIDENCE/HOUSEHOLD 4 OF240 (OF1180) IF VOLUNTEERED: BORN AFTER {DATE} 5 OF240 (OF1180) RF REFUSED OF240 (OF1180)

..... DK OF240

DON'T KNOW

If coded '1' (LIVING AWAY AT SCHOOL) and Round 1, calculate the age from NHIS interview date (NHISDt). If Round <> 1, calculate age from January 1, {YEAR} where year is the first calendar year of panel for 'YEAR'. This calculation is using the age-at-NHIS (or age-at-1/1/First Panel Year) rather than the age calculation described in the GL spec. Therefore, age categories cannot be included in the check.

If calculated age at NHIS or $1/1/\{YEAR\}$ is < = 23, go to OF220.

If calculated age at NHIS or 1/1/{YEAR} is unknown or cannot be calculated, go to OF210.

Control Variables Impacted during MHOP: CtrlPersKey, CtrlSampNHIS

HARD CHECK: If coded '1' (LIVING AWAY AT SCHOOL) and calculated age at NHIS or 1/1/{YEAR} > 23, display the following message: "For the purposes of this survey, students older than 23 are considered living in a private household. INTERVIEWER: PLEASE CHANGE OF180 (WherePersJan1) TO CODE 4 (IN A PRIVATE RESIDENCE/HOUSEHOLD)."

Display Instructions:

Roster 1 – Report Roster definition:

This item displays the current NHIS roster. Display RU member's first, middle, and last names (PL_Person.FullName).

Roster filter:

Display all RU members on the current NHIS roster. (RE_Person.PreloadRU = RUUnit). Substitute "you" for the person's name if the respondent is included in this list. If exactly two names displayed, separate names with the word "and" and no comma. If more than two names listed, separate names using commas, except for between the last two names displayed. Between the last two names displayed, separate names using the word "and".

Display response category '5' (IF VOLUNTEERED: BORN AFTER {DATE}) if the person's date of birth year is on or after NHIS year (PesonDOBY=>NHISDt (year)) or if DOB is unknown and person is age category 1 (Person.AgeRng=1 or Person.AgeGuess=1).

For '{PERSON}' display the first, middle, and last name entered at OF80 01-OF80 03.

For "DATE" in the response category display, display NHISDt (as month DD, YYYY) if Round 1 or "JANUARY 1, {YEAR}" where "YEAR" is the first panel year if Round <> 1.

If round 1, display "Was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence when {{First Name,[Middle Name],Last Name}1, {First Name,[Middle Name],Last Name}2, {First Name,[Middle Name],Last Name}3, {First Name,[Middle Name],Last Name}4, {First Name,[Middle Name],Last Name}N } participated in the National Health Interview Survey on {NHIS INTERVIEW DATE} at {NHIS ADDRESS}?"

 For '{NHIS ADDRESS}', display the NHIS full address, including city and state, but not zip code. Use Preload.CurrStrt1, Preload.CurrStrt2, Preload.CurrCity,

Off Path Navigation (OF) Section

Preload.CurrState. Separate address components with a

comma, for example: "123 Main Street, Apt. 101, Rockville, MD".
• For "{NHIS INTERVIEW DATE}", display the date of the NHIS interview. Use NHISDt.

If round <> 1, display "On January 1, {YEAR}, was {PERSON} living away at school, living on a military facility, institutionalized, or living at a private residence?" Display the first calendar year of panel for 'YEAR'.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF190	(OF1130)	BLAISE NAME: Jan1InstTp				
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	Enumerated	Field Size:				
Answer Type:	swer Type: TYESNO Answers allowed: 1 ArrayMax:		Max value:			
✓ Help Availabl	e (InstTypeHelp)	☐ Show C	ard ()	☐ Look Up File ()		

Question Text:

Was {PERSON} living in a nursing home or any other long-term care institution that provides 24 hour skilled nursing care on {{MONTH, DAY, YEAR OF NHIS INTERVIEW}/January 1, {YEAR}}?

HELP: F1

Responses:	YES 1	OF200_01	(OF1135)
	NO 2	OF240	(OF1180)
	REFUSED RF	OF200_01	(OF1135)
	DON'T KNOW DK	OF200_01	(OF1135)

Display Instructions:	Display 'MONTH, I	play the first, middle, an DAY, YEAR OF NHIS I January 1, {YEAR}' with	NTERVIEV	V' if Round	1. Use NHISDt.
Testing/Editing Notes:		t MEPS(Fall/Spring)YY IEPS(Fall/Spring)YYYY			
OF200_01	(OF1135) B	LAISE NAME: BefFam	nPlaceName		
Item Type:	·	Field kind: Datafield	ArrayMir		value:
Type Class:	String	Field Size: 40	·		
Answer Type:	{Continuous Answer.	Answers allowed: 1	ArrayMa	x: Max	value:
☐ Help Available ()	☐ Show Card ()		☐ Look Up File ()
Question Text:					
	YEAR}/ living at the	e nursing home or long to time of the National Hea			
What is the name?					
Responses:			1	OF200_02	(OF1140)
	REFUSED		RF	OF200_02	(OF1140)
	DON'T KNOW		DK	OF200 02	(OF1140)

Responses:

REFUSED

DON'T KNOW

(OF1145)

(OF1145)

(OF1145)

Display Instructions:	For '{PERSO	ON}' display the first, middle, ar	nd last name ente	red at OF80_01-OF80_03.		
	Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR O NHIS INTERVIEW}' if Round 1. Use NHISDt					
	Otherwise, o	Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.				
	Display OF20 same form p	00_01, OF200_02, OF200_03, O pane.	F200_04, OF200	_05, and OF200_06 on the		
Testing/Editing Notes:		lected at MEPS(Fall/Spring)YY red at MEPS(Fall/Spring)YYYY		30]		
OF200 02	(OF1140)	BLAISE NAME: BefFar	mStrt1			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:		
Type Class:	String	Field Size: 40				
Answer Type:	{Continuous A	Answer. Answers allowed: 1	ArrayMax:	Max value:		
☐ Help Available (()	☐ Show Card ()	☐ Look Up File ()		
Question Text:						
	{YEAR}/livin	ess of the nursing home or long g at the time of the National Hea]				
What is the address	?					

...... 1 OF200_03

..... RF OF200_03

..... DK OF200_03

Display
Instructions:

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03. Display 'living at the time of the National Health Interview Survey on {MONTH, DAY,

YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the $\,$

same form pane.

Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in

brackets and lighter "grayed out" text.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_03	(OF1145)	BLAISE NAME: BefFamStrt2			
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	

Type Class: String Field Size: 40

Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value:

\square Help Available () \square Show Card () \square Look Up File (

Question Text:

[Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the second address?

IF NONE, PRESS ENTER TO CONTINUE.

Responses:			1 OF200_04	(OF1150)
	EMPTY	Empt	y OF200_04	(OF1150)
	REFUSED	Ri	F OF200_04	(OF1150)
	DON'T KNOW	DI	C OF200_04	(OF1150)

Programmer Instructions:	Allow empty.					
Display Instructions:	For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.					
		ne time of the National He NTERVIEW}' if Round 1			{MONTH, DAY,	
	Otherwise, display	'January 1, {YEAR}' with '	YEAR' as the	e first calenda	r year of the panel.	
	Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.					
	term care facility w National Health Int	ext "Please give me the na where {PERSON} was {on J Perview Survey on {MONT or "grayed out" text.	anuary 1, {Y	EAR}/ living a	t the time of the	
Testing/Editing Notes:		at MEPS(Fall/Spring)YY MEPS(Fall/Spring)YYYY				
OF200_04	(OF1150)	BLAISE NAME: BefFan	nCity			
Item Type:	Question	Field kind: Datafield	ArrayMiı	n: Min v	alue:	
Type Class:	String	Field Size: 25	•			
Answer Type:	•	Answers allowed: 1	ArrayMa	x: Max v	value:	
☐ Help Available (☐ Show Card ()		☐ Look Up File ()	
Question Text:						
	YEAR}/ living at the	he nursing home or long time of the National Hea				
What is the city?						
Dognonger			1	OE200 05	(OE1155)	
Responses:				OF200_05	(OF1155)	
	REFUSED DON'T KNOW			OF200_05 OF200_05	(OF1155) (OF1155)	
	DOIN I IZNOW		ИК	01/200_03	(OF1133)	

Display	
Instructions	•

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Display 'living at the time of the National Health Interview Survey on {MONTH, DAY,

YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the

same form pane.

Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in

brackets and lighter "grayed out" text.

Testing/Editing Notes:

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

OF200_05 (OF1155) BLAISE NAME: BefFamSt

Item Type: Question Field kind: Datafield ArrayMin: Min value:

Type Class: String Field Size: 2

Answer Type: {Continuous Answer.} Answers allowed: 1 ArrayMax: Max value:

☐ Help Available ()	☐ Show Card ()	☐ Look Up File ()
----------------------	-----------------	--------------------

Question Text:

[Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?]

What is the state?

TYPE THE FIRST LETTER OF THE STATE, THEN USE ARROW KEYS IF NEEDED TO LOCATE STATE, AND PRESS ENTER TO SELECT.

Responses: 1 OF200_06 (OF1160)

REFUSED RF OF200_06 (OF1160) DON'T KNOW DK OF200_06 (OF1160)

Programmer Instructions:	Use state lookup file.					
instructions:	Note: The entry Foreign country (FC) is allowed.					
Display Instructions:	For '{PERSON}' disp	play the first, middle, an	d last name	entered at C	OF80_01-OF80_03.	
		time of the National He ΓERVIEW}' if Round 1			on {MONTH, DAY,	
	Otherwise, display 'J	anuary 1, {YEAR}' with	n 'YEAR' as	s the first cal	lendar year of the pane	:1.
	Display OF200_01, O same form pane.	F200_02, OF200_03, OF	F200_04, OF	F200_05 <i>,</i> an	d OF200_06 on the	
	term care facility who	t "Please give me the na ere {PERSON} was} {on I rview Survey on {MONT "grayed out" text.	lanuary 1, {	YEAR}/ livin	g at the time of the	
Testing/Editing Notes:		MEPS(Fall/Spring)YY EPS(Fall/Spring)YYYY				
OF200 06	(OF1160) BI	LAISE NAME: BefFam	nZip			
Item Type:		Field kind: Datafield	—-r ArrayMi	n: Min	value: 0	
Type Class:	Integer F	Field Size: 5				
Answer Type:	{Continuous Answer.}	Answers allowed: 1	ArrayMa	x: Max	x value: 99999	
☐ Help Available (()	☐ Show Card ()		☐ Look Up File ()
Question Text:						
	{YEAR}/ living at the ti	e nursing home or long t ime of the National Hea				
What is the zip code	?					
Responses:	REFUSED		RF	OF240 OF240	(OF1180) (OF1180)	
	DON'T KNOW		DK	OF240	(OF1180)	

Hard check: Exactly 5 digit numeric entry required. If less than 5 numeric digits entered or any characters entered that are not numeric, display the following message: "ZIP CODE ENTRY REQUIRES EXACTLY 5 NUMBERS. PROBE AND RE-ENTER OR ENTER F5 (DON'T KNOW) IF FULL ZIP CODE IS NOT KNOWN."

Display Instructions:

For '{PERSON}' display the first, middle, and last name entered at OF80_01-OF80_03.

Display 'living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}' if Round 1. Use NHISDt

Otherwise, display 'January 1, {YEAR}' with 'YEAR' as the first calendar year of the panel.

Display OF200_01, OF200_02, OF200_03, OF200_04, OF200_05, and OF200_06 on the same form pane.

Display question text "Please give me the name and address of the nursing home or long term care facility where {PERSON} was {on January 1, {YEAR}/ living at the time of the National Health Interview Survey on {MONTH, DAY, YEAR OF NHIS INTERVIEW}}?" in brackets and lighter "grayed out" text.

Testing/Editing Notes:

(OF1165)

OF210

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable stored at MEPS(Fall/Spring)YYYY.OF_Person[1..30]

Item Type:	Question	Field kind: Datafield	ArrayMi	n: Mi	n value:	
Type Class:	Enumerated	Field Size:				
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	ax: Ma	ax value:	
☐ Help Available (()	☐ Show Card ()		☐ Look Up File ()
Question Text:						
At that time, was {P	PERSON} 23 or y	ounger?				
Responses:	YES		1	OF220	(OF1170)	
	NO		2			
	REFUSED		RF	OF220	(OF1170)	
	DON'T KNOV	V	DK	OF220	(OF1170)	

BLAISE NAME: Age23orYounger

Responses:

1st - 12th GRADE

PROFESSIONAL

REFUSED --DON'T KNOW

(OF1180)

(OF1175)

(OF1175)

(OF1175)

Programmer Instructions:	HARD CHECK survey, students PLEASE BACK	es Impacted during MHOP: : If coded '2' (NO), display older than 23 are considered -UP TO OF180 (WherePersousEHOLD)." Code '2' (Note that the code is a considered of the code is a code in the code is a code in the code in	the following med living in a prival	essage: "For the purpos ate household. INTER E CODE 4 (IN A PRIV	VIEWER /ATE
Display Instructions:	For '{PERSON}	' display the first, middle, ar	nd last name ente	red at OF80_01-OF80	_03.
Testing/Editing Notes:		ed at MEPS(Fall/Spring)YY at MEPS(Fall/Spring)YYYY		30]	
<u>OF220</u>	(OF1170)	BLAISE NAME: SchlTp	οB		
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:	
Type Class:	Enumerated	Field Size:			
Answer Type:	TSCHLLEVL2	Answers allowed: 1	ArrayMax:	Max value:	
✓ Help Available	e (SchlTpHelp)	☐ Show Ca	rd ()	☐ Look Up 1	File ()
Question Text:					
•	el of school was {PE nuary 1, {YEAR}}?	ERSON) attending on {{MO	NTH, DAY, YE	AR OF NHIS	
				H	IELP: F1

..... 1 OF240

RF OF230

..... DK OF230

VOCATIONAL, COLLEGE, GRADUATE, 2 OF230

Programmer Instructions:	Control Variable	s Impacted during MHOP: 0	CtrlPersKey	, CtrlSam	pNHIS
Display Instructions:	For '{PERSON}'	display the first, middle, an	d last name	entered at	t OF80_01-OF80_03.
	Display 'MONTI	H, DAY, YEAR OF NHIS I	NTERVIE	W' if Rou	nd 1. Use NHISDt.
	Otherwise, displa	ny 'January 1, {YEAR}' with	h 'YEAR' as	the first o	calendar year of the panel.
Testing/Editing Notes:		d at MEPS(Fall/Spring)YY t MEPS(Fall/Spring)YYYY			
OF230	(OF1175)	BLAISE NAME: Jan1Pa	rentHh		
Item Type:	Question	Field kind: Datafield	ArrayMi	n: M	in value:
Type Class:	Enumerated	Field Size:	•		
Answer Type:	TYESNO	Answers allowed: 1	ArrayMa	x: M	ax value:
☐ Help Available (☐ Show Card ()		☐ Look Up File ()
Question Text:					
		erview Survey on {MONTH ERSON}'s parents living {a			
Responses:	YES		1	OF240	(OF1180)
	NO		2	OF240	(OF1180)
	REFUSED		RF	OF240	(OF1180)
	DON'T KNOW		DK	OF240	(OF1180)

Programmer Instructions:	Control Variab	les Impacted during MHOP:	CtrlPersKey, Ct	rlSampNHIS
Display Instructions:		nuary 1, {YEAR}' and 'in this f panel for 'YEAR'.	is household', if	Round <> 1. Display the first
		nd 'at {NHIS ADDRESS}' if Rou		on {MONTH, DAY, YEAR OF NHISDt for 'MONTH, DAY, YEAR OF
	For '{PERSON	}' display the first, middle, ar	nd last name ente	ered at OF80_01-OF80_03.
	Use Preload.Cu	RESS' display the NHIS full ad urrStrt1, Preload.CurrStrt2, Propents with a comma, for exa	eload.CurrCity,	•
Testing/Editing Notes:		eted at MEPS(Fall/Spring)YY I at MEPS(Fall/Spring)YYYY		30]
OF240	(OF1180)	BLAISE NAME: AddPe	rsConf	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:	· ·	
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available	e()	☐ Show Card ()	☐ Look Up File ()
Question Text:				
		DATA WILL BE COLLECTED P ON {HIM/HER} NEXT TIME		IER} DURING THE CURRENT
PRESS 1 AND ENT	ER TO RETURN TO	O MAIN INTERVIEW.		
Responses:	CONTINUE	,	1 BC	OX_40 (OF1205)

MEPSSpring2024 Full Detail Spec			Off	f Path Navigation (OF) Section
Programmer Instructions:	During MHOP readded.	eview/processing, set PersA	ddedBetweenRno	ds=YES for eligible persons
Display Instructions:	PERSON) selected Display 'HIM' if C	I at OF70. Otherwise, display DF90 is coded '1' (MALE). Of	the name of the per therwise, display 'I	
Testing/Editing Notes: OF250	Variable not store	BLAISE NAME: AddEv	ntCont	
Item Type:	Question	Field kind: Datafield	ArrayMin:	Min value:
Type Class:	Enumerated	Field Size:	. 36	N/ 1
Answer Type:	TContinue	Answers allowed: 1	ArrayMax:	Max value:
☐ Help Available	()	☐ Show Card ()	☐ Look Up File ()
Question Text:				
	formation is very he mation about this he		ne questions I wa	s asking and make sure I have
PRESS 1 AND EN	ΓER TO CONTINU	TE.		
Responses: Display	CONTINUE		1 BO	X_20 (OF1190)
Instructions:				

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main Variable not stored Testing/Editing Notes:

Item Type: Route Type Class: If Then **BOX 20** (OF1190)**Route Details:** Ask the Event Roster (EV) section. At completion of EV section, continue with BOX 30. **Programmer** The EV section, as well as all sections called within EV should present the traditional Blaise **Instructions:** items with a green context header "OFF-PATH" located to the far left of the screen before any other information is presented. Any Manipula or other special items within these sections can remain the original color scheme. For each event created in the EV section via OF30 and BOX_20, set the CreateQ for that event as OF30. (OF1195) Item Type: Route Type Class: If Then **BOX 30 Route Details:** Ask the Event Driver (ED) section for added events. At completion of ED section, continue with OF260. **Programmer** The ED section, as well as all sections called within ED should present the traditional Blaise **Instructions:** items with a green context header "OFF-PATH" located to the far left of the screen before any other information is presented. Any Manipula or other special items within these sections can remain the original color scheme. **OF260** (OF1200)**BLAISE NAME:** AddEvntConf Item Type: Question Field kind: Datafield ArrayMin: Min value: **Type Class:** Enumerated Field Size: **Answer Type: TContinue** Answers allowed: 1 ArrayMax: Max value: \square Show Card () ☐ Look Up File () ☐ Help Available () **Question Text:** EVENT INFORMATION SUCCESSFULLY ADDED. PRESS 1 AND ENTER TO RETURN TO MAIN INTERVIEW. **Responses: CONTINUE** 1 BOX 40 (OF1205)

MEPSSpring2024 Full Detail Spec Off Path Navigation (OF) Section

Display Instructions:

Testing/Editing

Variable collected at MEPS(Fall/Spring)YYYY.OF_Main

Notes:

Variable not stored

BOX_40 (OF1205) Item Type: Route Type Class: If Then

Route Details: Return to the main interview item where the F2 was pressed (OF Section was launched).

[End of OF]