OMB Attachment #2 - Data collection instrument

Form Approved:	
OMB Number: Expiration Date:	
RESPONDENT ID	
DATE	
INTERVIEWER	ال
TOTAL TIME	

[Amended Survey, Protocol #2900, submitted September, 2005 to IRB] [submitted July, 2006 to OMB]

SECOND INJURY CONTROL AND RISK SURVEY ICARIS-2 (Phase-2)

Final English Version

Prepared for:
National Center for Injury Prevention and Control

Prepared by:
Battelle
Centers for Public Health Research and Evaluation
Baltimore, Maryland

Initially submitted December 2002

Modified April 2003 based on reviewers comments Modified May 2003 based on IRB-G review comments Modified August 2005 based on results of cognitive testing Modified April 2006 based on NCIPC-OMB review comments

Public reporting burden of this collection of information varies from 13 to 28 minutes with an estimated average of 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing thus burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS-D74, Atlanta, Georgia 30333; ATTN: PRA (09020-XXXX).

/home/ec2-user/sec/disk/omb/icr/200609-0920-003/doc/437901 ICARIS-2 (Phase-2) Telephone Screener Script

I. INTRODUCTION:

Hello, I'm ______, calling on behalf of the Centers for Disease Control and Prevention or CDC. CDC is a government agency that works to safeguard and improve the health of the public through scientific research, including studies of disease outbreaks and injury prevention. We are conducting a nationwide research study to learn more about how to prevent injuries.

SC1. Is this a business, a residence, a dormitory or some other type of dwelling? (IF OTHER, PROBE TO DETERMINE IF RESIDENCE OR NOT) (1=Business, 2=Residence, 3=Dormitory, 4=Group quarters or vacation rental)

IF BUSINESS, DORM OR GROUP QUARTERS – That's all I need to know. Goodbye. COMPUTER WILL CODE AS BUSINESS OR GROUP QUARTERS AND BRING UP NEXT NUMBER TO DIAL

IF RESIDENCE, CONTINUE

INTERVIEWER CODE WHETHER TO CONTINUE INTERVIEW IN ENGLISH OR SPANISH

II. SCREENING:

I need to speak to a member of this household who is 18 years of age or older. Is that you?

- YES IF SPEAKING TO AN ADULT HH MEMBER, CONTINUE (COMPUTER WILL ASK YOU TO RECORD GENDER OF ADULT TO WHOM YOU ARE SPEAKING IF GENDER IS UNCLEAR ASK: And are you a male or a female? ALSO RECORD THAT HOUSEHOLD CONTAINS AT LEAST ONE ADULT)
- NO IF A NEW RESPONDENT COMES TO THE PHONE, REPEAT PARAGRAPHS I AND II AND CONTINUE (COMPUTER WILL ASK YOU TO RECORD GENDER OF ADULT TO WHOM YOU ARE SPEAKING SPEAKING IF GENDER IS UNCLEAR ASK: And are you a male or a female? ALSO RECORD THAT HOUSEHOLD CONTAINS AT LEAST ONE ADULT)
- NO IF ADULT HH MEMBER IS NOT AVAILABLE ASK: When could I call back to reach an adult member of this household? GO TO APPOINTMENT TAB AND RECORD DATE AND TIME OF SUGGESTED CALL BACK. ALSO RECORD THAT HOUSEHOLD CONTAINS AT LEAST ONE ADULT
- NO ALL HOUSEHOLD MEMBERS ARE LESS THEN 18 YEARS OLD: That's all I need to know. Goodbye. RECORD THAT HOUSEHOLD CONTAINS NO ADULTS

III. INCENTIVE:

I need to randomly select an adult to interview. In appreciation for their time and effort, the person I select will be sent a phone card after they complete the interview. The card will provide 100 minutes of pre-paid long distance phone service, or if they like we can donate \$5.00 to the United Way instead.

IF PERSON REFUSES PRIOR TO OR DURING SCREENING <u>BEFORE</u> ELIGIBLE RESPONDENT IS IDENTIFIED, SELECT A REFUSAL TAB AND CODE *REFUSED SCREENING.* POSSIBLE CODES WILL DIFFER DEPENDING ON WHTHER OR NOT WE KNOW THERE IS AN ADULT IN THE HOUSHEOLD.

SC2. How many persons live in this household? Include yourself and also include children in answering. NOTE: IF R VOLUNTEERS THAT A HOUSEHOLD MEMBER IS LIVING ELSWHERE OR ON LONG TERM DEPLOYMENT FOR THE ENTIRE FIELD PERIOD, DO NOT COUNT THAT PERSON IN THE HOUSHOLD TOTAL

RECORD NUMBER [2-digits, 98=DK, 99=RF]

SC3. How many adults live in this household? An adult is 18 years of age or older?

RECORD NUMBER [2-digits, 98=DK, 99=RF]

SC4. How many of these adults are men?

RECORD NUMBER [2-digits, 98=DK, 99=RF]

IF ANY OF SC2, SC3 OR SC4 ARE DK OR RF, WE DO NOT KNOW THE NUMBER OF ADULTS IN THE HOUSEHOLD AND WE NEED TO CODE THIS NUMBER AS REFUSED SCREENING.

IF SC3 = 1 (YOU ARE SPEAKING TO THE ONLY ADULT IN A ONE ADULT HOUSEHOLD), READ: You are eligible to participate in the study. GO TO PARAGRAPH IV

SC5. Are any of the people who live in this household related to each other?

RECORD ANSWER [1=Yes, 2=No, 8=DK, 9=RF]

BASED ON ANSWERS TO SC3 AND SC4, THE COMPUTER WILL PICK AN APPROPRIATE GENDER AND ADULT TO INTERVIEW.

IF SPEAKING TO THE ONLY ADULT OF THE SELECTED GENDER, READ: You are eligible to participate in the study. **GO TO PARAGRAPH IV**

IF SELECTED GENDER IS OPPOSITE OF RESPONDENT, AND ONLY ONE PERSON OF SELECTED GENDER IS IN HOUSEHOLD, READ: May I please speak with the adult (male/ female) in the household?

IF A NEW RESPONDENT COMES TO THE PHONE, <u>REPEAT PARAGRAPHS I AND III</u> AND CONTINUE WITH PARAGRAPH IV

IF OTHER ADULT IS NOT AVAILABLE TO COME TO THE PHONE, ASK: When could I call back to reach (him/her)? Whom should I ask for when I call back? GO TO APPOINTMENT TAB AND RECORD FIRST NAME OF RESPONDENT AND DATE AND TIME OF CALL BACK. IF SELECTED RESPONDENT NEEDS TO BE CALLED AT ANOTHER NUMBER (E.G., A DORM NUMBER, CELL PHONE OR ON ANOTHER LINE) RECORD NUMBER AND REASON AS A NOTE. IF SELECTED RESPONDENT IS AWAY AND CANNOT BE REACHED AT ANOTHER NUMBER (E.G., IN A DORM, IN THE HOSPITAL, OR ON VACATION) AND NEEDS TO BE CALLED LATER, RECORD REASON AND EXPECTED DATE OF RETURN IN A NOTE.

IF HOUSEHOLD HAS MORE THAN ONE ADULT OF SELECTED GENDER, READ: May I please speak to the (oldest, second youngest, youngest) adult living in this household?

IF SPEAKING TO SELECTED RESPONDENT, READ: You are eligible to participate in the study. GO TO PARAGRAPH IV

IF A NEW RESPONDENT COMES TO THE PHONE, <u>REPEAT PARAGRAPHS I AND III</u> AND CONTINUE WITH PARAGRAPH IV

IF OTHER ADULT IS NOT AVAILABLE ASK: When could I call back to reach (him/her)? Whom should I ask for when I call back? GO TO APPOINTMENT TAB AND RECORD FIRST NAME OF RESPONDENT AND DATE AND TIME OF CALL BACK. IF SELECTED RESPONDENT NEEDS TO BE CALLED AT ANOTHER NUMBER (E.G., A DORM NUMBER, CELL PHONE OR ON ANOTHER LINE) RECORD NUMBER AND REASON AS A NOTE. IF SELECTED RESPONDENT IS AWAY AND CANNOT BE REACHED AT ANOTHER NUMBER (E.G., IN A DORM, IN THE HOSPITAL, OR ON VACATION) AND NEEDS TO BE CALLED LATER, RECORD REASON AND EXPECTED DATE OF RETURN IN A NOTE.

IV. PARTICIPATION:

Injury research covers a wide range of topics in the areas of both unintentional and intentional injury. This particular survey collects information on a variety of topics including child welfare and supervision, firearm storage, injuries and disabilities, difficulties with mobility and transportation, and suicide; all of which will help us better understand ones' risk for injury. Participation in this study is voluntary but we'd very much appreciate your help. All the information given us will be kept private. We will not ask for any personal information that identifies you. Please use first names only if you need to refer to a family member in answering a question. —

RECORD <u>ONLY</u> FIRST NAMES OR NICKNAMES THROUGHOUT SCREENER AND QUESTIONNAIRE. DO NOT INCLUDE ANY IDENTIFYING INFORMATION IN THE CATI INSTRUMENT.

Some questions may make you uncomfortable. You may refuse to answer any question and you may end the interview at any time. By answering this survey, you can help us learn how to prevent injuries. On average, the interview takes about 15 minutes.

Do you have any questions about this study or your rights as a research subject in this survey?

ANSWER FROM FAQs IF POSSIBLE.

IF NEEDED READ: If you have questions about your rights as a participant in this research study, please contact the office of CDC's Deputy Associate Director for Science at 1-800-584-8814. Please leave a brief message including your name, telephone number, and mention that you are calling in reference to CDC Protocol #2900. Someone will return your call as soon as possible. For questions or information about other aspects of the survey, call Chester Pogostin at 1-770-488-4805.

My supervisor may monitor this call for quality purposes.

IF IDENTIFIED RESPONDENT REFUSES TO PARTICIPATE, SELECT A REFUSAL TAB AND CODE REFUSED INTERVIEW

Let's start the interview now.

IF RESPONDENT INDICATES TIMING IS INCONVENIENT ASK: When would be a good time to call back? Whom should I ask for when I call back? GO TO APPOINTMENT TAB AND RECORD FIRST NAME OF RESPONDENT AND DATE AND TIME OF CALL BACK

(PROGRAMMER: STOP RECORDING SCTIME HERE)

MODULE :	1: DEMOGRAPHICS AND HOME	START TIME::
	e to ask you for some general background information. If a for clarification.	t any time you do not understand a question or words
DH1.	SEX OF RESPONDENT IS CODED FROM SCREENER.	MALE
DH2Mon. (DH2Day) DH2Yr.	What year were you born?	DOB(SKIP TO RESPAGE)
DH2A.	Are you younger than 65 years old?	YES
	PROGRAMMER NOTE: IF DH2A = 1 OR 8 OR 9, FOLLOW IF DH2A = 2, FOLLOW SKIPS FOR	
RespAge	CALCULATE AGE OF RESPONDENT.	AGE
DH3.	What is the highest grade or year of school you have completed? READ ANSWERS 1-6 IF NEEDED	EIGHTH GRADE OR LESS
DH3Code	SPECIFY:	
	EDITOR NOTE: USE CODES 8-95, 98 99 ONLY IN DH3Coo	
DH4.	What is the highest grade or year of school that anyone in your current household has completed? READ ANSWERS 1-6 IF NEEDED	EIGHTH GRADE OR LESS
DH4Code	SPECIFY:	
	EDITOR NOTE: USE CODES 8-95, 98 99 ONLY IN DH4Coo	de

DH5.	Are you currently (READ ANSWERS)?	Employed or self-employed full-time Employed or self-employed part-time Homemaker or caregiver Out of work or unable to work Student Student and employed Retired DK RF	.02 .03 .04 .05 .06 .07
DH6	Do you consider yourself of Hispanic/Latino origin such as Mexican, Latin American, Puerto Rican, or Cuban?	YES	
DH7	What is your race? Please select one or more of the following. READ ANSWERS AND CODE ALL THAT APPLY	American Indian or Alaska Native AsianBlack or African American Native Hawaiian or Other Pacific Islander White RF	2 3
	PROGRAMMER NOTE: RE-CODE INTO DH7_01 DH7_05	WHERE 1=YES AND 2=NO	
DH8.	Are you currently (READ ANSWERS)?	Married Divorced Widowed Separated Never married A member of an unmarried couple DK RF	2 3 4
DH9	Which of the following best describes the building you live in? READ ANSWERS. NOTE: DORMS OR NURSING HOMES ARE NOT ELIGIBLE – END INTERVIEW.	A one-family house not attached to any other house01 A one-family house attached to one or more homes02 A mobile home or trailer	
DH10.	Is the place in which you live (READ ANSWERS)?	Owned by you or someone else in the home	2
DH10 Code	SPECIFY: (1) WHO OWNS THE HOME OR APARTMENT UNWHETHER THE PEOPLE LIVING HERE PAY ANY RENT TO		
	EDITOR NOTE: USE CODES 05-95 ONLY IN DH	10CODE.	
DH11	Does more than one telephone number ring in this residence? Do not include cell phones or telephone lines that are only answered by a computer or other machine, or telephone lines used only for business purposes.	YES	

DH12.	Including the number I just dialed, how many different numbers ring in this home?	TOTAL TELEPHONE NUMBERS DK RF N/A (SKIP)	98 99
	IF DH12 < 4 OR = 98 OR 99, SKIP TO MOBL1.		
(A)	Are these (DH12) lines actually different phone numbers? We are not counting multiple phones for the same telephone number	YES	2 8

MODULE 2: OLDER ADULT MOBILITY

IF RESPAGE < 65 OR = 98 OR = 99, SKIP TO SUPR1.

We would like to ask you a few questions about how much you drive and how much you walk.

MOBL1.	ANS MO dor	out how many miles did you drive during the past months , that is since (MONTH, YEAR)? IF R SWERS "NONE" OR "DID NOT DRIVE IN PAST 12 NTHS," PROMPT AS NEEDED: Is that because you i't have a driver's license? IF LESS THAN 500 ES, ROUND DOWN TO THE NEAREST THOUSAND.	NONE/ DID NOT DRIVE PAST 12 MONTHS(SKIP TO MOBL3)						
	IF 5	00 MILES OR MORE, ROUND UP TO NEAREST DUSAND.	DK RF					998 999	
	PR	OGRAMMER NOTE: CONFIRM NUMBER OF MILES MUL	TIPLIED E	3Y 1,000.					
MOBL2.		the following driving situations, please respond often, sometimes or never.	Often	Some times	Never	DK	RF	N/A (SKIP)	
	a.	Do you drive at night? Would you say often, sometimes or never?	1	2	3	8	9	7	
	b.	(Do you drive) on long trips, that is more than 50 miles one way? (Would you say often, sometimes or never?)	1	2	3	8	9	7	
	C.	(Do you drive) in heavy traffic? (Would you say often, sometimes or never?)	1	2	3	8	9	7	
	d.	(Do you drive) in bad weather? (PROMPT: including rain, sleet, snow) (Would you say often, sometimes or never?)	1	2	3	8	9	7	
MOBL3.	mir IF "I MEI	you able to walk outside the home for at least 10 lutes, or a quarter mile, without resting? R" SAYS UNABLE DUE TO A TEMPORARY DICAL CONDITION, PROMPT: Are you normally able valk that far?	NO DK RF					2 8 9	
MOBL4.	4 b driv SA	ou wanted to visit a friend, say no more than 3 or locks away, would you walk, (IF MOBL1 NE 0,996: re), get a ride, or get there some other way? IF "R" /S ANSWER DEPENDS ON WEATHER, PROMPT: ing a day with good weather.	DRIVE GET A RI OTHER DK RF	DE	(SPE	ECIFY)		2 4 98 99	
MOBL4CD	SPE	ECIFY:							

EDITOR NOTE: USE CODES 5 TO 95, 98, 99 ONLY IN MOBL4CD.

MOBL5.	About how many minutes do you walk outside the home each week? IF R SAYS I DO NOT WALK, PROMPT: Can you no longer walk or is this a temporary condition? IF R SAYS UNABLE DUE TO A TEMPORARY MEDICAL CONDITION, PROMPT: When you do walk, about how many minutes do you walk outside the home each week? IF R SAYS IT VARIES FROM WEEK TO WEEK, PROMPT: Just give an average, or the usual amount of time. CONVERT HOURS TO MINUTES. 1 HOUR = 60 MINUTES, ½ HOUR = 30 MINUTES, ¼ HOUR = 15 MINUTES	MINUTES
MOBL6.	Do you limit how much you walk outside your home because you are worried about falling?	YES
MOBL7.	In the past three months, that is since (MONTH AND DATE), have you fallen?	YES 1 NO 2 DK 8 RF 9 N/A (SKIP) 7
MOBL8.	Do you currently use an assistive device like a cane or walker when you go outdoors?	YES 1 NO 2 DK 8 RF 9 N/A (SKIP) 7
MOBL9.	At what age (do you think you will stop/did you stop) driving?	AGE BELOW 95
MOBL9 CD	SPECIFY:	
	PROGRAMMER NOTE: USE "did you stop" WHEN MO	DBL1 = 000 OR 996.
	EDITOR NOTE: USE CODES 2 TO 15, 98, 99 ONLY IN MO	DBL9CD.

MODULE 3: CHILD SUPERVISION We would like to ask you a few questions about how children of all ages spend their time in and around the home. SUPR1. How many children under 18 live in your household, NUMBER OF CHILDREN..... all or most of the year? NONE.....(SKIP TO SUPR5)......00 DK......(SKIP TO SUPR5)......98 (SKIP TO SUPR5) 99 How old is the (youngest/next youngest) child? (SUPR2). RECORD 00 IF LESS THAN 1 YEAR OLD. ROUND (SUPR3). Is this child a boy or a girl? DOWN. N/A(SKIP) AGE DK RF BOY **GIRL** DK RF NA(SKIP) 1 2 8 9 7 CHILD 1 98 99 97 1 2 8 9 7 CHILD 2 98 99 97 1 2 8 9 7 CHILD 3 98 99 97 2 8 9 CHILD 4 1 7 98 99 97 1 2 8 9 7 CHILD 5 99 97 98 2 7 1 9 CHILD 6 99 97 98 2 CHILD 7 1 8 9 7 98 99 97 7 1 2 8 9 CHILD 8 98 99 97 1 2 8 9 7 CHILD 9 98 99 97 7 CHILD 10 1 2 8 9 98 99 97 PROGRAMMER NOTE: THE VARIABLES SUPR2 AND SUPR3 DO NOT ACTUALLY APPEAR ON THE DATA SET. INSTEAD, VARIABLES SUPR2_01 - SUPR2_10, SUPR3_01 - SUPR3_10 WILL APPEAR. SUPR4 Are you ever responsible for looking after the (child YES......(SKIP TO SUPR6)......1 who lives/children who live) in your home? NO......2 DK......8 N/A (SKIP) SUPR5 Have you ever been a caretaker for a child under 15 years old? DK......8 RF......9 IF NO CHILDREN AGED 1-10, SKIP TO SUPR10 The next four questions will ask about the child in your home who is age (YOUNGEST AGE BETWEEN 1-10) SUPR6 Does (he/she) ever play outside for more than 10 minutes without an adult outside?

N/A (SKIP)

SUPR7	Does (he/she) ever play in a room in the house for more than 10 minutes without an adult in the room?	YES
SUPR8	Is (he/she) ever in the bathtub with another child without an adult present in the room, even if just for a few seconds?	YES
	IF SUPR8 = 6, CODE SUPR9 = 6 AND SKIP TO SUPR10.	
SUPR9.	Is (he/she) ever in the bathtub alone? That is, without anyone else in the room, even if just for a few seconds?	YES
SUPR10	Thinking now about a typical child, what do you think is the minimum age a child can safely be left alone in their house without an adult? (PROMPT: There is not a right or wrong answer to this question. We just want you to think about the average child, and what the minimum age might be that they can safely be left alone in their house without an adult.) ROUND DOWN.	YEARS
SUPR11	What do you think is the minimum age a child can safely take a bath without an adult in the room? Again, we are asking you to think about the typical child. (PROMPT: There is not a right or wrong answer to this question. We just want you to think about the average child, and what the minimum age might be that they can safely take a bath without an adult in the room.) ROUND DOWN.	YEARS
SUPR12	What do you think is the minimum age a child can safely ride a bike in a low traffic area without an adult outside? (We are asking you to think about the typical child.) (PROMPT: There is not a right or wrong answer to this question. We just want you to think about the average child, and what the minimum age might be that they can safely ride a bike in a low traffic area without an adult outside.) ROUND DOWN.	YEARS

MODULE 4: INJURY AND DISABILITY

We are now going to ask questions about injuries you may have recently experienced. (PROMPT: Such as a car crash, falls, sports injuries, and assaults. ADDITIONAL PROMPT: The term injury does not include cases of tumors, infection, disease, stroke or aneurysm.)

DIS1.	YΕ	ring the past 12 months, that is since (MONTH, AR) were you treated in an Emergency Room or lent Care Center because of an injury?	YES NO DK RF	(SKIP TO HD: (SKIP TO HD:	L) .)		1 2 8 9
DIS2.	12 i san	w many times have you been treated in the past months? Do not include multiple ER visits for the ne injury or multiple visits for different injuries from same incident.	DK RF				
	PRO	OGRAMMER NOTE: ASK DIS3A – DIS11A FOR MOST RI REPEAT DIS3A – DIS11A FOR SEC REPEAT DIS3A – DIS11A FOR THIR REPEAT DIS3A – DIS11A FOR FOU	OND INCI	ICIDENT USING DENT USING	QUESTION	S DIS3C -	DIS11C.
DIS3A.	abo	olS2>1: (Beginning with the most recent/Thinking but the 2 nd , 3 rd , 4 th) injury producing incident for ch you were treated at an Emergency Room	NO	TREATED FOR	(CODE DIS ANOTHER IN (SKIP TO	64A = 0) JURY IN TI HD1)	1 2 HE ER6
		re you admitted to the hospital for one or more hts?	DK(SKIP TO DIS5A)				
	PRO	OGRAMMER NOTE: ANSWER 6 ONLY APPLIES TO DIS	3B, DIS	3C AND DIS3	D.		
DIS4A.		ogether, how many nights did you stay in the spital?	DK RF				98 99
DIS4A.	hos		DK RF	SKIP)			98 99
	hos	at injuries did you sustain? Did you have (READ	DK RF N/A (\$	SKIP)			98 99 97
	Wh	at injuries did you sustain? Did you have (READ regories)? a head or brain injury (PROMPT: skull fracture,	DK RF N/A (S	SKIP)	DK	RF	
	Wh CAT	at injuries did you sustain? Did you have (READ FEGORIES)? a head or brain injury (PROMPT: skull fracture, concussion)	DK RF N/A (\$	SKIP) NO	DK 8	RF 9	98 99 97 N/A (SKIP)
	Wh CAT	at injuries did you sustain? Did you have (READ FEGORIES)? a head or brain injury (PROMPT: skull fracture, concussion)	DK RF N/A (S YES	SKIP)	DK 8 8	RF 9 9	
	Wh CAT 1. 2. 3.	at injuries did you sustain? Did you have (READ FEGORIES)? a head or brain injury (PROMPT: skull fracture, concussion)	DK RF N/A (S YES	SKIP)	DK 8 8 8	RF 9 9	
	Wh CAT 1. 2. 3. 4.	at injuries did you sustain? Did you have (READ FEGORIES)? a head or brain injury (PROMPT: skull fracture, concussion)	DK RF N/A (S YES	SKIP)	DK 8 8 8 8	RF 9 9 9	
	Wh CAT 1. 2. 3. 4. 5.	at injuries did you sustain? Did you have (READ FEGORIES)? a head or brain injury (PROMPT: skull fracture, concussion)	DK RF N/A (S	SKIP)	DK 8 8 8 8	RF 9 9 9 9	
	Wh CAT 1. 2. 3. 4. 5. 6.	at injuries did you sustain? Did you have (READ FEGORIES)? a head or brain injury (PROMPT: skull fracture, concussion)	DK RF N/A (S YES 1 1 1 1 1	SKIP)	DK 8 8 8 8 8	RF 9 9 9 9 9	

EDITOR NOTE: USE CODES 1-95, 97=N/A(SKIP). 98=DK, 99=RF ONLY IN DIS5ACD.

DIS6A.	what was the cause of motor vehicle crash, sp fall not related to sports or something else?	creation related	MOTOR VEHICLE CRASH						
DIS6ACD	SPECIFY:								
	EDITOR NOTE: USE CO	DES 6-95	97=N/A(SKIP),	98=DK, 9	99=RF 0	NLY IN	DIS5ACE).	
DIS7AU	As a result of your (injury/injuries), how long did you have to take time off from work, school, or household responsibilities? CODE UNIT AND THEN NUMBER. FOR NONE RECORD 0 DAYS.					ANSWER IN DAYSANSWER IN WEEKS			
DIS7A.								998 999 999	
DIS8A.	As a result of (this injury/these injuries) did you ever have or do you currently have any physical limitations, memory or concentration problems?				YES				
	DIS9A.				DIS10	A.		DIS11AU, DIS11A.	
DIS9A, DIS10A, DIS11AU, DIS11A	Have you experienced any limitation or difficulty with (READ OPTIONS)? 8=DK, 9=RF YES NO (ASK (SKIP TO N/A					Does the problem still exist? how long did the pro last? ELSE, For how have you had this problem? CODE UNITED THEN NUMBER.			
	1. bathing, dressing, getting in and out of bed, using the toilet, or eating	1	NEXT OPTION) 2	(SKIP)	1	2	7	ANSWER IN DAYS	
:	preparing meals, managing money, shopping, doing housework, traveling, or taking medicine	1	2	7	1	2	7	ANSWER IN DAYS	
:	3. walking	1	2	7	1	2	7	ANSWER IN DAYS	

As a result of (this injury/these injuries)							ANSWER IN DAYS1 ANSWER IN WEEKS2
have you experienced any limitation or difficulty with remembering things or concentrating?	1	2	7	1	2	7	ANSWER IN MONTHS

MODULE 5: TBI INCIDENCE

The following questions are about head injuries you or someone in your household may have experienced over the past year. Please do not include injuries to the face.

IF NONE OF DIS5A1 AND DIS5B1 AND DIS5C1 AND DIS5D1=1, SKIP TO HD1W.

HD1.	IF ONLY 1 OF DIS5A1 = 1 OR DIS5B1 = 1 OR DIS5C1 = 1 OR DIS5D1 = 1, READ: You just mentioned a head injury in which you were treated in an Emergency Room. Were you knocked out or unconscious, did you suffer a concussion or memory loss, or were you dazed or confused as a result of this head injury?	YES(SKIP TO HD1X)
	IF > 1 OF DIS5A1 = 1 AND DIS5B1 = 1 AND DIS5C1 = 1 AND DIS5D1 = 1, READ: You just mentioned (two/several) incidents which resulted in head injuries for which you were treated in an Emergency Room. Were you knocked out or unconscious, did you suffer a concussion or memory loss, or were you dazed or confused as a result of any of these injuries?	
HD1W.	During the past 12 months, that is since (MONTH, YEAR), have you experienced (a/another) head injury or blow to the head in which you were knocked out or unconscious, suffered a concussion or memory loss, or were dazed or confused (but did not result in an ER visit)? NOTE: IF RESPONDENT OFFERS THAT S/HE HAS	YES

PROGRAMMER NOTE: IF NONE OF DIS5A1 AND DIS5B1 AND DIS5C1 AND DIS5D1 = 1, SKIP TO HD2A.

IF HD1 = 2,8,OR 9, SKIP TO HD2A.

IF ONLY DIS5A1 = 1, CODE HD1X = 1.

IF ONLY DIS5B1 = 1, CODE HD1X = 2.

IF ONLY DIS5C1 = 1, CODE HD1X = 3.

IF ONLY DIS5D1 = 1, CODE HD1X = 4.

HD1X. Which of the previously reported injury producing incidents resulted in the most severe head injury? By most severe, I mean the one that required the most medical attention or had the longest loss of consciousness.

FIRST	
SECOND	2
THIRD	3
FOURTH	4
DK	
RF	9
N/A (SKIP)	

PROGRAMMER NOTE: FOR ALL DIS5 = 1, DISPLAY CORRESPONDING DIS6, DIS7 AND DIS7U

ASK HD2A - HD6A FOR RESPONDENT'S HEAD INJURY.

HAD MULTIPLE HEAD INJURIES, COLLECT INFORMATION

ON THE MOST SEVERE AS DETERMINED BY THE RESPONDENT. (PROMTP: By most severe, I mean the one that required the most medical attention or had the longest

loss of consciousness.)

HD2A.	For how long (were you/was the AGE AND GENDER PERSON #1/ #2/ #3/ #4) knocked out or unconscious? IF R ANSWERS DK, PROBE: Is this because you don't know if (you/the AGE AND GENDER PERSON #1/#2/ #3/#4) (were/was) unconscious or you don't know for how long?	0 MINUTES (NOT KNOCKED OUT/UNCONSCIOUS) 1 1-5 MINUTES 2 6-30 MINUTES 3 31 MINUTES – 24 HOURS 4 >24 HOURS 5 UNCONSCIOUS and UNSURE HOW LONG 6 DK IF UNCONSCIOUS 98 RF 99 N/A (SKIP) 97	
HD3A.	Did (you/the AGE AND GENDER PERSON #1/ #2/ #3/ #4) suffer memory loss for events after the head injury incident?	YES	
	PROGRAMMER NOTE: FOR A SERIES ONLY IF HD1X = 7, ASK HD4A - HD6A, THEN ASK HD7. IF HD1X = 1 AND DIS3A = 1, CODE HD4A = 5, HD5A = 7, IF HD1X = 1 AND DIS3A > 1, CODE HD4A = 4, HD5A = 7, IF HD1X = 2 AND DIS3B = 1, CODE HD4A = 5, HD5A = 7, IF HD1X = 2 AND DIS3B > 1, CODE HD4A = 4, HD5A = 7, IF HD1X = 3 AND DIS3C = 1, CODE HD4A = 5, HD5A = 7, IF HD1X = 3 AND DIS3C > 1, CODE HD4A = 4, HD5A = 7, IF HD1X = 4 AND DIS3D = 1, CODE HD4A = 5, HD5A = 7, IF HD1X = 4 AND DIS3D > 1, CODE HD4A = 4, HD5A = 7,	CODE DIS6A INTO HD6A AND ASK HD7. CODE DIS6B INTO HD6A AND ASK HD7. CODE DIS6B INTO HD6A AND ASK HD7. CODE DIS6C INTO HD6A AND ASK HD7. CODE DIS6C INTO HD6A AND ASK HD7. CODE DIS6D INTO HD6A AND ASK HD7.	
HD4A.	What type of medical care or advice did (you/the AGE AND GENDER PERSON #1/ #2/ #3/ #4) receive for this head injury? IF R ANSWERS ER OR HOSPITALIZED ASK: Was this an overnight admission? IF YES, CODE AS HOSPITALIZED. IF NO, CODE AS ER. NOTE: CODE 2 INCLUDES FAMILY, FRIENDS, OR NEIGHBORS WHO ARE HEALTH CARE PROVIDERS.	NONE	
HD4A CODE.	SPECIFY:		
	EDITOR NOTE: USE CODES 8 TO 95, 98=DK, 99=RF, 97=N/A(SKIP)	ONLY IN HD4A.	
HD5A.	What was the main reason (you/the AGE AND GENDER PERSON #1/ #2/ #3/ #4) did not receive medical care or advice for this head injury?	DIDN'T NEED/WANT CARE 1 COULD NOT TAKE TIME FROM WORK 2 NO TRANSPORTATION 3 NO HEALTH INSURANCE 4 OTHER (SPECIFY) 5 DK 98 RF 99 N/A (SKIP) 97	
HD5A CODE.	SPECIFY:		
EDITOR NOTE: USE CODES 6 TO 95, 98=DK, 99=RF, 97=N/A(SKIP) ONLY IN HD5A.			

HD6A.	motor ve	as the cause of this ehicle crash, sports elated to sports or ng else?	s or recreation	n related, a	SPOR r FALL, ASSAL OTHEF DK RF	TS OR REG	E CRASH CREATION RTS OR RECF	REATION PECIFY).	I RELATE	
HD6A CODE.	SPECIF	/ :								
	EDITOR I	NOTE: USE CODES 6	TO 95, 98=DK,	99=RF, 97=N/	A(SKIP) ONLY II	N HD6A.				
HD7.	YEAR), how many (other) people living in your household experienced a head injury or blow to the head in which they were knocked out or				NONE DK RF	NUMBER				8 9
			HD8.					HD9.		
HD8. – HD9.		Please tell me the age and sex of each person in yo household who experienced a head injury during the past 12 months like the one mentioned above. IF MORE THAN 4 PEOPLE, RECORD THE FOUR WITH THE MOST RECENT HEAD INJURIES. IF THE RESPONDEN OFFERS THAT PERSON SPECIFIED HAS HAD MULTIPLE HEAD INJURIES, COLLECT INFORMATION ON THE MOST SEVERE AS DETERMINED BY THE RESPONDENT.				the THE ENT				?
		AGE	DK	RF	N/A(SKIP)	MALE	FEMALE	DK	RF	N/A (SKIP)
	01.		98	99	97	1	2	8	9	7
	02.		98	99	97	1	2	8	9	7
	03.		98	99	97	1	2	8	9	7
	04.		98	99	97	1	2	8	9	7

PROGRAMMER NOTE: REPEAT HD2A – HD6A FOR FIRST PERSON USING QUESTIONS HD2B – HD6B.
REPEAT HD2A – HD6A FOR SECOND PERSON USING QUESTIONS HD2C – HD6C.

REPEAT HD2A - HD6A FOR SECOND PERSON USING QUESTIONS HD2C - HD6C. REPEAT HD2A - HD6A FOR THIRD PERSON USING QUESTIONS HD2D - HD6D. REPEAT HD2A - HD6A FOR FOURTH PERSON USING QUESTIONS HD2E - HD6E.

IF HD1 > 1 AND HD7 = 0, 7, 8, 9, SKIP TO WP1.

SCRIPT: We are finished with the head injury questions now. The Brain Injury Association of America can provide you with more information on the many services available to those with head injuries. If you have a pencil and paper, I can give you that number now if you are interested. IF RESPONDENT INDICATES THEY WANT THE NUMBER: The number is 1-800-444-6443, this is the Family Helpline.

HD SCRIPT

PROGRAMMER NOTE: IF SCRIPT S NOT READ, CODE 7 IN HDSCRIPT.

IF SCRIPT IS READ, CODE 2 IN HDSCRIPT.

IF PHONE NUMBER IS PROVIDED, CODE 1 IN HDSCRIPT.

MODULE 6: WILLINGNESS TO PAY TO PREVENT CHILD MALTREATMENT

The next few questions are about funding of programs to prevent child maltreatment. Child maltreatment is the physical or sexual abuse of a child or the neglect of a child's basic needs by their parents or caretakers. Child maltreatment can cause major physical or emotional harm, or death. Victims of maltreatment are more likely to have long-term health and social problems like higher risk for drug abuse, suicide, and trouble in school.

PROGRAMMER NOTE: RANDOMLY ASSIGN RESPONDENT TO PATH = A, B, C, OR D; VERSION = 1 OR 2; AND ANCHOR = 1, 2, OR 3 AND INCLUDE THESE 3 VARIABLES IN DATA SET.

READ ONLY THE INTRODUCTION RELEVANT TO THE PATH THE RESPONDENT WAS ASSIGNED.

- **A:** Based on national data, 2 out of every 100,000 children annually, or an average of four children every day, are killed as a result of child maltreatment by their parents or caretakers.
- **B:** One type of child maltreatment is physical abuse. Physical abuse is defined as an injury or risk of an injury to a child resulting from having been hit with a hand or object or having been beat, kicked, bit, choked, stabbed, or burned, or otherwise physically harmed. Based on national data, 2 out of every 1,000 children annually, or an average of 460 children every day are victims of physical abuse by their parents or caretakers.
- **C:** One type of child maltreatment is sexual abuse. Sexual abuse involves any sexual activity with a child where consent is not or cannot be given. This includes all sexual contacts between an adult caretaker and a child. Based on national data, 1 out of every 1,000 children annually, or an average of 240 children every day are victims of sexual abuse by their parents or caretakers.
- **D:** One type of child maltreatment is neglect. Neglect refers to the failure to provide for a child's basic physical, emotional, and medical needs. Neglect includes the failure to protect a child from harm, provide adequate food or shelter, or provide appropriate health care. Neglect also includes disregard of a child's needs for affection and attention. Based on national data, 7 out of every 1,000 children annually, or an average of 1,460 children every day are victims of neglect by their parents or caretakers.
- WP1. How would you judge a child's chance of being (A: killed/B: physically abused/C: sexually abused/D: neglected) as a result of child maltreatment in your city or town? Would you say (READ ANSWERS)?

Much greater than average	1
Somewhat greater than average	
About average	
Somewhat less than average	
Much less than average	
DK	
RF	9

Now imagine there is a program available to your city or town that is proven effective in reducing the risk of a child being...

- A: ...killed by a parent or caretaker (**version 1**: by 50%/**version 2**: by 25%). This means that the number of children killed on average every day by child maltreatment is reduced from (**version 1**: 4 per day to 2 per day/**version 2**: 4 per day to 3 per day).
- **B:** ...physically abused by a parent or caretaker (**version 1:** by 50%/**version 2:** by 25%). This means that the number of children physically abused on average every day is reduced from (**version 1:** 460 per day to 230 per day/**version 2:** 460 per day to 345 per day).
- C: ... sexually abused by a parent or caretaker (**version 1**: by 50%/**version 2**: by 25%). This means that the number of children sexually abused on average every day is reduced from (**version 1**: 240 per day to 120 per day/**version 2**: 240 per day to 180 per day).
- **D:** ... neglected by a parent or caretaker (**version 1:** by 50%/**version 2:** by 25%). This means that the number of children neglected on average every day is reduced from (**version 1:** 1460 per day to 730 per day/**version 2:** 1,460 per day to 1100 per day).

WP2.	If this program were available to your city or town, would you be willing to pay (anchor 1: \$75/anchor 2: \$175/anchor 3: \$275) in extra taxes per year to sponsor this program given your household income and other expenses?	NO DK		((SKIP TO SKIP TO	WP3B) WP3B)		2 8
WP3A.	Would you be willing to pay (\$ANCHOR + \$50)?	NO DK RF			(SKIP TO (SKIP TO (SKIP TO	WP4) WP4) WP4)		2 8 9
WP3B.	Would you be willing to pay (\$ANCHOR - \$50)?	NO DK RF						2 8 9
WP4.	Now thinking about your household income and other expenses, how confident are you in your previous answers about whether you would be able to pay for this child maltreatment prevention program? Are you (READ ANSWERS)?		vhat confi confider all confid	ident nt ent				2 3 4 8
(WP5)	By the tine you started 6 th grade, how often had you			98 = 0)K, 99=R	RF More		
(*** 0)	parents or other adult care givers (READ			3-5	6-10	than 10		
	OPTIONS)? (PROMPT: 6 th grade is when you were 11 years old.) Would you say (READ ANSWERS)?	Once	Twice	times	times	times	Never	
	a. slapped hit or kicked you	01	02	03	04	05	06	
	 touched you I a sexual way, forced you to touch him or her in a sexual way, or forced you to have sexual relations 	01	02	03	04	05	06	
	 c. not provided for your basic physical, emotional or medical needs 	01	02	03	04	05	06	

MODULE 7: FIREARM OWNERSHIP AND ACCESS

The next few questions are about firearms. We are interested only in firearms that work. Include handguns, pistols, rifles, and automatic or semi-automatic weapons. We are not interested in BB and pellet guns, tear gas guns, and guns that can't fire, such as antiques and guns for display. (PROMPT: We are not interested in paintball guns.)

FX1.	During the past 12 months, that is since (MONTH, YEAR), were any firearms kept in or around your home? Include those kept in a garage, outdoor storage area, car, truck, or other motor vehicle.	YES 1 NO. (SKIP TO FX3) 2 DK. (SKIP TO FX3) 8 RF. (SKIP TO FX3) 9
FX2.	Were any of the firearms handguns, such as pistols or revolvers?	YES
FX3.	If you were at home, could you get and be ready to fire a loaded firearm in less than 10 minutes? The weapon could be yours or someone else's, and it could be located in your home or car or someone else's home or car. NOTE: IF THEY CAN GET THE GUN BUT DON'T KNOW HOW TO FIRE IT ON THEIR OWN, CODE "NO".	YES
FX4.	Does the firearm that you could get and fire in less than 10 minutes belong to you personally, another member of your household, or someone else?	SELF

MODULE 8: PERPETRATION

People sometimes hit or strike other people. When people strike others it can put them and the other person at risk for being injured. It is important for us to know how often people strike other people so that we can better understand this risk. The next few questions ask about different people that you may have struck on purpose. By "struck" I mean times when you have hit, slapped, pushed, or kicked a person or times when you hit someone with an object or weapon.

PROGRAMMER NOTE: SHOW THE ABOVE SENTENCE DEFINING "STRUCK" AS A PROMPT ON SCREENS FOR PF1, PR2, PR4, PR5, PR7, PR8 AND PR10.

Sometimes people strike other people in these ways because they are angry, have some sort of problem, need something from that person, or because they are trying to protect themselves from that person, like in self-defense. We are not going to ask you **why** you struck someone. We are only going to ask you **whether** it happened. All of your answers will be kept private.

answers	s will be kept private.	
PR1.	Since you turned 18 years old, on how many occasions have you struck a stranger for any reason? If you have a job that authorizes you to use force, for example if you are a police officer or security guard, do not include incidents that happened while you were at work. (PROMPT: An approximate number is okay).	NUMBER OF OCCASIONS
	PROGRAMMER NOTE: IF R TURNED 18 IN THE PAST 12	MONTHS, CODE PR2 = PR1.
PR2.	On how many occasions have you struck a stranger for any reason in the past 12 months , that is since (MONTH, YEAR)?	NUMBER OF OCCASIONS
PR3.	How many of these occasions in the past 12 months, if any, resulted in you talking to the police?	NUMBER OF OCCASIONS
PR4.	Since you turned 18 years old, on how many occasions have you struck a current or former spouse, (boyfriend/girlfriend) or dating partner for any reason? (PROMPT: An approximate number is okay).	NUMBER OF OCCASIONS
	PROGRAMMER NOTE: IF R TURNED 18 IN THE PAST 12	MONTHS, CODE PR5 = PR4.
PR5.	On how many occasions have you struck a current or former spouse, (boyfriend/girlfriend) or dating partner for any reason in the past 12 months (that is since [MONTH, YEAR])?	NUMBER OF OCCASIONS
PR6.	How many of these occasions in the past 12 months, if any, resulted in you talking to the police?	NUMBER OF OCCASIONS

PR7.	Since you turned 18 years old, how many times have you struck an adult that you knew, like a friend or acquaintance, for any reason? (PROMPT: An approximate number is okay).	NUMBER OF OCCASIONS
	PROGRAMMER NOTE: IF R TURNED 18 IN THE PAST 12 M	MONTHS, CODE PR8 = PR7.
PR8.	On how many occasions have you struck an adult that you knew, like a friend or acquaintance for any reason in the past 12 months (that is since [MONTH, YEAR])?	NUMBER OF OCCASIONS
PR9.	How many of these occasions in the past 12 months, if any, resulted in you talking to the police?	NUMBER OF OCCASIONS
PR10.	Since you turned 18 years old, on how many occasions have you struck your child or a child that you were responsible for? (PROMPT: An approximate number is okay).	NUMBER OF OCCASIONS
PR11.	How many of these occasions, if any, resulted in you talking with a child protective services worker?	NUMBER OF OCCASIONS
	SCRIPT: We are finished with the perpetration questions in danger, you can always dial 911.	s now. Remember, if you or anyone else you know is

MODULE 9: SUICIDE

The next set of questions is about suicidal feelings and behavior. These can be sensitive questions. Please try to answer them to the best of your ability.

SX1.	During the past 12 months, that is since (MONTH,	YES	1
	YEAR), have you had thoughts of taking your own	NO	
	life, even if you would not really do it?	DK	
		RF	9
SX2.	During the past 12 months, how many times have	NUMBER OF TIMES	1
O/ (L.		NUMBER OF TIMES	ᆜ
	you deliberately harmed or injured yourself – even if	NONE(SKIP TO SX5)	
	you did not intend to die?	DK(SKIP TO SX5)	.98
	,	RF(SKIP TO SX5)	.99
CV2	During the past 12 months, how many times have	1 1	1
SX3.	During the past 12 months, how many times have	NUMBER OF TIMESL	
	you attempted to end your own life?	NONE	0
	, ,	DK	
		RF	
		N/A (SKIP)	.91
SX4.	When you last (attempted suicide/harmed yourself)	Intended not to be injured	1
_,		Intended to be injured but to survive	
	what final outcome did you most intend? Would you	Intended to die	
	say (READ ANSWERS)?	You are not sure what you intended	
		DK	8
		RF	
		N/A (SKIP)	7
	few questions are about your recent feelings and experien		
SX5.	How much do you agree with the following statement - Overall, I expect more good things to happen to me than bad. Would you say you (READ ANSWERS)?	Strongly agree	
		Agree	
		Neither agree nor disagree	
		Disagree	
		Strongly disagree	
		DKRF	
		14	5
SX6.	During the past 12 months, were you limited in any	YES	1
	way in any activities because of depression, anxiety,	NO	
	or emotional problems?	DKRF	
		N	9
SX7.	During the past 12 months, how often have you been	Never	1
	treated unfairly in your job, by the police, by	Once in a while	2
		Some days	3
	neighbors, or in any other situation because of your	•	
	race or ethnicity? Would you say (READ ANSWERS)?	Most days	
	, , , , , ,	Every day	
		Many times a day	6
		DK	
		RF	
SX8.	How often do you find strength and comfort in your	Never	
	religion or spirituality? Would you say (READ	Once in a while	
	ANSWERS)?	Some days	
	•	Most days	
		Every day	
		Many times a day	
		NO RELIGION	
		DK	.98

SCRIPT: Before we move onto the next set of questions we are giving all respondents the phone number for the National Crisis Hotline. If you have a pencil and paper I can give you that number now. IF RESPONDENT INDICATES THEY WANT THE NUMBER: The number is 1-800-SUICIDE (784-2433), this is the National Crisis Hotline. If you would like, I can stop the interview now and connect you directly with a confidential counselor at the hotline and then call you back in a few days to complete the final interview questions or we can complete the interview now and you can call the hotline on your own after we have finished.

MODULE 10: INCOME

We are almost done now. I want to learn just a little bit more about you.

POVERTY			SHOLD BASED ON NUMBER OF ADULTS AND DREN IS UNKNOWN, STORE 99998 IN POVERTY.
INC1	the total income brought	category best represents in before taxes during the embers of your household?	Under \$20,000
INC2	Was it under \$10,000 or \$10,000 AS OVER.	over \$10,000? INCLUDE	UNDER
	PROGRAMMER NOTE:	IF INC2=1 AND POVERTY < 10,000 IF INC2=2 AND POVERTY > = 10,000 IF INC2=2 AND POVERTY < 10,000 IF INC2=2 AND POVERTY > = 20,000 IF INC2=8 OR 9 AND POVERTY > 10,000 IF INC2=8 AND POVERTY < 20,000	00, THEN STORE 1 IN INC5 AND SKIP TO END.
INC3	Was it under \$35,000 or \$35,000 AS OVER.	over \$35,000? INCLUDE	UNDER
	PROGRAMMER NOTE:	IF INC3=1 AND POVERTY < 20,000 IF INC3=1 AND POVERTY > = 35,0 IF INC3=8 OR 9 AND POVERTY < 1 IF INC3=8 AND POVERTY > = 20,000	E 8 IN INC5 AND SKIP TO END. 100 BUT < 35,000, THEN SKIP TO INC5. 10 THEN STORE 2 IN INC5 AND SKIP TO END. 100, THEN STORE 1 IN INC5 AND SKIP TO END. 100, THEN STORE 2 IN INC5 AND SKIP TO END. 100, THEN STORE 8 IN INC5 AND SKIP TO END. 100, THEN STORE 9 IN INC5 AND SKIP TO END.
INC4	Was it under \$50,000 or \$50,000 AS OVER.	over \$50,000? INCLUDE	UNDER

PROGRAMMER NOTE:	IF POVERTY=99,998, THEN STORE 8 IN INC5 AND SKIP TO END.
	IF INC4=1 AND POVERTY > = 35,000 BUT < 50,000, THEN SKIP TO INC5.
	IF INC4=1 AND POVERTY < 35,000, THEN STORE 2 IN INC5 AND SKIP TO END.
	IF INC4=2, THEN STORE 2 IN INC5 AND SKIP TO END.
	IF INC4=8 OR 9 AND POVERTY < 35,000, THEN STORE 2 IN INC5 AND SKIP TO END.
	IF INC4=8 AND POVERTY > = 35,000, THEN STORE 8 IN INC5 AND SKIP TO END.
	IF INC4=9 AND POVERTY > = 35,000, THEN STORE 9 IN INC5 AND SKIP TO END.

INC5. Was it under or over (POVERTY)? INCLUDE EQUAL TO POVERTY THRESHOLD AS OVER.

UNDER	1
OVER	2
DK	8
RF	9

CLOSING SCRIPT

Thank you for your time and help with this survey. Lastly, I have a statement I'm required to read to you. If the survey has taken longer than expected, or if you have comments about this survey, you are invited to send comments regarding this burden or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road, NE, MS D-74, Atlanta, Georgia 30333; Attn: PRA (0920-0513). In appreciation for your time and effort I now need to know whether you would prefer to receive the phone card, that is a card that will provide 100 minutes of pre-paid long distance phone service, or have \$5.00 donated to the United Way. The phone card can be sent to any name and address you choose. Which option would you prefer? RECORD OPTION CHOSEN. Thanks again.

CHARITABLE DONATION	1	
PHONE CARD	2	
END TIME		

EV1. Language in which the interview was conducted? ENGLISH......1 FILL IN THIS INFORMATION FROM THE SCREENER SPANISH......2 SECTION. EV2. Was the respondent's cooperation: VERY GOOD......1 GOOD......2 POOR......4 EV3. How would you rate the truthfulness of the VERY GOOD......1 respondent's answers? GOOD......2 POOR......4 EV4. The quality of the interview was: HIGH QUALITY.....(SKIP TO EV6).....1 ABOVE AVERAGE QUALITY.....(SKIP TO EV6).....2 AVERAGE QUALITY.....(SKIP TO EV6)......3 BELOW AVERAGE QUALITY......4 LOW QUALITY......5 EV5. The **main reason** for the below average or low ILL OR DISABLED......01 quality was that the respondent appeared to be: SPEAKING ENGLISH/SPANISH POORLY......02 EVASIVE OR SUSPICIOUS......03 BORED OR UNINTERESTED......04 UPSET OR DEPRESSED BY THE TOPIC......05 DRUNK OR MENTALLY IMPAIRED......06 HAVING POOR HEARING OR SPEECH......07 CONFUSED BY FREQUENT INTERRUPTIONS.......08 INSUFFICIENTLY KNOWLEDGEABLE......09 INTERVIEW TOO LONG......10 CONFUSED BY SURVEY.....12 BAD CONNECTION.....13 HOSTILE......14 IMPATIENT/RUSHED......15 DISTRACTED......16 DIDN'T WANT TO DO......17 KEPT TALKING......18 THOUGHT SURVEY SILLY/STUPID.....19 SOMETHING ELSE.....(SPECIFY)......11 N/A (SKIP)......97 EV5 CODE SPECIFY: **EDITOR NOTE: USE CODES 20-95 ONLY IN EV5CODE.** Do you have any other relevant observations, EV6. YES......1 comments or impressions about this interview? NO......(SKIP TO EV7).....2 RECORD COMMENTS:

MODULE 11: INTERVIEWER EVALUATION AND COMMENTS

EV7.	Were there any questions with which you had difficulty?	YES(EN	
	RECORD QUESTIONS AND PROBLEM:		
EV TIME	PROGRAMMER NOTE: RECORD TIME IN SECONDS FOR COMPLETION OF THIS SECTION.		

Sources of Survey Questions, ICARIS-2 Phase-2

Screener Script

SC1 adapted from ICARIS 1, ICARIS-2 (SC1)

SC2-SC3 new questions

SC4 adapted from ICARIS-1, ICARIS-2 (SC2)

SC5 ICARIS-1, ICARIS-2 (SC5)

Demographics and Home

DH1-2A ICARIS 1, ICARIS-2 (DH1-DH2A)
DH3-DH8 ICARIS 1 (D1-D4), ICARIS-2 (D1-D6)
DH9-DH10 ICARIS 1, ICARIS-2 (DH5, D7)

DH11-DH12 ICARIS 1 (D5-D6), ICARIS-2 (DH6-DH7)

DH12A new question

Older Adult Mobility

MOBL1 Nationwide Personal Transportation Survey, ICARIS-2 (MV6).

MOBL2,3 new questions

MOBL4 ICARIS-2 (MV3a,b,d,e)

MOBL5 new question

MOBL6 adapted from ICARIS-2 (FE7) MOBL7 ICARIS-2 (FE4) and BRFSS

MOBL8-9 new question

Child Supervision

SUPR1,4,5 new questions

SUPR2,3 not applicable – age/sex enumeration of children in household under 18 years

SUPR6-12 Morrongiello, B. A., L. Ondejko, and A. Littlejohn. 2004. "Understanding toddlers' in-home

injuries: I. Context, correlates, and determinants." *Journal of Pediatric Psychology* 29:415-31. Tomlinson, R. and C. Sainsbury. 2004. "Childhood injury prevention advice: a survey of health

professionals responses to common scenarios." Child Care Health Dev 30:301-5.

Injury and Disability

DIS1,2 adapted from the National Health Interview Survey (NHIS) Disability Supplement, p146.

DIS3 adapted from NHIS

DIS4 Health Interview Survey (HIS) Disability Supplement

DIS5 Violence and Threats of Violence Against Women in America Female Questionnaire

DIS6 adapted from NHIS, Disability Supplement, p140 (modified).
DIS7 adapted from Health Interview Survey (HIS) Disability supplement

DIS8,10,11 adapted from the NHIS, Disability Supplement and from

Violence and Threats of Violence Against Women in America Female Questionnaire

DIS9 adapted from NHIS (ADLs, IADLs, and activity limitations) Disability Supplement and from

Violence and Threats of Violence Against Women in America Female Questionnaire

Traumatic Brain Injury

HD1,7 adapted from the NHIS Family Section - Section III - Injuries

HD2-3 new questions

HD4.6 adapted from the NHIS Family Core Section III - Injuries

HD5 adapted from the NHIS Adult Core Section V Part C - Health Care Access and

Utilization

HD8,9 not applicable – age/sex enumeration of household members with a head injury

OMB numbers for selected studies referenced above are as follows:

ICARIS-1, OMB clearance number 0920-0342; ICARIS-2, OMB clearance number 0920-0513;

Sources of Survey Questions, ICARIS-2 Phase-2, continued.

Willingness to Pay to Prevent Child Maltreatment

WP1-4 Based on instrument used by Hammitt JK & Graham JD. Willingness to pay for health protection:

Inadequate sensitivity to probability. Journal of Risk and Uncertainty. 1999;18:33-62.

WP5a,b,c National Longitudinal Study of Adolescent Health(AdHealth), Wave III, 2001-2002 (H3MA3,H3MA4, and

H3MA2-adapted)

Firearm Access

FX1,2 Adapted from BRFSS Firearm module, ICARIS-2 (FA1,FA2)

FX3 ICARIS-1 (G18) FX4 new question

Perpetration

PR1,4,7,10 ACTIVA Study, modified version PR2,5,8 ACTIVA Study, modified version

PR3,6,9,11 new questions

Suicide

SX1 ICARIS-1 (S1). Original source: Paykel ES, Myers JD, Lindenthal JJ, Tanner J. Need

Suicidal feelings in the general population: A prevalence study. British Journal of Psychiatry, 1974;

124:460-469. ICARIS-2 (S1)

SX2,4 adapted from the Parasuicide History Interview by Linehan, unpublished.

SX3 ICARIS-1 (S4,S5) - modified from original 1997 YRBS source. ICARIS-2 (S5).

SX5 Scheifer MF, Carver CS, Bridges MW. Distinguishing optimism from neuroticism (and trait anxiety, self

mastery and self esteem): A reevaluation of the Life Orientation Test. Journal of personality and Social

Psychology.1994:67:1063-78.

SX6 1999 BRFSS, Supplemental Quality of Life questionnaire.

SX7 adapted from Forman TA, Williams DR, Jackson JS. Race, place and

discrimination. Perspectives on Social Problems. 1997;9:231-261.

SX8 Daily Spiritual Experience Scale, 6-item version. General Social Survey.

Income

INC1-4 ICARIS-1 (D8-D14), ICARIS-2 (D8-D12)

OMB numbers for selected studies referenced above are as follows:

ICARIS-1 OMB clearance number 0920-0342; ICARIS-2 OMB clearance number 0920-0513; NHIS OMB clearance number 0920-0214.

Note: It is our undetstanding that there are no OMB clearance numbers associated with the BRFSS or the Adolescent Health survey.