

PM01

- Help Enabled
- Comment Enabled
- Jump Back Enabled

 {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

The next questions are about prescription medicines (PERSON) purchased or received {since (START DATE)/between (START DATE) and (END DATE)}.

[It would be very helpful for the following questions if we could look at the bottles, containers, tubes, or bags for each of the medicines we will be talking about.]

PRESS ENTER OR SELECT NEXT PAGE TO CONTINUE.

```

  DISPLAY INSTRUCTIONS:
  DISPLAY 'since (START DATE)' IF NOT ROUND 5.

  DISPLAY 'between (START DATE) and (END DATE)' IF ROUND 5.

  -----

  PROGRAMMER NOTES:
  MEDICINES ARE FLAGGED AS 'CREATED' ONLY ONCE (I.E., THE ROUND
  IN WHICH THE MEDICINE IS INITIALLY REPORTED). MEDICINES ARE
  FLAGGED AS 'SELECTED' WHEN CHOSEN IN SUBSEQUENT ROUNDS. THUS,
  FOR ONE ROUND, A MEDICINE CAN ONLY BE FLAGGED AS EITHER
  'CREATED' OR 'SELECTED', BUT NOT BOTH.

  -----

  ROUTING INSTRUCTION:
  IF PERSON HAS NO MEDICINES CREATED OR SELECTED ON PERSON'S-
  PRESCRIBED-MEDICINES-ROSTER DURING THE CURRENT ROUND, GO TO
  PM04.

  OTHERWISE, CONTINUE WITH PM02.
  
```

PM02

- Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PRND.WRNGMEDS	COUNTER FOR INCORRECT MEDICINES	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

While we were talking about (PERSON)'s medical care, we listed the following prescription(s) as purchased or received {since (START DATE)/between (START DATE) and (END DATE)}. (READ MEDICINES BELOW.)

{NAME OF PRESCRIPTION MEDICINE}
 {NAME OF PRESCRIPTION MEDICINE}
 {NAME OF PRESCRIPTION MEDICINE}

INFORMATION OKAY	1	{PM04}
AT LEAST ONE MEDICINE INCORRECT	2	

```

DISPLAY INSTRUCTIONS:
DISPLAY 'since (START DATE)' IF NOT ROUND 5.

DISPLAY 'between (START DATE) and (END DATE)' IF ROUND 5.

ROUTING INSTRUCTION:
IF CODED '2' (AT LEAST ONE MEDICINE INCORRECT) AND THERE IS
ONLY ONE MEDICINE ON PERSON'S-PRESCRIBED-MEDICINES-ROSTER,
SELECT THAT MEDICINE AUTOMATICALLY BY CAPI AT PM03 AND GO TO
PM04.

IF CODED '2' (AT LEAST ONE MEDICINE INCORRECT) AND THERE IS
MORE THAN ONE MEDICINE ON PERSON'S-PRESCRIBED-MEDICINES-
ROSTER, CONTINUE WITH PM03.
    
```

Roster Details		
Title:	PERSON'S_PRESCRIBED-MEDICINES_1	
Col #	Header	Instructions
1	PRESCRIBED MEDICINE	Display name of prescribed medicine PMED.PMEDNAME

Roster Definition:
This item displays the PERSON'S-PRESCRIBED-MEDICINES-ROSTER
for display.

=====

Roster Behavior:
1. Display only.
2. Select, add, delete, and edit disallowed.

=====

Roster Filter:
Display only those prescribed medicines that are flagged as
either 'created' or 'selected' during the current round.

PM04

Help Enabled (PM04Help) Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PRND.NEWMEDS	HAS PERSON GOTTEN NEW MEDICINES	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

{Since (START DATE)/Between (START DATE) and (END DATE)},
(have/has) (PERSON) obtained any medicines [we have not yet talked about]?
For example, (have/has) (PERSON) had any new prescriptions or a refill of a
prescription?

Please include any on-line prescriptions.

- | | | |
|------------|----|--------|
| YES | 1 | {PM05} |
| NO | 2 | {PM06} |
| ----- | | |
| Refused | RF | {PM06} |
| Don't Know | DK | {PM06} |

HELP AVAILABLE FOR DEFINITION OF PRESCRIPTIONS AND REFILLS.

```

DISPLAY INSTRUCTIONS:
DISPLAY 'Since (START DATE)' IF NOT ROUND 5.

DISPLAY 'Between (START DATE) and (END DATE)' IF ROUND 5.

```

PM05

Help Enabled

Comment Enabled

Jump Back Enabled

Variable Name	Label	Size
PMED.PMEDID	PMED ID KEY: PERSID + COUNTER(3) + CD	12
PMED.PMEDRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PMED.CREATEQ	QUESTION THAT CREATED PMED SEGMENT	4
PMED.PMEDNAME	NAME OF MEDS AND PRESCRIPTIONS FILLED	30
PMED.DRUGLINK	LINKS PMED TO DRUGID	3
EVNT.EVNTID	EVNT ID KEY: PERSID + COUNTER(3) + CD	12
EVNT.EVNRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
EVNT.CREATEQ	QUESTION THAT CREATED EVNT SEGMENT	5
EVNT.EVNTTYPE	EVENT TYPE	2
EVPV.EVPVID	EVPV ID KEY: EVNTID + PROVID	23
EVPV.EVPVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
EVPV.CREATEQ	QUESTION THAT CREATED EVPV SEGMENT	5
EVPV.EVNTTYPE	EVENT TYPE	2
EVPV.EVPVTYPE	PROVIDER TYPE RELATED TO EVENT	2
DRUG.DRUGID	DRUG ID KEY: PERSID + COUNTER(3)	11
DRUG.DRUGRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
DRUG.CREATEQ	QUESTION THAT CREATED DRUG SEGMENT	4
DRUG.DRUGNAME	NAME OF MEDS AND PRESCRIPTIONS FILLED	30

 {PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

What were the names of these medicines?

PROBE: Any other medicines?

[Prescribed Medicine]

[Prescribed Medicine]

[Prescribed Medicine]

{PM06}

PROGRAMMER NOTES:
 FLAG ANY MEDICINE ADDED TO THE ROSTER AS 'CREATED' IN THIS ROUND.

FLAG ANY MEDICINE SELECTED FROM THE ROSTER AS 'SELECTED' IN THIS ROUND, IF THIS IS THE FIRST TIME THAT THE MEDICINE IS SELECTED IN CAPI IN THIS ROUND. FOR ANY ONE ROUND, A MEDICINE CAN BE FLAGGED ONLY AS 'CREATED' OR 'SELECTED', BUT NOT BOTH IN THAT SAME ROUND.

AT THIS ITEM, THE ROSTER WILL DISPLAY ALL MEDICINES IN PERSON'S-PRESCRIBED-MEDICINES-ROSTER. THAT DISPLAY WILL INCLUDE ALL MEDICINES CREATED IN PREVIOUS ROUNDS AND IN THE CURRENT ROUND. WHEN A MEDICINE CREATED IN A PREVIOUS ROUND IS SELECTED, CREATE A NEW EVENT FOR THAT MEDICINE. FOR SUCH MEDICINES, (AND FOR ADDED MEDICINES), CAPI WILL ASK THE CP SECTION AND THE PHARMACY OF THE PURCHASE.

ANY MEDICINE ADDED TO THE ROSTER SHOULD BE FLAGGED AS 'CREATED' THIS ROUND (WITH THE ROUND STATUS). ANY MEDICINE SELECTED AT THE ROSTER SHOULD BE FLAGGED AS 'SELECTED' THIS ROUND (WITH THE ROUND STATUS). THIS FLAGGING SHOULD OCCUR, AT EACH PERSON'S-PRESCRIBED- MEDICINES-ROSTER THROUGHOUT THE INSTRUMENT (UNLESS OTHERWISE SPECIFIED), THE FIRST TIME THE MEDICINE IS ADDED OR SELECTED DURING THE ROUND. FOR EXAMPLE, IF IT IS ROUND 1, ALL MEDICINES ON THE ROSTER WOULD HAVE THE FLAG 'CREATED - ROUND 1'. IF A MEDICINE IS CREATED IN HS, BUT SELECTED IN MV, ALL DURING ROUND 1, IT WOULD ONLY HAVE THE FLAG 'CREATED - ROUND 1'. THUS, FOR ANY ONE ROUND, A MEDICINE CAN ONLY BE FLAGGED AS 'CREATED' OR 'SELECTED'. IF IT IS ROUND 2 AND A MEDICINE THAT WAS CREATED IN ROUND 1 IS SELECTED, IT SHOULD BE FLAGGED AS 'SELECTED - ROUND 2'. THIS FLAG IS IN ADDITION TO THE ORIGINAL 'CREATED - ROUND 1' FLAG.

WHEN A MEDICINE FROM A PREVIOUS ROUND IS SELECTED, CREATE A NEW EVENT SINCE IT INVOLVES A NEW PURCHASE. A NEW PURCHASE REQUIRES ASKING THE CHARGE/PAYMENT (CP) SECTION AND PHARMACY OF THE PURCHASE. THE REASON FOR INCLUDING ALL OF THE PRESCRIBED MEDICINES ON THE ROSTER IS SIMPLY TO AVOID THE INTERVIEWER HAVING TO TYPE THEM IN AGAIN (IF THE PERSON IS GETTING REFILLS OF THE SAME MEDICINE EVERY ROUND).

Roster Details		
Title:	PERSON'S_PRESCRIBED-MEDICINES_1	
Col #	Header	Instructions
1	PRESCRIBED MEDICINE	Display name of prescribed medicine PMED.PMEDNAME

Roster Definition:
 This item displays the PERSON'S-PRESCRIBED-MEDICINES-ROSTER for selection/addition.

=====

Roster Behavior:

```

1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a PMED
added on this screen as long as CAPI has not yet created the
link between this PMED and the EVNT. If delete is attempted
at a time when it is not allowed, display the following error
message: 'DELETE ALLOWED ONLY WHEN MEDICINE IS FIRST ENTERED.'
4. Limited edit allowed. Interviewer may edit the name of a
PMED added on this screen as long as CAPI has not yet created
the link between this PMED and the EVNT. If edit is attempted
at a time when it is not allowed, display the following error
message: 'EDIT ALLOWED ONLY WHEN MEDICINE IS FIRST ENTERED.'
-----
Roster Filter:
Display all; no filter.
-----
    
```

PM06

- Help Enabled ([PM06Help](#))
- Comment Enabled
- Jump Back Enabled

Variable Name	Label	Size
PRND.FREESAMP	HAS PERSON RECEIVED FREE SAMPLES OF MEDS	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

{Since (START DATE)/Between (START DATE) and (END DATE)}, did (PERSON) get any free samples of prescribed medicines from a medical or dental provider that we have not yet talked about?

- | | | |
|------------|----|----------|
| YES | 1 | {PM07} |
| NO | 2 | {BOX_01} |
| ----- | | |
| Refused | RF | {BOX_01} |
| Don't Know | DK | {BOX_01} |

HELP AVAILABLE FOR DEFINITION OF FREE SAMPLES.

```

DISPLAY INSTRUCTIONS:
DISPLAY 'Since (START DATE)' IF NOT ROUND 5.
DISPLAY 'Between (START DATE) and (END DATE)' IF ROUND 5.
    
```

PM07

Help Enabled

Comment Enabled

Jump Back Enabled

Variable Name	Label	Size
PMED.PMEDID	PMED ID KEY: PERSID + COUNTER(3) + CD	12
PMED.PMEDRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PMED.CREATEQ	QUESTION THAT CREATED PMED SEGMENT	4
PMED.PMEDNAME	NAME OF MEDS AND PRESCRIPTIONS FILLED	30
PMED.FRSAMPLE	MEDICINE PERSON GOT AS FREE SAMPLES	2
PMED.DRUGLINK	LINKS PMED TO DRUGID	3
EVNT.EVNTID	EVNT ID KEY: PERSID + COUNTER(3) + CD	12
EVNT.EVNRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
EVNT.CREATEQ	QUESTION THAT CREATED EVNT SEGMENT	5
EVNT.EVNTTYPE	EVENT TYPE	2
EVPV.EVPVID	EVPV ID KEY: EVNTID + PROVID	23
EVPV.EVPVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
EVPV.CREATEQ	QUESTION THAT CREATED EVPV SEGMENT	5
EVPV.EVNTTYPE	EVENT TYPE	2
EVPV.EVPVTYPE	PROVIDER TYPE RELATED TO EVENT	2
DRUG.DRUGID	DRUG ID KEY: PERSID + COUNTER(3)	11
DRUG.DRUGRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
DRUG.CREATEQ	QUESTION THAT CREATED DRUG SEGMENT	4
DRUG.DRUGNAME	NAME OF MEDS AND PRESCRIPTIONS FILLED	30

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

What are the names of the medicines (PERSON) got as free samples?

PROBE: Any other free samples?

[Prescribed Medicine]

[Prescribed Medicine]

[Prescribed Medicine]

{BOX_01}

PROGRAMMER NOTES:
 FLAG MEDICINES AS 'FREE SAMPLE' ONLY IF MEDICINE WAS CREATED
 AT PM07 DURING THE CURRENT ROUND.

Roster Details

Title: PERSON'S_PRESCRIBED-MEDICINES_1

Col #	Header	Instructions
1	PRESCRIBED MEDICINE	Display name of prescribed medicine PMED.PMEDNAME

```

Roster Definition:
This item displays the PERSON'S-PRESCRIPTION-MEDICINES-ROSTER
for selection/addition

=====

Roster Behavior:
1. Multiple select allowed.
2. Multiple add allowed.
3. Limited delete allowed. Interviewer may delete a PMED
added on this screen as long as CAPI has not yet created the
link between this PMED and the EVNT. If delete is attempted
at a time when it is not allowed, display the following error
message: 'DELETE ALLOWED ONLY WHEN MEDICINE IS FIRST ENTERED.'
4. Limited edit allowed. Interviewer may edit the name of a
PMED added on this screen as long as CAPI has not yet created
the link between this PMED and the EVNT. If edit is attempted
at a time when it is not allowed, display the following error
message: 'EDITING ALLOWED ONLY WHEN MEDICINE IS FIRST
ENTERED.'
5. Any medicine added to the roster should be flagged as
'created' this round (with the round status). Any medicine
selected at the roster should be flagged as 'selected' this
round (with the round status). This flagging should occur, at
each Person's-Prescribed-Medicines-Roster throughout the
instrument (unless otherwise specified), the first time the
medicine is added or selected during the round. For example,
if it is Round 1, all medicines on the roster would have the
flag 'created - Round 1'. If a medicine is created in HS, but
selected in MV, all during round 1, it would only have the
flag 'created - Round 1'. Thus, for any one round, a medicine
can only be flagged as 'created' or 'selected'. If it is
Round 2 and a medicine that was created in round 1 is
selected, it should be flagged as 'selected - Round 2'. This
flag is in addition to the original 'created - Round 1' flag.
6. When a medicine from a previous round is selected, a new
event is created since it involves a new purchase. A new
purchase requires asking the CHARGE/PAYMENT (CP) section and
pharmacy of the purchase. The reason for including all of the
prescribed medicines on the roster is simply to avoid the
interviewer having to type them in again (if the person is
getting refills of the same medicine every round).

=====

Roster Filter:
Display all; no filter.
    
```

BOX 01

```

IF NO MEDICINES FLAGGED AS 'CREATED' OR 'SELECTED' DURING THE CURRENT
ROUND, GO TO BOX_06.

OTHERWISE, CONTINUE WITH LOOP_01.
    
```

LOOP 01

FOR EACH ELEMENT IN PERSON'S-PRESCRIBED-MEDICINES-ROSTER, ASK BOX_01A-
END_LP01

LOOP DEFINITION: LOOP_01 COLLECTS INFORMATION ABOUT EACH PRESCRIBED
MEDICINE CREATED OR SELECTED DURING THE CURRENT ROUND. THIS LOOP CYCLES
ON PRESCRIBED MEDICINES THAT MEET ONE OF THE FOLLOWING CONDITIONS:

- PRESCRIBED MEDICINE IS FLAGGED AS 'CREATED' DURING THE CURRENT ROUND.
- OR
- PRESCRIBED MEDICINE IS FLAGGED AS 'SELECTED' DURING THE CURRENT ROUND.

BOX 01A

IF ROUND 5, CONTINUE WITH PM07A.

OTHERWISE, GO TO PM08.

PM07A

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PRND.R5PMDEL	COUNTER FOR INCORRECT R5 PMEDS	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION
 MEDICINE.} {STR-DT}
 {TODAY}

Now, let's talk about (MEDICINE).

Was (MEDICINE) purchased or obtained sometime between (START DATE)
 and (END DATE)?

YES	1	{PM08}
NO	2	{END_LP01}

Refused	RF	{PM08}
Don't Know	DK	{PM08}

PROGRAMMER NOTES:
 IF CODED '2' (NO), FLAG MEDICINE AS 'INCORRECT'. THIS
 MEDICINE SHOULD NOT BE FLAGGED AS 'CREATED' OR 'SELECTED' FOR
 ROUND 5 AND THE ROUND 5 RECORDS SHOULD BE DELETED.

PM08

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PMED.HLTHCOND	IS MEDICINE RELATED TO HEALTH CONDITION	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}

{Now, let's talk about (MEDICINE).}

Is (MEDICINE) used for a specific health problem?

- | | | |
|------------|----|-----------|
| YES | 1 | {PM09} |
| NO | 2 | {BOX_02A} |
| ----- | | |
| Refused | RF | {BOX_02A} |
| Don't Know | DK | {BOX_02A} |

```

DISPLAY INSTRUCTIONS:
DISPLAY 'Now let's talk about (MEDICINE)' IF NOT ROUND 5.  IF
ROUND 5, USE A NULL DISPLAY.

```

PM09

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
COND.CONDID	COND ID KEY: PERSID + COUNTER(3) + CD	12
COND.CONDRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
COND.CREATEQ	QUESTION THAT CREATED COND SEGMENT	4
COND.CONDNAM	NAME OF CONDITION	30
CLNK.CLNKID	CLNK ID KEY: CONDID + EVNTID	24
CLNK.CLNKRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
CLNK.CREATEQ	QUESTION THAT CREATED CLNK SEGMENT	4
CLNK.CLNKTYPE	TYPE OF EVENT CONDITION IS LINKED TO	2
CRND.CRNDID	CRND ID KEY: CONDID + ROUND NUMBER	13
CRND.CRNDRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
CRND.CREATEQ	CREATION STAMP	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}

What health problem is (MEDICINE) prescribed for?

PROBE: Any other health problems?

IF CONDITION IS ALREADY LISTED, ASK: Is this the same (NAME OF CONDITION) that we have talked about before?

IF SAME EPISODE OF CONDITION, SELECT ENTRY ON ROSTER.

IF NEW EPISODE OF CONDITION, ADD TO ROSTER.

[Medical Condition]

[Medical Condition]

[Medical Condition]

{BOX_02A}

Roster Details		
Title:	PERS_COND_1	
Col #	Header	Instructions
1	MEDICAL CONDITION	Display name of medical condition COND.CONDNAM

Roster Definition:
 Display the PERSON-MEDICAL-CONDITIONS-ROSTER for the selection and addition of one or many medical condition(s) associated with this event.

Roster Behavior:

1. Multiple Select allowed. Selection should NOT impact the round flag of the condition.
2. Multiple Add allowed. Interviewer should record the condition name.
3. Limited Delete allowed. Interviewer may delete a condition added on this screen as long as CAPI has not yet created the link between this condition and the event. If the interviewer attempts to delete a condition when delete is not allowed, display the following message: "DELETE ALLOWED ONLY WHEN CONDITION IS FIRST ENTERED."
4. Limited Edit allowed. Interviewer may edit a condition name newly added on this screen as long as CAPI has not yet created the link between this condition and the event. If the interviewer attempts to edit a condition when edit is not allowed, display the following message: "EDIT ALLOWED ONLY WHEN CONDITION IS FIRST ENTERED."

Roster Filter:
 Display all conditions on person's roster; no filter.

BOX 02A

IF MEDICINE BEING ASKED ABOUT IS FLAGGED AS 'SELECTED' DURING THE CURRENT ROUND, GO TO PM10.

IF MEDICINE BEING ASKED ABOUT IS FLAGGED AS 'CREATED' DURING THE CURRENT ROUND, CONTINUE WITH PM11.

PM11

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PMED.STRTTAKY	YEAR PERSON STARTED TAKING MEDICINE	4

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}

In what year did (PERSON) first use (MEDICINE)?

YYYY: _____
 HAS NOT YET TAKEN/USED {PM10}

 Refused RF {PM10}
 Don't Know DK {PM10}

PROGRAMMER NOTES:
 'HAS NOT YET TAKEN/USED' is a radio button under the entry field.

ROUTING INSTRUCTION:
 IF YEAR IS REFERENCE YEAR OR REFERENCE YEAR MINUS 1, CONTINUE WITH PM110V1.
 OTHERWISE, GO TO PM10.

PM11OV1

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PMED.STRTTAKM	MONTH PERSON STARTED TAKING MEDICINE	2

MONTH: _____

Refused	RF	{PM10}
Don't Know	DK	{PM10}

```

PROGRAMMER NOTES:
FOR SPECIFICATION PURPOSES ONLY (CAPI HANDLES AUTOMATICALLY):
Allowable values for month are 1-12.

ROUTING INSTRUCTION:
IF YEAR IS REFERENCE YEAR, CONTINUE WITH PM11OV2.

OTHERWISE, GO TO PM10.

```

PM11OV2

Help Enabled

Comment Enabled

Jump Back Enabled

Variable Name	Label	Size
PMED.STRTTAKD	DAY PERSON STARTED TAKING MEDICINE	2

DAY: _____ {PM10}

Refused RF {PM10}

Don't Know DK {PM10}

Hard CHECK:

ENTRIES FOR DAY MUST CORRESPOND TO CALENDAR MONTHS AND DAYS. THAT IS,

- ALLOWABLE VALUES = 01 - 31 IF MONTH CODED '01', '03', '05', '07', '08', '10', '12';
- ALLOWABLE VALUES = 01 - 30 IF MONTH CODED '04', '06', '09', '11';
- ALLOWABLE VALUES = 01 - 29 IF MONTH CODED '02' AND YEAR IS 2008 (LEAP YEAR);
- ALLOWABLE VALUES = 01 - 28 IF MONTH CODED '02' AND YEAR IS NOT 2008 (I.E., NOT LEAP YEAR).

THE COMPLETE DATE CANNOT BE BEFORE THE PERSON'S DATE OF BIRTH OR AFTER THE REFERENCE PERIOD END DATE FOR THIS PERSON.

PM10

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PMED.MEDCYCLE	NUMBER OF TIMES MEDICINE WAS OBTAINED	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}

How many times was (MEDICINE) obtained or purchased for (PERSON) {since (START DATE)/between (START DATE) and (END DATE)}?

NUMBER OF TIMES: _____ {BOX_02B}

Refused RF {BOX_02B}

Don't Know DK {BOX_02B}

DISPLAY INSTRUCTIONS:
 DISPLAY 'since (START DATE)' IF NOT ROUND 5.
 DISPLAY 'between (START DATE) and (END DATE)' IF ROUND 5.

BOX 02B

IF ROUND 3 AND PM10 IS NOT RF OR DK, CONTINUE WITH PM10A.
 OTHERWISE, GO TO BOX_02.

PM10A

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PMED.NOMEDLYR	NUMBER OF TIMES MED OBTAINED LAST YR	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF PRESCRIPTION MEDICINE.} {STR-DT} {END-DT}

NUMBER OF TIMES OBTAINED/PURCHASED SINCE (START DATE):
{NUMBER OF TIMES}

Of these times, how many were in {YEAR}?

NUMBER OF TIMES: _____ {BOX_02}

Refused RF {BOX_02}

Don't Know DK {BOX_02}

DISPLAY INSTRUCTIONS:
FOR 'NUMBER OF TIMES,' DISPLAY THE NUMBER ENTERED AT PM10.

PROGRAMMER NOTES:
FOR SPECIFICATIONS PURPOSES ONLY (CAPI HANDLES AUTOMATICALLY):
FOR 'YEAR', DISPLAY THE YEAR THAT IS THE FIRST YEAR OF THE
GIVEN PANEL.

Hard CHECK: NUMBER OF TIMES MUST BE <= NUMBER OF TIMES OBTAINED/PURCHASED AT PM10.

BOX 02

IF THE CHARGE/PAYMENT (CP) SECTION HAS NOT BEEN ASKED FOR THIS MEDICINE, ASK THE CHARGE/PAYMENT (CP) SECTION. OTHERWISE, CONTINUE WITH END_LP01.
--

END LP01

CYCLE ON NEXT MEDICINE IN PERSON'S-PRESCRIBED-MEDICINES-ROSTER THAT MEETS THE CONDITIONS STATED IN THE LOOP DEFINITION.

IF NO OTHER MEDICINES MEET THE STATED CONDITIONS, END LOOP_01 AND CONTINUE WITH BOX_03.

BOX 03

IF ALL PRESCRIBED MEDICINES FOR THIS PERSON ARE FLAGGED AS 'FREE SAMPLES' (IN BOTH PM AND CP) DURING THE CURRENT ROUND, GO TO BOX_06.

OTHERWISE, CONTINUE WITH LOOP_02.

LOOP 02

FOR EACH OF THE FOLLOWING:

- PHARMACY 1
- PHARMACY 2
- PHARMACY 3
- PHARMACY 4

ASK BOX_04A-END_LP02

LOOP DEFINITION: LOOP_02 ENUMERATES PHARMACIES USED BY PERSON FOR PRESCRIBED MEDICINES THAT WERE CREATED OR SELECTED DURING THE CURRENT ROUND. THE RESPONSE TO PM17 DETERMINES IF THE LOOP CYCLES AGAIN. IF PM17 IS CODED '1' (YES), THE LOOP CYCLES TO COLLECT THE NEXT PHARMACY USED BY PERSON. IF PM17 IS CODED '2' (NO), 'RF' (REFUSED), OR 'DK' (DON'T KNOW), THE LOOP ENDS.

BOX 04A

AS A PHARMACY IS ENTERED OR SELECTED, FLAG THE PERSON-PHARMACY PAIR WITH THE CURRENT ROUND (I.E., THE MOST RECENT ROUND IT WAS ENTERED/SELECTED). THIS ROUND FLAG IS USED TO DETERMINE WHETHER THE PHARMACY IS ELIGIBLE FOR PHARMACY PERMISSION FORM COLLECTION FOR THIS RU MEMBER.

BOX 04

IF THERE ARE NO PHARMACIES ON THE RU-PHARMACIES- ROSTER, GO TO PM14.

OTHERWISE, CONTINUE WITH PM12.

Roster Filter:
Display all; no filter.

PM13

- Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PHAR.PHARVERF	ADDRESS VERIFICATION FOR PHARMACY	2
PLNK.PLNKID	PLNK ID KEY: PERSID + PHARID	19
PLNK.PLNKRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PLNK.CREATEQ	QUESTION THAT CREATED PLNK SEGMENT	4

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

Is the address of (READ NAME AND ADDRESS OF PHARMACY BELOW)...

{PHARMACY NAME SELECTED AT PM12}
 {PHARMACY STREET ADDRESS LINE1.}
 {PHARMACY STREET ADDRESS LINE2.}
 {PHARMACY CITY...,ST,ZIPCODE...}
 {PHRM PHONE}

ADDRESS AND TELEPHONE CORRECT	1	{BOX_05}
ADD NEW ADDRESS FOR PHARMACY	2	{PM14}
ABOVE ADDRESS/TELEPHONE NEEDS CORRECTION	3	{PM15}
SELECTED WRONG PHARMACY/ADDRESS	4	

Refused	RF	{BOX_05}
Don't Know	DK	{BOX_05}

ROUTING INSTRUCTION:
 IF CODED '4' (SELECTED WRONG PHARMACY/ADDRESS), CAPI REDISPLAYS PM12 TO ALLOW INTERVIEWER TO SELECT CORRECT PHARMACY.

| DISPLAY INSTRUCTIONS:
| IF PM13 IS CODED '2' (ADD NEW ADDRESS FOR PHARMACY), PM14 WILL
| NOT COLLECT THE PHARMACY NAME, PM14_01 WILL DISPLAY THE
PHARMACY NAME AND CANNOT BE EDITED.
PROGRAMMER NOTES:
CODES 'RF' (REFUSED) AND 'DK' (DON'T KNOW) ARE ALLOWED ON EACH
FORM ITEM EXCEPT FOR PHARMACY NAME (PM14_01).

Hard CHECK:
EDIT: CHECK THAT STATE ABBREVIATION IS VALID.

PM15

Help Enabled (STATE) Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PHAR.PHARADR1	PHARMACY STREET ADDRESS 1	30
PHAR.PHARADR2	PHARMACY STREET ADDRESS 2	30
PHAR.PHARCITY	PHARMACY CITY	25
PHAR.PHARSTAT	PHARMACY STATE	2
PHAR.PHARZIP	PHARMACY ZIP	5
PHAR.PHARAREA	PHARMACY AREA CODE	3
PHAR.PHAREXCH	PHARMACY EXCHANGE	3
PHAR.PHARLOCL	PHARMACY LOCAL	4
PLNK.PLNKID	PLNK ID KEY: PERSID + PHARID	19
PLNK.PLNKRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PLNK.CREATEQ	QUESTION THAT CREATED PLNK SEGMENT	4

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

CORRECT ADDRESS OR TELEPHONE FOR: {PHARMACY NAME
W/WRONG ADDRESS.}

TO VERIFY CURRENT INFORMATION OR TO LEAVE A FIELD BLANK,
PRESS ENTER. TO CORRECT ANY INACCURATE FIELDS, TYPE ENTIRE
FIELD.

PHARMACY_STR1 _____ {BOX_05}
 PHARMACY_STR2 _____
 PHARMACY_CITY _____
 PHARMACY_STATE _____
 PHARMACY_ZIPCDE _____
 PHARMACY_PHONE _____

Refused RF {BOX_05}
 Don't Know DK {BOX_05}

HELP AVAILABLE FOR STATE ABBREVIATIONS.

PROGRAMMER NOTES:
 ADDRESS FIELDS CONTAIN PREVIOUSLY COLLECTED INFORMATION WHICH
 CAN BE UPDATED.

Hard CHECK:
 EDIT: CHECK THAT STATE ABBREVIATION IS VALID.

BOX 05

IF THE NAME OR ADDRESS FIELDS WERE COMPLETED IN PM14 FOR THE PHARMACY BEING ASKED ABOUT (THAT IS, THE PHARMACY WAS ADDED TO THE RU-PHARMACIES-ROSTER OR A NEW ADDRESS WAS ENTERED FOR AN EXISTING PHARMACY), CONTINUE WITH PM16.

 OTHERWISE, GO TO PM17.

PM16

- Help Enabled ([PM16Help](#)) Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PHAR.PHARTYPE	TYPE OF PHARMACY	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DT}

What type of pharmacy is that? Is it a mail-order pharmacy; a pharmacy located in another store such as a grocery or department store; a pharmacy located in an HMO, clinic, or hospital; a drug store that is not located within another facility; or is it an on-line pharmacy?

MAIL-ORDER	1	{PM17}
IN ANOTHER STORE	2	{PM17}
IN HMO/CLINIC/HOSPITAL	3	{PM17}
DRUG STORE	4	{PM17}
ON-LINE	5	{PM17}

Refused	RF	{PM17}
Don't Know	DK	{PM17}

HELP AVAILABLE FOR DEFINITIONS OF ANSWER CATEGORIES.

PM17

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PHAR.PM17BLSWVS		

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT} {END-DATE}

Did (PERSON) use another pharmacy {since (START DATE)/between (START DATE) and (END DATE)}?

FOR CHAIN ESTABLISHMENTS, PLEASE RECORD ALL PHARMACY LOCATIONS USED, (I.E., THOSE WITH THE SAME NAME BUT DIFFERENT ADDRESS).

YES	1	{END_LP02}
NO	2	{END_LP02}

Refused	RF	{END_LP02}
Don't Know	DK	{END_LP02}

DISPLAY INSTRUCTIONS:
 DISPLAY 'since (START DATE)' IF NOT ROUND 5.
 DISPLAY 'between (START DATE) and (END DATE)' IF ROUND 5.

END LP02

IF PM17 IS CODED '1' (YES), CYCLE TO COLLECT INFORMATION ABOUT THE NEXT PHARMACY USED BY PERSON.
 IF PM17 IS CODED '2' (NO), 'RF' (REFUSED), OR 'DK' (DON'T KNOW), END LOOP_02 AND CONTINUE WITH BOX_06.

BOX 06

GO TO NEXT QUESTIONNAIRE SECTION.