

Provider Roster (PV) Section

Beta

PV01

Help Enabled (PV01Help) Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.PROVID	PROV ID KEY: RUNTID + COUNTER(3) + CD	11
PROV.PROVTYPE	PROVIDER TYPE	2
PROV.PROVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PROV.CREATEQ	QUESTION THAT CREATED PROV SEGMENT	5

 {PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

{[What is the name of the person or place that provided health care to
 (PERSON)?]}

**INTERVIEWER: IS THE PROVIDER {ASSOCIATED WITH THIS EVENT} A
 PERSON OR A FACILITY (INCLUDING GROUP PRACTICES AND HMOS)?**

PERSON	1	
FACILITY	2	{BOX_01}

HELP AVAILABLE FOR DEFINITION OF PERSON/FACILITY.

```

-----
DISPLAY INSTRUCTIONS:
DISPLAY '[What is ...(PERSON)?]' AND 'ASSOCIATED WITH THIS
EVENT' IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM
THE ACCESS TO CARE (AC) SECTION. IF THE PV SECTION WAS CALLED
FROM THE AC SECTION , USE A NULL DISPLAY.
-----
PROGRAMMER NOTES:
IF CODED '1' (PERSON), SET PROVIDER TYPE TO 'PERSON-TYPE-
PROVIDER'.

IF CODED '2' (FACILITY), SET PROVIDER TYPE TO 'FACILITY-
PROVIDER'.

IF NO PERSON-PROVIDERS ON RU-MEDICAL-PROVIDERS-ROSTER AND PV01
IS CODED '1', THEN CREATE A PROV RECORD.
-----
ROUTING INSTRUCTION:
IF CODED '1' (PERSON) AND NO PROVIDERS THAT ARE TYPE 'PERSON-
PROVIDER' ON RU-MEDICAL-PROVIDERS-ROSTER, GO TO PV04

IF CODED '1' (PERSON) AND AT LEAST ONE PROVIDER THAT IS TYPE
'PERSON-PROVIDER' ON RU-MEDICAL-PROVIDERS-ROSTER, CONTINUE
WITH PV02
    
```

Context Header Display Instructions:
Display PERS.FULLNAME and EVNT.EVNTTYPE

Hard CHECK:
IF EVENT TYPE IS HS, ER, OP, OR IC, PV01 CANNOT BE CODED '1' (PERSON). IF PV01 IS CODED '1' (PERSON) FOR AN HS, ER, OP, OR IC EVENT, THE ERROR HANDLER WILL FORCE THE INTERVIEWER TO RECTIFY THE DATA.

PV02

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.PV02BLSWVS		

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

**SELECT CORRECT {USUAL SOURCE OF CARE} PROVIDER
{ASSOCIATED WITH THE EVENT}.**

ROSTER. PERSON-TYPE-PROVIDER	PV02_02. FACILITY	PV02_03. STREET
1. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
2. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
3. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]

```

DISPLAY INSTRUCTIONS:
DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER ROSTER (PV)
SECTION WAS CALLED FROM THE ACCESS TO CARE (AC) SECTION.
OTHERWISE, USE A NULL DISPLAY.

DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE PROVIDER ROSTER
(PV) SECTION WAS NOT CALLED FROM THE ACCESS TO CARE (AC)
SECTION. IF THE PV SECTION WAS CALLED FROM THE AC SECTION,
USE A NULL DISPLAY

DISPLAY 'NONE OF THE ABOVE' AS THE LAST ENTRY ON ROSTER.

ROUTING INSTRUCTION:
IF 'NONE OF THE ABOVE' IS SELECTED, GO TO PV04

OTHERWISE, CONTINUE WITH PV03

```

Roster Details	
Title:	RU_PROV_SelectOne_1

Col #	Header	Instructions
1	PERSON-TYPE-PROVIDER	Display Truncated Person-Provider Name PROV.DRFNAME (10), PROV.LORPNAME (15)
2	FACILITY	Display Facility-Provider Name PROV.PVASSOC (30) (If no facility, use null display)
3	STREET	Display Truncated Street Address PROV.PVSTRT1, PROV.PVSTRT2 (15)

```

-----
| Roster Definition:
| This item displays RU-MEDICAL-PROVIDERS-ROSTER for selecting
| one medical provider.
|
|-----
| Roster Behavior:
| 1. Select allowed.
|    Interviewer may select one from the listed
|    medical providers.
| 2. Multiple select disallowed.
| 3. Add, delete, and edit are not allowed.
| 4. If provider is a person-provider not associated with a
|    facility (PROV.PROVTYPE=2), the facility column is empty for
|    that row.
|
|-----
| Roster Filter:
| Display PERSON providers (PROV.PROVTYPE = 2) and
| PERSON-IN-FACILITY providers (PROV.PROVTYPE = 3).
|
-----

```

PV03

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.PV03BLSWVS		
PROV.PROVID	PROV ID KEY: RUNTID + COUNTER(3) + CD	11
PROV.PROVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PROV.CREATEQ	QUESTION THAT CREATED PROV SEGMENT	5
PROV.PROVTYPE	PROVIDER TYPE	2
PROV.PVFCID	PERSON PROVIDER'S LINK TO FACILITY	4

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

Is the address of **(READ NAME AND ADDRESS OF PROVIDER BELOW)**...

{PERSON-TYPE-PROVIDER NAME SELECTED AT PV02}
 {FACILITY-PROVIDER ASSOC W/ PERSON-TYPE-PROVIDER}
 {PERSON-TYPE-PROVIDER STREET ADDRESS LINE1}
 {PERSON-TYPE-PROVIDER STREET ADDRESS LINE2}

ADDRESS {& FACILITY NAME} CORRECT	1	{BOX_02}
ADD NEW ADDRESS FOR PROVIDER	2	{PV06}
ADD NEW/DIFFERENT FACILITY FOR PROVIDER	3	{BOX_01}
ABOVE PROVIDER NAME/ADDRESS {OR FACILITY NAME} NEEDS SPELLING OR MINOR CORRECTION	4	{BOX_02}
SELECTED WRONG PROVIDER/ADDRESS	5	

Refused	RF	{BOX_02}
Don't Know	DK	{BOX_02}

| DISPLAY INSTRUCTIONS:
| FOR 'PERSON-PROVIDER NAME SELECTED AT PV02', DISPLAY THE
| PERSON-TYPE-PROVIDER NAME SELECTED AT PV02.
|
| FOR 'FACILITY ASSOC W/ PERSON-TYPE-PROVIDER.', DISPLAY THE
| FACILITY PROVIDER NAME ASSOCIATED WITH THE PERSON-PROVIDER
| SELECTED AT PV02. IF NO FACILITY ASSOCIATED WITH THIS PERSON
| PROVIDER, USE A NULL DISPLAY.
|
| FOR 'PERSON PROVIDER STREET ADDRESS LINE1' AND 'PERSON
| PROVIDER STREET ADDRESS LINE2', DISPLAY LINES 1 AND 2 OF THE
| ADDRESS FOR THE PERSON PROVIDER SELECTED AT PV02.
|
| DISPLAY '& FACILITY NAME' AND 'OR FACILITY NAME' IF THERE IS A
| FACILITY-PROVIDER NAME ASSOCIATED WITH THE PERSON PROVIDER
| SELECTED AT PV02. IF NO FACILITY ASSOCIATED WITH THIS
PROVIDER, USE A NULL DISPLAY.
PROGRAMMER NOTES:
IF "ADD NEW ADDRESS FOR PROVIDER" SELECTED, CREATE A NEW
PROVIDER RECORD FOR THIS PROVIDER. SET PROVIDER TYPE AS
'PERSON-TYPE-PROVIDER' (PROVTYPE=2).
IF CODED '4' (ABOVE PROVIDER NAME/ADDRESS {OR FACILITY NAME}
NEEDS SPELLING OR MINOR CORRECTION), DISPLAY THE FOLLOWING
MESSAGE: 'THIS OPTION DISABLED. PLEASE RECORD INFORMATION IN
COMMENTS.'

ROUTING INSTRUCTION:
IF CODED '5' (SELECTED WRONG PROVIDER/ADDRESS), CAPI
REDISPLAYS PV02 TO ALLOW INTERVIEWER TO SELECT CORRECT
PROVIDER.

PV04

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.PROVID	PROV ID KEY: RUNTID + COUNTER(3) + CD	11
PROV.PROVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PROV.CREATEQ	QUESTION THAT CREATED PROV SEGMENT	5
PROV.DRFNAM	DOCTOR'S FIRST NAME	20
PROV.LORPNAME	DR'S LAST NAME OR PROVIDER NAME	45
PROV.PVFCID	PERSON PROVIDER'S LINK TO FACILITY	4

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

ENTER NAME OF PROVIDER {ASSOCIATED WITH THIS EVENT}.

ENTER COMPLETE PROVIDER NAME AND VERIFY SPELLING.

PROVIDER'S FIRST _____
NAME: _____

PROVIDER'S LAST _____ {PV05}
NAME: _____

DISPLAY INSTRUCTIONS:
 DISPLAY 'ASSOCIATED WITH THIS EVENT' IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV SECTION WAS CALLED FROM THE AC SECTION, USE A NULL DISPLAY.

DISPLAY 'THE PERSON-PROVIDER ROSTER IS EMPTY. CLICK ADD NEW PROVIDER TO ADD A NEW PROVIDER.' IF THERE ARE NO RECORDS IN THE ROSTER.

=====

PROGRAMMER NOTES:
 CREATE A NEW PERSON-PROVIDER ON THE RU-MEDICAL-PROVIDERS-ROSTER.

PV05

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.ASSOCIAT	PROV ASSOCIATED W/ GROUP PRACTICE OR HMO	2
PROV.PROVTYPE	PROVIDER TYPE	2

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER.....} {EV}

Is (PROVIDER) in a group practice, that is, do other doctors practice at the same office (or are part of an HMO)?

YES	1	{BOX_01}
NO	2	{PV06}

Refused	RF	{PV06}
Don't Know	DK	{PV06}

```

PROGRAMMER NOTES:
IF CODED '1' (YES), FLAG PROVIDER AS 'PERSON-IN-FACILITY-
PROVIDER' (PROVTYPE=3).

IF CODED '2' (NO), FLAG PROVIDER AS 'PERSON-PROVIDER'
(PROVTYPE=2).
    
```


BOX 01

IF NO PROVIDERS THAT ARE 'FACILITY-PROVIDER' (PROVTYPE=1) ON RU-MEDICAL-
PROVIDERS-ROSTER, GO TO PV10

OTHERWISE, CONTINUE WITH PV08

PV08

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.PV08BLSWVS		
PROV.PROVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PROV.PROVID	PROV ID KEY: RUNTID + COUNTER(3) + CD	11
PROV.CREATEQ	QUESTION THAT CREATED PROV SEGMENT	5
PROV.PVFACID	PERSON PROVIDER'S LINK TO FACILITY	4

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

**SELECT CORRECT {USUAL SOURCE OF CARE} {PROVIDER/FACILITY}
{ASSOCIATED WITH THE EVENT}.**

ROSTER. FACILITY-PROVIDERS	PV08_02. STREET
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]

```

DISPLAY INSTRUCTIONS:
DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER ROSTER (PV)
SECTION WAS CALLED FROM THE ACCESS TO CARE (AC) SECTION.
OTHERWISE, USE A NULL DISPLAY.

DISPLAY 'PROVIDER' IF PV01 IS CODED '2' (FACILITY). DISPLAY
'FACILITY' IF PV01 IS CODED '1' (PERSON).

DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE PROVIDER ROSTER
(PV) SECTION WAS NOT CALLED FROM THE ACCESS TO CARE (AC)
SECTION. IF THE PV SECTION WAS CALLED FROM THE AC SECTION,
USE A NULL DISPLAY.

DISPLAY 'NONE OF THE ABOVE' AS THE LAST ENTRY ON ROSTER.

DISPLAY 'THE FACILITY-PROVIDER ROSTER IS EMPTY. CLICK ADD NEW
PROVIDER TO ADD A NEW PROVIDER.' if there are no records in
this roster

```

```

ROUTING INSTRUCTION:
IF 'NONE OF THE ABOVE' IS SELECTED, GO TO PV10
OTHERWISE, CONTINUE WITH PV09
    
```

Roster Details		
Title:	RU_PROV_SelectOne_2	
Col #	Header	Instructions
1	FACILITY-PROVIDER	Display Truncated Facility-Provider PROV.LORPNAME
2	STREET	Display Truncated Street Address PROV.PVSTRT1 PROV.PVSTRT2

```

Roster Definition:
This item displays RU-MEDICAL-PROVIDERS-ROSTER for selecting
one facility type medical provider.
=====
Roster Behavior:
1. Select allowed. Interviewer may select one from the listed
   medical providers.
2. Multiple select disallowed.
3. Add, delete, and edit are not allowed.
=====
Roster Filter:
Display facility type (PROV.PROVTYPE = 1) providers.
    
```

PV09

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.PV09BLSWVS		
PROV.PROVTYPE	PROVIDER TYPE	2
PROV.PROVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PROV.PROVID	PROV ID KEY: RUNTID + COUNTER(3) + CD	11
PROV.LORPNAME	DR'S LAST NAME OR PROVIDER NAME	45
PROV.CREATEQ	QUESTION THAT CREATED PROV SEGMENT	5

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

Is the address of (READ NAME AND ADDRESS OF ({PROVIDER/FACILITY}
BELOW))...

{FACILITY NAME SELECTED AT PV08}
{FACILITY STREET ADDRESS LINE1}
{FACILITY STREET ADDRESS LINE2}

FACILITY NAME AND ADDRESS CORRECT	1	{BOX_02}
ADD NEW ADDRESS FOR FACILITY ABOVE NAME/ADDRESS NEEDS SPELLING OR MINOR CORRECTION	2 3	{PV10} {BOX_02}
SELECTED WRONG FACILITY/ADDRESS	4	

Refused	RF	{BOX_02}
Don't Know	DK	{BOX_02}

```

DISPLAY INSTRUCTIONS:
DISPLAY 'PROVIDER' IF PV01 IS CODED '2' (FACILITY).  DISPLAY
'FACILITY' IF PV01 IS CODED '1' (PERSON).

FOR:  'FACILITY NAME SELECTED AT PV08,' DISPLAY THE FACILITY-
PROVIDER NAME SELECTED AT PV08.

FOR:  'FACILITY STREET ADDRESS LINE1' AND 'FACILITY STREET
ADDRESS LINE2.', DISPLAY LINES 1 AND 2 OF THE ADDRESS FOR THE
FACILITY-PROVIDER SELECTED AT PV08.

```

PROGRAMMER NOTES:
IF CODED '1' (FACILITY NAME AND ADDRESS CORRECT) OR '3' (ABOVE
NAME/ADDRESS FOR FACILITY NEEDS SPELLING OR MINOR CORRECTION)
AND PV01 IS CODED '1' (PERSON), LINK THE FACILITY SELECTED AT
PV08 TO THE PERSON PROVIDER FLAGGED AS 'PERSON-IN-FACILITY-
PROVIDER'.

IF CODED '3' (ABOVE NAME/ADDRESS NEEDS SPELLING OR MINOR
CORRECTION), DISPLAY THE FOLLOWING MESSAGE: 'THIS OPTION IS
DISABLED. PLEASE RECORD INFORMATION IN COMMENTS.'

IF FACILITY-PROVIDER WAS SELECTED AT PV08 AND PV09 WAS CODED
'2' (ADD NEW ADDRESS FOR FACILITY), CREATE ANOTHER RECORD FOR
THE FACILITY-PROVIDER ON THE RU-MEDICAL-PROVIDERS-ROSTER AND
ASSOCIATE ADDRESS THAT WILL BE ENTERED AT PV10 WITH THAT NEW
PROVIDER RECORD. FLAG NEW PROVIDER AS FACILITY (PROVTYPE=1).

ROUTING INSTRUCTION:
IF CODED '4' (SELECTED WRONG FACILITY/ADDRESS), CAPI
REDISPLAYS PV08 TO ALLOW INTERVIEWER TO SELECT CORRECT
FACILITY.

PV10

Help Enabled Comment Enabled Jump Back Enabled

Variable Name	Label	Size
PROV.PROVID	PROV ID KEY: RUNTID + COUNTER(3) + CD	11
PROV.PROVRURN	ROUND STAMP: RU LETTER + ROUND NUMBER	2
PROV.CREATEQ	QUESTION THAT CREATED PROV SEGMENT	5
PROV.LORPNAME	DR'S LAST NAME OR PROVIDER NAME	45
PROV.PVSTR1	STREET ADDRESS 1 FOR PROVIDER	30
PROV.PVSTR2	STREET ADDRESS 2 FOR PROVIDER	30
PROV.PROVTYPE	PROVIDER TYPE	2
PROV.PVFACID	PERSON PROVIDER'S LINK TO FACILITY	4

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE PROVIDER.....} {EV}

ENTER {NEW} {NAME AND} ADDRESS OF ({PROVIDER/FACILITY}).

ENTER {NAME AND} STREET ADDRESS AND VERIFY SPELLING. IF ({PROVIDER/FACILITY}) HAS MORE THAN ONE LOCATION, RECORD LOCATION PERSON VISITED.

FACILITY_NAME: _____

FACILITY_STR1: _____

FACILITY_STR2: _____ {BOX_02}

Refused RF {BOX_02}

Don't Know DK {BOX_02}

```

DISPLAY INSTRUCTIONS:
DISPLAY 'NEW' IF PV09 IS CODED '2' (ADD NEW ADDRESS FOR
FACILITY). OTHERWISE, USE A NULL DISPLAY.

DISPLAY 'PROVIDER' IF PV01 IS CODED '2' (FACILITY). DISPLAY
'FACILITY' IF PV01 IS CODED '1' (PERSON).

DISPLAY 'NAME AND' IF 'NONE OF THE ABOVE' WAS SELECTED AT PV08
OR PV08 WAS NOT ASKED.

IF 'NONE OF THE ABOVE' WAS SELECTED AT PV08 OR PV08 WAS NOT
ASKED, THE CONTEXT HEADER WILL NOT DISPLAY THE NAME OF THE
MEDICAL CARE PROVIDER. THE CONTEXT HEADER WILL DISPLAY THE
NAME OF THE PROVIDER(S) ASSOCIATED WITH THE EVENT ONLY IF PV09
WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY).

```

PROGRAMMER NOTES:
CODES 'RF' (REF) AND 'DK' (DK) ARE ALLOWED ON THE STREET ADDRESS FIELDS ONLY.

IF PV09 IS CODED '2' (ADD NEW ADDRESS FOR FACILITY), PV10 WILL NOT COLLECT THE FACILITY NAME. THE NEW PROVIDER RECORD FOR THIS FACILITY WAS ALREADY CREATED AT PV09 AND THE ADDRESS WILL BE RECORDED AT PV10.

IF FACILITY-PROVIDER NOT SELECTED AT PV08 (I.E., PV08 WAS NOT ASKED OR 'NONE OF THE ABOVE' WAS SELECTED), ADD A FACILITY-PROVIDER TO THE RU-MEDICAL-PROVIDERS-ROSTER. FLAG NEW PROVIDER AS FACILITY (PROVTYPE=1).

IF PV01 IS CODED '1' (PERSON), LINK THE FACILITY TO THE PERSON-TYPE-PROVIDER FLAGGED AS 'PERSON-IN-FACILITY-PROVIDER'.

BOX 02

RETURN TO QUESTIONNAIRE SECTION FROM WHICH THE PROVIDER ROSTER (PV) SECTION WAS CALLED.
