Attachment 2-2

CSAP GPRA Participant Outcome Measures for Discretionary Programs Instrument

CSAP GPRA Participant Outcome Measures for Discretionary Programs

ADULTS

Public reporting burden for this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information, if all items are asked of a client/participant; to the extent that providers already obtain much of this information as part of their ongoing client/participant intake or followup, less time will be required. Send comments regarding this burden estimate or any other aspect of this collection of information to SAMHSA Reports Clearance Officer, Room 7-1044, 1 Choke Cherry Road, Rockville, MD 20857. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. The control number for this project is 0930-0208.

RECORD MANA	AGEMENT				
Participant ID	_				
Contract/Grant ID		_			
Grant Year	<u> </u> Year	_			
Interview Date	//	_ /	_		
Interview Type				 Pre-Test Po Month Follow 	ost-Test 3. 6- v-up
A. DEMOGRAP 1. Gender O	PHICS (QUESTIONS O Male Female	1-4 ASKE	D ONLY AT B	ASELINE)	
2. Are you Hisp	oanic or Latino? O Yes	O No			
3. What is your	race? (Select one or mo	re)	Black or Afric	an American a Native	0
0			Asian	i ivalive	0
0			White American Indi Other	an (specify)	0
0	Native Hawaiian or Oth Pacific Islander		Other	(opecity)	
4. What is you	date of birth?	<u> </u> Month /		_	_

B. DRUG AND ALCOHOL USE

1.

	day	/s?	
	0	0 days	
	1	1 or 2 days	
	2	3 to 5 days	
	3	6 to 9 days	
	4	10 to 19 days	
	5	20 to 29 days	
	6	all 30 days	
2.	Wh	nat is your best estimate of t	the number of days you smoked all or part of a cigarette during
	the	past 30 days?	
	0	0 days	
	1	1 or 2 days	
	2	3 to 5 days	
	3	6 to 9 days	
	4	10 to 19 days	
	5	20 to 29 days	
	6	all 30 days	
3.	Wha	nt is your best estimate of th	ne number of days you drank alcohol during the past 30 days?
	0	0 days	
	1	1 or 2 days	
	2	3 to 5 days	
	3	6 to 9 days	
	4	10 to 19 days	
	5	20 to 29 days	
	6	all 30 days	
4.		•	ne number of days you used marijuana or hashish during the past
		days?	
	0	0 days	
	1	1 or 2 days	
	2	3 to 5 days	
	3	6 to 9 days	
	4	10 to 19 days	
	5	20 to 29 days	
	6	all 30 days	
_	XA7la a		on which are of down were discovered associated devicing the worst 20 down?
5.		•	ne number of days you used cocaine during the past 30 days?
	0	0 days	
	1	1 or 2 days	
	2	3 to 5 days	
	3	6 to 9 days	
	4	10 to 19 days	
	5	20 to 29 days	
	6	all 30 days	

What is your best estimate of the number of days you used chewing tobacco during the past 30

6.	wna	it is your best estimate of the number of days you used "crack" during the past 30 days?
	0	0 days
	1	1 or 2 days
	2	3 to 5 days
	3	6 to 9 days
	4	10 to 19 days
	5	20 to 29 days
	6	all 30 days
7.		t is your best estimate of the number of days you used any inhalant for kicks or to get high
	dur	ring the past 30 days?
	0	0 days
	1	1 or 2 days
	2	3 to 5 days
	3	6 to 9 days
	4	10 to 19 days
	5	20 to 29 days
	6	all 30 days
8.	Wha	t is your best estimate of the number of days you used heroin during the past 30 days?
	0	0 days
	1	1 or 2 days
	2	3 to 5 days
	3	6 to 9 days
	4	10 to 19 days
	5	20 to 29 days
	6	all 30 days
9.	Wha day	t is your best estimate of the number of days you used hallucinogens during the past 30 s?
	0	0 days
	1	1 or 2 days
	2	3 to 5 days
	3	6 to 9 days
	4	10 to 19 days
	5	20 to 29 days
	6	all 30 days

10.	How old were you the <u>first time</u> you smoked part or all of a cigarette? years old If never smoked part or all of a cigarette please mark the box.
11.	Think about the <u>first time</u> you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink. years old If never had a drink of an alcoholic beverage please mark the box
12.	How old were you the <u>first time</u> you used marijuana or hashish? years old If never used marijuana or hashish please mark the box.
13.	How old were you the <u>first time</u> you used any other illegal drugs? years old If never used any illegal drugs please mark the box.
D. 1	EDUCATION, EMPLOYMENT, AND INCOME
1.	What is the highest level of education you have finished, whether or not you received a degree? [01=1st grade, 12=12th grade, 13=college freshman, 16=college completion]
	level in years
	1a. If less than 12 years of education, do you have a GED (General Equivalency Diploma)? O Yes O No
G. A	ATTITUDES AND BELIEFS
1.	How much do people risk harming themselves physically and in other ways when they smoke one or more packs of cigarettes per day? O No risk O Slight risk O Moderate risk O Great risk
2.	How much do people risk harming themselves physically and in other ways when they smoke marijuana once a month? O No risk

э.		or five drinks of an alcoholic beverage nearly every day?
	a. Have loui	No risk
	0	Slight risk Moderate risk
	0	
	O	Great risk
	b. Have five	or more drinks of an alcoholic beverage once or twice a week?
	0	No risk
	0	Slight risk
	0	Moderate risk
	0	Great risk
4.	How do you	feel about adults smoking one or more packs of cigarettes per day?
	Ŏ	Neither approve nor disapprove
	0	Somewhat disapprove
	0	Strongly disapprove
5.	How do you	feel about adults trying marijuana or hashish once or twice?
	Ŏ	Neither approve nor disapprove
	0	Somewhat disapprove
	0	Strongly disapprove
6.	How do you	feel about adults having one or two drinks of an alcoholic beverage nearly every day?
	O O	Neither approve nor disapprove
	Ö	Somewhat disapprove
	Ö	Strongly disapprove
_		
7.	<u>-</u>	feel about adults driving a car after having one or two drinks of an alcoholic beverage?
	0	Neither approve nor disapprove
	0	Somewhat disapprove
	0	Strongly disapprove

CSAP GPRA Participant Outcome Measures for Discretionary Programs

YOUTH - Age 12 to 17 Years

Public reporting burden for this collection of information is estimated to average 20 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information, if all items are asked of a client/participant; to the extent that providers already obtain much of this information as part of their ongoing client/participant intake or followup, less time will be required. Send comments regarding this burden estimate or any other aspect of this collection of information to SAMHSA Reports Clearance Officer, Room 7-1044, 1 Choke Cherry Road, Rockville, MD 20857. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. The control number for this project is 0930-0208.

REC	CORD MANA	AGEMENT		
Parti	cipant ID			
Cont	ract/Grant ID		_	
Gran	it Year		l	
Inter	view Date	/ / _		<u> </u>
	view Type 1. Pre-Test	2. Post-Test 3. 6-Month For	•	
1.	Gender	ilico (QCLOTIONO 1 47)	OKLI	ONET III BROLLINE)
1.	O	Male		
	Ö	Female		
2.	Are you Hisp O Ye	oanic or Latino?		
3.	What is your O O O O	Prace? (Select one or more) Black or African American Asian American Indian Native Hawaiian or Other Pacific Islander	0 0	Alaska Native White Other (specify)
4.	What is your	date of birth?	/	/ /

B. DRUG AND ALCOHOL USE

1.	How	requently have you smoked cigarettes during the past 30 days?
	1	Not at all
	2	Less than one cigarette per day

- 3 One to five cigarettes per day
- 4 About one-half pack per day
- 5 About one pack per day
- 6 About one and one-half packs per day
- 7 Two packs or more per day

2. How often have you taken smokeless tobacco during the past 30 days?

- 1 Not at all
- 2 Once or twice
- 3 Once to twice per week
- 4 Three to five times per week
- 5 About once a day
- 6 More than once a day

3. To be more precise, during the past 30 days about how many cigarettes have you smoked per day?

- 1 None
- 2 Less than 1 per day
- 3 1 to 2
- 4 3 to 7
- 5 8 to 12
- 6 13 to 17
- 7 18 to 22
- 8 23 to 27
- 9 28 to 32
- 10 33 to 37
- 11 38 or more

Alcoholic beverages include beer, wine, wine coolers, and liquor.

- 4. On how many occasions during the last 30 days have you had alcoholic beverages to drink (more than just a few sips)?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions
 - 4 6 to 9 occasions
 - 5 10 to 19 occasions
 - 6 20 to 39 occasions
 - 7 40 or more occasions

5.		ow many occasions during the last 30 days (if any) have you been drunk or very high from king alcoholic beverages?				
	1	0 occasions				
	2	1 to 2 occasions				
	3	3 to 5 occasions				
	4	6 to 9 occasions				
	5	10 to 19 occasions				
	6	20 to 39 occasions				
	7	40 or more occasions				
6.		ow many occasions during the last 30 days (if any) have you used marijuana (grass, pot) or ish (hash, hash oil)?				
	1	0 occasions				
	2	1 to 2 occasions				
	3	3 to 5 occasions				
	4	6 to 9 occasions				
	5	10 to 19 occasions				
	6	20 to 39 occasions				
	7	40 or more occasions				
7.		During the LAST MONTH, about how many marijuana cigarettes (joints, reefers), or the equivalent, did you smoke a day, on the average? (If you shared them with other people, count only				
	the a	mount YOU smoked).				
	1	None				
	2	Less than 1 a day				
	3	1 a day				
	4	2 to 3 a day				
	5	4 to 6 a day				
	6	7 to 10 a day				
	7	11 or more a day				
8.		ow many occasions during the last 30 days (if any) have you sniffed glue, or breathed the ents of aerosol spray cans, or inhaled any other gases or sprays in order to get high?				
	1	0 occasions				
	2	1 to 2 occasions				
	3	3 to 5 occasions				
	4	6 to 9 occasions				
	5	10 to 19 occasions				
	6	20 to 39 occasions				
	7	40 or more occasions				

9.	On ho	ow many occasions (if any) during the last 30 days have you taken LSD ('acid')?
	1	0 occasions
	2	1 to 2 occasions
	3	3 to 5 occasions
	4	6 to 9 occasions
	5	10 to 19 occasions
	6	20 to 39 occasions
	7	40 or more occasions
meth.	They in	es are sometimes called: uppers, ups, speed, bennies, dexies, pep pills, diet pills, meth or crystal nclude the following drugs: Benzedrine, Dexedrine, Methedrine, Ritalin, Preludin, Dexamyl, ohetamine.
10.	_	ow many occasions (if any) during the last 30 days have you taken amphetamines on your own
10.		s, without a doctor telling you to take them?
	1	0 occasions
	2	1 to 2 occasions
	3	3 to 5 occasions
	4	6 to 9 occasions
	5	10 to 19 occasions
	6	20 to 39 occasions
	7	40 or more occasions
	,	40 of filore occasions
11.	On ho	ow many occasions (if any) during the last 30 days have you taken 'crack' (cocaine in chunk or
	rock f	
	1	0 occasions
	2	1 to 2 occasions
	3	3 to 5 occasions
	4	6 to 9 occasions
	5	10 to 19 occasions
	6	20 to 39 occasions
	7	40 or more occasions
12.	On ho	w many occasions (if any) during the last 30 days have you taken cocaine in any other form
	(like c	ocaine powder)?
	ì	0 occasions
	2	1 to 2 occasions
	3	3 to 5 occasions
	4	6 to 9 occasions

10 to 19 occasions

20 to 39 occasions

40 or more occasions

5

6

7

13.	Tranquilizers are sometimes prescribed by doctors to calm people down, quiet their nerves, or relax their muscles. Librium, Valium, and Miltown are all tranquilizers. On how many occasions (if any) have you taken tranquilizers on your own that is, without a doctor telling you to take themduring
	the last 30 days?

- 1 0 occasions
- 2 1 to 2 occasions
- 3 3 to 5 occasions
- 4 6 to 9 occasions
- 5 10 to 19 occasions
- 6 20 to 39 occasions
- 7 40 or more occasions
- 14. Barbiturates are sometimes prescribed by doctors to help people relax or get to sleep. They are sometimes called downs, downers, goofballs, yellows, reds, blues, rainbows. On how many occasions (if any) have you taken barbiturates on your own that is, without a doctor telling you to take them...during the last 30 days?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions
 - 4 6 to 9 occasions
 - 5 10 to 19 occasions
 - 6 20 to 39 occasions
 - 7 40 or more occasions
- 15. On how many occasions (if any) have you smoked (or inhaled the fumes of) crystal meth ('ice')...during the last 30 days?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions
 - 4 6 to 9 occasions
 - 5 10 to 19 occasions
 - 6 20 to 39 occasions
 - 7 40 or more occasions
- 16. Amphetamines have been prescribed by doctors to help people lose weight or to give people more energy. They are sometimes called uppers, ups, speed, bennies, dexies, pep pills, and diet pills. Drugstores are not supposed to sell them without a prescription from a doctor. Amphetamines do NOT include any non-prescription drugs, such as over-the-counter diet pills (like Dexatrim) or stay-awake pills (like No-Doz), or any mail-order drugs. On how many occasions (if any) have you taken amphetamines on your own that is, without a doctor telling you to take them...during the last 30 days?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions
 - 4 6 to 9 occasions
 - 5 10 to 19 occasions
 - 6 20 to 39 occasions
 - 7 40 or more occasions
- 17. On how many occasions (if any) have you used heroin...during the last 30 days?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions

- 4 6 to 9 occasions
- 5 10 to 19 occasions
- 6 20 to 39 occasions
- 7 40 or more occasions
- 18. There are a number of narcotics other than heroin, such as methadone, opium, morphine, codeine, demerol, paregoric, talwin, and laudanum. They are sometimes prescribed by doctors. On how many occasions (if any) have you taken narcotics other than heroin on your own that is, without a doctor telling you to take them...during the last 30 days?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions
 - 4 6 to 9 occasions
 - 5 10 to 19 occasions
 - 6 20 to 39 occasions
 - 7 40 or more occasions
- 19. On how many occasions (if any) have you used MDMA ('ecstasy') during the last 30 days?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions
 - 4 6 to 9 occasions
 - 5 10 to 19 occasions
 - 6 20 to 39 occasions
 - 7 40 or more occasions
- 20. On how many occasions (if any) have you used Rohypnol ('rophies,' 'roofies') during the last 30 days?
 - 1 0 occasions
 - 2 1 to 2 occasions
 - 3 3 to 5 occasions
 - 4 6 to 9 occasions
 - 5 10 to 19 occasions
 - 6 20 to 39 occasions
 - 7 40 or more occasions

21.	During the last 30 days, on how many occasions (if any) have you used GHB ('liquid G,' 'grievous bodily harm')?	
	1 0 occasions	
	2 1 to 2 occasions	
	3 3 to 5 occasions	
	4 6 to 9 occasions	
	5 10 to 19 occasions	
	6 20 to 39 occasions	
	7 40 or more occasions	
22.	During the last 30 days, on how many occasions (if any) have you used Ketamine ('special K,'	
	'super K')?	
	1 0 occasions	
	2 1 to 2 occasions	
	3 3 to 5 occasions	
	4 6 to 9 occasions	
	5 10 to 19 occasions	
	6 20 to 39 occasions	
	7 40 or more occasions	
23.	On how many occasions (if any) in your lifetime have you had an alcoholic beverage-more than just a few sips?	
	O Never	
	O 1 to 2	
	O 3 to 5	
	O 6 to 9	
	O 10 to 19	
	O 20 to 39	
	O 40 or more	
24.	How old were you the <u>first time</u> you smoked part or all of a cigarette? years old If you never smoked part or all of a cigarette please mark the box.	
25.	Think about the <u>first time</u> you had a drink of an alcoholic beverage. How old were you the first time you had a drink of an alcoholic beverage? Please do not include any time when you only had a sip or two from a drink.	
	years old If never had a drink of an alcoholic beverage please mark the box. □	
26.		
	How old were you the <u>first time</u> you used marijuana or hashish? years old	

D. EDUCATION, EMPLOYMENT, AND INCOME

1.		highest level of education you have finished, whether or not you received a degree? e, 12=12th grade, 13=college freshman, 16=college completion] level in years
G.	ATTITUDES	AND BELIEFS
1.	It is clear to	my friends that I am committed to living a drug-free life.
	0	False
	0	Maybe
	0	True
2.	I have made	a final decision to stay away from marijuana.
	0	False
	0	Maybe
	0	True
3.	I have decide	ed that I will smoke cigarettes.
	0	False
	0	Maybe
	0	True
4.	I plan to get	drunk sometime in the next year.
	ľŐ	False
	0	Maybe
	0	True
5.	How much d	lo you think people risk harming themselves (physically or in other ways) if they smoke
		packs of cigarettes per day?
	0	No risk
		O Slight risk
		O Moderate risk
	0	Great risk
	0	Can't say/Drug unfamiliar
6.		lo you think people risk harming themselves (physically or in other ways) if they try
	marijuana o	nce or twice? No risk
	O	
	0	O Slight risk Moderate risk
	0	Great risk
	Ö	Can't say/Drug unfamiliar
7.	How much d marijuana re	lo you think people risk harming themselves (physically or in other ways) if they smoke egularly?
	,	O No risk
		O Slight risk
	0	Moderate risk

	O	Great risk
	0	Can't say/Drug unfamiliar
8.	How much do you think people risk harming themselves (physically or in other ways) if they take one or two drinks nearly every day?	
	one or two arr	O No risk
	0	Slight risk
	Ö	Moderate risk
	Ö	Great risk
	Ö	Can't say/Drug unfamiliar
9.		you think people risk harming themselves (physically or in other ways) if they have
		rinks once or twice each weekend?
	0	No risk
		O Slight risk
	0	Moderate risk
	0	Great risk
	0	Can't say/Drug unfamiliar
10.	How wrong do you think it is for someone your age to drink beer, wine or hard liquor (for example, vodka, whiskey or gin) regularly?	
		O Very wrong
		O Wrong
		O A little bit wrong
		O Not wrong at all
11.	How wrong do	you think it is for someone your age to smoke cigarettes?
	0	Very wrong
	0	Wrong
	0	A little bit wrong
	0	Not wrong at all
12.	_	you think it is for someone your age to smoke marijuana?
	0	Very wrong
	0	Wrong
	0	A little bit wrong
	0	Not wrong at all
13.	How wrong do you think it is for someone your age to use LSD, cocaine, amphetamines or another illegal drug?	
	0	Very wrong
	0	Wrong
	0	A little bit wrong
	0	Not wrong at all