

Adult Liver Transplant Recipient Registration Worksheet

FORM APPROVED: O.M.B. NO. 0915-0157 Expiration Date: 08/31/2007

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI^B. application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI^B. application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Recipient Information	
Name:	DOB:
SSN:	Gender:
HIC:	Tx Date:
State of Permanent Residence:*	
Permanent Zip:★	-
Provider Information	
Recipient Center:	
Surgeon Name: *	
NPI:★	
Donor Information	
UNOS Donor ID #:	
Donor Type:	
Patient Status	
Primary Diagnosis: *	
Specify:	
Date: Last Seen, Retransplanted or Death★	
	LIVING
Patient Status: *	© DEAD
	© RETRANSPLANTED
Primary Cause of Dooth	
Primary Cause of Death:	
Specify:	
Contributory Cause of Death:	
Specify:	
Contributory Cause of Death:	
Specify:	

Transplant Hospitalization:	
Date of Admission to Tx Center:★	
Date of Discharge from Tx Center:	
Was patient hospitalized during the last 90 days prior to the transplant admission:	© YES © NO © UNK
	IN INTENSIVE CARE UNIT
Medical Condition at time of transplant: *	HOSPITALIZED NOT IN ICU
	O NOT HOSPITALIZED
Patient on Life Support: *	C YES C NO
	☐ Ventilator
	Artificial Liver
	Other Mechanism, Specify
Specify:	
Functional Status: *	
	C No Limitations
	C Limited Mobility
Physical Capacity:	Wheelchair bound or more limited
	Not Applicable (< 1 year old or hospitalized)
	C Unknown
Working for income:	© YES © NO C UNK
If No, Not Working Due To:	
	Working Part Time due to Demands of Treatment
	Working Part Time due to Disability
	Working Part Time due to Insurance Conflict
If Yes:	Working Part Time due to Inability to Find Full Time Work
	Working Part Time due to Patient Choice
	Working Part Time Reason Unknown
	Working, Part Time vs. Full Time Unknown
	Within One Grade Level of Peers

Academic Progress:	 Delayed Grade Level Special Education Not Applicable < 5 years old Status Unknown
Academic Activity Level:	 Full academic load Reduced academic load Unable to participate in academics due to disease or condition Not Applicable < 5 years old/ High School graduate Status Unknown
Source of Payment:	
Primary: *	
Specify:	
Secondary:	
Clinical Information : PRETRANSPLA	
Height:*	ft. in. cm %ile ST=
Weight: [★]	lbs kg %ile ST=
BMI:	kg/m ² %ile
Previous Transplants:	
Previous Transplant Organ	Previous Transplant Date Previous Transplant Graft Fail Date
The three most recent transplants are listed 978-4334 or by emailing unethelpdesk@unethelpdesk@unethelpdesk	here. Please contact the UNet Help Desk to confirm more than three previous transplants by calling 800-os.org.
Viral Detection:	
	C Positive
	C Negative
HIV Serostatus: *	C Not Done
	UNK/Cannot Disclose
	C Positive
	© Negative
CMV IgG: *	Not Done
	UNK/Cannot Disclose
	© Positive

	Negative
CMV IgM: ≭	Not Done
	UNK/Cannot Disclose
	© Positive
	Negative
HBV Core Antibody: *	Not Done
	UNK/Cannot Disclose
	Positive
	○ Negative
HBV Surface Antigen: ★	Not Done
	UNK/Cannot Disclose
	Positive
	Negative
HCV Serostatus: ★	Not Done
	UNK/Cannot Disclose
	C Positive
EBV Serostatus: [★]	Negative
	Not Done
	UNK/Cannot Disclose
Any tolerance induction technique used:	C YES NO UNK
Pretransplant Lab Date:	
SGPT/ALT:	U/L ST=
Malignancies between listing and transplant: *	C YES NO UNK
This question is NOT applicable for patients receiving living	donor transplants who were never on the waiting list.
	Skin Melanoma
	Skin Non-Melanoma
	CNS Tumor
If yes, specify type:	Genitourinary
	Breast
	☐ Thyroid

	☐ Tongue/Throat/Larynx
	☐ Lung
	Leukemia/Lymphoma
	Liver
	Other, specify
On a sife u	
Specify:	
Clinical Information : TRANSPLANT PROCEDURE	
Multiple Organ Recipient	
Were extra vessels used in the transplant procedure:	
	© ORTHOTOPIC
Surgical Procedure:	6 HETEROTOPIC
	Whole Liver
	Partial Liver, remainder not Tx or Living Transplant
	Split Liver
Procedure Type:	Whole Liver with Pancreas (Technical Reasons)
	Partial Liver with Pancreas (Technical Reasons)
	Split Liver with Pancreas (Technical Reasons)
Split Type:	
Preservation Information:	
Warm Ischemia Time (include anastomotic time):	min ST=
Total Cold Ischemia Time (if pumped, include pump	hrs ST=
time): *	
Risk Factors:	
Did Patient receive 5 or more units of packed red blood cells within 48 hours prior to transplantation due to spontaneous portal hypertensive bleeding:	C YES C NO C UNK
Spontaneous Bacterial Peritonitis:	C YES C NO C UNK
Previous Abdominal Surgery: *	C YES ONO UNK
Portal Vein Thrombosis:*	G YES G NO G UNK
Transjugular Intrahepatic Portacaval Stint Shunt:*	C YES O NO UNK
Incidental Tumor found at time of Transplant:	C YES NO UNK

	Hepatocellular Adenoma			
	Hemangioma			
	Hemangioendothelioma			
	 Angiomyolipoma 			
If yes, specify tumor type:	Bile Duct Cystadenocarcinoma			
ii yes, specify tuffor type.	Cholangiocarcinoma			
	Hepatocellular Carcinoma			
	Hepatoblastoma			
	Angiosarcoma			
	Other Primary Liver Tumor, Specify			
Specify:				
Clinical Information : POST TRANSPLANT				
Pathology Conf. Liver Diag. of Hospital Discharge: ★				
Specify:				
Graft Status: *	Functioning Failed			
If death is indicated for the recipient, and the death was a res	ult of some other factor unrelated to graft failure, select Functioning.			
Date of Graft Failure:				

Clinical Information : POST TRANSPLANT	
Pathology Conf. Liver Diag. of Hospital Discharge:★	
Specify:	
Graft Status:★	Functioning Failed
If death is indicated for the recipient, and the death was a re	esult of some other factor unrelated to graft failure, select Functioning.
Date of Graft Failure:	
Causes of graft failure:	
Primary Graft Failure	C YES ONO UNK
Vascular Thrombosis	C YES O NO UNK
Biliary Tract Complication	C YES ONO UNK
Hepatitis: DeNovo	YES NO UNK
Hepatitis: Recurrent	C YES O NO O UNK
Recurrent Disease (non-Hepatitis)	C YES O NO O UNK
Acute Rejection	C YES ONO UNK
Infection	C YES ONO UNK
Other, Specify:	
Discharge Lab Date:	
Total Bilirubin:	mg/dl ST=
SGPT/ALT:	U/L ST=

Serum Albumin:	g/dl ST=
Serum Creatinine:	mg/dl ST=
INR:	ST=
	Yes, at least one episode treated with anti-rejection agent
Did patient have any acute rejection episodes between transplant and discharge: ★	Yes, none treated with additional anti-rejection agent
	© No
	Biopsy not done
Was biopsy done to confirm acute rejection:	Yes, rejection confirmed
	Yes, rejection not confirmed
Treatment	
Biological or Anti-viral Therapy:	☐ YES ☐ NO ☐ Unknown/Cannot disclose
	Acyclovir (Zovirax)
	Cytogam (CMV)
	Gamimune
	Gammagard
	Ganciclovir (Cytovene)
If Yes, check all that apply:	Valgancyclovir (Valcyte)
	HBIG (Hepatitis B Immune Globulin)
	Flu Vaccine (Influenza Virus)
	Lamivudine (Epivir) (for treatment of Hepatitis B)
	Other, Specify
	Valacyclovir (Valtrex)
Specify:	
Specify:	
Other therapies:	C YES C NO
	Photopheresis
If Yes, check all that apply:	Plasmapheresis
	Total Lymphoid Irradiation (TLI)

Immunosuppressive Information

Are any medications given currently for maintenance

or anti-rejection: *	C YES NO		
Did the patient participate in any clinical research protocol for immunosuppressive medications:	C YES NO		
If Yes, Specify:			
Immunosuppressive Medications			
View Immunosuppressive Medications			
Definitions Of Immunosuppressive Medications			
For each of the immunosuppressive medications listed, sele that were prescribed for the recipient during the initial transpassociated box(es) blank.			
Induction (Ind) immunosuppression includes all medication acute rejection. Though the drugs may be continued after di immunosuppressive maintenance. Induction agents are usu. Atgam, Thymoglobulin, OKT3, Simulect, or Zenapax). Some recorded as rejection therapy if used for this reason. For each administered in the space provided. For example, if Simulect, even if the second dose was given after the patient was defined.	ischarge for the first 30 days after tran lally polyclonal, monoclonal, or IL-2 re- e of these drugs might be used for and ch induction medication indicated, writ ct or Zenapax was given in 2 doses a v	splant, it will not be used lon ceptor antibodies (example: other finite period for rejection the total number of days the	ng-term for Methylprednisolone, n therapy and would be the drug was actually
Maintenance (Maint) includes all immunosuppressive medieither long-term or intermediate term with a tapering of the drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycdimmunosuppressive medications given to treat rejection epis	dosage until the drug is either eliminat ophenolate Mofetil, Azathioprine, or Ra	ed or replaced by another lo	ng-term maintenance
Anti-rejection (AR) immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode during the initial post-transplant period or during a specific follow-up period, usually up to 30 days after the diagnosis of acute rejection (example: Methylprednisolone, Atgam, OKT3, or Thymoglobulin). When switching maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycophenolate Mofetil to Azathioprine) because of rejection, the drugs should not be listed under AR immunosuppression, but should be listed under maintenance immunosuppression.			
If an immunosuppressive medication other than those listed Other Immunosuppressive Medication field, and enter the fumedications.	is being administered (e.g., new mon- all name of the medication in the space	oclonal antibodies), select Ir e provided. <u>Do not list non-</u>	nd, Maint, or AR next to immunosuppressive
	Ind.	Days	ST
Steroids (Prednisone,Methylprednisolone,Solumedrol,Medrol,Decadr	ron)		
Atgam (ATG)			
OKT3 (Orthoclone, Muromonab)			
Thymoglobulin			
Simulect - Basiliximab			
Zenapax - Daclizumab			
Azathioprine (AZA, Imuran)			
EON (Generic Cyclosporine)			
Gengraf (Abbott Cyclosporine)	П		

Other generic Cyclosporine, specify brand:			
Neoral (CyA-NOF)	П		
Sandimmune (Cyclosporine A)	П		
Mycophenolate Mofetil (MMF, Cellcept, RS61443)	П		
Tacrolimus (Prograf, FK506)	Г		
Modified Release Tacrolimus FK506E (MR4)	Г		
Sirolimus (RAPA, Rapamycin, Rapamune)	Г		
Myfortic (Mycophenolate Sodium)	Г		
Other Immunosuppressive Medications			1
Other minimunosuppressive medications	Ind. Days	ST	Maint AR
Campath - Alemtuzumab (anti-CD52)			
Cyclophosphamide (Cytoxan)			
Leflunomide (LFL, Arava)			
Methotrexate (Folex, PFS, Mexate-AQ, Rheumatrex)			
Other Immunosuppressive Medication, Specify			
Other Immunosuppressive Medication, Specify			
Rituximab			
Investigational Immunosuppressive Medications			
	Ind. Days	ST	Maint AR
Everolimus (RAD, Certican)			
FTY 720			
UNOS View Only			
Comments:			