

| | | | | | | | |
|---|--|---------------|---|---|---|----------------------|---------|
| U.S. DEPARTMENT OF AGRICULTURE GRAIN INSPECTION, PACKERS AND STOCKYARDS ADMINISTRATION FEDERAL GRAIN INSPECTION SERVICE | | | FIELD OFFICE: | | OMB NO. 0580-0013 (See reverse) Information is collected in order to publish timely information on quantity and quality conditions of grain (7 U.S.C. 1622). Individual establishment information held confidential. | | |
| | | | FOR WEEK ENDING Thursday | | | | |
| REPORT OF GRAIN INSPECTED AND WEIGHED FOR EXPORT | | | | | | | |
| SERIAL NO | CERTIFICATE DATE (Mo./Day/Year) | LOCATION CODE | APPLICANT NO | TYPE SHIPMENT <input type="checkbox"/> Bulk <input type="checkbox"/> Sack | TYPE SERVICE <input type="checkbox"/> Insp/Weigh (IW) <input type="checkbox"/> Weigh Only(W) <input type="checkbox"/> Insp. Only (I) <input type="checkbox"/> Other (OT) <input type="checkbox"/> Phytosanitary (PS) <input type="checkbox"/> Witness Trans.(WT) | | |
| CARRIER IDENTIFICATION | | | TYPE <input type="checkbox"/> Ship <input type="checkbox"/> Container <input type="checkbox"/> Rail (Cu-Sum) <input type="checkbox"/> Rail (Composite) CARRIER <input type="checkbox"/> Truck <input type="checkbox"/> Barge <input type="checkbox"/> Rail (Single Lot) <input type="checkbox"/> Other | | | | |
| DESTINATION | | GRAIN | GRADE | SPECIAL GRADES | NO. S/L'S OR CARRIERS | QUANTITY (Pounds) | |
| DOCKAGE/SUNFLOWER SEED FOREIGN MATERIAL | | | | TEST WEIGHT | | | |
| High | | Low | Average | Certified | Average | Certified (Optional) | |
| WHEAT | CORN (whole or cracked) | BARLEY | SORGHUM | OATS | CANOLA | | |
| HT | HT | SMT | HT | HT | HT | | |
| DKT | DKT | HT | DKT | ODK | DGK | | |
| FM | BC | DKT | BN | FM | DKT | | |
| SHBN | FM | WO | FM | WO | ERG | | |
| DEF | BCFM | FM | BNFM | OG | SCT | | |
| CCL | OCOL | OG | FLAXSEED | SO | STON | | |
| WOCL | CCOM | SBLV | | THIN | CADM | | |
| DHV-HVAC | OM | SKBN | HT | | IADM | | |
| OWH | WK | BN | DKT | | GLUC | | |
| WHCB | CC | THIN | | TRITICALE | ERC | | |
| HARDNESS | SOYBEANS | PL | | | HT | RYE | |
| WG | | IBHT | | | | | |
| MIXED GRAIN | HT | FDK | SUNFLOWER SEEDS | DKT | FMOW | | |
| | DKT | IBF | | HT | FMWR | FM | |
| HT | FM | MDK | DKT | FM | HT | | |
| DKT | SPL | IBM | DH | SHBN | DKT | | |
| FM | OCOL | KT | ADM | DEF | THIN | | |
| LOAD ORDER | | | | RESULTS | | | |
| Moisture | <input type="checkbox"/> Minimum (Min) <input type="checkbox"/> Maximum (Max) <input type="checkbox"/> Average (Avg) (Indicate checked amount) ____% | | | High | Low | Average | |
| Protein | <input type="checkbox"/> Min ____% <input type="checkbox"/> Declared Avg ____% | | Basis <input type="checkbox"/> Dry Matter <input type="checkbox"/> Specified Moisture ____% | High | Low | Average | |
| | <input type="checkbox"/> Max ____% <input type="checkbox"/> Ordinary (Undeclared) | | | | | | |
| Oil | <input type="checkbox"/> Min ____% <input type="checkbox"/> Declared Avg ____% | | Basis <input type="checkbox"/> Dry Matter <input type="checkbox"/> Specified Moisture ____% | High | Low | Average | |
| | <input type="checkbox"/> Max ____% <input type="checkbox"/> Ordinary (Undeclared) | | | | | | |
| Starch | <input type="checkbox"/> Minimum <input type="checkbox"/> Maximum <input type="checkbox"/> Average (Indicate checked amount) ____% | | | High | Low | Average | |
| Aflatoxin | Requested? <input type="checkbox"/> Yes <input type="checkbox"/> No | | Basis <input type="checkbox"/> Composite <input type="checkbox"/> Sublot <input type="checkbox"/> Both <input type="checkbox"/> Other | Screening <= 20 ppb ____ > 20 ppb ____ | Quantitative <= 20 ppb ____ > 20 ppb ____ | Avg ppb | Rejects |
| | Performed? <input type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | |
| DON | Requested? <input type="checkbox"/> Yes <input type="checkbox"/> No | | Basis <input type="checkbox"/> Composite <input type="checkbox"/> Sublot <input type="checkbox"/> Both <input type="checkbox"/> Other | Qualitative | Quantitative | Avg ppm | Rejects |
| | Performed? <input type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | |
| Falling Number | Basis <input type="checkbox"/> Dry Matter <input type="checkbox"/> As is <input type="checkbox"/> Specified Moisture ____% M | | | Seconds | | | |
| Infestation | Sublots with Insects | | Components Infested | Insects Per Lot | | | |
| ADDITIVES | | | | FUMIGANT | | | |
| Type Insecticide <input type="checkbox"/> Malathion <input type="checkbox"/> Reldan <input type="checkbox"/> Actellic <input type="checkbox"/> Other _____ | Type Dust Suppressant <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Other _____ | | Dye <input type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Aluminum Phosphide <input type="checkbox"/> Other _____ | | | |
| ENTRIES BELOW ARE OPTIONAL | | | | | | | |
| REPORTED BY | | | EGIS ENTRY BY | | DATE | | |
| REMARKS | | | | STOWAGE | | | |

Grade Codes

| Code | Grade |
|--------|-----------------------------|
| 1 | U.S. No. 1 |
| 2 | U.S. No. 2 |
| 2 O/B | U.S. No. 2 or Better |
| 3 | U.S. No. 3 |
| 3 O/B | U.S. No. 3 or Better |
| 4 | U.S. No. 4 |
| 4 O/B | U.S. No. 4 or Better |
| 5 | U.S. No. 5 |
| 5 O/B | U.S. No. 5 or Better |
| SG | U.S. Sample Grade |
| SG O/B | U.S. Sample Grade or Better |
| MIXED | U.S. Mixed Grain |

Grain Codes

| Code | Subclass, Class, or Grain |
|------|-------------------------------|
| BLY | Barley |
| SRB | Six Rowed Barley |
| SRBM | Six Rowed Blue Malting Barley |
| SRMB | Six Rowed Malting Barley |
| TRB | Two Rowed Barley |
| TRMB | Two Rowed Malting Barley |
| K | Canola |
| WHC | White Corn |
| XC | Mixed Corn |
| YC | Yellow Corn |
| FLAX | Flaxseed |
| XGR | Mixed Grain |
| OATS | Oats |
| RYE | Rye |
| S | Sorghum |
| TANS | Tannin Sorghum |
| WHS | White Sorghum |
| XS | Mixed Sorghum |
| XSB | Mixed Soybeans |
| YSB | Yellow Soybeans |
| SF | Sunflower Seeds |
| T | Triticale |
| ADU | Amber Durum Wheat |
| DNS | Dark Northern Spring Wheat |
| DU | Durum Wheat |
| HADU | Hard Amber Durum Wheat |
| HDWH | Hard White Wheat |
| HRW | Hard Red Winter Wheat |
| NS | Northern Spring Wheat |
| RS | Red Spring Wheat |
| SRW | Soft Red Winter Wheat |
| SWH | Soft White Wheat |
| UNCL | Unclassed Wheat |
| WHCB | White Club Wheat |
| WWH | Western White Wheat |
| XWHT | Mixed Wheat |
| WG | Wet Gluten |
| CSCR | Corn Screenings |
| HB | Hulless Barley |
| MDB | Malted Barley |
| SBML | Soybean meal |
| CC | Cracked Corn |

Special Grade Codes

| Code | Special Grade | Code | Special Grade |
|------|---------------|------|----------------|
| BLCH | Bleached | INF | Infested |
| BLIT | Blighted | LGAR | Light Garlicky |
| BRIT | Bright | LSM | Light Smutty |
| EHVY | Extra Heavy | PL | Plump |
| ERG | Ergoty | SMUT | Smutty |
| FLAD | Flint & Dent | STND | Stained |
| FLIN | Flint | THIN | Thin |
| GAR | Garlicky | TRET | Treated |
| HVY | Heavy | WAX | Waxy |

Destination Codes

| | | | | |
|--------------|--------------|---------------|--------------|---------------|
| AFGHANISTAN | COOK ISLANDS | IRELAND | NEW ZEALAND | SWITZERLAND |
| ALBANIA | COSTA RICA | ISRAEL | NICARAGUA | SYRIA |
| ALGERIA | CROATIA | ITALY | NIGER | TAJIKISTAN |
| ANDORRA | CUBA | IVORY COAST | NIGERIA | TANZANIA |
| ANGOLA | CYPRUS | JAMAICA | NIUE | THAILAND |
| ANGUILLA | CZECH REP | JAPAN | NMARIANA | TOGO |
| ANTIGUA | DENMARK | JORDAN | NORFOLK IS | TOKELAU |
| ARGENTINA | DJIBOUTI | KAZAKHSTAN | NORTH KOREA | TONGA |
| ARMENIA | DOMINICA | KENYA | NORWAY | TRINIDAD |
| ARUBA | DOMINIC REP | KIRIBATI | OMAN | TUNISIA |
| AUSTRALIA | ECUADOR | KOREA REP | PAKISTAN | TURK IS |
| AUSTRIA | EGYPT | KUWAIT | PALESTINE | TURKEY |
| AZERBAIJAN | EL SALVADOR | KYRGYZSTAN | PANAMA | TURKEMENISTAN |
| B VIRGIN | EQ GUINEA | LAOS | PARAGUAY | TUVALU |
| BAHAMAS | ERITREA | LATVIA | PERU | UGANDA |
| BAHRAIN | ESTONIA | LEBANON | PHILIPPINES | UKRAINE |
| BANGLADESH | ETHIOPIA | LESOTHO | PITCAIRN | UN ARAB EM |
| BARBADOS | F SO ANT | LIBERIA | POLAND | UN KINGDOM |
| BELARUS | FALKLAND IS | LIBYA | PORTUGAL | UNKNOWN |
| BELGIUM | FAROE ISLAND | LIECHTEN | PUERTO RICO | URUGUAY |
| BELIZE | FIJI | LITHUANIA | QATAR | USA |
| BENIN | FINLAND | LUXEMBOURG | REP S AFRICA | UZBEKISTAN |
| BERMUDA | FR GUIANA | MACAO | REUNION | VANUATU |
| BHUTAN | FRANCE | MACEDONIA | ROMANIA | VATICAN CITY |
| BOLIVIA | FRENCH POLY | MADAGASCAR | RUSSIA | VENEZUELA |
| BOSNIA-HERC | GABON | MALAWI | RWANDA | VIETNAM |
| BOTSWANA | GAMBIA | MALAYSIA | SAN MARINO | WALLIS |
| BR IND O TER | GAZA STRIP | MALDIVES | SAO TOME&PR | WEST BANK |
| BRAZIL | GEORGIA | MALI | SAUDI ARABIA | WEST SAMOA |
| BRUNEI | GERMANY | MALTA | SENEGAL | WST SAHARA |
| BULGARIA | GHANA | MARSHALL | SEYCHELLES | YEMEN |
| BURKINA | GIBRALTAR | MARTINIQUE | SIERRA LEONE | YUGOSLAVIA |
| BURMA | GREECE | MAURITANIA | SINGAPORE | ZAIRE |
| BURUNDI | GREENLAND | MAURITIUS | SLOVAKIA | ZAMBIA |
| CAMBODIA | GRENADA | MEXICO | SLOVENIA | ZIMBABWE |
| CAMEROON | GUATEMALA | MICRONESIA | SOLOMON IS | |
| CANADA | GUINEA | MOLDOVA | SOMALIA | |
| CANARY IS | GUINEA-BISSA | MONACO | SP MQEL | |
| CAPE VERDE | GUYANA | MONGOLIA | SPAIN | |
| CAYMAN IS | HAITI | MONTSERRAT | SRI LANKA | |
| CEN AFR REP | HEARD ISLAND | MOROCCO | ST. HELENA | |
| CHAD | HONDURAS | MOZAMBIQUE | ST. LUCIA | |
| CHILE | HONG KONG | NAMIBIA | ST. VINCENT | |
| CHINA MAIN | HUNGARY | NAURU | ST.KITTS&NEV | |
| CHINA T | ICELAND | NEPAL | SUDAN | |
| COCOS IS | INDIA | NETH ANTIL | SURINAME | |
| COLOMBIA | INDONESIA | NETHERLANDS | SVALBARD | |
| COMOROS | IRAN | NEW CALIDONIA | SWAZILAND | |
| CONGO (BRAZ) | IRAQ | NEW GUINEA | SWEDEN | |

According to the Paperwork Reduction Act of 1995, no persons are required to respond to collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0580-0013. The time required to complete this information collection is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

**INSTRUCTIONS FOR FORM FGIS-938,
"REPORT OF GRAIN INSPECTED AND WEIGHED FOR EXPORT"**

The FGIS Export Grain Information System (EGIS) collects information on all export grain shipments. It also collects information on outbound non-export shipments from export locations where FGIS employees perform inspection and weighing services. This is done to enable calculation of the administrative tonnage fees. The information source for EGIS is the "Report of Grain Inspected and Weighed for Export", the FGIS-938.

Form FGIS-938 is completed by all official agencies and field offices where export grain inspections are performed. Field offices transmit the export data to FGIS headquarters electronically where the information is stored in a database. Information reported on the form FGIS-938 is used for:

- a. Internal Quality Control Purposes. Provide FGIS with grain export information for use in publishing periodic export grain quality reports, reviewing grain standards, responding to inquiries about foreign complaints, analyzing other aspects of FGIS programs; and
- b. External Marketing Information. Provide Departmental and other Governmental agencies with timely and accurate export grain volume reports to satisfy their external and internal reporting requirements.

Information contained in the export shipment reports may not be released by FGIS or official agency personnel without approval of the Administrator, Deputy Administrator, or the FGIS Freedom of Information Officer, as appropriate.

- c. Agency Responsibilities. Each agency must:
 - (1) Complete a form FGIS-938 whenever grain is inspected and/or weighed for export.
 - (2) Complete a separate form FGIS-938 for each export lot regardless of carrier type. The exception to this is the grouping of single lot rail car, containers, or trucks. See "[Reporting procedures](#)", f. (1).
 - (3) If the agency has a version of software which allows saving the filled-out form, email the saved file to the agency's respective field office. Otherwise, fax completed forms promptly to the FGIS field office each reporting period. **A reporting period is a 7-day week from 12:00 AM,**

Friday through midnight Thursday. All reports must be submitted to the field office each week by close of business (COB) on Fridays in time for data entry into EGIS.

- (4) Notify the FGIS field office of any corrections to previous reports and submit a corrected form.

d. FGIS Field Office Responsibilities. Each office must:

- (1) Complete a form FGIS-938 whenever grain is inspected and/or weighed for export.
- (2) Complete a separate form FGIS-938 for each export lot regardless of carrier type. The exception to this is the grouping of single lot rail car, containers, or trucks. See “Reporting procedures”, d. (1).
- (3) Review all forms FGIS-938 for completeness including those received from official agencies.
- (4) Assemble the forms FGIS-938 for all service points in the circuit each reporting period. **A reporting period is a 7-day week from 12:00 AM, Friday through midnight Thursday.** Enter all reports into EGIS by COB on Fridays each reporting period. Weekend data entry is permitted as needed.

Data entry into EGIS is performed by logging on to the HP-3000 minicomputer located in Washington, DC, with a personal computer.

The records for a reporting period will be collected by the Application Development Branch every Monday morning (7 AM EST.) After the Application Development Branch collects the records, corrections must be submitted by fax or emailed on corrected forms.

In the case of rail car shipments, field offices shall notify the Information Technologies Staff, Application Development Branch, whenever they are informed that a previously reported export shipment was unloaded, diverted into domestic markets, or otherwise not shipped for export.

- (5) File the form FGIS-938 with the respective export shipment file. If more than one form FGIS-938 is completed for any export lot (e.g., an agency completed a form FGIS-938 as a worksheet and telephoned the information to a field office where it was transcribed to another form FGIS-938), ensure that the form FGIS-938 serial number on file at the field office/agency matches the serial number of the form FGIS-938 which

was used as the data entry document. Space is provided on the Form FGIS-938 for a serial number. The EGIS data entry screen assigns the serial number; manually enter this number in the space provided [\(Circle # 3\)](#) for hardcopy filing of the form.

- (6) Periodically review the accuracy of forms FGIS-938 completed in their circuit.
 - (7) Use the information provided from the EGIS to transmit the administrative tonnage and ship supervision fee billing information to the National Finance Center.
- e. Availability of Forms. Download the latest revisions of the form at GIPSA's website, or contact a GIPSA field office for blank forms.
- f. Reporting Procedures.
- (1) For each reporting period, group rail cars, containers, or trucks which were certified as single lots or recertified as combined lots into categories of similar grade, grain, special grade, destination, and type of service. Prepare a separate form FGIS-938 for each reportable category for each specified service point. When more than 1-day's activities are grouped, use the most recent certification date for the "Certificate Date" entry on form FGIS-938.

For example, during the reporting period, rail cars are inspected and/or weighed for export at two specified service points within an agency circuit. The following is a record of the daily activities at each location.

| Point A | | | | | | |
|----------|--------------|-------------|-------|-------|---------------|-------------|
| Date | Type Service | No. of Cars | Grade | Grain | Quantity (lb) | Destination |
| 10/8/03 | Insp. Only | 12 | 2 | YC | 2 100 000 | Mexico |
| 10/9/03 | Insp/Weigh | 30 | 2 | YC | 5 250 077 | Mexico |
| 10/10/03 | Insp/Weigh | 45 | 2 | YC | 7 875 093 | Mexico |
| 10/10/03 | Insp. Only | 45 | 2 | YC | 7 875 000 | Mexico |

| Point B | | | | | | |
|----------|--------------|-------------|-------|-------|---------------|-------------|
| Date | Type Service | No. of Cars | Grade | Grain | Quantity (lb) | Destination |
| 10/6/03 | Insp. Only | 30 | 2 | YSB | 5 625 000 | Mexico |
| 10/6/03 | Insp. Only | 30 | 2 | YC | 5 250 000 | Mexico |
| 10/8/03 | Insp. Only | 30 | 2 | YC | 5 250 000 | Mexico |
| 10/9/03 | Insp. Only | 45 | 2 | YSB | 8 437 500 | Mexico |
| 10/10/03 | Insp. Only | 50 | 2 | YSB | 9 375 000 | Mexico |

Prepare four FGIS-938's for these shipments. For Point A prepare two reports. On the first, group the 57 "Insp. Only - 2 YC" rail cars together. Use "10/10/03" as the certificate date. On the second report for Point A, group the 75 "Insp/Weigh - 2 YC" railcars together. Use "10/10/03" as the certificate date.

For Point B prepare two more FGIS-938 reports. On the first, group the 125 "Insp. Only - 2 YSB" railcars together. Use "10/10/03" as the certificate date. On the second report for Point B, group the 60 "Insp. Only - 2 YC" railcars together. Use "10/8/03" as the certificate date.

- (2) Complete a separate form FGIS-938 for each railcar lot inspected under the Cu-Sum plan.
- (3) Complete a separate form FGIS-938 for unit train railcars not graded under the Cu-Sum plan, (e.g., railcar samples composited for grading). The same applies for composite samples for containers.
- (4) Consolidate reports for shipments which were inspected by one agency and weighed by another agency on one form FGIS-938. This procedure will ensure that the same export shipments are not entered more than once into the EGIS data base.

For example, during the reporting period, an agency inspects and certifies 30 export hopper cars as U.S. No. 2 Yellow Corn. FGIS weighs the same 30 hopper cars. The field office shall consolidate the inspection and weighing information on one form FGIS-938. Indicate the type of service as inspected and weighed and show 30 in the block marked No. of S/Ls or Carriers.

- (5) Only report intercoastal movements of grain or non-standardized grains within the continental United States or shipments to U.S. territories when the service is performed by FGIS employees. These are shipments that the administrative tonnage fees apply to. Note: These shipments are input into EGIS with the "Miscellaneous Shipment" data entry program.

- (6) Report the most recent inspection results for each lot, regardless of whether they represent an original inspection, reinspection, or appeal inspection. If review inspection results became available after the form FGIS-938 data was transmitted and the superseding factor results differ from the original inspection results, change the data using the EGIS online data entry screens. If the factor result(s) cannot be changed online at the field office, fax the revised report to the Application Development Branch.

FORM FGIS-938, "REPORT OF GRAIN INSPECTED AND WEIGHED FOR EXPORT"

| | | | | | | |
|---|--|--|--|--|--|-------------------|
| U.S. DEPARTMENT OF AGRICULTURE GRAIN INSPECTION, PACKERS AND STOCKYARDS ADMINISTRATION FEDERAL GRAIN INSPECTION SERVICE | | | | FIELD OFFICE: 1 | OMB NO. 0580-0013 (See reverse) | |
| | | | | FOR WEEK ENDING 2 Thursday | Information is collected in order to publish timely information on quantity and quality conditions of grain (7 U.S.C. 1622). Individual establishment information held confidential. | |
| REPORT OF GRAIN INSPECTED AND WEIGHED FOR EXPORT | | | | | | |
| SERIAL NO 3 | CERTIFICATE DATE (Mo./Day/Year) 4 | LOCATION CODE 5 | APPLICANT NO 6 | TYPE SHIPMENT 7 <input type="checkbox"/> Bulk <input type="checkbox"/> Sack | TYPE SERVICE 8 <input type="checkbox"/> Insp/Weigh (IW) <input type="checkbox"/> Weigh Only (W) <input type="checkbox"/> Insp. Only (I) <input type="checkbox"/> Other (O) <input type="checkbox"/> Phytosanitary (PS) <input type="checkbox"/> Witness Trans (WT) | |
| CARRIER IDENTIFICATION 9 | | | TYPE <input type="checkbox"/> Ship <input type="checkbox"/> Container <input type="checkbox"/> Rail (Cu-Sum) <input type="checkbox"/> Rail (Composte) 10 CARRIER <input type="checkbox"/> Truck <input type="checkbox"/> Barge <input type="checkbox"/> Rail (Single Lot) <input type="checkbox"/> Other | | | |
| DESTINATION 11 | GRAIN 12 | GRADE 13 | SPECIAL GRADES 14 | NO. SL'S OR CARRIERS 15 | QUANTITY (Pounds) 16 | |
| DOCKAGE/SUNFLOWER SEED FOREIGN MATERIAL | | | | | TEST WEIGHT | |
| High 17 | Low | Average | Certified | Average 18 | Certified (Optional) | |
| WHEAT | CORN (whole or cracked) | BARLEY | SORGHUM | OATS | CANOLA | |
| HT | HT | SMT | HT | HT | HT | |
| DKT | DKT | HT | DKT | ODK | DGK | |
| FM | BC | DKT | BN | FM | DKT | |
| SHBN | FM | WO | FM | WO | ERG | |
| DEF | BCFM | FM | BNFM | OG | SCT | |
| CCL | OCOL | OG | 19 FLAXSEED | SO | STON | |
| WOCL | CCOM | SBLY | | THIN | CADM | |
| DHV_HVAC | OM | SKBN | HT | | IADM | |
| OWH | WK | BN | DKT | | GLUC | |
| WHCB | CC | THIN | | | ERC | |
| HARDNESS | | PL | | TRITICALE | | |
| WG | SOYBEANS | IBHT | | HT | RYE | |
| MIXED GRAIN | HT | FDK | SUNFLOWER SEEDS | DKT | FMOW | |
| | DKT | IBF | | FMWR | FM | |
| HT | FM | MDK | DKT | FM | HT | |
| DKT | SPL | IBM | DH | SHBN | DKT | |
| FM | OCOL | KT | ADM | DEF | THIN | |
| LOAD ORDER | | | | | RESULTS | |
| 20 Moisture | <input type="checkbox"/> Minimum (Min) <input type="checkbox"/> Maximum (Max) <input type="checkbox"/> Average (Avg) (Indicate checked amount) ___% | | | | High 21 | Low Average |
| 22 Protein | <input type="checkbox"/> Min ___% <input type="checkbox"/> Declared Avg ___% <input type="checkbox"/> Max ___% <input type="checkbox"/> Ordinary (Undeclared) | <input type="checkbox"/> Dry Matter <input type="checkbox"/> Basis 23 <input type="checkbox"/> Specified Moisture ___% | | High 24 | Low Average | |
| 25 Oil | <input type="checkbox"/> Min ___% <input type="checkbox"/> Declared Avg ___% <input type="checkbox"/> Max ___% <input type="checkbox"/> Ordinary (Undeclared) | <input type="checkbox"/> Dry Matter <input type="checkbox"/> Basis 26 <input type="checkbox"/> Specified Moisture ___% | | High 27 | Low Average | |
| 28 Starch | <input type="checkbox"/> Minimum <input type="checkbox"/> Maximum <input type="checkbox"/> Average (Indicate checked amount) ___% | | | | High 29 | Low Average |
| Aflatoxin | Requested? <input type="checkbox"/> Yes <input type="checkbox"/> No 30 Performed? <input type="checkbox"/> Yes <input type="checkbox"/> No | Basis <input type="checkbox"/> Composite <input type="checkbox"/> Sublot 31 <input type="checkbox"/> Both <input type="checkbox"/> Other | Screening <input type="checkbox"/> ≤ 20 ppb 32 <input type="checkbox"/> > 20 ppb | Quantitative <input type="checkbox"/> ≤ 20 ppb 33 <input type="checkbox"/> > 20 ppb | Avg ppb 34 | Rejects 35 |
| DON | Requested? <input type="checkbox"/> Yes <input type="checkbox"/> No 36 Performed? <input type="checkbox"/> Yes <input type="checkbox"/> No | Basis <input type="checkbox"/> Composite <input type="checkbox"/> Sublot 37 <input type="checkbox"/> Both <input type="checkbox"/> Other | Qualitative 38 | Quantitative 39 | Avg ppm 40 | Rejects 41 |
| Falling Number | Basis <input type="checkbox"/> Dry Matter 42 <input type="checkbox"/> As is <input type="checkbox"/> Specified Moisture ___% M | Seconds 43 | | | | |
| 44 Infestation | Sublots with Insects | Components Infested | Insects Per Lot | | | |
| ADDITIVES 45 | | | | | FUMIGANT 46 | |
| Type Insecticide <input type="checkbox"/> Malathion <input type="checkbox"/> Reldan <input type="checkbox"/> Actellic <input type="checkbox"/> Other | Type Dust Suppressant <input type="checkbox"/> Water <input type="checkbox"/> Oil <input type="checkbox"/> Other | | Dye <input type="checkbox"/> Yes <input type="checkbox"/> No | <input type="checkbox"/> Aluminum Phosphide <input type="checkbox"/> Other | | |
| ENTRIES BELOW ARE OPTIONAL 47 | | | | | | |
| REPORTED BY | EGIS ENTRY BY | | | | DATE | |
| REMARKS | | | | | STOWAGE | |

FGIS-938, "REPORT OF GRAIN INSPECTED AND WEIGHED FOR EXPORT (REVERSE)"

| Grade Codes | | Special Grade Codes | | | |
|--|-------------------------------|---------------------|---------------|---------------|----------------|
| Code | Grade | Code | Special Grade | Code | Special Grade |
| 1 | U.S. No. 1 | BLCH | Bleached | INF | Infested |
| 2 | U.S. No. 2 | BLIT | Blighted | LGAR | Light Garlicky |
| 2 O/B | U.S. No. 2 or Better | BRIT | Bright | LSM | Light Smutty |
| 3 | U.S. No. 3 | EHVY | Extra Heavy | PL | Plump |
| 3 O/B | U.S. No. 3 or Better | ERG | Ergoty | SMUT | Smutty |
| 4 | U.S. No. 4 | FLAD | Flint & Dent | STND | Stained |
| 4 O/B | U.S. No. 4 or Better | FLIN | Flint | THIN | Thin |
| 5 | U.S. No. 5 | GAR | Garlicky | TRET | Treated |
| 5 O/B | U.S. No. 5 or Better | HVY | Heavy | WAX | Waxy |
| SG | U.S. Sample Grade | | | | |
| SG O/B | U.S. Sample Grade or Better | | | | |
| MXED | U.S. Mixed Grain | | | | |
| Grain Codes | | Destination Codes | | | |
| Code | Subclass, Class, or Grain | Code | Country | Code | Country |
| BLY | Barley | AFGHANISTAN | AFGHANISTAN | IRELAND | IRELAND |
| SRB | Six Rowed Barley | ALBANIA | ALBANIA | ISRAEL | ISRAEL |
| SRBM | Six Rowed Blue Malting Barley | ALGERIA | ALGERIA | ITALY | ITALY |
| SRMB | Six Rowed Malting Barley | ANDORRA | ANDORRA | IVORY COAST | IVORY COAST |
| TRB | Two Rowed Barley | ANGOLA | ANGOLA | JAMAICA | JAMAICA |
| TRMB | Two Rowed Malting Barley | ANGUILLA | ANGUILLA | JAPAN | JAPAN |
| K | Canola | ANTIGUA | ANTIGUA | JORDAN | JORDAN |
| WHC | White Corn | ARGENTINA | ARGENTINA | KAZAKHSTAN | KAZAKHSTAN |
| XC | Mixed Corn | ARMENIA | ARMENIA | KENYA | KENYA |
| YC | Yellow Corn | ARUBA | ARUBA | KIRIBATI | KIRIBATI |
| FLAX | Flaxseed | AUSTRALIA | AUSTRALIA | KOREA REP | KOREA REP |
| XGR | Mixed Grain | AUSTRIA | AUSTRIA | KUWAIT | KUWAIT |
| OATS | Oats | AZERBAIJAN | AZERBAIJAN | KYRGYZSTAN | KYRGYZSTAN |
| RYE | Rye | B VIRGIN | B VIRGIN | LAOS | LAOS |
| S | Sorghum | BAHAMAS | BAHAMAS | LATVIA | LATVIA |
| TANS | Tannin Sorghum | BAHRAIN | BAHRAIN | LEBANON | LEBANON |
| WHS | White Sorghum | BANGLADESH | BANGLADESH | LESOTHO | LESOTHO |
| XS | Mixed Sorghum | BARBADOS | BARBADOS | LIBERIA | LIBERIA |
| XSB | Mixed Soybeans | BELARUS | BELARUS | LIBYA | LIBYA |
| YSB | Yellow Soybeans | BELGIUM | BELGIUM | LIECHTEN | LIECHTEN |
| SF | Sunflower Seeds | BELIZE | BELIZE | LITHUANIA | LITHUANIA |
| T | Triticale | BENIN | BENIN | LUXEMBOURG | LUXEMBOURG |
| ADU | Amber Durum Wheat | BERMUDA | BERMUDA | MACAO | MACAO |
| DNS | Dark Northern Spring Wheat | BHUTAN | BHUTAN | MACEDONIA | MACEDONIA |
| DU | Durum Wheat | BOLIVIA | BOLIVIA | MADAGASCAR | MADAGASCAR |
| HADU | Hard Amber Durum Wheat | BOSNIA-HERC | BOSNIA-HERC | MALAWI | MALAWI |
| HDWH | Hard White Wheat | BOTSWANA | BOTSWANA | MALAYSIA | MALAYSIA |
| HRW | Hard Red Winter Wheat | BR IND O TER | BR IND O TER | MALDIVES | MALDIVES |
| NS | Northern Spring Wheat | BRAZIL | BRAZIL | MALI | MALI |
| RS | Red Spring Wheat | BRUNEI | BRUNEI | MALTA | MALTA |
| SRW | Soft Red Winter Wheat | BULGARIA | BULGARIA | MARSHALL | MARSHALL |
| SWH | Soft White Wheat | BURKINA | BURKINA | MARTINIQUE | MARTINIQUE |
| UNCL | Unclassed Wheat | BURMA | BURMA | MAURITANIA | MAURITANIA |
| WHCB | White Club Wheat | BURUNDI | BURUNDI | MAURITIUS | MAURITIUS |
| WWH | Western White Wheat | CAMBODIA | CAMBODIA | MEXICO | MEXICO |
| XWHT | Mixed Wheat | CAMEROON | CAMEROON | MICRONESIA | MICRONESIA |
| WG | Wet Gluten | CANADA | CANADA | MOLDOVA | MOLDOVA |
| CSCR | Corn Screenings | CANARY IS | CANARY IS | MONACO | MONACO |
| HB | Hullless Barley | CAPE VERDE | CAPE VERDE | MONGOLIA | MONGOLIA |
| MDB | Malted Barley | CAYMAN IS | CAYMAN IS | MONTSERAT | MONTSERAT |
| SBML | Soybean meal | CEN AFR REP | CEN AFR REP | MOROCCO | MOROCCO |
| CC | Cracked Corn | CHAD | CHAD | MOZAMBIQUE | MOZAMBIQUE |
| <p>According to the Paperwork Reduction Act of 1995, no persons are required to respond to collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0580-0013. The time required to complete this information collection is estimated to average 15 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.</p> | | CHILE | CHILE | NETHERLANDS | NETHERLANDS |
| | | CHINA MAIN | CHINA MAIN | NEW CALIDONIA | NEW CALIDONIA |
| | | CHINA T | CHINA T | NEW GUINEA | NEW GUINEA |
| | | COCOS IS | COCOS IS | NEW ZEALAND | NEW ZEALAND |
| | | COLOMBIA | COLOMBIA | NICARAGUA | NICARAGUA |
| | | COMOROS | COMOROS | NIGER | NIGER |
| | | CONGO (BRAZ) | CONGO (BRAZ) | NIGERIA | NIGERIA |
| | | COOK ISLANDS | COOK ISLANDS | NIUE | NIUE |
| | | COSTA RICA | COSTA RICA | NMARIANA | NMARIANA |
| | | CROATIA | CROATIA | NORFOLK IS | NORFOLK IS |
| | | CUBA | CUBA | NORTH KOREA | NORTH KOREA |
| | | CYPRUS | CYPRUS | NORWAY | NORWAY |
| | | CZECH REP | CZECH REP | OMAN | OMAN |
| | | DENMARK | DENMARK | PAKISTAN | PAKISTAN |
| | | DJIBOUTI | DJIBOUTI | PALAU | PALAU |
| DOMINICA | DOMINICA | PANAMA | PANAMA | | |
| DOMINIC REP | DOMINIC REP | PARAGUAY | PARAGUAY | | |
| ECUADOR | ECUADOR | PERU | PERU | | |
| EGYPT | EGYPT | PHILIPPINES | PHILIPPINES | | |
| EL SALVADOR | EL SALVADOR | PITCAIRN | PITCAIRN | | |
| EQ GUINEA | EQ GUINEA | POLAND | POLAND | | |
| ERITREA | ERITREA | PORTUGAL | PORTUGAL | | |
| ESTONIA | ESTONIA | PUERTO RICO | PUERTO RICO | | |
| ETHIOPIA | ETHIOPIA | QATAR | QATAR | | |
| F SO ANT | F SO ANT | REP S AFRICA | REP S AFRICA | | |
| FALKLAND IS | FALKLAND IS | REUNION | REUNION | | |
| FAROE ISLAND | FAROE ISLAND | ROMANIA | ROMANIA | | |
| FIJI | FIJI | RUSSIA | RUSSIA | | |
| FINLAND | FINLAND | RWANDA | RWANDA | | |
| FR GUYANA | FR GUYANA | SAN MARINO | SAN MARINO | | |
| FRANCE | FRANCE | SAO TOME&PR | SAO TOME&PR | | |
| FR GUINEA | FR GUINEA | SAUDI ARABIA | SAUDI ARABIA | | |
| FR HUTAN | FR HUTAN | SENEGAL | SENEGAL | | |
| FRENCH POLY | FRENCH POLY | SEYCHELLES | SEYCHELLES | | |
| GABON | GABON | SIERRA LEONE | SIERRA LEONE | | |
| GAMBIA | GAMBIA | SINGAPORE | SINGAPORE | | |
| GAZA STRIP | GAZA STRIP | SLOVAKIA | SLOVAKIA | | |
| GEORGIA | GEORGIA | SLOVENIA | SLOVENIA | | |
| GERMANY | GERMANY | SOLOMON IS | SOLOMON IS | | |
| GHANA | GHANA | SOMALIA | SOMALIA | | |
| GBRALTAR | GBRALTAR | SP MQEL | SP MQEL | | |
| GREECE | GREECE | SPAIN | SPAIN | | |
| GREENLAND | GREENLAND | SRI LANKA | SRI LANKA | | |
| GRENADA | GRENADA | ST HELENA | ST HELENA | | |
| GUATEMALA | GUATEMALA | ST LUCIA | ST LUCIA | | |
| GUINEA | GUINEA | ST VINCENT | ST VINCENT | | |
| GUINEA-BISSA | GUINEA-BISSA | ST KITTS&NEV | ST KITTS&NEV | | |
| GUYANA | GUYANA | SUDAN | SUDAN | | |
| HAITI | HAITI | SURINAME | SURINAME | | |
| HEARD ISLAND | HEARD ISLAND | SVALBARD | SVALBARD | | |
| HONDURAS | HONDURAS | SWAZILAND | SWAZILAND | | |
| HONG KONG | HONG KONG | SWEDEN | SWEDEN | | |
| HUNGARY | HUNGARY | | | | |
| ICELAND | ICELAND | | | | |
| INDIA | INDIA | | | | |
| INDONESIA | INDONESIA | | | | |
| IRAN | IRAN | | | | |
| IRAQ | IRAQ | | | | |

**Instructions for Completing Form FGIS-938,
"Report of Grain Inspected and Weighed for Export"**

Complete items 1-19 for all export shipments. Complete applicable items 17-41 for all lots loaded into vessels, barges, and railcars inspected under the Cu-Sum loading plan.

1. Enter the field office name.
2. Enter the reporting period Thursday ending date.
3. Enter the number generated by the data entry screen.
4. Enter the certification date in MM/DD/YYYY format.
5. Enter the 6-digit export elevator code or specified service point code. Use the on-line pick list or the printed inspection point list from the GIWIS.
6. Enter 9-digit applicant number. This only applies to shipments where the administrative tonnage fee is to be charged. It is for billing applicants who use FGIS employees for inspection services.
7. Check the appropriate box (Bulk or Sack) to indicate the type of shipment.
8. Check the appropriate box to indicate the type of service. Check Insp/Weigh (IW) for shipments inspected and weighed; check Insp. Only (I) for shipments only inspected; check Weigh Only (W) for shipments only weighed; (PS) for phytosanitary inspections only; and, (WT) for witness transfer. Check Other (OT) for any other types of service.
9. Enter the vessel name, unit train number, or other appropriate carrier identification. Do not enter vessel prefixes (M/V, S/S, etc) on the EGIS data entry screen. If the report represents several rail cars, containers, or trucks inspected and certified as single lots, enter the identification of one of the carriers.
10. Check the appropriate carrier code. In the case of railcars, check Rail (single lot) for all railcars which were certified as single lots or single lots recertified as combined lots. Check Rail (Cu-Sum) for all railcars which were inspected under the Cu-Sum plan. Check Rail (Composite) for unit train railcars not graded under the Cu-Sum plan, and the railcar samples are combined for grading.
11. Enter the country of destination using only the approved destination codes listed on the reverse side of form FGIS-938.

12. Enter the abbreviation for the subclass, class, or grain, whichever is appropriate. Refer to the reverse side of Form FGIS-938 for a list of the valid grain codes. Some common not standardized grain codes are listed also.
13. Enter the numeric grade of the lot. Include O/B for "or better" grade designations (Example: 2 O/B). Refer to the reverse side of form FGIS-938 for a list of valid grade codes. If the type of service indicated in item 8 is Weighed Only (W), Other (OT), Phytosanitary (PS), or Witness Transfer (WT), leave blank.
14. Enter the abbreviation for special grades, if applicable. Refer to the reverse side of Form FGIS-938 for a list of valid special grade codes.
15. Enter the number of sublots inspected whenever the lot was inspected under the Cu-Sum uniform loading plan. Otherwise, enter the number of carriers inspected and/or weighed.
16. Enter the actual weight of the lot in pounds. For rail cars, containers, or trucks, if the actual weight is not available, calculate an estimated weight using the following formula:

| | | | |
|--|---|------|---------|
| Carriers X standard test weight per bushel X carrier bushel capacity = est. weight | | | |
| Use the following carrier bushel capacities in the formula: | | | |
| Boxcar | = | 2000 | bushels |
| Hopper car | = | 4000 | bushels |
| Truck | = | 750 | bushels |
| Container | = | 775 | bushels |

| | | | |
|---|----|-----------------|----|
| Use the following standard test weights in the formula: | | | |
| Wheat | 60 | Canola | 50 |
| Soybean | 60 | Barley | 48 |
| Corn | 56 | Triticale | 48 |
| Cracked Corn | 52 | Oats | 32 |
| Sorghum | 56 | Mixed Grain | 32 |
| Rye | 56 | Sunflower Seeds | 28 |
| Flaxseed | 56 | | |

Obtain from the elevator personnel the estimated weights for other types of carriers which are not weighed.

NOTE: Complete the following items if the type carrier in item 10 is Ship, Rail (Cu-Sum), or Barge and the type service in item 8 is (IW) Insp/Weigh or (I) Insp. Only.

17. Enter the high, low, and average dockage or sunflower seed foreign material results for the sublots, in hundredths. Enter the certified result to one decimal place. Report dockage results for all applicable grains, even if no dockage was certified.
18. Enter the average test weight result in hundredths. The block marked Certified is optional and for field office or agency use only.
19. Enter the factor averages which are applicable to the subclass, class, or grain. Report the results in tenths or as whole numbers as they are certified.
20. Check the appropriate box (Minimum, Maximum, or Average) to indicate the moisture load order requirements declared by the applicant, if any, and enter the declared percentage. If a moisture load order was not declared, leave the load order boxes blank.
21. Enter the high, low, and average moisture results for the sublots in tenths.
22. Check the appropriate box (Minimum, Maximum, Average, or Ordinary) to indicate the protein load order requirements declared by the applicant. If a minimum, maximum, or average protein is declared, enter the declared percentage. If protein analysis is requested but a specific load order is not declared, leave the load order boxes blank.

23. The basis for wheat protein reported in EGIS is a specified moisture basis of 12 percent. Check the box marked Specified Moisture and enter 12.0 percent as the moisture basis.

The basis for soybean protein reported in EGIS is a specified moisture basis of 13.0 percent. Check the box marked Specified Moisture and enter 13.0 percent as the moisture basis.

The basis for corn protein reported in EGIS is on a dry matter basis. Check the box marked Dry Matter.

The basis for barley protein reported in EGIS is on a dry matter basis. Check the box marked Dry Matter.

24. Enter the high, low, and average protein results for the sublots in tenths. Report only subplot results not composite sample results.

For wheat, report results only on a 12.0 percent moisture basis.

For soybeans, report results only on a 13.0 percent moisture basis.

For corn, report results only on a dry matter basis.

For barley, report results only on a dry matter basis.

25. Check the appropriate box (Minimum, Maximum, Average, or Ordinary) to indicate the oil load order requirements declared by the applicant. If minimum, maximum, or average oil is declared, enter the declared percentage. If oil analysis is requested but a specific load order is not declared, leave the load order boxes blank.

26. The basis for soybean oil reported in EGIS is a specified moisture basis of 13.0 percent. Check the box marked Specified Moisture and enter 13.0 percent as the moisture basis.

The basis for sunflower seed oil reported in EGIS is a specified moisture basis of 10.0 percent. Check the box marked Specified Moisture and enter 10.0 percent as the moisture basis.

The basis for corn oil reported in EGIS is on a dry matter basis. Check the box marked Dry Matter.

27. Enter the high, low, and average oil results for the sublots in tenths. Report only subplot results not composite sample results.

For soybeans, report results only on a 13.0 percent moisture basis.

For sunflower, seeds report results only on a 10.0 percent moisture basis.

28. Corn starch results reported in EGIS are on a dry matter basis. Check the appropriate box (Minimum, Maximum, Average, or Ordinary) to indicate the starch load order requirements declared by the applicant. If a minimum, maximum, or average starch is declared, enter the declared percentage. If starch analysis is requested but a specific load order is not declared, leave the load order boxes blank.
29. Enter the high, low, and average starch results for the sublots in tenths. Report only subplot results not composite sample results. Starch results are to be reported on a dry matter basis.
30. Check the appropriate box (Yes or No) to indicate if the applicant requested aflatoxin testing on the lot. Also, check the appropriate box (Yes or No) to indicate if aflatoxin testing was performed on the lot. Only aflatoxin performed by FGIS or by an FGIS approved lab should be recorded here.
31. If aflatoxin testing is performed, check the appropriate box (subplot, composite, both subplot and composite, or other) to indicate the basis of testing.
32. Enter the number of all screening tests performed with results less than or equal to 20 ppb and greater than 20 ppb. This is for all grain tested as part of the lot, loaded or not.
33. Enter the number of all quantitative tests performed with results less than or equal to 20 ppb and greater than 20 ppb. This is for all grain tested as part of the lot, loaded or not.
34. When quantitative method is used for the entire lot, enter the average ppb for grain in the certified lot.
35. Enter the number of rejects not included in the certificated lot due to greater than 20 ppb determined by either method.

36. Check the appropriate box (Yes or No) to indicate if the applicant requested DON testing on the lot. Also, check the appropriate box (Yes or No) to indicate if DON testing was performed on the lot. Only DON tests performed by FGIS or by an FGIS approved lab should be recorded here.
37. If DON testing is performed, check the appropriate box (sublot, composite, both sublot and composite, or other) to indicate the basis of testing.
38. Enter the number of all qualitative DON tests performed. This is for all grain tested as part of the lot, loaded or not.
39. Enter the number of all quantitative DON tests performed. This is for all grain tested as part of the lot, loaded or not.
40. When quantitative method is used for the entire lot, enter the average ppm for grain in the certified lot.
41. Enter the number of rejects not included in the certificated lot determined by either method.
42. Check the appropriate box (As is, Dry Matter, or Specified Moisture) to indicate the falling number moisture basis requested by the applicant, if any. If specified moisture is requested, enter the percent.
43. Enter the falling number result. If a falling number analysis was performed on each sublot, show the lot average. If a falling number analysis was performed on a composite sample, show the composite result. When a falling number analysis is performed on a lot and the results are not available in time to be transmitted during the reporting period, report the falling number basis (As is, Dry Matter, or Specified Moisture), but leave the result block blank. Call the Application Development Branch when the falling number result becomes available.
44. This item refers to the three infestation blocks. In the first block, enter the number of sublots which contained one or more live insects. In the second block, enter the number of components which were found to be "infested" according to the appropriate definition of "infested" in the Grain Inspection Handbook, Book II. In the third block, enter the total number of live insects found in the lot. Enter a zero in each of the infestation blocks if no insects were found during the inspection. Summarize this infestation data only for those sublots or components which remained in the carrier, regardless of whether the carrier or portion of the

carrier was fumigated to remove a special grade designation "infested." If the number of components infested (second block) is reported as 1 or more, then either a fumigant or the special grade "infested" should be indicated elsewhere on the report.

45. Check the appropriate boxes to indicate if insecticides, dust suppressants, or dyes were applied to the lot. Show only additives which were specifically requested in the load order and/or additives which were applied after sampling and weighing.

For insecticides, check the appropriate box (Malathion, Actellic, Reldan, or Other). If insecticides were added to the lot and the type is unknown, check the box marked Other. Leave blank if insecticides were not applied.

For dust suppressants, check the appropriate box (Water, Oil, or Other). If a dust suppressant was applied to the lot and the type is unknown, check the box marked Other. Leave blank if dust suppressants were not applied. For dyes, check the appropriate box (Yes or No) to indicate if a dye was applied.

46. Check the appropriate box (Aluminum Phosphide or Other) to indicate the type of fumigant used on lots or partial lots which were fumigated in accordance with the Fumigation Handbook. The following fumigant brands are considered "Aluminum Phosphide" fumigants:

| | | | | |
|----------|--------------|-----------|-----------|------------|
| Al-Phos | Celphos | Fumitoxin | Phosfume | Weevilcide |
| Celphide | Fastphos | Gastoxin | Phostoxin | |
| Celphine | Detia-Gas-Ex | Max-Kill | Quick Tox | |

If the box marked **Other** is checked, enter the type of fumigant in the blank spaced provided. Leave blank if no fumigants were added to the lot.

47. The items below the bold line (stowage, remarks, etc.) are optional and for field office or agency use only. This data will not be entered into the EGIS.

ADDITIONAL CONTACT INFORMATION

Further information on completing this report or finding the field office responsible for your geographic area in which the service will be provided can be found at:

<http://www.gipsa.usda.gov/GIPSA/webapp?area=home&subject=fc&topic=fsp>

Or contact:

Robert S. Lijewski, Chief
Policies and Procedures Branch
Field Management Division
1400 Independence Avenue, SW, Room 2409 N
Washington, DC 20250-3630
Telephone: (202) 720-0252
Fax: (202) 720-1015
Email: robert.s.lijewski@usda.gov