OMB Approved: 0580-0013

		T. 45. 17. 05. 4			LAST DATE TES	STED	TEST DATE		PAGE	OF
GRAIN INS	SPECTION, PACK	ERS AND STO	GRICULTURE OCKYARDS ADMINI TION SERVICE	STRATION					TEST NO.	
		IANAGEMENT			MANUFACTURE	ER .	MODEL OF SO	CALE	SCALE CODE N	NO.
	SCALE TEST	r DEDODT	- R.R. TRACK	•						
TESTING AGENO				<u> </u>	SCALE CAPACI	TY	MINIMUM DIV	ISION	SERIAL NO.	
INSPECTOR					SCALE LENGTH	1	SECTIONAL (CAPACITY	SCALE NO.	
TELEPHONE					SCALE TYPE				SECTIONAL TE	ST LOAD
FIELD OFFICE LO	OCATION					FULL ELEC				
COAL E OVANIER						LEVER TR. :SI WEIGH	HE Meccuanical			-
SCALE LOCATION	N (ADDRESS)				TEST CAR OWN			JMBER	TYPE	MPOSITE
					LAST REVERIFI	ICATION DATE	WEIG	нт	I I L.W	/.B. w/i
				TES	T RESULTS					
SENSITIVITY ZERO	CAP.	DISCRIM ZERO	IINATION CAP.		SCALE CONDIT	ION AS FOUND)	ZERO BA	ALANCE AS FOUN	ID
TEST	CAI .		CAI.						T	T
DIRECTION	BAL.	SEC.1R	SEC. 2L	SEC. 2R	SEC. 3L	SEC. 3R	SEC. 4L	SEC. 4R	SEC. 5L	BAL.
										+
									_	
										1
	SUBSTI	TUTION S	TRAIN TEST	-		1		ST INSPECT	ΓΙΟΝ	
LOAD	CAL. TEST	T LOAD	INDICAT	ION	ERROR		ENTAL PROT	ECTION		
						CONDITION		OUES		
							I OF APPRO <i>F</i>			
							1 & LIVE RAIL			
						KIND OF DI				
						ZERO BAL	ANCE CHANG	SE DURING TE	ST	lb
THE ERRORS I	N THIS SCALE A	AS INDICATE	D ABOVE	☐ ARE	☐ ARE N	OT WITHIN	THE ACCL	IRACY REQU	JIREMENTS	
			SPECTION SERVIOR		HIS TIME:					
, , , , , , , , , , , , , , , , , , , ,		<i>5,</i> 11, 5, 10, 5, 11, 1								
Return complete	ed form to the ab	ove Field Offi	ce.							
NEXT TEST IN:	30 DA		45 DAYS	AL SEAL APPLI	60 DAYS		0 DAYS	EJECTION TAG	180 DAYS	
APPLICABLE TOL	LERANCE ("x" one, TANCE □ M) 1AINTENAI		AL JLAL APPLI	LU	DATE.	l R	LULCTION TAG	IVO.	
	PORT ACKNOWLE				FGIS WITN	ESS (Signature)				
FORM FGIS-965-:	1 (10/02)	FORM APPR	OVED OMB NO. 058	0-0013: Accord	ling to the Paperwork	Reduction Act o	f 1995, no perso	ns are required to	o respond to a colle	ection of

FORM FGIS-965-1 (10/02) Edition dated (12/84) may be used. FORM APPROVED OMB NO. 0580-0013: According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0580-0013. The time required to complete this information collection is estimated to average 1 hours per response and 1 minute of recordkeeping, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

SCALE TEST REPORT - R.R. TRACK ESTING AGENCY (INSPECTOR'S NAME, ADDRESS) SCALE CAPACITY 111 SCALE LENGTH SCALE LENGTH SCALE LENGTH SCALE LENGTH SCALE LENGTH SCALE LENGTH SCALE LOCATION 220 TEST WEIGHT INFORMATION TEST RESULTS SCALE CONDITION AS POUND TREST RESULTS SCALE CONDITION AS POUND SET SEC. 21 SEC. 21 SEC. 31 SEC. 41 SEC. 4	GRAIN INSP	ECTION, PACKER FEDERAL GRA	IN INSPECTION S	RDS ADMINI: SERVICE	STRATION		(5)		<u>(6)</u>	TEST NO.	<u>_</u>
SETTION BAL. SEC.IR SEC.2L SEC.2R SEC.3L SEC.3R SEC.4L SEC.4R SEC.6L BA SUBSTITUTION STRAIN TEST LOAD CAL. TEST LOAD INDICATION SECTION SEC. AR SEC. 6A S	s				:	MANUFACTURE	/ _ \	MODEL OF SCA	/ _ \	SCALE CODE N	` _
SCALE LENOTH BELEPHONE BELLE DOFFICE LOCATION CALE COMPINER CALE LOCATION (ADDRESS) A TEST TWEIGHT INFORMATION (2) TEST TRESULTS TEST TRESULTS TEST TWEIGHT INFORMATION (2) TEST TRESULTS TEST TRESULTS TEST TRESULTS SEC. SEC. SEC. SEC. SEC. SEC. SEC. SEC.				it. Hotel		SCALE CAPACIT	/ N	MINIMUM DIVISI	12		3
SCALE TYPE FULL ELEC. MECH GOTHER GOTTER	WE DECTION		(1		SCALE LENGTH	\sim	SECTIONAL CA	PACITY		ر 1
CALE COWNER CALE LOCATION (ADDRESS) TEST WEIGHT INFORMATION TEST WEIGHT INFORMATION LONDING WEIGHT TEST RESULTS TEST RESULTS TEST RESULTS TEST RESULTS TEST RESULTS TEST RESULTS ACALE CONDITION AS FOUND TEST RESULTS TO NAME TO THE SEC. 28 TEST RESULTS TEST RESULTS TEST RESULTS TO NAME TEST TEST TO THE SEC. 24 TEST RESULTS TEST RESULTS TO NAME TEST TO THE SEC. 24 TEST CATOR TO THE SEC. 25 TEST CATOR TO	ELEPHONE					SCALE TYPE			–(16) ·	SECTIONAL TES	<u> </u>
TEST CAR OWNER LAST REVERIFICATION DATE WEIGHT WEIG	IELD OFFICE LOCA	TION	$\overline{}$	2)						(2	20)
4 LAST REVERIFICATION DATE LAST REVERIFICATION DATE WEIGHT 23	CALE OWNER	<u> </u>	3 <u>) </u>							<i>-</i>	<u> </u>
TEST RESULTS 24 23	CALE LOCATION (A	IDDRESS)	_ (TEST CAR OWN	^{ER} (2	22) ^{I.D. NOI}	MBER	_ □L.w.	в.
ENSITIVITY ZERO CAP 27 DISCRIMINATION ZERO CAP 28 SCALE CONDITION AS FOUND 29 ZERO BALANCE AS FOUND 30 ZERO BALANCE AS FOUND 30 ZERO BALANCE AS FOUND 31 ZERO CAP ZERO BALANCE AS FOUND 32 ZERO BALANCE AS FOUND 33 ZERO BALANCE AS FOUND 34 ZERO BALANCE AS FOUND 35 ZERO BALANCE CHANGE DURING TEST III HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE NOT WITHIN THE ACCURACY REQUIREMENTS 36 ZERO BALANCE CHANGE DURING TEST III ARE POOT WITHIN THE ACCURACY REQUIREMENTS 36 ZERO BALANCE CHANGE DURING TEST III ARE POOT WITHIN THE ACCURACY REQUIREMENTS 36 ZERO BALANCE CHANGE DURING TEST III ARE POOT WITHIN THE ACCURACY REQUIREMENTS 37 ZERO BALANCE CHANGE DURING TEST III ARE POOT WITHIN THE ACCURACY REQUIREMENTS 37 ZERO BALANCE CHANGE DURING TEST III ARE POOT WITHIN THE ACCURACY REQUIREMENTS 37 ZERO BALANCE CHANGE DURING TEST III ARE POOT WITHIN THE ACCURACY REQUIREMENTS 37 ZERO BALANCE CHANGE DURING TEST III ARE POOT WITHIN THE ACCURACY REQUIREMENTS				<u>•</u>		LAST REVERIFIC		WEIGH	(23)		
BAL. SEC.1R SEC.2L SEC.2R SEC.3L SEC.3R SEC.4L SEC.4R SEC.5L BA SEC.4L SEC.4R SEC.5L BA SEC.5L BA SEC.5L BA SEC.4L SEC.4R SEC.4R SEC.5L BA SEC.5L BA SEC.5L BA SEC.4L SEC.4R SEC.4R SEC.5L BA SEC.5L BA SEC.4L SEC.4R SEC.4R SEC.4R SEC.5L BA SEC.5L BA SEC.4L SEC.4R SEC.4R SEC.4R SEC.5L BA SEC.5L BA SEC.5L BA SEC.4L SEC.4R SEC.4R SEC.4R SEC.5L BA SEC.5L BA SEC.4L SEC.4R SEC.4R SEC.4R SEC.5L BA SEC.5L BA SEC.4L SEC.4R SEC.4R SEC.4R SEC.4R SEC.5L BA SEC.5L BA SEC.4L SEC.4R	ENSITIVITY	27			-/ \—		<u> </u>	(29)	ZERO BAL	ANCE AS FOUND	(3
SUBSTITUTION STRAIN TEST LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. 101 ARE NOT WITHIN THE ACCURACY REQUIREMENTS (31)	EST					<u> </u>	T				Ţ <u>`</u>
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.	IRECTION	BAL.	SEC.1R	SEC. 2L	SEC. 2R	SEC. 3L	SEC.3R	SEC.4L	SEC.4R	SEC. 5L	BAI
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.											
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.											\vdash
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.						40					+
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.											
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.											╄
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.											+
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.											
LOAD CAL. TEST LOAD INDICATION ERROR ENVIRONMENTAL PROTECTION CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.											╙
CONDITION OF PIT CONDITION OF APPROACHES CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. CONDITION OF PIT APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST II ARE NOT WITHIN THE ACCURACY REQUIREMENTS (31)	LOAD				ION	ERROR	ENVIRONME			<u>°\</u> (41)—
CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. CONDITION OF PLATFORM APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST II ARE NOT WITHIN THE ACCURACY REQUIREMENTS (31)	LOAD	CAL. IESI L	OAD	INDICAT	ION	ERROR			CTION	+	
APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. APPROACH & LIVE RAIL GAP KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST III ARE NOT WITHIN THE ACCURACY REQUIREMENTS (31)							CONDITION	OF APPROAC	HES		
KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. KIND OF DRAINAGE ZERO BALANCE CHANGE DURING TEST II ARE NOT WITHIN THE ACCURACY REQUIREMENTS (31)										+	
ZERO BALANCE CHANGE DURING TEST HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE ARE NOT WITHIN THE ACCURACY REQUIREMENTS RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE. 31									GAP	+	
HE ERRORS IN THIS SCALE AS INDICATED ABOVE ARE ARE NOT WITHIN THE ACCURACY REQUIREMENTS (31) RESCRIBED BY THE FEDERAL GRAIN INSPECTION SERVICE.									DURING TEST	<u>_</u>	lb
						☐ ARE NO	T WITHIN TH	IE ACCURACY	requiremen	NTS 3	1)_
						TME:					ノ —
	Paturn completed	form to the above	Field Office								_
Defirm completed form to the shows Field Office	EXTTEST IN:	☐30 DAYS					□90				33
	-1		INITENIANICE	- 1	L SEAL APPLIE	(35)	DATE:	36)	JECTION TAG NO	(37)	
EXITEST IN: 30 DAYS 45 DAYS 60 DAYS 90 DAYS 180 DAYS 33	· <i>j</i>			le t			88 (Signature)		_	<u>~~</u>	
EXITEST IN: 30 DAYS 45 DAYS 60 DAYS 90 DAYS 180 DAYS 33	EEPT OF REPOR										

Instructions for Completing Scale Test Reports

1	<u>Testing Agency</u> . The name of the organization, name of the person testing, address, and telephone number.
2	Field Office Location. The city and state of the field office which has jurisdiction for the scale being tested.
3	Scale Owner. Facility name and designation; i.e., Mid-South Grain, House A.
4	<u>Scale Location</u> . The street address of the elevator.
5	Last Date Tested. Date of the last test.
6	Test Date. The month, day, and year of the test.
7	<u>Test No.</u> Inspector's assigned serial number, plus consecutive test number for the fiscal year. Cary Brown's assigned serial (which is 1000), the first test of FY 2004, would be: "1001-04", the second would "1002-04", and so forth. In order of testing, regardless whether a hopper, vehicle, or railway track scale test.
8	Manufacturer. The name of the company, corporation, person, etc., who manufactured the indicating element.
9	Model of scale. The model name, number, or designation which has been assigned by the manufacturer.
10	Scale Code No. The code number of the scale which was assigned by the FGIS Policies and Procedures Branch for use in the ADP Scale Test Monitoring System.
11	Scale Capacity. The maximum gross load that can be accepted for official weight certification as determined by an official scale inspector.
12	Minimum Division. The value of the smallest unit that can be indicated on the primary indicating element during normal weighing.
13	Serial No. The nonrepetitive number which was assigned by the manufacturer and affixed to the indicating element or beam.
14	<u>Scale Type</u> . Check the appropriate box to indicate whether the scale is full electronic, levertronic, a full capacity beam (FCB) mechanical scale, or a counterpoise (CPB) mechanical scale.
15	$\underline{Scale\ No}. \ \ The\ number\ assigned\ to\ the\ scale\ by\ the\ owner\ which\ usually\ includes\ S\ and/\ or\ R\ designations\ to\ differentiate\ between\ shipping\ and\ receiving.$
16	Sectional Capacity. The maximum gross load that can be applied to any one section of the scale without causing structural deflections affecting the accuracy of the scale.
17	<u>Platform Size</u> . The length and width of the vehicle scale platform.
18	Scale Length. The length of the live track on a railroad track scale.
19	<u>Load Cell Capacity</u> . The manufacturer's rated capacity of one of the load cells in the scale system.
20	Sectional Test Load. The maximum amount of test standards applied to any one section of a railroad track or vehicle scale.
21	Type and Mfg. For vehicle and hopper scales indicate the type of test weights; i.e., fab, basket, cast, etc., and the manufacturer. For railroad track scales check the appropriate box.
22	<u>Test Weight Owner</u> . Indicate the test weight owner.
23	<u>Total Weight</u> . The total amount of the test weights combined.
24	<u>Last Reverification Date</u> . Indicate the month and year of the latest test weight reverification.
25	I.D. No. The identification of the test car.
26	Number of Weights. The total number of individual weights.
27	Sensitivity. The results of the sensitivity check in number of divisions at zero and at capacity.
28	Discrimination. The results of the discrimination check in number of divisions at ZERO and at CAPACITY.

29	Scale Condition as Found. Indicate the condition of the scale as found. (i.e., water in pit, dirty platform, etc.)
30	Zero Balance as Found. The weight indication on the primary indicating element with no load on the load receiving element at the time of starting the official inspection and test.
31	Results. Check appropriate box; X/ARE-for scales that are within tolerance or have been adjusted to be within tolerance, X/ARE NOT-for a scale that cannot be used for official weight certification because it cannot be adjusted or fixed and is consequently REJECTED.
32	Remarks. Indicate any repairs, adjustments, modifications, or recommendations. (i.e., scale serviced before test, load cell #2 replaced, A/D converter replaced.)
33	Next Test In. Check the appropriate box to indicate approximately when the next test is due.
34	Applicable Tolerance. ("X" one.) Indicate which tolerance is to be applied.
35	Approval Seal Applied. Indicate the name of the inspector who applied the FGIS Approved Label for Inspected Machinery. If the person is the same as the FGIS witness, just initial.
36	<u>Date</u> . Indicate the date of approval.
37	Rejection Tag No. Indicate the number of the rejection tag, if applicable.
38	Receipt of Report Acknowledged. Signature of the scale owner's representative.
39	FGIS Witness. FGIS or delegated official who observed the testing and approval of the scale.
40	<u>Test Procedures</u> . See test procedures for railway track scales in Chapter 3 of the FGIS Weighing Handbook.
41	Pretest Inspection. Make appropriate comments for listed scale conditions for vehicle and railroad track scales (No pretest inspection area (41

Distribution of Scale Test Reports

- "Scale Test Reports" are marked for distribution in the lower right-hand corner of each copy. They shall be distributed as follows:
- 1 Original (white) shall be retained in a separate file at the office (FGIS or State) to which the responsibility for the scale is assigned. The hard copy printed record of the test indications shall be attached to the original.
- 2 First Copy (blue) shall be given or sent to the owner/operator of the scale for their information and records.
- 3 Second Copy (green) shall be sent to the FGIS, Policies and Procedures Branch by the FGIS scale specialist responsible for the scale.
- 4 Third Copy (pink) shall be sent to the FGIS field office, which is responsible for the area in which the scale is located.
- 5 Fourth Copy (yellow) is an extra copy available for an interested party (e.g., State Weights and Measures supervisor or scale service company).

Questions Concerning This Form?

USDA, GIPSA Field Management Division Policy and Procedures Branch 1400 Independence Ave. Rm. 2409 N Washington, DC 20250-3630

Telephone: (202) 720-0252

Fax questions: to (202) 720-7883

Email questions: to william.e.bates@usda.gov

