OMB#: 0925-0216 Exp. 12/2007

Public reporting burden for this collection of information is estimated to average <u>10</u> minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to: NIH, Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0216). Do not return the completed form to this address.

Instructions for Completing the Food Frequency Questionnaire

Thank you for participating in this research study. An important part of this study is the Food Frequency Questionnaire, designed to measure your dietary pattern over the past year. Remember, the information we get from the study is only as good as the information you give us. Accuracy is essential!

Please complete this form and bring it with you at the time of your appointment, or complete prior to the time of your home visit.

- 1) Please use a No. 2 pencil, and make sure the circles are completely darkened.
- 2) Please do not leave any questions blank. If the section does not apply to you, please fill in the "never" section.
- 3) Please do not separate, staple or rip the booklet.
- 4) Please do not leave any stray marks. Make sure all erasures are complete.

PLEASE USE PENCILLET ASSESSMENT

| | | | | | | | | | _ | | سو | _ |
|---|--|--------------------------|----------------------|-------------------------|-------------|--------------------|-------------|------------|--------------------|--------------------------|------------------|--------------|
| | @ @ @ | 99999 | 9900 |)@(<u>3</u> | (E) | (B) | ® ® | ® ① | ② ③ | (4) (5) |) (6) (7) | (B) |
| ID: | 900 | 2) (3) (4) (5) (6) (7) (| 8)(9)(0)(1 | (2)(3 | (4)(5 | (6)(7) | (8)(9) | തത | (B) (B) | തര |) (F) (F) | ത്രത |
| 1 Do you currently take | | 000000 | 9 (9)(0) (1 |)(<u>e</u>)(<u>a</u> | (4)(5) |)(<u>6</u>)(7) | 00 | | | | | |
| 1. Do you currently take r ○ No | If ves. a) How,many do | | | der qu | | | - 1 | | | |) (<u>0</u> (0) | |
| | per week? — | · |) 2 or less) 3-5 | | 069 | ə or mor | | | | | (6) | |
| | 1.1100 | | J 3-0 | | <u>U 10</u> | or mor | 9 | மூ | <u>w</u> | (4) (5) | <u>@</u> | (8)(9) |
| b) What specific brand do you usually use? ———————————————————————————————————— | | | | | | | | | | | | |
| 2. Not counting multiple vitamins, do you take any of the following preparations: | | | | | | | | | | | | |
| | *** | | · | 0113. | | | | | | | | |
| a) Vitamin A? | | w many → ○ 0-1 \ ers? | /r. O | 2-4 yr: | 5. | O 5-9 | γrs. | 0 | 10+ yrs | s. | OBoo | n't |
| O No O Yes, season | ial Orny | | than o | 8,000 | to | O 124 | 200 to | | 22.000 | 11.4 | | |
| → O les, most n | per | at dose →○ Less day? | | 12,000 | บับ | 0 22, | 000 to | \circ | 23,000 or more | 9 | Okno | |
| b) Vitamin C? | (Hos | v many → 0-1 v | /r O | 2-4 yrs | | O 5-9 | ure | | 10+ vrs | | ODor | n't |
| O No O Yes, season | nalonly } If year | rs? | · · | 2-4 yı: | s. | O 5-9 | yrs. | | 10+ yrs | 3. | O kno | w |
| Yes, most n | nonths Yes, Wh | at dose Less | than O | 400 to | _ | 750 | to 0 mg. | \circ | 1300 m | ig. | ○ Dor | n't |
| | L per | day? 400 | ing. | 700 m | g. | 0 125 | u mg. | | or more | | ∪ kno | W |
| c) Vitamin B ₆ ? | How many years? | O 0-1 y | r. O | 2-4 yrs | | O 5-9 | yrs. | _0 | 10+ yrs | i. | O Dor | n't w |
| O No O Yes → | If yes, What dose per da | y? | than 🔘 | 10 to 39 mg | | O 40 t | | 0 | 80 mg. | | O Dor | n't |
| d) Vitamin E? | (Hov | | | | | _ | | - | or more | | Dor | |
| ONo OYes → | How many years? What dose per da | | | 2-4 yrs 100 to | | O 5-9 | | | 10+ yrs | | <u></u> kno | W |
| <u> </u> | ii yes, (what dose per da | 1001 | | 250 IU | | O 300 500 | | | 600 IU or more | , ' | O Dor kno | ı't [I |
| e) Selenium? | How many years? | ——→O 0-1 y | r. O | 2-4 yrs | | O 5-9 · | /rs | | 10+ yrs | | O Don | ı't |
| O No O Yes → | If yes. What dose per da | /? → C Less | than O | 80 to | | 140 | | _= | 260 mg | | O kno O Don | |
| | | 80 m | cg. | 130 m | cg. | 250 | mcg. | | or more | | kno | W |
| f) Iron? | How many years? | →O 0-1 y | r. O | 2-4 yrs | | O 5-9 v | rs. | 0 | 10+ yrs | . (| O Don kno | r't w |
| O No O Yes → I | If yes, What dose per day | /?→○ Less 51 m | | 51 to 200 mg | , | 201 400 | | 0 | 401 mg or more | . (| O Don | o't |
| g) Zinc? | 1 11 | | | | | | | | | | knov | 1 |
| | How many years? What dose per day | > ○ 0-1 yı | | 2-4 yrs | | 0 5-9 y | ** | | 10+ yrs. | | U knov | w |
| | | /7 -→○ Less 25 m | g. | 25 to 74 mg. | | 75 to 100 | mg. | O; | 101 mg. or more | . (| O Don knov | |
| 1) Calcium? (Include Calci | lum | | . 0 | 2-4 yrs | |) 5-9 _\ | rs | O 1 | 10+ yrs. | (| O Don knov | t |
| O No O Yes → ! | f yes, What dose per day | r? —→○ Less | than O | 400 to | (| 901 | | ~~~ | 1301 m | a. (| Don | |
| i) Ara thoro other summir | | 400 n | ng. | 900 mg | 1 | 1300 | mg. | | or more | | knov | |
| i) Are there other supplements that you take on | O Folic acid | Ocod liver | Olodine | |) Beta | a- otene | |) Othe | er (pleas | se spe | cify): - | |
| a regular basis? Please | Vitamin D | _ | O Copper | | _ | | Г | | | | | + - |
| mark if yes: | O B-Complex Vitamins | Omega 3 Fatty-acids | O Brewer Yeast | 's (|) Mag | gnesium | 1 | | | | | - |
| | | | | | | | | | | | | |
| 3. For each food listed, fill | in the circle indicating ou have used the amount | | | A | VERA | GE U | SF L Z | ST | /FΔR | | | |
| specified during the pas | | | Never, | 1-3 | 1 | 2-4 | 5-6 | | | | Τ. | (2) - |
| - | | | or less than once | per | per | per | per | 1 per | 2-3 per | 4-5 per | 6÷ per | 0- |
| - | DAIRY FOO | | per month | mo. | week | week | week | day | day | day | day | ∐@ ■ |
| | Skim or low fat milk (8 oz. glas Whole milk (8 oz. glass) | 33) | -18 | $\stackrel{ }{\bowtie}$ | W | 10 | 0 | <u> </u> | 0 | <u>Q</u> | l O | ∐ ⊘ - |
| - | Cream, e.g. coffee, whipped (| Thei | 18 | 10 | (W) | | ջ | 0 | 181 | $\stackrel{\circ}{\sim}$ | 2 | |
| - | Sour Cream (Tbs) | 1037 | - 18 | 8 | (W) | 8 | 8 | <u> </u> | 8 | 8 | 8 | HX |
| Non-dairy coffee whitener (tsp.) | | | | 0 | (W) | 18 l | 8 | 0 | 1 X 1 | \exists | 1 | |
| Sherbet or ice milk (½ cup) | | | | ŏ | (8) | ŏ | ŏ | 0 | 8 | ŏ | <u> 0</u> | ĭŏ₌ |
| Ice cream (1/2 cup) | | | | Ŏ | Ŵ | Ŏ | ŏ | <u>©</u> | ŏt | ŏ | ŏ | ŏ- |
| | Yogurt (1 cup) | | 0 | 0 | W | Ŏ | Ŏ | 0 | Ŏ | Ŏ | Ŏ | Ŏ- |
| | Cottage or ricotta cheese (1/2 c | up) | 0 | O. | W | 0 | 0 | 0 | 0 | Ó | 0 | 0- |
| <u>+-</u> | Cream cheese (1 oz.) | | | 0 | w_ | 0 | 0 | 0 | 0 | 0 | 0 | 0- |
| | Other cheese, e.g., American, plain or as part of a dish (1 sl | cheddar, etc., ice | | | | | | | | | | |
| | or 1 oz. serving) | | | 0 | (w) | 0 | 0 | (D) | 0 | 0 | | O - |
| | Margarine (pat), added to food | or bread; | 0 | 0 | (w) | 0 | 0 | (D) | | | | |
| ease turn | exclude use in cooking | | | \vdash | 9 | | \subseteq | 9 | 0 | 0 | 0 | |
| page 2 | Butter (pat), added to food or be exclude use in cooking | read; | | 0 | w | 0 | 0 | (D) | | \cap | | \circ |

3. (Continued) Please fill in your <u>average</u> use, <u>during the past year</u>, of each specified food

Please try to average your seasonal use of foods over the entire year. For example, if a food such as cantaloupe is eaten 4 times a week during the approximate 3 months that it is in season, then the average use would be once per week.

| n your <u>average</u> use, each specified food. FRUITS | Never, or less than once per month | 1-3 per mo. | 1 per week | 2-4 per week | 5-6 per week | 1 per day | 2-3 per day | 4-5 per day | 6+ per day | 000 |
|--|---|-------------------|------------------|--------------------|--------------------|-----------------|-------------------|-------------------------|------------------|----------|
| Raisins (1 oz. or small pack) or grapes | | 0 | (W) | 0 | 0 | 0 | 0 | | 6 | 0 |
| Prunes (1/2 cup) | ĬŎ | ŏ | w | ŏ | ŏ | 0 | 10 | X | 1 8 | ŏ |
| Bananas (1) | Ŏ | Ŏ | (w) | ŏ | ŏ | 0 | 18 | \tilde{a} | 10 | \dashv |
| Cantaloupe ('/+ melon) | Ŏ | Ŏ | (W) | ŏ | ŏ | <u>0</u> | ŏ | $\vdash \preceq$ | \tilde{a} | ŏ |
| Watermelon (1 slice) | ň | Ŏ | (w) | Ŏ | Ŏ | <u>0</u> | ŏ | 1 o | 0 | ΗĂ |
| Fresh apples or pears (1) | Ŏ | Õ | Ŵ | Ŏ | Ŏ | <u>(ii)</u> | ŏ | ŏ | <u>~</u> | ŏ |
| Apple juice or cider (small glass) | Ŏ | Ŏ | w | Ŏ | Õ | 0 | ŏ | ŏ | ă | ŏ |
| Oranges (1) | ĬŎ | Ŏ | Ŵ | ŏ | \sim | <u></u> | ŏ | ŏ | \sim | ŏ |
| Orange juice (small glass) | Ŏ | Õ | w | ŏ | ŏ | <u>.</u> | õ | ŏ | ŏ | ŏ |
| Grapefruit (1/2) | Ŏ | Č | w | ŏ | ŏ | <u></u> | ŏ | $\stackrel{\sim}{\sim}$ | ŏ | ŏ |
| Grapefruit juice (small glass) | Ŏ | Õ | w | ŏ | ŏ | 0 | ŏ | \sim | ŏ | Ħ |
| Other fruit juices (small glass) | Ô | Õ | ® | Ŏ | Ŏ | Ö | $\tilde{\circ}$ | $\tilde{\circ}$ | δ | ŏ |
| Strawberries, fresh, frozen or canned (1/2 cup) | ŤŎ | Ŏ | ® | ŏ | Ŏ. | _© | ŏ | ŏ | ŏ | ŏ |
| Blueberries, fresh, frozen or canned (1/2 cup) | Õ | Õ | (W) | ŏ | Ŏ | ŏ | Ŏ | ŏ | \tilde{a} | Ħ |
| Peaches, apricots or plums (1 fresh, or 1/2 cup canned) | Ŏ | Ŏ | w | ŏ | ŏ | <u></u> | ŏ | ŏ | ŏ | Ŏ |

| VEGETABLES | Never, or less than once per month | 1-3 per mo. | 1 per week | 2-4 per week | 5-6 per week | 1 per day | 2-3 per day | 4-5 per day | 6+ per day | |
|--|---|-------------------|------------------|--------------------|--------------------|-----------------|-------------------|-------------------|------------------|-----------------------|
| Tomatoes (1) | | | (W) | | 0 | 0 | | | | 18 |
| Tomato juice (small glass) | 15 | 0 | ® | ŏ | ŏ | 0 | \mathcal{C} | 18 | ŏ | H |
| Tomato sauce (1/2 cup) e.g., spaghetti sauce | ŏ | Õ | (w) | ŏ | ŏ | ₀ | ŏ | 1 o | ŏ | HX |
| Red chifi sauce (1 Tbs) | 1 ŏ | Ö | ® | ŏ | $\tilde{}$ | _© | Ö | X | ŏ | ΤĞ |
| Tofu or soybeans (3-4 oz.) | ĬŎ. | Ŏ | w | Ŏ | Ŏ | © | ŏ | ŏ | ŏ | |
| String beans (1/2 cup) | 10 | ŏ | w | ŏ | ŏ | 0 | Õ | ŏ | ŏ | |
| Broccoli (1/2 cup) | Ŏ | ŏ | (w) | ŏ | Ŏ | 0 | ŏ | ŏ | ŏ | lŏ |
| Cabbage or cole slaw (1/2 cup) | TÕ | Õ | w | Ŏ | Ŏ | 0 | ŏ | ŏ | ŏ | \mathbb{H}^{\times} |
| Cauliflower (1/2 cup) | Ŏ | Ŏ | w | ŏ | Ŏ | 0 | ŏ | ŏ | ŏ | |
| Brussels sprouts (1/2 cup) | Ŏ | Ŏ | Ŵ | Ŏ | Ŏ | 0 | ŏ | Ŏ | ŏ | Ηŏ |
| Carrots, raw (1/2 carrot or 2-4 sticks) | Ŏ | Ŏ | (w) | Ŏ | Ŏ | Õ | Õ | ŏ | ŏ | HX |
| Carrots, cooked (1/2 cup) | Ŏ | Õ | (W) | ŏ | ŏ | <u></u> | ŏ | ŏ | ŏ | HÃ |
| Corn (1 ear or 1/2 cup frozen or canned) | Ŏ | Ŏ | (w) | Ŏ | ň | 6 | ŏ | ŏ | ŏ | ΗĂ |
| Peas, or lima beans (1/2 cup fresh, frozen, canned) | Ŏ | Ŏ | Ŵ | Ŏ | ŏ | <u></u> | ŏ | $\tilde{\cap}$ | $\tilde{\cap}$ | ΗĂ |
| Mixed vegetables (1/2 cup) | Ŏ | Ŏ | (w) | ŏ | Ŏ | <u></u> | Ŏ | Ŏ | Ŏ | X |
| Beans or lentils, baked or dried (1/2 cup) | Ô | Õ | (W) | Ŏ | Ŏ | 0 | ŏ | ŏ | $\tilde{}$ | ŏ |
| Yellow (winter) squash (1/2 cup) | Ŏ | Ŏ | (w) | Ŏ | ŏ | 0 | ŏ | ŏ | \sim | TĂ |
| Eggplant, zucchini, or other summer squash (1/2 cup) | Ŏ | Ŏ | w | Ŏ | Ŏ | © | Ŏ | ŏ | ŏ | Ŏ |
| Yams or sweet potatoes (1/2 cup) | 0 | \circ | (W) | 0 | \circ | (D) | 0 | | $\overline{}$ | |
| Spinach, cooked (1/2 cup) | Õ | Õ | (w) | Ŏ | Ŏ | (D) | ŏ | ŏ | ŏ | ŏ |
| Spinach, raw as in salad | Ŏ | Ŏ | w | ŏ | Ŏ | <u></u> | ă | ŏ | ŏ | ŏ |
| Kale, mustard or chard greens (1/2 cup) | Ŏ | Ŏ | (w) | ŏ | ŏ | <u>0</u> | ŏ | $\tilde{\wedge}$ | ŏ | 7 |
| Iceberg or head lettuce (serving) | ĬŎ | Ŏ | (w) | ŏ | ŏ | ŏ | ŏ | ŏ | ŏ | K |
| Romaine or leaf lettuce (serving) | TÕ | Ŏ | (W) | Ŏ | ŏ | 0 | ŏ | ŏ | ŏ l | ば |
| Celery (4" stick) | Ŏ | Ŏ | (w) | ŏ | ŏ | <u></u> | ŏ | ŏ | ŏ | K |
| Beets (1/2 cup) | TÕ | Ŏ | (W) | ŏ | Ŏ | 0 | ŏ | ŏ | ăt | K |
| Alfalfa sprouts (1/2 cup) | ΙŎΙ | ŎΙ | w | Ŏ | ŏ | 0 | ŏ | ŏl | ŏ+ | K |
| Garlic, fresh or powdered (1 clove or shake) | Ŏ | Õ | (w) | ŎΤ | ŏ | 0 | ŏ | ŏ | ŏ | 7 |

| EGGS, MEAT, ETC. | Never, or less than once per month | 1-3 per mo. | 1 per week | 2-4 per week | 5-6 per week | 1 per day | 2-3 per day | 4-5 per day | 6+ per day | |
|---|---|-------------------|------------------|--------------------|--------------------|-----------------|-------------------|-------------------|------------------|----|
| Eggs (1) | 0 | 0 | W | 0 | 0 | (D) | 0 | 0 | 0 | C |
| Chicken or turkey, with skin (4-6 oz.) | 0 | 0 | W | 0 | Ō | 0 | Õ | Ŏ | Õ | 10 |
| Chicken or turkey, without skin (4-6 oz.) | 0 | 0 | W | Ō | Ō | (D) | Õ | Ŏ | Õ | Ĉ |
| Bacon (2 slices) | | 0 | W | 0 | Ō | 0 | Ô | Õ | Ŏ | C |
| Hot dogs (1) | 0 | 0 | W | 0 | 0 | (D) | Ō | Õ | Ô | |

Please go to page 3

BEVERAGES

Hawaiian Punch, lemonade, or other non-carbonated fruit drinks (1 glass, bottle, can) 0 0 0 W 0 **(** $\overline{\circ}$ 0 0 Decaffeinated coffee (1 cup) 00000 00000 00000 00000 Coffee (1 cup) 00000 8888 00000 00000 00000 Tea (1 cup), not herbal teas Beer (1 glass, bottle, can) Red wine (4 oz. glass) White wine (4 oz. glass) Liquor, e.g., whiskey, gin, etc. (1 drink or shot)

Please turn to page 4

| | 000 | A. | | 2 N 2 N 1 | | | | | - | | wortaw | | | |
|--|---------------------------------------|---------------------|--|------------------|--------------|----------------|------------------|------------|------------|-------------|-----------------------|----------------------|-------------|--|
| ID: | @0@ @0@ | $\odot \odot \odot$ | 90 90 | 7)(B)(| 9(0) 9(0) | D(2)(D(2)(| 3)(4)(3)(4)(| 56) 56) | (7)(8) | 90 96 | DQ(| ∮ ∂@ | ⊕ ⊚ ⊚ | 000 |
| 3. (Continued) Please fill in your | @@ | ŌŎ(| (B) | 7)(8)(| 9(0)(| ĎÕ(| ത്ത് | ക്ക | กัด | 3) <u> </u> | | 20 | ಅಅ | , West |
| average use during the past year, | | Never, | | 1 | 1 | | | 1 | T | T | TOGG | തെ | തിത | @ @(|
| of each specified food. | | or less han once | 1-3 per | 1 per | 2-4 per | 5-6 per | 1 per | 2-3 per | 4-5 per | 6+ per | | 900 | | |
| SWEETS, BAKED GOODS, MISCELLA | NEOUS P | er month | mo. | week | week | week | day | day | day | day | ക് | ลัด | 36 | 000 |
| Chocolate (bars or pieces) e.g., Hershey's, | M & M's | 0 | 0 | W | 0 | 0 | (D) | 0 | 0 | 0 | $+$ δ δ | 10 | 00 | 000 |
| Candy bars, e.g., Snickers, Milky Way, Red | eses | 0 | Ō | (w) | Ŏ | Ŏ | 0 | Ŏ | ĬŎ | tŏ | | | | <u>Ŏ</u> Ŏ |
| Candy without chocolate (1 oz.) | | Ō | Ō | W | Ŏ | Ŏ | ₀ | Ŏ | ŏ | Ĭŏ | TKA | SS. | 88 | 900 |
| Cookies, home baked (1) | | 10 | 0 | w | Õ | Õ | 0 | Õ | Ŏ | Ŏ | 100 | 000 | 88 | 000 |
| Cookies, ready made (1) | | Ō | Ō. | W | Ŏ | Ŏ | 0 | ŏ | Ŏ | ŏ | | | | <u>ത്ത</u> |
| Brownies (1) | | O | Ô | (w) | Ŏ | Õ | (b) | ŏ | ŏ | ñ | 186 |) (A) | ക്ക | 000 |
| Doughnuts (1) | | 0 | 0 | (w) | Ō | Ŏ | 0 | Ŏ | Ŏ | Ŏ | T Ma | ക്ക് | ച്ച | 0 |
| Cake, home baked (slice) | | 10 | 0 | W | Ō | Ō | (D) | Ö | Ŏ | Ŏ | $+$ δ δ | າັດວັດ | 刮滿 | <u></u> |
| Cake, ready made (slice) | | 0 | 0 | W | Ō | Ŏ | 0 | ŏ | Ŏ | ŏ | Hŏlā | ١Ă، | ച്ച്ക | ŎŎĠ |
| Sweet roll, coffee cake or other pastry, home baked (serving) | | 0 | 0 | w | 0 | 0 | 0 | Ŏ | Ŏ | Ŏ | O |)@(| 2)(O | 000 000 |
| Sweet roll, coffee cake or other pastry, ready made (serving) | · · · · · · · · · · · · · · · · · · · | 0 | 0 | w | 0 | 0 | 0 | 0 | 0 | 0 | |)(4)(| 4) (A) | 900 900 900 |
| Pie, homemade (slice) | | 0 | 0 | W | 0 | 0 | ① | 0 | 0 | 0 | 06 | | 100 | (1) (1) (1) (1) (1) (1) (1) (1) (1) (1) |
| Pie, ready made (slice) | | Ō | Ŏ | w | Ŏ | Ŏ | © | ŏ | ŏ | ŏ | | | | DO 7 |
| Jams, jellies, preserves, syrup, or honey (1 | Tbs) | 0 | 0 | W | Ō | Ō | 0 | Ŏ | Õ | Õ | ŎĞ | $\widetilde{\omega}$ | (a) | <u>.</u> |
| Peanut butter (Tbs) | | 0 | 0 | W | O | Ō | 0 | Ŏ | Ŏ | Õ | | | | 999 |
| Popcorn (1 cup) | | 0 | 0 | W | 0 | 0 | 0 | Ō | Ŏ | Ŏ | 06 | (a) | ala) | 000 |
| Nuts (small packet or 1 oz.) | | 0 | 0 | W | O | Ō | (D) | Ŏ | Ŏ | Ŏ | TÕM | ത്ര് | n(a)(r | ŎŎĞ |
| Bran, added to food (1 Tbs) | | 0 | O | W | 0 | 0 | 0 | 0 | Ō | Õ | | | | 200 |
| Wheat germ (1 Tbs) | | 0 | 0 | W | 0 | 0 | 0 | 0 | Ō | Ō | | | | <u></u> |
| | Chowder or cream soup (1 cup) | | 0 | W | 0 | 0 | 0 | 0 | 0 | Ô | | | | ĐÕŒ |
| Oil and vinegar dressing, e.g., Italian (1 Tbs) | | 0 | 0 | W | 0 | 0 | 0 | 0 | 0 | 0 | | | | 66 6 |
| Mayonnaise or other creamy salad dressing (1 Tbs) | | 0 | 0 | W | 0 | 0 | 0 | 0 | 0 | 0 | | | | 906 907 |
| Mustard, dry or prepared (1 tsp) | | 0 | 0 | W | 0 | 0 | ® | 0 | 0 | 0 | | | | 900 |
| Pepper (1 shake) | | 0 | Ō | (w) | Ô | Ŏ | © | ŏ | ŏ | ŏ | | | | 900 |
| Salt (1 shake) | | 0 | 0 | (W) | Ō | Ô | (a) | Ŏ | Ŏ | Ŏ | | | | 000 |
| 4. How much of the visible fat on your meats do | | 110 | | | | | | | | | | | | ĎŎŎ |
| remove before eating? | you | 10 | . How suga | many r do yo | | | | | | | | | | D D D |
| Remove all visible fat Remove sma | li part of fat | i | beve | rages (| or food | l each | day? - | | <u></u> | t | | | | 900 |
| Remove majority Remove none | e | 11 | . What | | | | | | | | | | | (4) (A) |
| O (Don't eat me | | | of co | oking | | | | | | | | | | 966 |
| 5. What kind of fat do you usually use for frying a sautéing? (Exclude "Pam"-type spray) | ınd | L | | lly use | ? | <u> </u> | | Specif | y type | and bra | | | | (a) (b) (c) |
| | _ | 12 | What | | | | | | | | 1 | (T) |)(1) | DOO |
| Real butter Vegetable oil | O Lard | | | breakfa Idoyo | | | | | | | (9) | 88 |) (B) (| 006 |
| ■ | g | | | ly use | | | | | | | | Θ |)(1) | 000 |
| 6. What kind of fat do you usually use for baking? | | | | | | | | | | and bra | | | | (|
| 1 0 | _ | 13 | | | | | | | ods t | hat y | ou usu | ally | | (5) |
| Real butter Vegetable oil | ○ Lard | ļ | eat <u>a</u> | at leas | st onc | e per | week | ? | | | | | | (6) |
| Margarine Vegetable shortening | 9 | | Inclu | de for | examp | ole: pa | té, tor | tillas, v | east. | cream | sauce, | custa | erd. | 100 |
| 7. What form of margarine do you usually use? | | | hors | eradisi | h, pars | nips, r | hubari | o, radis | shes, f | ava be | ans, car | rrot is | uice. | (9) |
| ON ORGI OTI OTI | | | coco | nut, av | /ocado | , man | go, pa | oaya, c | dried a | pricot | s, dates | , figs | | (3) |
| None O Stick O Tub O Spread Low-calorie stick O Low-ca | | | (Do r | ot inc | lude d | ry spic | es and | do no | ot list s | someti | ing tha | ıt has | ; | 3369999 |
| How often do you eat food that is fried at home? (Exclude the use of "Pam"-type spray) | | | been listed in the previous sections.) Other foods that you usually Usual Servi use at least once per week serving size per w | | | | | | | | | ings | | |
| | | - | | use at | ieast c | once p | er wee | K | | servi | ng siza | | per v | veek |
| O Daily 0 4–6 times per | | (a) | 1 | | | | | | | | | | | |
| 1-3 times per week | e a week | | | **** | | | | | + | | | | | |
| 9. How often do you eat fried food away from hon | ne? | (b) |) | | | | | | | | | | | İ |
| (e.g., french fries, fried chicken, fried fish) | | | | | * | | | | 1 | | | | | |
| O Della | | (c) | | | | | | | | | | | | |
| O Daily O 4–6 times per | | | | | | | | | | | | 1 | | |
| 1–3 times per week Less than once | e a week | (d) | | | | | | | | | | . i | | |