

Attachment 16

Psychiatric History: Structured Clinical Interview for the DSM-IV Scoring Sheet

STRUCTURED CLINICAL INTERVIEW FOR DSM-IV-TR AXIS I DISORDERS

Non-patient Edition (November 2002)

SCID - I / NP

Michael B. First, M.D.; Robert L. Spitzer, M.D.;
Miriam Gibbon, M.S.W.; and Janet B.W. Williams, D.S.W.

Survey of Chronic Fatigue Syndrome and Chronic Unwellness in Georgia

Subject ID No.: _ _ _ _ _

ABTID

Rater: _____ Rater No.: _ _ _

Date of Interview: _ _ / _ _ / _ _ _ _
Mo. Day Year

Edited and checked by: _____

Date: _____

The development of the SCID was supported in part by NIMH Contract #278-83-0007(DB) and NIMH Grant #1 R01 MH40511. DSM-IV-TR criteria are reprinted with permission of the American Psychiatric Association.

For citation: First, Michael B., Spitzer, Robert L., Gibbon, Miriam, and Williams, Janet B.W.: "Structured Clinical Interview for DSM-IV-TR Axis I Disorders – Non-patient Edition (SCID-I/NP, 11/2002 revision)"
Biometrics Research Department
New York State Psychiatric Institute
1051 Riverside Drive - Unit 60
New York, New York 10032

Web page: <http://www.scid4.org>

© 2002 Biometrics Research Department

DX code	Diagnosis	Lifetime Prevalence				Meets Symptomatic Dx. Crit. past Month			
		Inadequate info.	Absent	Sub-Threshold	Threshold	Absent	Present		
MOOD DISORDERS									
01	Bipolar I Disorder (D. 1)	?	1	2	3	----->	1	3	NP8 NP9 NP10 NP11
	Single Manic Episode Recurrent				1 2		1 2 3 4 5	Current episode: manic mixed hypomanic major depressive unspecified	
	Without Rapid Cycling With Rapid Cycling				0 1			Neither Melancholic, Atypical, Nor catatonic Melancholic Atypical Catatonic	0 1 2 3
	W/O Seasonal Pattern With Seasonal Pattern				0 1				
	(only if not current): In Partial Remission In Full Remission				6 7		1 2 3 4 5	Current severity: mild moderate severe, without psychotic features with mood-congruent psychotic features with mood-incongruent psychotic features	NP15 NP16
02	Bipolar II Disorder (D. 2)	?	1	2	3	----->	1	3	NP17 NP18 NP19
	Without Rapid Cycling With Rapid Cycling				0 1		1 2	Current episode: hypomanic major depressive	0 1 2 3
	W/O Seasonal Pattern With Seasonal Pattern				0 1			Neither Melancholic, Atypical, Nor catatonic Melancholic Atypical Catatonic	NP20 NP21 NP22
	(only if not current): In Partial Remission In Full Remission				6 7		1 2 3 4 5	Current severity: mild moderate severe, without psychotic features with mood-congruent psychotic features with mood-incongruent psychotic features	NP23 NP24
03	Other Bipolar Disorder (D. 5)	?	1	2	3	----->	1	3	NP25 NP26 NP27
	1 2 3 4 5							Cyclothymic Disorder Intermittent hypomanic episodes Manic or hypomanic episode superimposed on Psychotic Disorder Bipolar Disorder NOS with subthreshold manic episodes Other	

DX
code **Diagnosis** **Lifetime Prevalence** **Meets Symptomatic Dx. Crit. past Month**

Inadequate info. **Absent** **Sub-Threshold** **Threshold** **Absent** **Present**

MOOD DISORDERS (continued)

04	Major Depressive Disorder (D. 6)	?	1	2	3	→	1	3	NP28 NP29 NP30 NP31 NP32 NP33 NP34
			Single Episode Recurrent		1 2		0 1 2 3	Type of current episode: Neither Melancholic, Atypical, Nor catatonic Melancholic Atypical Catatonic	
			W/O Seasonal Pattern With Seasonal Pattern		0 1				
			(only if not current): In Partial Remission In Full Remission		6 7		1 2 3 4 5	Current severity: mild moderate severe, without psychotic features with mood-congruent psychotic features with mood-incongruent psychotic features	

05	Dysthymic Disorder (current only) (A. 41)	?	1	2	3				NP35 NP36 NP37
			1 Early onset 2 Late onset						
			0 Without Atypical Features 1 With Atypical Features						

06	Depressive Disorder Not Otherwise Specified (D. 9)	?	1		3	→	1	3	NP38 NP39 NP40
			1 Postpsychotic Depressive Disorder of Schizophrenia 2 Major Depressive Episode superimposed on a Psychotic Disorder 3 Premenstrual dysphoric disorder 4 Minor depressive disorder 5 Recurrent brief depressive disorder 6 Other						

07	Mood Disorder Due to A General Medical Condition (A. 44) Specify GMC: _____	?	1		3	→	1	3	NP41 NP42 NP42SP NP43
			1 With major depressive-like episode 2 With depressive features 3 With manic features 4 With mixed features						

08	Substance-Induced Mood Disorder (A. 46) Specify Substance: _____	?	1		3	→	1	3	NP44 NP45 NP45SP NP46
			1 With depressive features 2 With manic features 3 With mixed features						

PSYCHOTIC SYMPTOMS

09	Primary Psychotic Symptoms (not part of Mood Disorder) (B/C. 4)	?	1	2	3	→	1	3	NP47 NP48
----	---	---	---	---	---	---	---	---	--------------

DX code	Diagnosis	Lifetime Prevalence				Meets Symptomatic Dx. Crit. past Month			
		Inadequate info.	Absent	Abuse	Depen- dence	Absent	Present		
SUBSTANCE USE DISORDERS (Abuse/Dependence)									
17	Alcohol (E. 3/E. 6)	?	1	2	3	→	1	3	NP49 NP50
18	Substance (non-alcohol) (E. 12/E. 15)	?	1	2	3	→	1	3	NP51 NP52

DX code	Diagnosis	Lifetime Prevalence				Meets Symptomatic Dx. Crit. past Month			
		Inadequate info.	Absent	Sub-Threshold	Threshold	Absent	Present		
ANXIETY DISORDERS									
26	Panic Disorder (F. 3) 1 without Agoraphobia 2 with Agoraphobia	?	1	2	3	>	1	3	NP67 NP68 NP69
27	Agoraphobia without History of Panic? Disorder (AWOPD) (F. 9)		1	2	3	>	1	3	NP70 NP71
28	Social Phobia (F. 14)	?	1	2	3	>	1	3	NP72 NP73
29	Specific Phobia (F. 18)	?	1	2	3	>	1	3	NP74 NP75
30	Obsessive Compulsive (F. 23)	?	1	2	3	>	1	3	NP76 NP77
31	Posttraumatic Stress (F. 29)	?	1	2	3	>	1	3	NP78 NP79
32	Generalized Anxiety (current only) (F. 34)	?	1	2	3				NP80
33	Anxiety Disorder Due To a General Medical Condition (F. 37) Specify GMC: _____ 1 With Generalized Anxiety 2 With Panic Attacks 3 With Obsessive-Compulsive Symptoms	?	1		3	>	1	3	NP81 NP82 NP82SP NP83
34	Substance-Induced Anxiety Disorder (F. 39) Specify Substance _____ 1 With Generalized Anxiety 2 With Panic Attacks 3 With Obsessive-Compulsive Symptoms 4 With Phobic Symptoms	?	1		3	>	1	3	NP84 NP85 NP85SP NP86
35	Anxiety Disorder NOS (F. 40)	?	1		3	>	1	3	NP87 NP88

DX code	Diagnosis	Lifetime Prevalence				Meets Symptomatic Dx. Crit. past Month		
		Inadequate info.	Absent	Sub-Threshold	Threshold	Absent	Present	
SOMATOFORM DISORDERS								
39	Hypochondriasis (current only) (G. 9)	?	1	2	3			NP92
EATING DISORDERS								
41	Anorexia Nervosa (H. 2)	?	1	2	3	----->	1	3 NP94 NP95
42	Bulimia Nervosa (H. 5)	?	1	2	3	----->	1	3 NP96 NP97
43	Binge Eating Disorder (H. 7)	?	1	2	3	----->	1	3 NP98 NP99
44	ADJUSTMENT DISORDER (current only) (I. 2)	?	1	2	3			NP100
45	OTHER DSM-IV AXIS I DISORDER: Specify: _____	?	1	2	3	----->	1	3 NP101 NP102 NP102SP

DSM-IV Axis V: Global Assessment of Functioning Scale

Consider psychological, social, and occupational functioning on a hypothetical continuum of mental health-illness. Do not include impairment in functioning due to physical (or environmental) limitations

CODE (Note: Use intermediate codes when appropriate, e.g., 45, 68, 72).

NP105

- | | |
|--|--|
| 100

91 | Superior functioning in a wide range of activities, life's problems never seem to get out of hand, is sought out by others because of his many positive qualities. No symptoms. |
| 90

81
80

71
70

61
60

51 | Absent or minimal symptoms (e.g., mild anxiety before an exam); good functioning in all areas, interested and involved in a wide range of activities, socially effective, generally satisfied with life, no more than everyday problems or concerns (e.g., an occasional argument with family members). |
| 70

61
60

51 | If symptoms are present, they are transient and expectable reactions to psychosocial stressors (e.g., difficulty concentrating after family argument); no more than slight impairment in social, occupational, or school functioning (e.g., temporarily falling behind in school work). |
| 50

41 | Some mild symptoms (e.g., depressed mood and mild insomnia) OR some difficulty in social, occupational, or school functioning (e.g., occasional truancy, or theft within the household), but generally functioning pretty well, has some meaningful interpersonal relationships. |
| 40

31
30

21 | Moderate symptoms (e.g., flat affect and circumstantial speech, occasional panic attacks) OR moderate difficulty in social, occupational, or school functioning (e.g., few friends, conflicts with peers or coworkers). |
| 30

21 | Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job). |
| 20

11
10

1
0 | Some impairment in reality testing or communication (e.g., speech is at times illogical, obscure, or irrelevant) OR major impairment in several areas, such as work or school, family relations, judgment, thinking, or mood (e.g., depressed man avoids friends, neglects family, and is unable to work; child frequently beats up younger children, is defiant at home, and is failing at school). |
| | Behavior is considerably influenced by delusions or hallucinations OR serious impairment in communication or judgment (e.g., sometimes incoherent, acts grossly inappropriately, suicidal preoccupation) OR inability to function in almost all areas (e.g., stays in bed all day; no job, home, or friends). |
| | Some danger of hurting self or others (e.g., suicide attempts without clear expectation of death, frequently violent, manic excitement) OR occasionally fails to maintain minimal personal hygiene (e.g., smears feces) OR gross impairment in communication (e.g., largely incoherent or mute). |
| | Persistent danger of severely hurting self or others (e.g., recurrent violence) OR persistent inability to maintain minimal personal hygiene OR serious suicidal act with clear expectation of death. |
| | Inadequate information. |