

### Appendix III: References

- <sup>1</sup> International Life Sciences Institute Research Foundation & Risk Science Institute (2005). Achieving continuous improvement in reductions in foodborne listeriosis – a risk-based approach. *Journal of Food Protection*, 68, 1932-94.
- <sup>2</sup> MacDonald, P.D.M., Whitwam, R.E., Boggs, J.D., MacCormack, J.M., Anderson, K.L., Reardon, J.W. et al. (2005). Outbreak of listeriosis among Mexican immigrants as a result of consumption of illicitly produced Mexican-style cheese. *Clinical Infectious Diseases*, 40, 677-82.
- <sup>3</sup> Ogunmodede, F., Jones, J.L., Scheffel, J., Kirkland, E., Schulkin, J., Lynfield, R. (2005). Listeriosis prevention knowledge among pregnant women in the USA. *Infectious Diseases in Obstetrics and Gynecology*, 13, 11-15.
- <sup>4</sup> Kendall, P., Medeiros, L.C., Hillers, V., Chen, G., & DiMascola, S. (2003). Food handling behaviors of special importance for pregnant women, infants and young children, the elderly, and immune-compromised people. *Journal of the American Dietetic Association*, 103, 1646-49.
- <sup>5</sup> Athearn, P.N., Kendall, P.A., Hillers, V., Schroeder, M., Bergmann, V., Chen, G. et al. (2004). Awareness and acceptance of current food safety recommendations during pregnancy. *Maternal and Child Health Journal*, 8, 149-162.
- <sup>6</sup> Cates, S.C., Carter-Young, H.L., Conley, S., O'Brien, B. (2004). Pregnant women and listeriosis: preferred educational messages and delivery mechanisms. *Journal of Nutrition Education and Behavior*, 36, 121-7.
- <sup>7</sup> Bondarianzadeh, D. (2007). Food risk to babies: listeriosis. *Nutrition Today*, 42, 235-238.
- <sup>8</sup> Rungan, S., & Badkar, G. (2005). *Listeria* – how much do pregnant women really understand about it? *The New Zealand Medical Journal*, 118, 1-3. Retrieved 9-17-07 from <http://www.nzna.org.nzjournal/118-1225/1745/content.pdf>
- <sup>9</sup> Trepka, M.J., Newman, F.L., Dixon, Z., Huffman, F.G. (2007). Food safety practices among pregnant women and mothers in the Women, Infants, and Children Program, Miami, Florida. *Journal of Food Protection*, 70, 1230-1237.
- <sup>10</sup> FDA, USDA, & CDC. (2003). Quantitative assessment of relative risk to public health from foodborne *Listeria monocytogenes* among selected categories of ready-to-eat foods. Retrieved 10-1-06 from <http://www.foodsafety.gov/~dms/lmr2-toc.html>
- <sup>11</sup> Borra, S., Kelly, L., Tuttle, M., Neville, K. (2001). Developing actionable dietary guidance messages: dietary fat as a case study. *Journal of the American Dietetics Association*, 101, 678-84.
- <sup>12</sup> Fitzgibbon, M., Gans, K.M., Evans, D.W., Viswanath, K., Johson-Taylor, W.L., Krebs-Smith, S.M., et al., (2007). Communicating healthy eating: lessons learned and future directions. *Journal of Nutrition Education and Behavior*, 39 Suppl, S61-9.
- <sup>13</sup> Vardeman, J.E. & Aldoory, L. (2008). A qualitative study of how women make meaning of contradictory media messages about the risks of eating fish. *Health Communication*, 23, 282-291.
- <sup>14</sup> Centers for Disease Control and Prevention (2008). Preliminary FoodNet data on the incidence of infection with pathogens transmitted commonly through food – 10 states, 2007. *Morbidity & Mortality Weekly Report*, 57, 366-370.
- <sup>15</sup> Miles, S., Frewer, L.J. (2001). Investigating specific concerns about different food hazards. *Food Quality and Preference*, 12, 47-61.