Form Approved: OMB NO. \_\_\_\_\_ Exp. Date \_\_\_\_\_

This survey asks for information on your knowledge, attitudes and practices about diagnosis, treatment and prevention of Fetal Alcohol Syndrome (FAS) and other prenatal alcohol-related disorders. Please answer the questions by circling the number of the appropriate response or by filling in the blanks. (Pediatricians)

**1.** During a typical work week, what proportion of your time do you spend in the following professional activities? *If you do not spend any time in a particular activity, please indicate this by entering zero (0) hours in the appropriate space.* 

Activity:	%Hours:
Direct patient care (self-employed) Direct patient care (other than self-employed)	
Administration	
Research	·
Other	
TOTAL	<u>100%</u>

**1a. Are you currently in a pediatric residency training program?** Yes.....1 No.....2

The following questions are for pediatricians who provide some DIRECT PATIENT CARE. If you do NOT provide direct patient care, please check this box and go to Q# 22

#### GENERAL KNOWLEDGE

2. What would you estimate the overall prevalence of Fetal Alcohol Syndrome in the United States to be?

1 in 10 1 in 100	1 in 1,000	1 in 10,000	1 in 100,000
------------------	------------	-------------	--------------

Public reporting burden of this collection of information is estimated to average 25 minutes, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-0692)

**3.** Please check which of the two statements below corresponds most closely with your personal viewpoint. Please pick only ONE box.

Occasional consumption of alcohol (one drink per day or less) during pregnancy	Pregnant women or women planning to become pregnant should completely
pregnancy is not harmful to the mother or fetus.	abstain from consuming alcohol. <b>(Skip to Question #3)</b>
I believe that occasional alcohol consumption i pregnancy, (check all that apply):	s safe during the following trimesters of
1 <sup>st</sup> trimester 2 <sup>nd</sup> trim	nester 3 <sup>rd</sup> trimester

**4.** In your opinion, how many drinks per week can a pregnant woman consume without risk of adverse pregnancy outcomes? (Circle your answer)

I															
	Δ	1	2	2	1		C	7	0	Ω	10	11	17	17	14+
	U			.5	4	5	n		0	9	10		12	1.5	14+1
	•	-	_	0	•	-			0	0				10	- ·
1															

**5.** In your opinion, how many drinks per occasion can a pregnant woman consume without risk of adverse pregnancy outcomes? (<u>Circle your answer</u>)

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14

### 6. Please indicate whether you agree or disagree with the following statements:

	Agree	Disagree	Don't Know
FAS occurs at similar rates in all socioeconomic groups of society	1	2	3
FAS occurs at similar rates among all cultures and ethnic groups	1	2	3

7. Please indicate whether you agree or disagree with the following statements:

	Agree	Disagree	Don't Know
Alcohol's effect on fetal development remains unclear	1	2	3
Prenatal alcohol exposure is a significant risk factor for permanent brain damage	1	2	3
Alcohol withdrawal in a baby at birth is the worst outcome of prenatal alcohol exposure	1	2	3


Young adults with FAS usually achieve successful independence at the expected time (18 to 21 years)	1	2	3
Early diagnosis and ongoing surveillance of FAS may lead to implementation of secondary prevention of disabilities	1	2	3

### 8. Do you consider any of the following problems to be associated with Fetal Alcohol Syndrome?


	Yes	No	Don't Know	
Infantile withdrawal symptoms	1	2	3	
Delayed development	1	2	3	
Birth defects/malformations	1	2	3	
Psychiatric disorders (DSM-IV criteria)	1	2	3	
Lowered IQ/retardation	1	2	3	
		continued next page		

	Yes	No	Don't Know
Behavioral problems	1	2	3
Low birth weight	1	2	3
Long term emotional disorders	1	2	3
Addictions	1	2	3
Legal problems	1	2	3
Attention deficit hyperactivity disorder	1	2	3

# **9.** Which of the following are included in the facial dysmorphia associated with Fetal Alcohol Syndrome? (Check all that apply)



### 10. It is easiest to diagnose FAS at what age?



11. Please indicate whether you agree or disagree with the following statement.

	Agree	Disagree	Don't Know
Making a diagnosis of FAS stigmatizes the child and family	1	2	3

Please consider your own practice over the past 5 years when answering the following questions. If you do not provide direct patient care, please check the box and proceed to Q# 22

# **DIAGNOSIS & TREATMENT**

12. Do you provide advice and education on the consequences of alcohol use during pregnancy to your adolescent female patients? (Check ONE box)



#### 13. During the past 12 months, how many patients have you... (if none, enter "0")


	Number of patients in past 12 months
suspected as having FAS?	
recognized as having FAS?	
diagnosed as FAS?	
referred to confirm a diagnosis of FAS?	
provided care for FAS?	

#### 14. Do you make use of published diagnostic criteria for FAS in your practice?

Yes.....1 No.....2

#### If yes, which one of the following do you use?

# 15. Many providers do not make the diagnosis of FAS in their practice. Please indicate which of the following factors may contribute to this situation. (Please select all that apply)



# TRAINING/PERCEIVED COMPETENCE/PERCEIVED NEEDS

16. Do you recall receiving any formal training in the following FAS competencies and if so, indicate where you received this training:

	NO	Medical School	Post-grad (residency)	CME (received credit)	Other	
Ability to recognize the constellation of features associated with FAS and other alcohol-related effects						
continued on next page						

		YES			
	NO	Medical School	Post-grad (residency)	CME (received credit)	Other
Understanding of the basic					
biomedical mechanisms that result in					
FAS					
Ability to select valid and reliable					
assessment instruments to screen					
for/diagnose FAS and other alcohol- related disorders					
Ability to identify risk factors and					
interventions for secondary FAS					
disabilities					
Ability to plan and perform clinically					
relevant treatment and management					
plans to assist and aid both the					
patient with FAS and their families					
When appropriate, be able to make a					
referral for further workup in a child					
with FAS					
Appreciation and ability to use					
interdisciplinary team evaluations for individuals with FAS					
Ability to assist clients in accessing					
local FAS-related resources,					
including family support					
Utilization of techniques for					
effectively communicating					
information to individuals with FAS,					
their family members, and care					
providers					
Demonstration of the ability to					

provide ethical protections to the patient with FAS regarding confidentiality and autonomy		
Ability to educate pregnant women about the effects of alcohol on their babies		
Ability to screen women for risky or hazardous drinking		
Ability to conduct alcohol cessation brief interventions		

17. If you have received any formal training on FAS in any venue (medical school, residency, CME), overall, would you say that training was:



18. In general, how prepared do you feel to:

	Very Prepared	Somewhat Prepared	Somewhat Unprepared	Very Unprepared
Identify children with possible				
FAS or other alcohol-related				
disorders				
Diagnose children with FAS and				
other alcohol-related disorders				
Manage/coordinate the treatment				
of children with FAS and other				
alcohol-related disorders				

**19.** Please rate how helpful the following kinds of materials or supports would be to you in your clinical practice.

	Very Helpful	Somewhat Helpful	Not Very Helpful	Not At All Helpful
Concise provider and staff information on				
prevention, diagnosis, and intervention on				
FAS and other alcohol-related disorders				
Patient education materials on the impact of				
alcohol use during pregnancy on children				
Clinical guidelines for best practices for				
diagnosis of FAS and other alcohol-related				
disorders				
Registry of specialists available for				
consultation about FAS and other alcohol-				
related disorders				
Listing of community-based resources for				
children with FAS				
Materials for office practice including FAS				
screening and referral checklists and pocket				
reminders of diagnostic criteria				


20. What mechanisms would be most helpful to you for receiving training on FAS prevention, diagnosis, and intervention? (Check all that apply)

	Very Helpful	Somewhat Helpful	5	Not At All Helpful
Regional Conferences (CME)				
Internet-based learning opportunities				
On-site training for myself and colleagues				
Self-study materials (eg, CD-ROM, videos)				

21. Please indicate whether the following types of FAS-related training and educational materials are available in the community where you practice, and whether these resources are helpful, or would be helpful if they became available.

	Available	Not Available	Very Helpful	Somewhat Helpful	Not Very Helpful	Not At All Helpful
Regional Conferences						
(CME)						
Internet-based learning						
opportunities						
On-site training for						
myself and colleagues						
Self-study materials (eg,						
CD-ROM, Videos)						

#### BACKGROUND INFORMATION



**25.** Please check this box if you identify yourself as Hispanic/Latino. This question is optional, but important to the survey.



**26.** With what racial group do you identify yourself? (Mark all that apply) This question is optional, but important to the survey.

White	Asian
	American Indian/Alaska Native
African American	Native Hawaiian/Pacific Islander
27. What is your age?	
28. Years in practice:	
29. Do you consider your primary employment	t location to be: Circle ONE response



Urban not inner city

Suburban

## 30. In what area of interest do you spend most of your time?



General pediatrics

Subspecialty area (specify)\_\_\_\_\_

Some questions from this survey were taken from:

Clarke M, Tough SC. A National Survey Regarding Knowledge and Attitudes of Health Professionals About Fetal Alcohol Syndrome. Health Canada Final Report, January 2003.

Shane T. Diekman, et al. A Survey of Obstetrician-Gynecologists on Their Patient's Alcohol Use During Pregnancy. ACOG. Vol 95, Number 5: 756-763. May 2000