GENERAL INSTRUCTIONS FOR COMPLETING THE HIV TEST FORM

- This form is designed to be read by an Optical Character Recognition (OCR) scanner. The legibility of this form depends on the quality of the hand-written and selected information.
- Carefully separate the sheets at the perforations. If the form tears, it may not be readable by the scanner or operator.
- Each part has a top sheet and a bottom carbonless copy. The top copy (white) is the only sheet that should be scanned. The bottom copy (yellow) should **NOT** be scanned; rather it should be used for record keeping purposes.
- DO NOT use red ink. Blue or black ink is preferred.
- DO NOT fold, staple, wrinkle or tear form(s).
- DO NOT USE WHITE OUT. White out sometimes will cause a mis-read by the scanning software.
- DO NOT mark on the bar codes of the Form ID numbers. Marking on the Form ID numbers (barcode) may cause the wrong number to be scanned.
- DO NOT make any stray marks on the form(s), particularly in the fields where answers will appear.
- Part 1 is the only form with a pre-printed code. You must attach a form identification sticker (barcode) located on the back of the carbonless copy (yellow) to Part 2 and/or Part 3 in order to link a client's information.
 - o Part I should be used for all testing events
 - o Part 2 should be used to record referral data on confirmed HIV positive clients
 - o Part 3 is used by jurisdictions funded to collect HIV Incidence data.

RESPONSE FORMATS

There are three different response formats on the form that you will use to record data: (1) text boxes, (2) check boxes, and (3) radio buttons. Instructions for each one of these formats are listed below.

Text boxes

Text boxes are used to record handwritten information (e.g., codes, dates). When writing letters or numbers in the boxes:

- use all capital letters and write neatly in your best penmanship. DO NOT use cursive.
- put only 1 letter or number per box and DO NOT have any part of the letter or number touch the edges of the box.

Here are examples of how to write letters and numbers:

LETTERS

A,B,C,D,E,F,G,H,I,J,K,L,M,N,O,P,Q,R,S,T,U,V,W,X,Y,Z

NUMBERS

0,1,2,3,4,5,6,7,8,9

Check boxes

Check boxes are used to select all options that apply. For example, check boxes are used to record information about "Race."

- use an "X" instead of a check mark because the tail of the check mark might run over into another box.
- keep the "X" within the edges of the box.

Radio buttons

Radio buttons are ovals used to select only one option from among two or more options. For example, radio buttons are used to select "Current Gender." When selecting an option using a radio button:

- fill in the oval completely.
- DO NOT mark over area of the oval.



Printed Barcode

HIV TEST_FORM

PART 1



Form Approved: OMB No. 0920-0696, Exp. Date: 08/31/2010

	Date (MMDDYYYY) Unique	e Agency ID Number	Intervention ID
Site ID			
Site ID		Site Type	Site Zip Code
		(See codes on reverse)	
	Client ID	Date of Birth (MMDDYYYY) St	ate County Zip Code
	hnicity Race — Check all that app		
Hispan Not His Don't k Decline	panic or Latino	○ Transgender – F2M ○ Dec	Positive Indeterminate Negative Don't know Prelim. Pos. Declined Not asked Provide date of last test (MMYYYY)
Sample Date (MMDDYYYY)			
Worker ID			
Test Election	Tested anonymously Tested confidentially Declined testing	Tested anonymously Tested confidentially Declined testing	Tested anonymously Tested confidentially Declined testing
Test Technology	Conventional Rapid HIV TEST 1 Other	Conventional HIV TEST 2 Other	Conventional Rapid HIV TEST 3 Other
Specimen Type	Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine	Blood: finger stick Blood: venipuncture Blood spot Orai mucosal transudate Urine	Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine
Test Result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result
Result Provided	Yes No	Yes No	◯ Yes ◯ No
Date Provided (MMDDYYYY)			
If results not provided, why?	Declined notification Did not return/Could not locate Obtained results from another agency	Declined notification Did not return/Could not locate Obtained results from another agency	Declined notification Did not return/Could not locate Obtained results from another agency
If rapid reactive, did client provide confirmatory sample?	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other
Choose one	if: Client was not asked about risk factor	s Client was asked, but no risk was identifi	led Client declined to discuss risk factors
If client risk factor information was discussed, please mark all that apply:			
v v	months has client had:without using a lor Anal Sex Oral Sexwith person who is Mwith person who is Mwith person who is M	is an IDU? Has client used injection past 12 months? SM? (Female Only) Did client share do	on drugs in
	Session Activity Local Use Fields CDC Use Fields		
During this visit for the client?	was a risk reduction plan developed Ye Other Session Activities (see codes on reverse	es No L1	C1
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		

Public reporting burden of this collection of information is estimated to average 8 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless if displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Cliffon Road NE, MS D-79, Atlanta, Georgia 30333; ATTN: PRA 0920-0696.

WHITE COPY = Scan

YELLOW COPY = Record Keeping

CDC 50.135a (E), 10/2007



Printed Barcode

HIV TEST FORM PART 1



Form Approved: OMB No. 0920-0696, Exp. Date: 0\$/31/2010

	Date (MMDDYYYY) Unique	Agency ID Number	Intervention ID
Site ID		Site Type	Site Zip Code
	Client ID	(See codes on reverse) Date of Birth (MMDDYYYY) Sta	ate County Zip Code
	Olichero		
Eth	nicity Race — Check all that app		
Hispanic Not Hisp Don't kn Declined	anic or Latino Asian OW Risek/African American	Male Yes Female No Transgender – M2F Transgender – F2M Not	lined Not asked 7
Sample Date (MMDDYYYY) Worker ID			
Test Election	Tested anonymously Tested confidentially Declined testing	Tested anonymously Tested confidentially Declined testing	Tested anonymous Tested conflice. "at y Declined to ting
Test Technology	Conventional Rapid HIV TEST 1 Other	Conventional HIV TEST 2 Other	Repid HIV TEST 3
Specimen Type	Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine	Blood: finger stick Blood: venipuncture Blood spot Oral mucosalt assuda Urine	Blood: finger stick Blood: venipuncture Blood spot Oral mucosal transudate Urine
Test Result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result	Pos ive/Read ve Indeterminate NAA 1-pos Invalid No result	Positive/Reactive Indeterminate NAAT-pos Invalid Negative No result
Result Provided	○ Yes ○ No	○ Y ○ No	Yes No
Date Provided (MMDDYYYY)			
If results not provided, why?	Declined in diffication Did not refun/Could of ocate Obtained results from another agency	Declined notification Did not return/Could not locate Obtained results from another agency	Declined notification Did not return/Could not locate Obtained results from another agency
If rapid reactive, did client provide confirmatory sample?	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other	Yes Client declined confirmatory test Did not return/Could not locate Referred to another agency Other
Choose one	if: Client was not asked about risk factor	s Client was asked, but no risk was identi	fied Client declined to discuss risk factors
O	If client risk factor information in the client had: In Anal Sex Oral Sexwith person whowith person whowith person who is Hi	is an IDU? Has client used inject past 12 months?	other Risk Factor(s) tion drugs in if marked
During this visit for the dient?	Session Activity , was a risk reduction plan developed Other Session Activities (see codes on revers	L7	Fields CDC Use Fields


	Client Identifying	Data (Optional)
Name:			
Address:_			
Phone: _	Other:		
odes for S	Site Type	F02.88	Outpatient Facility- Other
01	Inpatient Pacifity	F02.99	Outpatient Facility- Unknown
01.01	Inpatient Hospital	P03	Emergency Room
01.50	Inpatient- Drug / Alcohol Treatment	F04.01 F04.05	Blood Bank, Plasma Center HIV Counseling and Testing Site
01.88 01.99	In patient Facility- Other Inpatient Facility- Unknown	F06	Community Setting
11.99	Outpailent facility	F06.01	Community Setting - AIDS Service Organization - non cli
2.03	Outpatient- Private Medical Practice	P06.02	Community Setting - School/Education Facility
2.04	Outpatient- HIV Specialty Clinic	F06.03	Community Setting - Church/Mosque/Synagogue/Temple
2.10	Outpatient- Prenatal/ OBGYN Clinic	F06.04	Community Setting - Shelter/Transitional housing
2.12	Outpatient- TB Clinic	F06.05 F06.06	Community Setting - Commercial Community Setting - Residential
12.12 12.19	Outpatient- Drug / Alcohol Treatment Clinic Outpatient- Family Planning	F06.07	Community Setting - Residential Community Setting - Bar/Club/Adult Entertainment
2.20	Outpatient- Community Mental Health	P06.08	Community Setting - Public Area
2.30	Outpatient- Community Health Clinic	P06.09	Community Setting - Workplace
2.58	Outpatient-School/University Clinic	F06.10	Community Setting - Community Center
2.60	Outpatient- Health Department/Public Health Clinic	F06.88	Community Setting - Other
2.61	Outpatient- Health Department/Public Health Clinic-HIV	F07 F88	Correctional Facility Facility — Other
2.62	Outpatient- Health Department/Public Health Clinic-STD	1.00	racinity - Onioi
des for	Other Risk factor(s) Exchange sex for drugs/money/or something they need		
	While intoxicated and/or high on drugs		
5	With person of unknown HIV status		
	With person who exchanges sex for drugs/money		
	With anonymous partner		
)	With person who has hemophilis or transfusion/transplant recipient Sex with transgender		
orles for	Other Session Activities		
3.00	HIV Testing	10.07	Practice - Partner notification
.00	Referral	10.66	Practice - Other
5,00	Personalized Risk assessment	11.01	Discussion - Sexual risk reduction
.00	Elicit Partners	11.02	Discussion – IDU risk reduction
7.00 · 3.01	Notification of exposure Information – HIV/AIDS transmission	11.03 11.04	Discussion - HIV testing Discussion - Other sexually transmitted diseases
3.02	Information-Abstinence/postpone sexual activity	11.05	Discussion - Disclosure of HIV status
3.03	Information-Other sexually transmitted diseases	11.06	Discussion - Pariner notification
3.04	Information-Viral hepatitis	11.07	Discussion - HIV medication therapy adherence
3.05	Information - Availability of HIV/STD counseling and testing	11.08	Discussion - Abstinence/postpone sexual activity
3.06	Information-Availability of partner notification and referral	11.09	Discussion – IDU risk free behavior
0.07	services	11.10 11.11	Discussion – HIV/AIDS transmission Discussion – Viral hepatitis
3.07 3.08	Information - Living with HIV/AIDS Information - Availability of social services	11.11	Discussion - Living with HIV/AIDS
8.09	Information - Availability of medical services	11.13	Discussion - Availability of HIV/AIDS counseling testing
8.10	Information - Sexual risk reduction	11.14	Discussion - Availability of partner notification and referral
3.11	Information - IDU risk reduction		services
8.12	Information - IDU risk free behavior	11.15	Discussion - Availability of social services
3.13	Information - Condom/parrier use	11.16	Discussion - Availability of medical services
3.14	Information – Negotiation / Communication Information – Decision making	11.17 11.18	Discussion - Condon/barrier use Discussion - Negotiation / Communication
8.15 8.16	Information - Disclosure of HIV status	11.19	Discussion - Decision making
8.17	Information - Providing prevention services	11.20	Discussion - Providing prevention services
B. 18	Information - HIV testing	11.21	Discussion - Alcohol and drug use prevention
.19	Information - Partner notification	11.22	Discussion - Sexual health
3.20	Information - HIV medication therapy adherence	11.23	Discussion - TB testing
3.21	Information - Alcohol and drug use prevention	11.66	Discussion - Other
1.22	Information - Sexual health	12.01 12.02	Other testing - Pregnancy
1.23 1.66	Information – TB testing Information – Other	12.02	Other testing - STD Other testing - Viral hepatitis
0.00	Demonstration - Condom/barrier use	12.03	Other testing - Viral hepatitis Other testing - TB
0.02	Demonstration – IDU risk reduction	13.01	Distribution - Male condoms
0.03	Demonstration - Negotiation / Communication	13.02	Distribution - Female condoms
9.04	Demonstration - Decision making	13.03	Distribution - Safe sex kits
0.05	Demonstration - Disclosure of HIV status	13.04	Distribution - Safer injection / bleach kits
9.06	Demonstration - Providing prevention services	13.05	Distribution - Lubricants
9.07	Demonstration – Partner notification Demonstration – Other	13.06 13.07	Distribution – Education materials Distribution – Referral lists
9,66 3,01	Practice - Condom/barrier use	13.08	Distribution - Role model stories
0.02	Practice - IDU risk reduction	13.66	Distribution - Other
0.03	Practice - Negotiation / Communication	14.01	Post-intervention follow up
0.04	Practice - Decision making	14.02	Post-intervention booster session
0.05	Practice - Disclosure of HTV status	15.00	HIV Testing History Survey
0.06	Practice - Providing prevention services	88	Other

Form ID stickers (n=8)



Place Barcode Sticker Here

HIV TEST FORM PART 2





	CDC requires the following infor	mation on confirmed positives
L	Was client referred to medical care? ☐ Yes ☐ Yes ☐ If yes, did client attendation appointment?	d the first Yes 7
	○ No	
	Was client referred to HIV Prevention services?	
<u>s</u>	○ No	
Referra	Was client referred to PCRS?	
œ		_
	○ NO	
	If female, is client pregnant? Yes ————————————————————————————————————	If no, was client referred for prenatal care? Yes How prenatal care appointment? Yes Yes No Yes Don't know
	Local	Use Fields
L3 L4 L5 L6 L7	L8	L13
C3	CDC Use Fields C6 C7 C8 C8 C8 C8	Notes (Print Only)

Public reporting burden of this collection of information is estimated to average 8 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-79, Atlanta, Georgia 30333; ATTN: PRA 0920-0696.

WHITE COPY = Scan

VELLOW COPY = Record Keeping



Place Barcode Sticker Here

HIV TEST FORM

PART2



Form Approved: OMB No. 0920-0696, Exp. Date 08/31/2010

CDC requires the following into in	mation on confirmed positives
Was client referred to medical care? L Yes If yes, did client attend appointment? No No If no, why? Client already Client decline	○ No ○ Don't know √ in care
Was client referred to HIV Prevention services? Yes No	
Was client referred to PCRS? Yes No	
If female, is client pregnant? Yes ————————————————————————————————————	If no, was client referred for prenatal care? Yes Hyes, did client attend first prenatal care appointment? Yes No Don't know
Local L3	L13
CDC Use Fields C3	Notes (Print Only)

Public reporting burden of this collection of information is estimated to average 8 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-79, Atlanta, Georgia 30333; ATTN: PRA 0920-0696.

WHITE COPY = Scan

YELLOW COPY = Record Keeping

TIME TIME -


000



Place Barcode Sticker Here

HIV TEST FORM

PART3





	HIV Incidence
Date information collected? — (MMDDYYYY)	7
Date first positive HIV test: (MMDDYYYY)	
Has client ever tested negative?	Yes No Don't know Declined
Date last negative HIV test: (MMDDYYYY)	
Number of tests in the two ye current (or first positive) test. current (or first positive) test.	
Has client used or is client cur using antiretroviral medication (ARV)?	Alo
Date ARV began? (MMDDYYYY)	
Date of last ARV use? (MMDDYYYY)	L ,
	including the size of a surface in trustions controlling existing data sources gathering

Public reporting burden of this collection of information is estimated to average 8 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-79, Atlanta, Georgia 30333; ATTN: PRA 0920-0696.

WHITE COPY = Scan

VEILOW COPY = Record Keeping

CDC 50.135c (E), 10/2007



Place Barcode Sticker Here

HIV TEST FORM

PART3



Form Approved: OMB No. 0920-0696, Exp. Date: 08/31/2010

	HIV Incidence
Date information collected? (MMDDYYYY)	7.1
Date first positive HIV test: (MMDDYYYY)	
Has client ever tested negative?	Yes No Don't know Declined
Date last negative HIV test: (MMDDYYYY)	
Number of tests in the trib ve current (or first position) test current (or first positive itest.)	the Current (or 1st # of tests in the 2
Has client used offs client currusing antiretroviral medication (ARV)	a Sandananani I I I
Date ARV began? (MMDDYYYY)	
Date of last ARV use? (MMDDYYYY)	

Public reporting burden of this collection of information is estimated to average 8 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB Control Number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer, 1600 Clifton Road NE, MS D-79, Atlanta, Georgia 30333; ATTN: PRA 0920-0696.

WHITE COPY = Scan

YELLOW COPY = Record Keeping

CDC 50.135c (E), 10/2007

Codes for Antiretroviral (ARV) medication(s) 11 Videx (didanosine, ddl) 22 Hivid (zaleitabine, ddC) 33 Epivir (lamivudine, 3TC) 44 Zerit (stavudine, d4T) 55 Viramune (nevirapine, NVP) 66 Crixivan (indinavir, DV) 77 Norvir (ritonavir, RTV) 88 Saquinavir (Fortavase, Invirase) 99 Rescriptor (delavirdine, DLV) 10 Fuzcon (enfuvirtide, T20) 11 Emtriva (emtricitabine, FTC) 12 Viread (tenofovir DF, TDF) 13 Trizivir (abacavir/lamivudine/zidovudine) 14 Videx EC (didanosine, ddl)

- 12 Viread (tenofovir DF, TDF)
 13 Trizivir (abacavir/lamivudine/zidovudine)
 14 Videx EC (didanosine, ddl)
 15 Reyataz (atazanavir, ATV)
 16 Kaletra (lopinavir/ ritonavir)
 17 Viracept (nelfinavir, NFV)
 18 Invirase (saquinavir, SQV)
 19 Hepsera (adefovir)
 20 Ziagen (abacavir, ABC)
 21 Sustiva (efavirenz, EFV)
 22 Agenerase (anıprenavir)
 23 Hydroxyurea
 24 Combivir (lamivudine/ zidovudine)
 25 Fortovase (saquinavir, SQV)
 26 Retrovir (zidovudine, ZDV, AZT)
 27 Truvada (tenofovir DF/emtricitabine)
 28 Epzicom (abacavir/lamivudine)
 30 Aptivus (tipranavir, TPV)
 31 Lexiva (fosamprenavir, 908)
 32 Atripla (efavirenz/emtricitabine/tenofovir DF)
 38 Other
 99 Unspecified