

Transgender HIV Behavioral Survey

Attachment 11

References

References

- Abdul-Quader A, Heckathorn D, McKnight C et al. Effectiveness of respondent-driven sampling for recruiting drug users in New York City: Findings from a pilot study. *Journal of Urban Health* 2006; 83(3):459-476.
- Centers for Disease Control and Prevention (2004). Web-based Injury Statistics Query and Reporting System (WISQARS): leading causes of death reports, 1999 – 2004 [2004 reports re Hispanic/Latinos]. Available online at: <http://webapp.cdc.gov/sasweb/ncipc/leadcaus10.html>
- Centers for Disease Control and Prevention. (2007) HIV/AIDS Surveillance Report, 2005 ; Vol. 17. Atlanta, GA: US Department of Health and Human Services, Centers for Disease Control and Prevention, 2007. Available online at: <http://www.cdc.gov/hiv/topics/surveillance/resources/reports/2005report/>
- Clements-Noelle, K., Marx, R., Guzman, R., & Katz, M. HIV prevalence, risk behaviors, health care use, and mental health status of transgender persons: Implications for public health interventions. *American Journal of Public Health* 2001, 91:915-921.
- Diaz RM, Ayala G, Bein E, Henne J, Marin BV. The impact of homophobia, poverty, and racism on the mental health of gay and bisexual Latino men: Findings from 3 US cities. *American Journal of Public Health* 2001; 91(6):927-932.
- Draus P, Siegal H, Carlson R, Falck R, Wang J. Cracking the cornfields: Recruiting illicit stimulant drug users in rural Ohio. *The Sociological Quarterly* 2005; 46:165-189.
- Elifson, K. W., Boles, J., Posey, E., Sweat, M., Darrow, W., & Elsea, W. (1993). Male Transvestite Prostitutes and HIV Risk. *American Journal of Public Health*, 83, 260-262.
- Gribble J.N., Miller, H.G., Rogers, S.M., Turner, C.F. Interview mode and measurements of sexual behaviors: *Methodological Issues* 1999; 36(1):16-24.
- Heckathorn D. Respondent-driven sampling: a new approach to the study of hidden populations. *Social Problems* 1997; 44(2):174-199.
- Heckathorn D. Respondent-driven sampling II: Deriving valid population estimates from chain-referral samples of hidden populations. *Social Problems* 2002; 49(1):11-34.
- Heckathorn D, Semaan S, Broadhead R, Hughes, J. Extensions of respondent-driven sampling: a new approach to the study of injecton drug users aged 18-25. *AIDS and Behavior* 2002; 6(1):55-67.
- Herbst, J., Jacobs, E. D., Finlayson, T. J., McKleroy, V. S., Neumann, M. S., & Crepaz, N. (2007) Estimating HIV prevalence and risk behaviors of transgender persons in the United States: A systematic review. *AIDS and Behavior*, (in press).
- Johnston LG, Sabin K, Mai Thu Hien, Phame Thi Houng. Assessment of respondent driven

- sampling for recruiting female sex workers in two Vietnamese cities: Reaching the unseen sex worker. *Journal of Urban Health* 2006; 83(7):i16-i28.
- Kellogg, T., Clements-Nolle, K., Dilley, J., Katz, M., & McFarland, W. (2001). Incidence of Human Immunodeficiency Virus Among Male-to-Female Transgender persons in San Francisco. *Journal of Acquired Immune Deficiency Syndromes*, 28, 380-384.
- Kulka R. The use of incentives to survey "hard to reach" respondents:a brief review of empirical research and current research practice. Seminar on New Directions in Statistical Methodology, 1995 #23, 256-289. 1995. FCSM Statistical Policy Working Papers.
- Magnani R, Sabin K, Saidel T, Heckathorn D. Review of sampling hard-to-reach and hidden populations for HIV surveillance. *AIDS* 2005; 19(Suppl 2):S67-S72.
- Mansergh G, Naorat S, Jommaroeng R et al. Adaptation of venue-day-time sampling in Southeast Asia to access men who have sex with men for HIV assessment in Bangkok. *Field Methods* 2006; 18(2):135-152.
- McFarland W, Caceres C. HIV surveillance among men who have sex with men. *AIDS* 2001; 15(Supplement 3):S23-S32.
- McKnight C, Des Jarlais D, Bramson H et al. Respondent-driven sampling in a study of drug users in New York City: Notes from the field. *Journal of Urban Health* 2006; 83(7):i54-i59.
- Murrill, C., Guilin, V., Dean, L., Liu, K., Junquera, Y., Ascencio, R. et al. (2005). HIV prevalence and risk behaviors among persons active in the New York City House Ball Community. Conference abstract presented at the National HIV Prevention Conference in Atlanta, Georgia.
- Ramirez R. R. and G. Patricia de la Cruz (2003). The Hispanic population in the United States: March 2002, Current Population Reports, P20-545, US Census Bureau, Washington DC.
- Ramirez-Valles J, Heckathorn D, Vazquez R, Diaz RM, Carlson R. From networks to populations: The development and application of respondent-driven sampling among IDUs and Latino gay men. *AIDS and Behavior* 2005; 9(4):387-402.
- Semaan S, Lauby J, Liebman J. Street and network sampling in evaluation studies of HIV risk-reduction interventions. *AIDS Reviews* 2002; 4:213-223.
- Simon, P. A., Reback, C. J., & Bemis, C. (2000). HIV prevalence and incidence among male-to-female transsexuals receiving HIV prevention services in Los Angeles County. *AIDS*, 14, 2953-2955.
- Stormer A, Tun W, Guli L et al. An analysis of respondent driven sampling with injection drug users (IDU) in Albania and the Russian Federation. *Journal of Urban Health* 2006; 83(7):i73-i82.
- Stueve A, O'Donnell L, Duran R, San Doval A, Blome J. Time-space sampling in minority

communities: Results with young Latino men who have sex with men. *American Journal of Public Health* 2001; 91(6):922-926.

Valleroy L, Mackellar D, Karon J et al. HIV prevalence and associated risks in young men who have sex with men. *JAMA* 2000; 284(2):198-204.

Wang J, Carlson R, Falck R, Siegal H, Rahman A, Li L. Respondent-driven sampling to recruit MDMA users: a methodological assessment. *Drug and Alcohol Dependence* 2005; 78(5):147-157.

Yeka W, Maibani-Michie G, Prybylski D, Colby D. Application of respondent driven sampling to collect baseline data on FSWs and MSM for HIV risk reduction interventions in two urban centres in Papua New Guinea. *Journal of Urban Health* 2006; 83(7):i60-i72.