

Attachment 6a  
Medical History Form

**Medical Monitoring Project (MMP)  
Medical Record Abstraction Form  
2008 Medical History Form (MHF)  
VERSION 3.0.0**

Public reporting burden of this collection of information is estimated to average 3 minutes per patient record pulled, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: CDC, Project Clearance Officer, 1600 Clifton Road, MS D-24, Atlanta, GA 30333, ATTN: PRA (0920-0740). Do not send the completed form to this address.

OPTIONAL - FOR LOCAL USE ONLY

<b>MMP MHF v3.0.0</b>		<b>Abstraction Facility ID:</b>	
<b>MMP Participant ID:</b>			(ID of the facility where abstraction is being conducted)
<b>Medical record number:</b>			
<b>Patient name:</b>			
<b>Patient residence:</b>			
<b>Street:</b>			
<b>City/County:</b>		<b>State:</b>	
<b>ZIP code:</b>			
<b>Physician name:</b>			





# Medical Monitoring Project (MMP) Medical Record Abstraction Form 2008 Medical History Form (MHF) v3.0.0



## I. ABSTRACTION AND IDENTIFICATION

MMP Participant ID:

Surveillance Period (SP)

SP start date:

(12 months prior to date of interview OR 1<sup>st</sup> contact attempt if no interview obtained)

SP end date:

(date of interview OR 1<sup>st</sup> contact attempt if no interview obtained)

Medical History Period (MHP)

MHP start date:

(date of first HIV care (at any facility) documented in this medical record)

First visit to this facility:

(date of first *available* visit to this facility for HIV care)

MHP end date:

(day before the SP start date)

OR

No documented care in medical records prior to SP start date

→ Complete sections I, II, and IX (documentation of the first positive HIV test result)

Abstraction Facility ID:

(ID of the facility where abstraction is being conducted)

**For the medical history period**

Abstract information on all HIV care documented in the medical records at the "Abstraction Facility" using a single MHF regardless of where the care was actually provided to the patient.

Date of abstraction:

Abstructor ID:

## II. PATIENT DEMOGRAPHICS

Date of birth:

Date not documented

If date of birth is not documented, enter documented age:

→ Enter date of this documented age:

Date not documented

Age not documented

Most recent height (ft/in) prior to the SP start date:

ft. inches

→ Enter date of this documented height:

Date not documented

Height not documented

Sex at birth:

(select one)

Male  
 Female

Not documented

Gender:

Male

Male to female

Not documented

(select one)

Female

Female to male

## II. PATIENT DEMOGRAPHICS cont'd

**Hispanic or Latino ethnicity:**  Yes, Hispanic or Latino  Not documented  
 (select one)  No, not Hispanic or Latino

**Race:** (select all that are documented)

1  Asian

2  American Indian or Alaska Native

3  Black or African American

4  Native Hawaiian or Pacific Islander

5  White

6  Other, Specify:

7  Other, Specify:

8  Other, Specify:

9  Not documented

**Country of birth:** (select one)

1  United States

2  US Dependencies/Possessions (including Puerto Rico)

3  Other, Specify:

4  Not documented

## III. MEDICAL HISTORY FORM SECTIONS - OPTIONAL

**Is there documentation of any of the following prior to the SP start date?**

Yes → Select all that are documented below.

No → This form is now complete except for optional section XIII (Remarks).

<input type="radio"/> Diagnosis of AIDS defining opportunistic illnesses (AIDS OI) → Complete section IV.	<input type="radio"/> First positive HIV test result, or laboratory test results for CD4 cell count, HIV viral load, or abnormal ALT (SGPT) or AST (SGOT) → Complete section IX.
<input type="radio"/> Prescription for prophylaxis of <i>Pneumocystis jiroveci</i> pneumonia (PCP) or <i>Mycobacterium avium</i> complex (MAC) → Complete section V.	<input type="radio"/> Testing for HIV ART resistance → Complete section X.
<input type="radio"/> Screening for hepatitis (A, B, or C), <i>Toxoplasma</i> , or tuberculosis (TB) → Complete section VI.	<input type="radio"/> Reported or suspected substance abuse, including substance abuse counseling or treatment → Complete section XI.
<input type="radio"/> Whether or not hepatitis A, B, A and B, or pneumococcal immunizations were given → Complete section VII.	<input type="radio"/> Diagnosis of anxiety, bipolar disorder, psychosis, or depression → Complete section XII.
<input type="radio"/> Prescription of antiretroviral therapy (ART) → Complete section VIII.	

## IV. AIDS DEFINING OPPORTUNISTIC ILLNESSES (AIDS OI)

**Is there documentation that any AIDS defining opportunistic illnesses (AIDS OI) were diagnosed prior to the SP start date?**

Yes → Enter all that are documented below.

No

<b>AIDS defining opportunistic illnesses (AIDS OI) prior to the SP start date</b> (select all that are documented and record dates)	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 80%; border: 1px solid black; text-align: center;"> <b>Date of first diagnosis</b>                  Mo / Year             </td> <td style="width: 20%; text-align: center;">                 Date not documented             </td> </tr> <tr> <td style="border: 1px solid black; text-align: center;"> <input type="text"/> / <input type="text"/> </td> <td style="text-align: center;"> <input type="radio"/> </td> </tr> </table>	<b>Date of first diagnosis</b> Mo / Year	Date not documented	<input type="text"/> / <input type="text"/>	<input type="radio"/>
<b>Date of first diagnosis</b> Mo / Year	Date not documented				
<input type="text"/> / <input type="text"/>	<input type="radio"/>				

<input type="radio"/> <sup>1</sup> Candidiasis, bronchi, trachea, or lungs		
<input type="radio"/> <sup>2</sup> Candidiasis, esophageal	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> / <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/> <sup>2</sup>
<input type="radio"/> <sup>3</sup> Carcinoma, invasive cervical	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> / <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/> <sup>3</sup>
<input type="radio"/> <sup>4</sup> Coccidioidomycosis, disseminated or extrapulmonary	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> / <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/> <sup>4</sup>
<input type="radio"/> <sup>5</sup> Cryptococcosis, extrapulmonary	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> / <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<input type="radio"/> <sup>5</sup>

## IV. AIDS DEFINING OPPORTUNISTIC ILLNESSES (AIDS OI) cont'd

AIDS defining opportunistic illnesses (AIDS OI) prior to the SP start date <small>(select all that are documented and record dates)</small>	Date of first diagnosis <small>Mo / Year</small>	Date not documented
<input type="radio"/> 6 Cryptosporidiosis, chronic intestinal (>1 month duration)	/	6 <input type="radio"/>
<input type="radio"/> 7 Cytomegalovirus disease (other than in liver, spleen, or nodes)	/	7 <input type="radio"/>
<input type="radio"/> 8 Cytomegalovirus retinitis (with loss of vision)	/	8 <input type="radio"/>
<input type="radio"/> 9 HIV encephalopathy	/	9 <input type="radio"/>
<input type="radio"/> 10 Herpes simplex: chronic ulcer (>1 month duration) or bronchitis, pneumonitis, or esophagitis	/	10 <input type="radio"/>
<input type="radio"/> 11 Histoplasmosis, disseminated or extrapulmonary	/	11 <input type="radio"/>
<input type="radio"/> 12 Isosporiasis, chronic intestinal (>1 month duration)	/	12 <input type="radio"/>
<input type="radio"/> 13 Kaposi's sarcoma	/	13 <input type="radio"/>
<input type="radio"/> 14 Lymphoma, Burkitt's (or equivalent term)	/	14 <input type="radio"/>
<input type="radio"/> 15 Lymphoma, immunoblastic (IBL, or equivalent term)	/	15 <input type="radio"/>
<input type="radio"/> 16 Lymphoma, primary in brain	/	16 <input type="radio"/>
<input type="radio"/> 17 <i>Mycobacterium avium</i> complex or <i>M. kansasii</i> , disseminated or Extrapulmonary	/	17 <input type="radio"/>
<input type="radio"/> 18 <i>M. tuberculosis</i> , pulmonary	/	18 <input type="radio"/>
<input type="radio"/> 19 <i>M. tuberculosis</i> , disseminated or extrapulmonary	/	19 <input type="radio"/>
<input type="radio"/> 20 <i>Mycobacterium</i> , of other species or unidentified species, disseminated or extrapulmonary	/	20 <input type="radio"/>
<input type="radio"/> 21 <i>Pneumocystis jiroveci</i> pneumonia (PCP)	/	21 <input type="radio"/>
<input type="radio"/> 22 Pneumonia, recurrent in 12 month period	/	22 <input type="radio"/>
<input type="radio"/> 23 Progressive multifocal leukoencephalopathy (PML)	/	23 <input type="radio"/>
<input type="radio"/> 24 Salmonella septicemia, recurrent	/	24 <input type="radio"/>
<input type="radio"/> 25 Toxoplasmosis of brain	/	25 <input type="radio"/>
<input type="radio"/> 26 Wasting syndrome due to HIV	/	26 <input type="radio"/>

## V. PROPHYLAXIS

Is there documentation of prescription for prophylaxis of *Pneumocystis jiroveci* pneumonia (PCP) prior to the SP start date?

Yes       No

**Prescription must be for PCP prophylaxis.** Medications include:  
 Bactrim® (Septra, Cotrim, Co-trimoxazole, trimethoprim, sulfamethoxazole)  
 Dapsone®  
 Pentamidine® (pentamidine isothianate)  
 Mepron® or Mepron® Suspension (atovaquone)

Is there documentation of prescription for prophylaxis of *Mycobacterium avium* complex (MAC) prior to the SP start date?

Yes       No

**Prescription must be for MAC prophylaxis.** Medications include:  
 Biaxin Filmtab® (clarithromycin)  
 Biaxin Granules®  
 Biaxin XL®  
 Zithromax®

Clindamycin® (clindamycin hydrochloride) + Primaquine® (primaquine phosphate)  
Dapsone® + Daraprim® (pyrimethamine) + Folinic Acid

Zithromax Single Pack® (azithromycin, azithromycin dihydrate)  
Mycobutin® (rifabutin)



## VI. HEPATITIS, TOXOPLASMA, AND TUBERCULOSIS (TB) SCREENING

Is there documentation of screening for hepatitis A, B, C, *Toxoplasma*, or tuberculosis (TB) prior to the SP start date?

Yes → Enter all that are documented for each screening below.

No

Was hepatitis A screening performed prior to the SP start date? (select one)

1 Yes – screening done → Enter all that are documented for “Yes” below

2 No – documented that screening not done

3 Hepatitis A screening not documented

If “Yes,” what were the results?

Select all that apply OR result not documented

Positive →

Date of 1<sup>st</sup> positive test: →

Date not documented

Mo. Year

Which Hepatitis A test(s) was/were positive on this date?

(select all that apply)

Anti HAV IgG or HAV Ab IgG  Anti HAV total or HAV Ab total

Anti-HAV IgM or HAV Ab IgM  Test type not documented

Negative →

Date of last negative test:

Date not documented

Mo. Year

Result not documented

Was hepatitis B screening performed prior to the SP start date? (select one)

1 Yes – screening done → Enter all that are documented for “Yes” below

2 No – documented that screening not done

3 Hepatitis B screening not documented

If “Yes,” what were the results?

Select all that apply OR result not documented

Positive →

Date of 1<sup>st</sup> positive test: →

Date not documented

Mo. Year

Which Hepatitis B test(s) was/were positive on this date? (select all that apply)

Anti HBc IgG  Anti HBs IgG or HBsAb IgG

Anti HBc IgM  Anti HBs or HBsAb total

Anti HBc total  HBsAg

Test type not documented

Negative →

Date of last negative test:

Date not documented

Mo. Year

Result not documented

Was hepatitis C screening performed prior to the SP start date? (select one)

1 Yes – screening done → Enter all that are documented for “Yes” below

2 No – documented that screening not done

3 Hepatitis C screening not documented

If “Yes,” what were the results?

Select all that apply OR result not documented

Positive →

Date of 1<sup>st</sup> positive test: →

Date not documented

Mo. Year

Which Hepatitis C test(s) was/were positive on this date?

(select all that apply)

Anti HCV (EIA or RIBA)  HCV RNA quantitative (PCR)

HCV RNA qualitative  Test type not documented

Negative →

**Date of last negative test:**

Date not documented

Mo.	Year
-----	------

Result not documented

## VI. HEPATITIS, TOXOPLASMA, AND TUBERCULOSIS (TB) SCREENING cont'd

Was *Toxoplasma* screening performed prior to the SP start date? (select one)

- 1 Yes – screening done → Enter all that are documented below.
- 2 No – documented that screening not done
- 3 *Toxoplasma* screening not documented

Was there a positive result for the most recent *Toxoplasma* antibody titer prior to the SP start date? (select one)

- 1 Yes → Enter **date of positive result:**  Date not documented
- 2 No (negative result for most recent test)
- 3 Result not documented

Was screening for tuberculosis (TB) performed prior to the SP start date? (select one)

- 1 Yes – screening done → Enter all that are documented below.
- 2 No – documented that screening not done
- 3 TB screening not documented

Date of the most recent tuberculin skin test (TST/PPD/Mantoux) or QuantiFERON test (QFT) prior to the SP start date:

Date not documented

Result of the most recent TST/PPD/Mantoux or QFT prior to the SP start date: (enter one for TST/PPD/Mantoux **OR** one for QFT)

TST/PPD/Mantoux: (enter OR select one)

**OR**

QFT: (select one)

Result in millimeters:

- 1 Positive, no value reported
- 2 Negative, no value reported
- 3 Not read
- 4 Anergic
- 5 Not documented

- 1 QFT positive
- 2 QFT negative
- 3 QFT indeterminate
- 4 Not documented

## VII. HEPATITIS AND PNEUMOCOCCAL IMMUNIZATIONS

Is there documentation of whether or not hepatitis A, B, A and B, or pneumococcal immunizations were given prior to the SP start date?

- Yes → Enter all that are documented for each vaccine below.
- No

Was hepatitis A vaccine (Havrix, Vaqta) given prior to the SP start date? (select one: Yes, No, or Not documented)

- 1 **Yes** → Enter a maximum of 3 documented doses and dates: 

Dose No.	Date
(If documented)	Mo. / Date

 Date not documented
- 2 **Yes – but number of doses not documented**
- 3 **No – documented that vaccine not given** 
  - Reason vaccine not given: (select one)
  - Prior vaccination       Patient declined
  - Previously infected       Not documented
  - Other, specify


--

<hr/> 
---

Hepatitis A vaccination not documented

## VII. HEPATITIS AND PNEUMOCOCCAL IMMUNIZATIONS cont'd

**Was hepatitis B vaccine (Energin B, Recombivax) given prior to the SP start date?** (select one: Yes, No, or Not documented)

**1 Yes** → Enter a maximum of 4 documented doses and dates:

**Dose No.** \_\_\_\_\_ Mo. / Year Date not documented  
(If documented) / **Date** \_\_\_\_\_

**2 Yes - but number of doses not documented**

**3 No - documented that vaccine not given**

**Reason vaccine not given:** (select one) ←

- Prior vaccination                       Patient declined
- Previously infected                       Not documented
- Other, specify

**4 Hepatitis B vaccination not documented**

**Was combination hepatitis A and B vaccine (Twinrix) given prior to the SP start date?** (select one: Yes, No, or Not documented)

**1 Yes** → Enter a maximum of 4 documented doses and dates:

**Dose No.** \_\_\_\_\_ Mo. / Year Date not documented  
(If documented) / **Date** \_\_\_\_\_

**2 Yes - but number of doses not documented**

**3 No - documented that vaccine not given**

**Reason vaccine not given:** (select one) ←

- Prior vaccination                       Patient declined
- Previously infected                       Not documented
- Other, specify

**4 Hepatitis A and B vaccination not documented**

**Was pneumococcal vaccine (Pneumovax 23, Pneu-Immune 23) given prior to the SP start date?**

(select one Yes, No, or Not documented)

**1 Yes** → Enter date of last dose given before the SP start date:

**Date** \_\_\_\_\_ Date not documented  
Mo. / Year

**2 No - documented that vaccine not given**

**Reason vaccine not given:** (select one) ←

- Prior vaccination                       Patient declined
- Other, specify                               Not documented

**3 Pneumococcal vaccination not documented**

### VIII. ANTIRETROVIRAL THERAPY (ART)

Is there documentation of prescription of antiretroviral therapy (ART) prior to the SP start date?

Yes → Enter all that are documented below.

No

Date of first prescribed antiretroviral medication:  /  /   Date not documented

Prescribed antiretroviral medications prior to the SP start date: (select all that are documented)

<input type="radio"/> 1 Abacavir (ABC, Ziagen)	<input type="radio"/> 9 Efavirenz (EFV, Sustiva)	<input type="radio"/> 17 Lopinavir/Ritonavir (LPV/RTV, Kaletra, Meltrex)	<input type="radio"/> 25 Tenofovir (TDF, Viread)
<input type="radio"/> 2 Amprenavir (APV, Agenerase)	<input type="radio"/> 10 Emtricitabine (FTC, Emtriva)	<input type="radio"/> 18 Maraviroc (MRC, Selzentry)	<input type="radio"/> 26 Tipranavir (TPV, Aptivus)
<input type="radio"/> 3 Atazanavir (ATV, Reyataz)	<input type="radio"/> 11 Enfuvirtide (ENF, T-20, Fuzeon)	<input type="radio"/> 19 Nelfinavir (NFV, Viracept)	<input type="radio"/> 27 Trizivir (ABC/3TC/AZT)
<input type="radio"/> 4 Atripla (EFV/FTC/TDF)	<input type="radio"/> 12 Epzicom (ABC/3TC)	<input type="radio"/> 20 Nevirapine (NVP, Viramune)	<input type="radio"/> 28 Truvada (FTC/TDF)
<input type="radio"/> 5 Combivir (AZT/3TC)	<input type="radio"/> 13 Etravirine (Intelence, ETR, formerly TMC125)	<input type="radio"/> 21 Raltegravir (RAL, Isentress, MK-0518)	<input type="radio"/> 29 Zalcitabine (ddC, Hivid)
<input type="radio"/> 6 Darunavir (DRV, TMC 114, Prezista)	<input type="radio"/> 14 Fosamprenavir (FPV, Lexiva)	<input type="radio"/> 22 Ritonavir (RTV, Norvir)	<input type="radio"/> 30 Zidovudine (AZT, Retrovir)
<input type="radio"/> 7 Delavirdine (DLV, Rescriptor)	<input type="radio"/> 15 Indinavir (IDV, Crixivan)	<input type="radio"/> 23 Saquinavir (SQV-HGC, Invirase, Fortovase)	
<input type="radio"/> 8 Didanosine (ddl) Videx	<input type="radio"/> 16 Lamivudine (3TC, Epivir)	<input type="radio"/> 24 Stavudine (d4T, Zerit)	

31 Other, Specify:

32 Other, Specify:

33 Other, Specify:

34 Other, Specify:

### IX. LABORATORY TEST RESULTS

Is there documentation of the first positive HIV test result, or laboratory test results for CD4 cell count, or HIV viral load, prior to the SP start date?

Yes → Enter all that are documented for each diagnosis or test below.

No

Is there documentation of the first positive HIV test result?  /  /   Date not documented

Yes → Enter date of first positive HIV test:

No

Is there documentation of CD4 cell count test results prior to the SP start date?

Yes → Lowest CD4 cell count:  /  $\mu\text{l}$  or  $\text{mm}^3$

No Date of lowest CD4 cell count:  /  /   Date not documented

Is there documentation of HIV viral load (VL) test results prior to the SP start date?

Yes →

Is there documentation of an undetectable VL?

No

Yes  
 No

→ Enter date of most recent undetectable result:

Mo. / Year

Date not documented

## X. HIV ART RESISTANCE TESTING

Is there documentation of HIV ART resistance testing prior to the SP start date?

Yes → Select all that are documented for each resistance test below.

No

Was **genotypic** ART resistance testing performed prior to the SP start date?

(Select one: Yes, No, or Testing not documented)

Select all ART classes documented with resistance and/or possible resistance:

<sup>1</sup> Yes – resistance reported →  FI  PI  NRTI  NNRTI  ART classes not specified

<sup>2</sup> Yes – possible resistance reported →  FI  PI  NRTI  NNRTI  ART classes not specified

<sup>3</sup> Yes – but no resistance reported

<sup>4</sup> Yes – but result was indeterminate

<sup>5</sup> Yes – but test result not documented

<sup>6</sup> No – documented that genotypic resistance testing was not done

<sup>7</sup> Genotypic resistance testing not documented

Was **phenotypic** ART resistance testing performed prior to the SP start date?

(Select one: Yes, No, or Testing not documented)

Select all ART classes documented with resistance and/or intermediate resistance:

<sup>1</sup> Yes – resistance reported →  FI  PI  NRTI  NNRTI  ART classes not specified

<sup>2</sup> Yes – intermediate resistance reported →  FI  PI  NRTI  NNRTI  ART classes not specified

<sup>3</sup> Yes – but no resistance reported

<sup>4</sup> Yes – but result was indeterminate

<sup>5</sup> Yes – but test result not documented

<sup>6</sup> No – documented that phenotypic resistance testing was not done

<sup>7</sup> Phenotypic resistance testing not documented

Was **virtual phenotypic** ART resistance testing performed prior to the SP start date?

(Select one: Yes, No, or Testing not documented)

Select all ART classes documented with resistance and/or possible / intermediate resistance reported:

<sup>1</sup> Yes – resistance reported →  FI  PI  NRTI  NNRTI  ART classes not specified

<sup>2</sup> Yes – possible/intermediate resistance reported →  FI  PI  NRTI  NNRTI  ART classes not specified

<sup>3</sup> Yes – but no resistance reported

<sup>4</sup> Yes – but result was indeterminate

<sup>5</sup> Yes – but test result not documented

<sup>6</sup> No – documented that virtual phenotypic resistance testing was not done

<sup>7</sup> Virtual phenotypic resistance testing not documented



## XI. SUBSTANCE ABUSE

Is there documentation of reported or suspected alcohol abuse or other non-prescribed use of substances, including counseling or treatment for alcohol and/or substance use/abuse prior to the SP?

Yes → Enter all that are documented below.

No

### Alcohol Abuse

Is there documentation of alcohol abuse prior to the SP?  Yes  No

### Other Non-prescribed Use of Substances

Is there evidence of any injection substance use (e.g., track marks) documented prior to the SP?  Yes  No

## XI. SUBSTANCE ABUSE cont'd

**Non-prescribed use of substances documented prior to the SP:** (select all that are documented and type of use)

Substance	Type of Use <small>(select all that apply OR select Not documented)</small>		
	Injection	Non-Injection	Not documented
<input type="radio"/> 1 Amphetamines (other than methamphetamines)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 2 Cocaine (other than crack)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 3 Crack cocaine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 4 Ecstasy (MDMA, X)			
<input type="radio"/> 5 GHB			
<input type="radio"/> 6 Hallucinogens such as LSD or mushrooms			
<input type="radio"/> 7 Heroin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 8 Ketamine (Special K)			
<input type="radio"/> 9 Marijuana			
<input type="radio"/> 10 Methadone	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 11 Methamphetamines	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 12 Painkillers such as Oxycontin, Vicodin or Percocet	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 13 Poppers (amyl nitrate)			
<input type="radio"/> 14 Rohypnol			
<input type="radio"/> 15 Steroids/Hormones	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 16 Tranquilizers such as Valium, Ativan, or Xanax			
<input type="radio"/> 17 Viagra, Levitra or Cialis			
<input type="radio"/> 18 Other, <input style="width: 500px; height: 20px;" type="text"/> Specify: <input style="width: 500px; height: 20px;" type="text"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 19 Other, <input style="width: 500px; height: 20px;" type="text"/> Specify: <input style="width: 500px; height: 20px;" type="text"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 20 Other, <input style="width: 500px; height: 20px;" type="text"/> Specify: <input style="width: 500px; height: 20px;" type="text"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
<input type="radio"/> 21 Substance not specified	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

## XII. MENTAL HEALTH

**Is there documentation of any of the following mental illnesses prior to the SP start date?**

Yes → Select all that are documented below.

No

<input type="radio"/> 1 Anxiety disorder (General anxiety disorder, GAD)	<input type="radio"/> 3 Depression (Major depression, depressive disorder)
<input type="radio"/> 2 Bipolar disorder	<input type="radio"/> 4 Psychosis



