

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
1	False	International Paper - Courtland Mill	16504 County Rd 1150	Courtland	AL	35618	ALIPCourtland	No. 3 Combination Boiler / 11Cu301	Boiler	FB	Biomass, TDF, Ind. Sludge	Biomass	
2	False	MeadWestvaco Coated Board, Inc.	Highway 165 South (PO Box 940)	Phenix City	AL	36868	ALMeadwestvacoCottonon46	No.1 Wood Residue Boiler	Boiler	Stoker	Biomass, Ind. Sludge	Biomass	
3	True	Anthony Forest Products Company Urbana Sawmill	1236 Urbana Road	Urbana	AR	71768	ARAnthonyForestProducts	SN-12	Boiler	Fuel Cell	Wood: Bark and Wood: Unadulterated Lumber and Wood: Unadulterated Timber	Biomass (wet)	29.56
4	False	Domtar Industries Inc., Ashdown Mill	285 Highway 71 South	Ashdown	AR	71822	ARDomtarIndustries	PB1	Boiler	Stoker	Fuel cubes (paper diaper clippings/refuse)Natural gasTire Derived Fuel (TDF)Wood: Bark	Biomass (wet)	580
5	False	Georgia-Pacific Chemicals LLC	Hwy 82 & Papermill Road	Crossett	AR	71635	ARGPChemCrossett89	SN-05	Process Heater	none selected	Natural gasTall oil, tall oil derivatives	NF Liquid	94.1
6	True	Greenville Tube Company	501 South Montgomery	Clarksville	AR	72949	ARGreenvilleTube	Annealing Furnaces & Dryer (SN-04-09, 13)	Process Heater	unknown	Gas	gas	<= 10
7	False	Weyerhaeuser Company - Dierks Mill	120 Main Avenue	Dierks	AR	71833	ARWeyerhaeuserDierksMill	SN-45	Boiler	Fuel Cell	Hog Fuel	Biomass (dry)	249
8	False	Catalyst Paper (Snowflake) Inc.	P.O. Box 128	Snowflake	AZ	85937	AZCatalystPaperSnowflake	Power Boiler #3 Natural Gas	Boiler	none selected	Diesel fuelNatural gas	Liquid (light)	337
9	False	ConocoPhillips Los Angeles Refinery	1660 W. Anaheim St	Wilmington	CA	90744	CAConocoPhillipsLosAng	D44 BC-601 U152	Process Heater	none selected	Natural gas and Refinery GasNo. 2 Distillate	Liquid (light)	87
10	False	SierraPine - Rocklin Division	4300 Dominguez Road	Rocklin	CA	95677	CASierraPine-Rocklin	SPRKBL01	Boiler	SuspensionBurner	/Natural gas and Wood: Plywood, Particleboard (containing glues or resins) /	Biomass (dry)	71.7
11	False	Tesoro Golden Eagle Refinery	150 Solano Way	Martinez	CA	94553	CATesoro	S-974 Furance 55	Process Heater	none selected	Refinery Gas	Gas	110
12	False	Evraz Rocky Mountain Steel	2100 South Freeway	Pueblo	CO	81004	CORockyMtnSteel212	VTD Degasser Boiler SMDBON5	Boiler	none selected	Natural gas	Gas	37
13	False	Evraz Rocky Mountain Steel	2100 South Freeway	Pueblo	CO	81004	CORockyMtnSteel212	EAF #5 95OPPB097 S035	Process Heater	none selected	/Natural gas/	Gas	31.75

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
14	False	Evraz Rocky Mountain Steel	2100 South Freeway	Pueblo	CO	81004	CORockyMtnSteel212	Rod/Bar Mill Furnace 95OPPB088	Process Heater	none selected	Natural gas	Gas	225
15	False	Cytec Wallingford	528 S Cherry St	Wallingford	CT	06492	CTCytecWallingford	150 Furnace	Process Heater	none selected	Natural gasNo. 2 Distillate	Liquid (light)	11
16	False	Electric Boat Corporation	75 Eastern Point Road	Groton	CT	6340	CTElectric Boat	EMU 17	Boiler	none selected	Natural gasNo. 4 Fuel oil	Liquid (light)	7
17	False	INVISTA S.à r.l. Seaford Plant	25876 DuPont Road	Seaford	DE	19973	DEINVISTA	EU 016 - Vaporizer No. 8	Process Heater	none selected	No. 2 Distillate	Liquid (light)	24
18	False	Osceola Farms Company	U.S. 98 and Hatton Highway	Pahokee	FL	33476	FLOsceolaFarms	Boiler No. 4	Boiler	Fuel Cell	Bagasse	Bagasse	280
19	False	Pepperidge Farm, Inc.	2222 Interstate Drive	Lakeland	FL	33805	FLPepperidgeFarm	HOT WAT GAS FIRED	Process Heater	unknown	Gas	gas	<= 10
20	False	Rayonier Performance Fibers LLC	Foot of Gum Street	Fernandina Beach	FL	32035	FLRayonierPerformance	PB06	Boiler	FB	Tire Derived Fuel (TDF)Wood: Bark	Biomass (wet)	525
21	False	Georgia Pacific - Cedar Springs Paper	PO Box 44	Cedar Springs	GA	39832	GAGPCedarSprings	U500 - Power Boiler No. 1	Boiler	PC	Coal, TDF	Coal	
22	False	Gp Cellulose (Brunswick Cellulose, Inc.)	1400 West Ninth Street	Brunswick	GA	31521	GAGPCelluloseBrunswick	U700 - No. 4 Power Boiler	Boiler		Biomass, TDF	Biomass	
23	False	Georgia Pacific - Madison Plywood Facility	1400 Woodkraft Rd.	Madison	GA	30650	GAGPMadisonPly	800 Wood Waste Boiler	Boiler	SuspensionBurner	Wood: BarkWood: Plywood, Particleboard (containing glues or resins)Wood: Unadulterated Lumber	Biomass (wet)	355
24	False	Langboard, Inc.	1000 Springhead Road	Willacochee	GA	31650	GALangboardWillacochee	EU24	Boiler	FB	Wood: Bark	Biomass (wet)	185
25	False	Rayonier Wood Products LLC - Baxley Sawmill	1830 Golden Isles East	Baxley	GA	31513	GARayonierBaxley	PB02	Boiler	Fuel Cell	/Wood: Unadulterated Lumber/	Biomass (dry)	61.54
26	False	SP Newsprint Co.	709 Papermill Road	Dublin	GA	31021	GASPNewsprint	PB2	Boiler	FB	Coal, TDF, Ind. Sludge	Coal	
27	False	Puunene Sugar Mill	1 Hansen Road	Puunene	HI	96784	HIPuuneneSugarMill	Boiler 3	Boiler	Stoker	yellow grease (used cooking oil)	Liquid (heavy)	568

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
28	False	ADM Corn Processing CR	1350 Waconia Ave. SW	Cedar Rapids	IA	52404	IAADMProcessingCR	EU-501A	Boiler	FB	/Coal: Bituminous and Coal: Sub-bituminous/	Coal: Bituminous	551.5
29	False	Archer Daniels Midland Co. - Des Moines	1942 E Hull Ave.	Des Moines	IA	50316	IAArchersDanielsMidlandDesMoines	Asea Boiler #1	Boiler	FB	/Coal: Sub-bituminous/	Coal: Sub-bituminous	192
30	False	Monsanto Company - Muscatine	2500 Wiggins Rd	Muscatine	IA	52761	IAMonsantoMuscatine	Boiler #8 (EP-195)	Boiler	Stoker	Coal, Ind. Sludge, Agr. Residue	Coal	
31	False	Roquette America, INC	1003 S. 5th Street	Keokuk	IA	52632	IARoquetteAmerica	Circulating Fluidized Bed Boiler (121)	Boiler	FB	Coal: Bituminous	Coal: Bituminous	996
32	False	The University of Iowa	207 W Burlington Street	Iowa City	IA	52242-1523	IAUofIowa	EP7 Boiler 11	Boiler	FB	BiomassCoal: Bituminous	Coal: Bituminous	223
33	TRUE	Riley Creek - Chilco Lake Sawmill	4447 E. Chilco Road	Athol	ID	83801	IDChilcoLakeSawmill	HFB1	Boiler	Stoker	Wood: Unadulterated Lumber	Biomass (dry)	125
34	False	Potlatch Forest Products Corporation	2200 Railroad Ave	St. Maries	ID	83861	IDPotlatch	PB-1 CE	Boiler	Fuel Cell	Hog Fuel	Biomass (dry)	27.6
35	False	Abbott Laboratories - Abbott Park Facility	100 Abbott Park Rd	Abbott Park	IL	60064	ILAbbottAbbottPark	Unit 5AP	Boiler	Stoker	Coal: Bituminous	Coal: Bituminous	83
36	False	Akzo Nobel Surface Chemistry LLC	8005 North Tabler Road	Morris	IL	60440	ILAkzoNobelMorris	B-1 Nebraska Boiler	Boiler	none selected	Natural gasNitrile Pitch Residue	NF Solid	41
37	False	Bunge North America, Inc.- Danville, IL	321 E. North Street	Danville	IL	61832	ILBungeDanville	CFB Boiler	Boiler	FB	/Coal: Bituminous/	Coal: Bituminous	322.5
38	True	City Water, Light and Power, City of Springfield	800 East Monroe	Springfield	IL	62712	ILCityofSpringfield	Dallman Unit 31	Boiler	Cyclone	Coal: BituminousNo. 2 DistillatePlant-based Agricultural Residue	Coal: Bituminous	882
39	True	City Water, Light and Power, City of Springfield	800 East Monroe	Springfield	IL	62712	ILCityofSpringfield	Lakeside Unit 7	Boiler	Cyclone	Coal: BituminousNo. 2 DistillatePlant-based Agricultural Residue	Coal: Bituminous	415

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
40	False	Keystone Steel & Wire Company	7000 S.W. Adams Street	Peoria	IL	61641	ILKeystoneSteel&Wire	B1	Boiler	none selected	No. 2 Distillate	Liquid (light)	143
41	False	Lafarge Joppa Plant	2500 Portland Road	Grand Chain	IL	62941	ILLafargeJoppaPlant	Vehicle Maintenance Shop Heater	Process Heater	none selected	On site generated used oil (assume on-spec)	Liquid (heavy)	0.235
42	Unknown	PolyOne Corporation	1546 County Road 1450N	Henry	IL	61537	ILPolyOne	B1	Boiler	FB	/Coal: Bituminous/	Coal: Bituminous	143.75
43	True	Prairie Power	13476 State Highway 100	Pearl	IL	62361	ILPrairiePowerPearl	B1	Boiler	PC	/Coal: Bituminous/	Coal: Bituminous	278
44	False	U. S. Steel Corporation - Granite City Works	1951 State Street	Granite City	IL	62040	ILUSSGraniteCity	No. 8 Galvanizing Line Furnace	Process Heater	none selected	Natural gas	Gas	54.6
45	False	Alcoa Inc. - Warrick Operations	Junction IN Hwys. 61 and 66	Newburgh	IN	47629-0010	INAlcoaWarrick	Annealing Furnace #17	Process Heater	none selected	Natural gas	Gas	48
46	False	Alcoa Inc. - Warrick Operations	Junction IN Hwys. 61 and 66	Newburgh	IN	47629-0010	INAlcoaWarrick	Unit #3	Boiler	PC	Coal: Bituminous	Coal: Bituminous	1589
47	False	ArcelorMittal Burns Harbor LLC	U.S. Highway 12	Burns Harbor	IN	46304-9745	INArcelorMittalBurnsHarbor	Hot Dip Coating Line Annealing Furnace	Process Heater	none selected	Natural gas	Gas	95
48	False	ArcelorMittal Indiana Harbor LLC	3001 Dickey Road	East Chicago	IN	46312	INArcelorMittalIndianaHarbor	Eleven Four-Stack Batch Annealing Furnaces	Process Heater	none selected	Natural gas	Gas	176
49	False	ArcelorMittal Indiana Harbor LLC	3001 Dickey Road	East Chicago	IN	46312	INArcelorMittalIndianaHarbor	No. 7 Boiler	Boiler	none selected	Blast Furnace GasNatural gasNo. 6 Residual oil	Liquid (heavy)	454
50	False	Cargill Inc. - Oilseeds, Lafayette	1502 Wabash Avenue	Lafayette	IN	47905	INCargill-Lafayette	Boiler #1	Boiler	none selected	Animal Fat/Oils/TallowNatural gasNo. 2 DistillateNo. 4 Fuel oilNo. 5 Fuel oilNo. 6 Residual oilVegetable Oil	Liquid (heavy)	60
51	True	CountryMark Cooperative, LLP	1200 Refinery Road	Mount Vernon	IN	47620	INCountrymarkCoop	C-II (Crude Heater)	Process Heater	none selected	No. 6 Residual oilRefinery gas	Liquid (heavy)	131
52	False	Eli Lilly and Company, Tippecanoe Laboratories	1650 Lilly Road	Lafayette	IN	47909	INElLillyTippecanoeLab	BLR001	Boiler	Stoker	Coal: Bituminous	Coal: Bituminous	92

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
53	False	Harrison Steel Castings Company	900 N. Mound Street	Attica	IN	47918	INHarrisonSteel	Heat Treat	Process Heater	unknown	Gas	gas	<= 10
54	False	Haynes International, Inc.	2000 W Deffenbaugh St.	Kokomo	IN	46901	INHaynesInternational	anneal furnaces	Process Heater	unknown	Gas	gas	<= 10
55	True	New Energy Corp.	3201 W. Calvert Street	South Bend	IN	46613	INNewEnergy	Riley Boiler	Boiler	PC	Coal: Bituminous	Coal: Bituminous	414
56	True	University of Notre Dame	100 Facilities Building	Notre Dame	IN	46556	INNotreDame	B-4	Boiler	Cyclone	/Coal: Bituminous and Natural gas and No. 2 Distillate/	Coal: Bituminous	234
57	False	Nucor Steel	4537 South Nucor Road	Crawfordsville	IN	47933	INNucorSteel	Cold Mill Annealing	Process Heater	unknown	Natural gas	Gas	<= 10
58	True	Outokumpu Stainless, Inc., Plate Products	549 West State Road 38	New Castle	IN	47632	INOtokumpuStainlessPlate	Heppenstall Annealing Furnace	Process Heater	none selected	Natural gas	Gas	10.8
59	False	Purdue University	401 South Grant Street	West Lafayette	IN	47907-2024	INPurdueUniverisity	Boiler 5	Boiler	FB	Coal: Bituminous	Coal: Bituminous	279
60	False	Superior Essex Co. Fort Wayne complex	1601 Wall Street	Fort Wayne	IN	46802	INSuperiorEssexCoFortWayne	radiant ovens	Process Heater	unknown	Gas	gas	<= 10
61	False	Tate & Lyle, Sagamore	2245 Sagamore Parkway North	Lafayette	IN	47902	INTateLyleSagamore	21B501	Process Heater	none selected	BiogasNatural gas	Gas	60
62	False	Tate & Lyle, Sagamore	2245 Sagamore Parkway North	Lafayette	IN	47902	INTateLyleSagamore	31B1	Boiler	PC	Coal: Sub-bituminous and Plant-based Agricultural Residue	Coal: Sub-bituminous	231
63	False	U.S. Steel - Gary Works	One North Broadway, MS-70A	Gary	IN	46402	INUSSteelGaryWorks	CHY00071	Process Heater	none selected	Coke Oven Gas	Gas	25
64	False	U.S. Steel - Gary Works	One North Broadway, MS-70A	Gary	IN	46402	INUSSteelGaryWorks	O4B10459	Boiler	none selected	Blast Furnace Gas, Natural Gas, Fuel Oil	Liquid (light)	500
65	True	Coffeyville Resources Refinery	400 North Linden St	Coffeyville	KS	67337	KSCoffeyvilleRefinery	EU-39-FH0027	Boiler	Stoker	Coal: BituminousRefinery gas	Coal: Bituminous	291.6
66	False	AK Steel Ashland Works Coke Plant	4000 Winchester Avenue, PO Box 191	Ashland	KY	41105-0191	KYAKSteel-Ashland	No. 1 Boiler	Boiler	none selected	Coke Oven GasNatural gas	Gas	130
67	False	AK Steel Ashland Works West Works	Route 23, PO Box 191	Ashland	KY	41105-0191	KYAKSteel-WestWorks	No. 3 Coating Line Annealing Furnace Radiant Tube	Process Heater	none selected	Natural gas	Gas	60

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
68	False	ISP CHEMICALS LLC	455 North Main St	Calvert City	KY	42071	KYISPCchemicals	0AA (Riley)	Boiler	Stoker	Coal: BituminousVent Gas for Air Pollution Control	Coal: Bituminous	139
69	False	Boise Packaging and Newsprint, LLC - DeRidder Mill	4200 U. S. Highway 190 West	DeRidder	LA	70634	LABoiseNewsprintDeRidder	69-03	Boiler	Stoker	Biomass, TDF	Biomass	
70	False	Cytec Industries Inc. - Sulfuric Acid Regen. Plant	10800 River Road	Westwego	LA	70094	LACytecIndustries	K-31	Boiler	none selected	Natural gasSulfur	NF Solid	200
71	False	Georgia-Pacific Port Hudson Mill	1000 West Mount Pleasant Road	Zachary	LA	70791	LAGPPortHudson	EQT0109 - No. 6 CFB Boiler	Boiler	FB	Coke Oven GasIndustrial SludgeWood: BarkWood: Unadulterated Lumber	Biomass (wet)	1205
72	False	International Paper- Mansfield Mill	1202 LA HWY 509	Mansfield	LA	71052	LAIPMansfield	1-78-No.1 Power Boiler / EQT005	Boiler	PC	Coal, TDF	Coal	
73	False	Sasol North America Lake Charles Chemical Complex	2201 Old Spanish Trail	Westlake	LA	70669	LALakeCharlesChemical	ALC-BA-802 (Hot Oil Heater)	Process Heater	none selected	GasNF Solid	NF Solid	96
74	False	Severstal Sparrows Point LLC	1430 Sparrows Point Boulevard	Sparrows Point	MD	21219	MDSeverstalSparrows	4BLR	Boiler	none selected	Blast Furnace GasNatural gasNo. 6 Residual oilUsed Petroleum-based Oils	Liquid (heavy)	871
75	False	FPL Energy Wyman, LLC & FPL Energy Wyman IV, LLC	677 Cousins Street	Yarmouth	ME	4096	MEFPLEEnergyWyman	Unit #5	Boiler	none selected	/No. 6 Residual oil/	Liquid (heavy)	72
76	False	Rumford Mill	35 Hartford St	Rumford	ME	04276	MENewPage-Rumford	Cogen#6	Boiler	FB	Coal, TDF	Coal	
77	False	Westbrook Mill	89 Cumberland Street P.O. Box 5000	Westbrook	ME	04098-1597	MESDWarren	#21 Boiler	Boiler	PC	Coal, Ind. sludge	Coal	

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
78	False	S.D. Warren Company - Somerset Operations	1329 Waterville Road	Skowhegan	ME	04976	MESDWarrenSomerset	No1 Power Boiler	Boiler	Stoker	Biomass, Ind. sludge	Biomass	
79	False	Verso Paper Corp Bucksport Mill	2 River Road	Bucksport	ME	04416	MEVersoPaper	Boiler #8	Boiler	PC	Coal, TDF	Coal	
80	True	Decorative Panels International	416 Ford Ave	Alpena, MI 49707	MI	49707	MIDecorativePanels	Boiler #1	Boiler	Stoker	Coal, Ind. Sludge	Coal	
81	False	Michigan Sugar Company - Carrollton	341 Sugar Street	Carrollton	MI	48604	MIMichiganSugarCo	Wickes Boiler	Boiler	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	87
82	False	T. B. Simon Power Plant	1 Simon Plant	East Lansing	MI	48824	MITBSimonPowerPlant	Unit 2	Boiler	PC	Coal: Bituminous	Coal: Bituminous	287.5
83	False	United States Steel Corporation - Great Lakes Works	No. 1 Quality Drive	Ecorse	MI	48229	MIUSSteelGreatLakes	Main Plant Boilerhouse, No. 8 Boiler	Boiler	none selected	Coke Oven GasNatural gas	Gas	100
84	False	Verso Paper Corp. Quinnesec Mill	W-6791 US Highway 2	Norway	MI	49870	MIVersoPaperQuinnesec	Waste Fuel Boiler	Boiler	Stoker	NF Solids, TDF	NF Solids	
85	False	ADM Corn Division - Marshall Facility	400 West Erie Road	Marshall	MN	56258	MNADMCornDivision	Gluten Dryer #2 EU127 (Not operational)	Process Heater	none selected	BiogasNatural gas	Gas	50.18
86	False	Georgia-Pacific Duluth Hardboard	1220 West Railroad Street	Duluth	MN	55802	MNGPDuluth	EU33 Boiler #3	Boiler	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	43
87	False	Northshore Mining Company	7 Miles East of Babbitt on County Road 70	Babbitt	MN	55706	MNNorthshoreMiningCo	Shop Boiler 2 (EU 002)	Boiler	none selected	Used Petroleum-based Oils (on-spec)	Liquid (heavy)	6
88	False	Southern Minnesota Beet Sugar Cooperative	83550 County Road 21	Renville	MN	56284	MNSouthernMNBeetSugarCoop	WWTP-BG-1	Process Heater	none selected	BiogasNo. 6 Residual oil	Liquid (heavy)	12.6
89	False	Minnesota Refining Division St. Paul Park Refinery	301 St. Paul Park Road	St. Paul Park	MN	55071	MNSTPaulParkRef	EU 009	Boiler	none selected	No. 6 Residual oilRefinery gas	Liquid (heavy)	112

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
90	False	Verso Paper Corp. - Sartell Mill	100 East Sartell St.	Sartell	MN	56377	MNVersoPaper	EU006 B&W	Boiler	Stoker	BiomassCoal: BituminousIndustrial SludgeTire Derived Fuel (TDF)	Coal: Bituminous	368
91	False	Anheuser-Busch, Inc. St. Louis Brewery	One Busch Place	St. Louis	MO	63118	MOAnheuserBusch	Boiler 6	Boiler	none selected	No. 2 Distillate	Liquid (light)	299
92	False	University of Missouri (MU) Power Plant	Fifth Street & Stewart Road	Columbia	MO	65211	MOUofMissouri	Boiler 7	Boiler	Stoker	Coal, TDF	Coal	
93	False	WEYERHAEUSER COMPANY	289 SOUTH PONTOTOC ROAD	BRUCE	MS	38915	MSWeyerhaeuserBruce	AA-002 No. 2 Boiler	Boiler	Fuel Cell	Hog Fuel	Biomass (dry)	115
94	False	Weyerhaeuser Company	4335 Carson Road	Columbus	MS	39703-1830	MSWeyerhaeuserColumbus	AA-012	Boiler	PC	Biomass, Ind. Sludge	Biomass	
95	False	Smurfit-Stone Container Enterprises, Inc. - Missoula, MT	14377 Pulp Mill Rd	Missoula	MT	59806	MTSmurfitStone	Multi-Fuel Boiler	Boiler	Stoker	Biomass, Ind. Sludge	Biomass	
96	Unknown	BRP US Inc.	1211 Greenwood Road	Spruce Pine	NC	28777	NCBRPUS	G-2 Melt Furnaces	Process Heater	unknown	Gas	gas	<= 10
97	False	Certain Teed Corporation	200 Certain Teed Road	Oxford	NC	27565	NCCertainTeedOxford	ES-PH1	Process Heater	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	11.3
98	False	Domtar Paper Company, LLC	NC Highway 149 North PO Box 747	Plymouth	NC	27962	NCDomtar	65-25-0310 (No. 2 Hog Fuel Boiler)	Boiler	Stoker	Coal, Ind. sludge	Coal	
99	False	E. I. du Pont - Kinston Plant	4693 N.C. Highway 11 North	Kinston	NC	28502-0800	NCEIDuPontKinston	ES6009	Process Heater	none selected	Natural gasNo. 4 Fuel oilNo. 6 Residual oil	Liquid (heavy)	15.7
100	True	EPCOR USA North Carolina LLC - Roxboro	331 Allie Clay Road	Roxboro	NC	27573	NCEPCORRoxboro	1-A	Boiler	Stoker	Coal, TDF	Coal	
101	False	International Paper Riegelwood Mill	685 John L Riegel Rd.	Riegelwood	NC	28456	NCInternationalPaperRiegelwood	PB5	Boiler	Stoker	Coal: BituminousNo. 6 Residual oilWood: Bark	Coal: Bituminous	600
102	False	INVISTA, S.a.r.l. - Wilmington	4600 Highway 421 North	Wilmington	NC	28401	NCInvistaHwy421	B7600	Process Heater	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	22
103	False	West Fraser Inc. Seaboard Lumber	4400 NC Hwy. 186 East	Seaboard	NC	27876	NCSeaboardLumber	ES-3	Boiler	FB	Wood: Unadulterated Timber	Biomass (wet)	55.82



Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
104	False	UNC-CH Cogeneration Facility	501 Cameron Ave.	Chapel Hill	NC	27599-1855	NCUNCCogen	ES-001	Boiler	FB	Coal: Bituminous	Coal: Bituminous	323.17
105	False	Cargill, Inc. Oilseeds Processing	250 - 7th Avenue North	West Fargo	ND	58078	ND Cargill West Fargo	Foster Wheeler Boiler (EU43)	Boiler	FB	/Natural gas and Plant-based Agricultural Residue/	Biomass (dry)	50.3
106	False	Colorite Specialty Resins	35 Beverly Road	Burlington	NJ	08016	NJ Colorite Specialty	NB17940	Boiler	none selected	No. 6 Residual oil	Liquid (heavy)	24
107	False	Johnson Matthey, Inc.	2001 Nolte Dr	West Deptford	NJ	08066	NJ Johnson Matthey	E29004	Boiler	none selected	Natural gas	Gas	26.4
108	False	Johnson Matthey, Inc.	2001 Nolte Dr	West Deptford	NJ	08066	NJ Johnson Matthey	E29002	Boiler	none selected	Natural gas No. 2 Distillate	Liquid (light)	48.6
109	False	Sunoco (R&M) Eagle Point Facility	Rte 130 and I-295 PO Box 1000	Westville	NJ	08093	NJ Sunoco Westville	Boiler #7	Boiler	none selected	/Jet Fuel/	Liquid (light)	399.05
110	False	Sunoco (R&M) Eagle Point Facility	Rte 130 and I-295 PO Box 1000	Westville	NJ	08093	NJ Sunoco Westville	Boiler #8	Boiler	none selected	/Jet Fuel/	Liquid (light)	399.05
111	False	Vineland Municipal Electric - Howard M. Down	211 N. West Ave.	Vineland	NJ	08360	NJ Vineland Muni Electric-Howard Down	Unit 9	Boiler	none selected	No. 6 Residual oil	Liquid (heavy)	207
112	False	ArcelorMittal Lackawanna LLC	3175 Lakeshore Road	Buffalo	NY	14219	NY ArcelorMittal	Hot Dip Galvanizing Despatch Furnace	Process Heater	none selected	/Natural gas/	Gas	21
113	True	Black River Generation, LLC	Euphrates River Valley Road & Oneida Avenue	Fort Drum	NY	13602	NY Black River Gen	E00001	Boiler	FB	Coal: Bituminous Tire Derived Fuel (TDF)	Coal: Bituminous	201.25
114	False	Con Ed - 59th Street Station	850 12th Avenue	New York	NY	10019	NY Con Ed 59th St Station New York	Boiler 118	Boiler	none selected	Natural gas No. 6 Residual oil	Liquid (heavy)	180
115	Unknown	Akron Thermal Energy Corporation	226 Opportunity Parkway	Akron	OH	44307	OH Akron Thermal Energy	Unit #3 (B005)	Boiler	none selected	Natural gas Used Petroleum-based Oils	Liquid (heavy)	180
116	False	ArcelorMittal Cleveland Inc.	3060 Eggers Avenue	Cleveland	OH	44105	OH ArcelorMittal Cleveland	Boiler 3	Boiler	PC	Coal: Bituminous	Coal: Bituminous	388

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
117	True	Cognis Oleochemicals LLC	4900 Este Avenue	Cincinnati	OH	45232	OH_CognisOleochem	Boiler #2 (B028)	Boiler	Stoker	Coal: Bituminous Landfill Gas No. 4 Fuel oil	Coal: Bituminous	38.2
118	False	Morton Salt Company - Rittman Facility	151 S. Industrial Street	Rittman	OH	44270	OH_MortonSaltRittman	B002 - Coal-Fired Boiler #2	Boiler	Stoker	Coal: Bituminous	Coal: Bituminous	140
119	False	Sunoco Inc. (R&M)	1700 S. Union	Tulsa	OK	74107	OK_SunocoTulsa	#2 Plat PH-6	Process Heater	none selected	Hydrogen	Gas	34.8
120	False	Evraz Oregon Steel	14400 N. Rivergate Blvd.	Portland	OR	97206-2760	OREvrazOregonSteel	EU-5 Vacuum Degasser Boiler	Boiler	none selected	Natural gas	Gas	37.8
121	False	Flakeboard America Limited - Eugene MDF	50 North Danebo Avenue	Eugene	OR	97402	OR_FlakeboardEugene	Boiler-2	Boiler	Suspension Burner	Natural gas Wood: Plywood, Particleboard (containing glues or resins)	Biomass (dry)	51
122	False	Georgia-Pacific; Wauna Mill	92326 Taylorville Road	Clatskanie	OR	97016	OR_GeorgiaPacificWaunaMill	EU35 - Fluidized Bed Boiler	Boiler	FB	Hog Fuel Industrial Sludge Natural gas	Biomass (dry)	179
123	Unknown	Interfor Pacific, Inc. -- Gilchrist Facility	No. 1 Sawmill Road	Gilchrist	OR	97737	OR_InterforPacificGilchrist	B-1	Boiler	Dutch Oven	Wood: Unadulterated Lumber	Biomass (dry)	170
124	True	Rosboro LLC, Springfield Facility	2509 Main Street	Springfield	OR	97477	OR_RosboroSpringfield	DV 01.1	Boiler	Dutch Oven	Hog Fuel	Biomass (dry)	50
125	False	Roseburg Forest Products Plant #4	3064 Riddle Bypass RD	Riddle	OR	97470	OR_RoseburgRiddle2	Boiler #1	Boiler	FB	/Hog Fuel and Wood: Unadulterated Lumber/	Biomass (dry)	126.5
126	False	SierraPine - Medite Division	2685 North Pacific Hwy	Medford	OR	97501	OR_SierraPine	SPMDBL01	Boiler	Suspension Burner	Wood: Plywood, Particleboard (containing glues or resins)	Biomass (dry)	103.5
127	False	TDY Industries, Inc. dba Wah Chang	1600 N.E. Old Salem Road	Albany	OR	97321	OR_WahChang	6633-78 (SEP-AS-502B, Boiler #2)	Boiler	none selected	No. 6 Residual oil	Liquid (heavy)	29
128	False	Weyerhaeuser Company - Warrenton Lumber Mill	550 NE Skipanon Drive	Warrenton	OR	97146	OR_WeyerhaeuserCoWarrentonLumberMill	3-HFB	Boiler	Fuel Cell	Hog Fuel	Biomass (dry)	60
129	False	AK Steel Corporation - Butler Works	210 Pittsburgh Rd	Butler	PA	16001	PA_AKSteelButler	148 - CRNO Line Anneal Furnace	Process Heater	none selected	Natural gas	Gas	31
130	False	Appleton Papers / Spring Mill	100 Paper Mill Road	Roaring Springs	PA	16673	PA_AppletonPapers	#036	Boiler	Stoker	Coal: Bituminous Industrial Sludge Wood: Bark	Coal: Bituminous	180

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
131	True	American Refining Group, Inc.	77 North Kendall Ave.	Bradford	PA	16701	PAARGBradford	37	Boiler	Stoker	Coal: Bituminous	Coal: Bituminous	169
132	True	American Refining Group, Inc.	77 North Kendall Ave.	Bradford	PA	16701	PAARGBradford	41	Process Heater	none selected	No. 4 Fuel oilPetrochemical process gas	Liquid (light)	33.4
133	False	Cabot Supermetals	PO Box 1608; County Line Road	Boyertown	PA	19512-1608	PACabotSupermetals	Kolene	Process Heater	unknown	Gas	gas	<= 10
134	False	Carpenter Technology Corporation	101 West Bern Street	Reading	PA	19601	PACarpenterTechnology	F-658	Boiler	none selected	Natural gas	Gas	12.5
135	False	Flexsys America L.P.	829 Route 481	Monogahela	PA	15063	PAFlexsysAmericaMonogahela	103	Process Heater	none selected	Natural gasNo. 2 Distillate	Liquid (light)	11.4
136	False	Horsehead Corporation/ Monaca Smelter	300 Frankfort Road	Monaca	PA	15010	PAHorseheadCorpMonaco	32	Boiler	none selected	CO gasNatural gas	Gas	25.1
137	True	International Waxes, Inc.	45 Route 446	Smethport	PA	16749	PAInternationalWaxes	Boiler #1	Boiler	PC	Coal: Bituminous and Oil	Coal: Bituminous	108
138	True	International Waxes, Inc.	45 Route 446	Smethport	PA	16749	PAInternationalWaxes	Boiler #4	Boiler	none selected	No. 2, 5, and 6 Oil	Liquid (heavy)	59
139	False	MI Metals, Inc.	1517 Route 209	Millersburg	PA	17061	PAMIMetals	1	Process Heater	unknown	Gas	gas	<= 10
140	False	P. H. Glatfelter Company-- Spring Grove Mill	228 S. Main Street	Spring Grove	PA	17362	PAPHGlatfelter	PB5	Boiler	FB	Coal, Ind. sludge	Coal	
141	False	The Procter & Gamble Paper Products Co., Mehoopany	P.O. Box 32, Route 87	Mehoopany	PA	18629	PAProctorGambleMehoopanyPA	Boiler #3 (033A)	Boiler	Stoker	/Natural gas and Paper and Paper Residues/	NF Solid	156
142	False	Severstal Wheeling, Inc. - Allenport Plant	1 Wheeling Pittsburgh Steel Drive	Allenport	PA	15412	PASeverstalWheeling2236	Boiler 1	Boiler	none selected	Natural gasNo. 2 Distillate	Liquid (light)	60.5
143	False	Sunoco Philadelphia Refinery	3144 Passyunk Avenue	Philadelphia	PA	19145	PASunocoPhiladelphia	CU-021	Boiler	none selected	No. 6 Residual oilRefinery gas	Liquid (heavy)	660
144	False	UNITED REFINING COMPANY	15 Bradley St.	Warrant	PA	16365	PAUnitedRefiningWarrant	50	Process Heater	none selected	No. 5 Fuel oilRefinery gas	Liquid (heavy)	125

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
145	False	United States Steel Corporation - Mon Valley Works - Fairless Plant	Fairless Works	Fairless Hills	PA	19030	PAUSSFairlessHills	GE Furnace	Process Heater	none selected	Natural gas	Gas	69
146	False	United States Steel Corporation - Mon Valley Works - Irvin Plant	Camp Hollow Road	West Mifflin	PA	15122	PAUSSMonValleyIrvin	CA Line	Process Heater	none selected	Coke Oven GasNatural gas	Gas	45
147	False	Yorktowne Inc.	100 Industrial Park Road	Mifflinburg	PA	17844	PAYorktowneMifflinburg	033 #2	Boiler	FB	Wood: Plywood, Particleboard (containing glues or resins)	Biomass (dry)	5
148	False	BMW Manufacturing Co., LLC	1400 Highway 101 South	Greer	SC	29651	SCBMWManufacturingCo	HB03	Boiler	none selected	Landfill GasNatural gas	Gas	61
149	False	Cogen South L.L.C.	5600 Virginia Avenue	North Charleston	SC	29406	SCCogenSouth	B004 - Auxiliary Boiler #3	Boiler	none selected	No. 2 Distillate	Liquid (light)	313
150	False	Cogen South L.L.C.	5600 Virginia Avenue	North Charleston	SC	29406	SCCogenSouth	B001 - Main Boiler	Boiler	PC	Coal, Ind. sludge	Coal	
151	False	DuPont Teijin Films - Florence site	6901 DuPont Drive	Florence	SC	29506	SCDuPontTeijinFlorence	Boiler #3	Boiler	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	99.1
152	False	Eastman Chemical Company, South Carolina Operations (SCO)	Intersection I-26 & Highway 21 South	West Columbia	SC	29169	SCEastmanColumbia	HTM Heater #3 (Equip ID 1101)	Process Heater	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	88.2
153	True	Hartsville Oil Mill	311 Washington St.	Darlington	SC	29540	SCHartsvilleOilMill	CB-600 h.p. primary boiler	Boiler	none selected	Natural gasNo. 6 Residual oilVegetable Oil	Liquid (heavy)	25.106
154	False	International Paper Eastover Mill	4001 McCords Ferry Road	Eastover	SC	29044	SCInternationalPaperEastover	No. 2 Power Boiler	Boiler	Stoker	Biomass, TDF	Biomass	
155	False	International Paper - Georgetown Mill	700 South Kaminski Street	Georgetown	SC	29440	SCIPGeorgetown	PB01	Boiler	PC	Coal, TDF, Ind. sludge	Coal	
156	False	Marlboro Paper Mill	585 Willamette Rd	Bennettsville	SC	29512	SCMarlboroPaper	Hogged Fuel Boiler	Boiler	Stoker	Biomass, Ind. sludge	Biomass	

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
157	False	Michelin - Sandy Springs	6301 Hwy 76, PO Box 308	Sandy Springs	SC	29677	SCMichelinSandySprings	B:02:01	Boiler	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	51.75
158	False	Milliken Chemical - Dewey Plant	1440 Campton Road	Inman	SC	29349	SCMilliken-Dewey	D30	Boiler		NF Liquid, Ind. Sludge	NF Liquid	
159	False	Mitsubishi Polyester Film, Inc	2001 Hood Road	Greer	SC	29652	SCMitsubishiPolyesterFilm	Dowtherm Heater 4 (4FPDDOW HSA)	Process Heater	none selected	Natural gasNo. 2 DistillateVent Gas for Air Pollution Control	Liquid (light)	49
160	False	WeylChem US Inc.	2114 Larry Jeffers Road	Elgin	SC	29045-9262	SCWeylChem	CHR-2	Process Heater	none selected	thermal oil	Liquid (heavy)	1
161	True	ArborCraft, LLC Formerly Tarkett Wood Inc.	2225 Eddie Williams Road	Johnson City	TN	37601	TNArborCraft	B-1	Boiler	FB	Natural gasWood: Plywood, Particleboard (containing glues or resins)	Biomass (dry)	17.14
162	False	Bowater Newsprint - Calhoun Operations	5020 Highway 11 South	Calhoun	TN	37309	TNBowaterNewsprint	Bubbling Fluidized Bed Boiler	Boiler	FB	Biomass, TDF, Ind. sludge	Biomass	
163	False	Bunge Oils, Inc. - Chattanooga, TN	4608 Kirkland Ave	Chattanooga	TN	37409-2309	TNBungeChattanooga	EU003 (Vaporizer #1)	Process Heater	none selected	Natural gas	Gas	11.5
164	False	Cargill Inc. Corn Milling Memphis, TN	2330 Buoy St. P.O. Box 13368	Memphis	TN	38113	TNCargillMemphis	Pulverized Coal Boiler (8301)	Boiler	PC	Coal: Bituminous	Coal: Bituminous	247
165	False	DuPont Old Hickory Plant	1002 Industrial Road	Old Hickory	TN	37138	TNDuPontOldHickoryPlant	Dow Vaporizer No. 3	Process Heater	none selected	Natural gasNo. 2 Distillate	Liquid (light)	12.8
166	False	Tennessee Operations, Eastman Chemical Company	100 North Eastman Road	Kingsport	TN	37662	TNEastman_NO_CBIDATA	Boiler 30	Boiler	PC	Coal: Bituminous	Coal: Bituminous	780
167	False	INVISTA S.à.r.l.	4501 North Access Road	Chattanooga	TN	37415	TNInvistaChattanooga	EU003 - Vaporizer #1	Process Heater	none selected	Natural gasNo. 2 Distillate	Liquid (light)	22
168	False	Celanese Pampa Plant	Highway 60 West	Pampa	TX	79065	TXCelanesePampa	Boiler 11	Boiler	none selected	Methane and CO gas and CO2Natural gas	Gas	0.18
169	False	Hunter Power Plant	Hwy 10 South of Castle Dale	Castle Dale	UT	84513	UTHunterPowerPlantCastleDale	3	Boiler	PC	/Coal: Bituminous/	Coal: Bituminous	1704.864
170	False	Westinghouse Electric Company Western Zirconium Facility	10,000 West 900 South	Ogden	UT	84404	UTWestinghouse	306	Process Heater	unknown	Gas	gas	<= 10

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
171	False	Intermet - Archer Creek Foundry	1132 Mt. Athos Rd.	Lynchburg	VA	24504	VAIntermetArcherCreek	PROCESS 1	Process Heater	none selected	Natural gas	Gas	30
172	False	INVISTA S.à r.l.	400 DuPont Boulevard	Waynesboro	VA	22980	VAINVISTAWaynesboro	2-205 (B#1) Boiler #1	Boiler	PC	Coal: Bituminous	Coal: Bituminous	196
173	False	Philip Morris USA Inc. - Park 500	4100 Bermuda Hundred Road	Chester	VA	23836-3245	VAPhilipMorrisPark500	B2	Boiler	PC	Coal: Bituminous	Coal: Bituminous	237
174	False	VCU – MCV Campus Steam Plant	1020 Oliver Hill Way	Richmond	VA	23298	VAVCUMCVCampusSteamPlant	BOE002	Boiler	none selected	Natural gasNo. 2 DistillateNo. 6 Residual oilUsed Petroleum-based Oils (on-spec)	Liquid (heavy)	150.6
175	False	Boeing Renton Plant	800 Logan Ave N.	Renton	WA	98055	WABoeingRenton	BOIL04	Boiler	none selected	Natural gas	Gas	64
176	False	Georgia-Pacific Consumer Products (Camas) LLC	401 NE Adams Street	Camas	WA	98607	WAGPCamas	No. 5 Power Boiler	Boiler	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	318
177	False	Kimberly-Clark Corporation, Everett Mill	2600 Federal Avenue	Everett	WA	98201	WAKimberlyClarkEverett	No. 14 Cogeneration Boiler	Boiler	Stoker	Biomass, Ind. sludge	Biomass	
178	False	Nippon Paper Industries USA Co. Ltd.	1902 Marine Drive	Port Angeles	WA	98362	WANipponPaper	#8 Hog Fuel Boiler	Boiler	Stoker	Biomass, Ind. sludge	Biomass	
179	False	Weyerhaeuser, Raymond	51 Ellis St	Raymond	WA	98577	WAWeyerhaeuser_Raymond	Hog Fuel Boiler EU1	Boiler	Fuel Cell	Hog Fuel	Biomass (dry)	115
180	False	Charter Steel	1658 Cold Springs Road	Saukville	WI	53080	WICharterSteel	P31	Process Heater	none selected	Natural gas	Gas	10.2
181	False	Georgia Pacific - Green Bay Broadway	1919 South Broadway	Green Bay	WI	54304	WIGPGreenBay2818	B10 - Wastepaper Sludge-Fired Boiler 10	Boiler	FB	Deinking Residuals	NF Liquid	95
182	False	Georgia Pacific - Phillips Hardoard	115 Dept Road	Phillips	WI	54555	WIGPHardboardPhillips	B22 Fluidized Bed	Boiler	FB	Hog Fuel	Biomass (dry)	36
183		Thilmany, LLC	600 Thilmany Road	Kaukauna	WI	54130-0600	WIThilmanyLLC	B09	Boiler	cyclone	Coal, TDF	Coal	
184	True	WRR Environmental Services Co., Inc.	5200 Ryder Road	Eau Claire	WI	54701	WIWREnvironmental	B#3	Boiler	none selected	Natural gasNo. 6 Residual oil	Liquid (heavy)	16.7

Part B Appendix 1 -  
Boiler Unit Test List

Test ID	Small Entity	Facility Name	Facility Address	Facility City	Facility State	Facility Zip	FacilityID	UnitID	Unit Classification	Combustor Category	Fuel (specific)	FuelCategory	Design Capacity (mmBtu/hr)
185	False	PPG Industries, Inc., Natrium Plant	WV State Route 2	New Martinsville	WV	26155	WVPPGMartinsville	R097-Boiler 6	Boiler	none selected	Hydrogen	Gas	181
186	False	Sinclair Wyoming Refining Company	100 East Lincoln Highway	Sinclair	WY	82334	WYSinclairWyoming	Pt 74 #2 H2 Plant Heater	Process Heater	none selected	CO gasNatural gas	Gas	288
187	False	Sinclair Wyoming Refining Company	100 East Lincoln Highway	Sinclair	WY	82334	WYSinclairWyoming	Pt 41 #9 HPB	Boiler	none selected	No. 6 Residual oilRefinery gas	Liquid (heavy)	100

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Electrostatic Precipitator, General	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Cyclone: Multiple (Multiclone)Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Low NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Venturi ScrubberWet Electrostatic Precipitator, General	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Selective Catalytic Reduction (SCR)	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00



Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
Low NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Activated Carbon Adsorption No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Electrostatic Precipitator Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone) Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator Selective Non-Catalytic Reduction (NH3 Or Urea Injection) (SNCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone) Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone) Venturi Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
Fabric FilterFurnace Sorbent Injection (Dry)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Dry Scrubbing, GeneralFabric FilterLimestone Injection, GeneralSelective Non-Catalytic Reduction (NH3 Or Urea Injection) (SNCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Dry Limestone InjectionFabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrified Filter Bed (EFB)	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00
Cyclone: Multiple (Multiclone)Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)Dry Limestone InjectionFabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric FilterLimestone Injection, GeneralTemperature Control	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic PrecipitatorFlue Gas Desulfurization, GeneralSelective Catalytic Reduction (SCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: SingleDry Limestone InjectionFabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Selective Non-Catalytic Reduction (NH3 Or Urea Injection) (SNCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Electrostatic Precipitator Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Selective Catalytic Reduction (SCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric FilterLow NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric FilterFurnace Sorbent Injection (Dry)Low NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric FilterGravity CollectionNo Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
Cyclone: Multiple (Multiclone)Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Mist Eliminator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Alkaline Fly Ash ScrubbingElectrostatic PrecipitatorLimestone Injection, GeneralSelective Non-Catalytic Reduction (NH3 Or Urea Injection) (SNCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Low NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Lime Injection, Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter/Selective Non-Catalytic Reduction (NH3 Or Urea Injection) (SNCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Sodium Carbonate Scrubbing	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
Cyclone: Multiple (Multiclone)Venturi Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00
Lime Injection, Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)Venturi Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
Dry Limestone InjectionFabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00
Catalytic Oxidizer (For CO & VOC)Selective Catalytic Reduction (SCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Low NOx Burners and Flue Gas Recirculation	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Ammonia InjectionSelective Catalytic Reduction (SCR)Wet Electrostatic Precipitator, General	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Ammonia InjectionSelective Catalytic Reduction (SCR)Wet Electrostatic Precipitator, General	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Cyclone: Multiple (Multiclone)Dry Limestone InjectionFabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Flue Gas Recirculation	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00



Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Activated Carbon Injection/Fabric Filter/Wet Lime Injection	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Dry Limestone Injection/Fabric Filter/Selective Non-Catalytic Reduction (NH3 Or Urea Injection) (SNCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Electrostatic Precipitator, General/Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Cyclone: Multiple (Multiclone)Venturi Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
Cyclone: Multiple (Multiclone)Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)Venturi Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Centrifuge Collection	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Flue Gas Recirculation	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Low NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
None	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric FilterLow NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Dry Scrubbing, GeneralElectrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric FilterFlue Gas Desulfurization, General	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Cyclone: Multiple (Multiclone)Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00
Flue Gas RecirculationLow NOx Burners	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/Formaldehyde Stack Test CEMS Monitoring	\$190,000.00
Venturi ScrubberWet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Fabric Filter	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Wet Scrubber	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Electrostatic Precipitator	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
Fabric FilterSelective Non-Catalytic Reduction (NH3 Or Urea Injection) (SNCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Cyclone: Multiple (Multiclone)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
ESP	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
Automatic Flame Control	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00

Part B Appendix 1 -  
Boiler Unit Test List

Control	TestType	Test Costs
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment Selective Catalytic Reduction (SCR)	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test	\$52,000.00
No Equipment	CO/HC/PM/HCl/HF/Hg/metals/Dioxins+NOx/SO2 Stack Test and 10-sample Fuel Variability	\$54,000.00
TOTAL COST =		\$11,106,000

Part B Appendix 2 -  
CISWI Unit Test List

Facility/D	Unit/D	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests	
AKAlyeskaPumpStation1	31-IN-1	Alyeska Pipeline Service Company Pump Station 1	Sections 32 and 33, T11N, R14E, Umiat Meridian	North Slope	AK																\$52,000
AKAlyeskaPumpStation3	33-PK-1	Alyeska Pipeline Service Company Pump Station 3	Sections 8, 9, 16, & 17, T7S, R14E, Umiat Meridian, 112 miles South of Prudhoe Bay		AK																\$52,000
AKAlyeskaPumpStation4	34-PK-11	Alyeska Pipeline Service Company Pump Station 4	Sections 5 and 8, T12S, R12E, Umiat Meridian, 155 miles South of Prudhoe Bay		AK																\$52,000
AKBelugaRiver Production	Mech Shop Used Oil Burner		P.O. Box 66	Kenai	AK	99611															\$52,000
AKChugachElectricBeluga	EU No. 9		5601 Electron Drive	Anchorage	AK	99518															\$52,000
AKCoeur	Incinerator		3031 Clinton Drive, Suite 202	Juneau	AK	99801															\$52,000
AKCookInletPipeline-DriftRiver	Drift River Terminal Incinerator		2000 W. International Airport Road, Suite D-6	Anchorage	AK	99502															\$52,000
AKEntechAlaska	Incin # 1		440 E. 100th Avenue	Anchorage	AK	999515															\$52,000
AKHeclaGreensCreekJuneau	Consumat Incinerator		Mile 8.5 B-Road - Northern Admiralty Island	Juneau	AK	99803															\$52,000
AKIcicleSeafoods	EU #7		Seasonally Moored, Udagak Bay (54deg 44min N, 166deg 18min W) (mailing address: 4019 21st Avenue W, Seattle WA 98199)	Unalaska Island	AK	N/A															\$52,000
AKKuparukCentral Production	H-250 (EU 35)		Section 9, Township 11N, Range 10E, Umiat Meridian (Production Pad)	Achorage	AK	99501															\$52,000

Part B Appendix 2 -  
CISWI Unit Test List

FacilityID	UnitID	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests
AKOITMooseCreek	INC1		2355 Old Richardson Hwy.	Moose Creek	AK	99705														\$52,000
AKPeakOilfield	CY 2000	Peak Oilfield Service Company - North Slope	2525 C Street, Suite 201	Anchorage	AK	99503														\$52,000
AKPioneerNR	I-5 incinerator		700 G Street, Suite 600	Anchorage	AK	99501														\$52,000
AKTeckComincoAlaskaIncRedDogMine	MI-2		68 deg 4' North, 162 deg 50' West	Anchorage	AK	99517														\$52,000
AKTeckComincoAlaskaIncRedDogMine	MI-3	Teck Cominco Alaska, Inc. Red Dog Mine	68 deg 4' North, 162 deg 50' West	Anchorage	AK	99517														\$52,000
AKUnisea37	EU ID 18	UniSea, Inc. Dutch Harbor Plant	88 Salmon Way, Amaknak Island	Dutch Harbor	AK	99692														\$52,000
AKUOCCGranitePoint	P-X-0540 (EU 11)	Granite Point Platform	Cook Inlet, Alaska		AK															\$52,000
AKUOCCTradingBay	R-H-0800	Trading Bay Production Facility	52300 Nikiski Beach Road	Nikiski	AK	99635														\$52,000
AKWestMacArthurRiverUnit	I-1		310 K Street, Suite 700	Anchorage	AK	99501														\$52,000
AKXTOEnergy	INCINERATOR		52260 WIK ROAD	KENAI	AK	99611														\$52,000
ALIPRiverdale	No. 2 Bark Boiler / BK02		601 County Road 78	Selma	AL	36703									X					\$52,000
ALSonyElectronics	Battery Inc.	Sony Electronics Inc.	4275 West Main Street	Dothan	AL	36305								X						\$52,000
AREvergreenPackaging	BB		5201 Fairfield Road	Pine Bluff	AR	71601		X							X					\$47,000
ARFutureFuels	6M03-05		2800 Gap Rd.	Batesville	AR	72501														\$52,000
CAArmtecDefense	Scrap Incinerator 1		85-901 Ave. 53	Coachella	CA	92236		X					X	X		X				\$41,000
CABokan	1		4101 Franklin Blvd.	Sacramento	CA	95820														\$52,000
CACEMEXVictorville	Kiln 3		16888 North E Street	Victorville	CA	92394				X						X				\$29,000
CAD&D	Incinerator		4105 Bandini Blvd	Vernon	CA	90023-4680														\$52,000
CAWheelabratorShasta	Boiler#1		20811 Industry Road	Anderson	CA	96007		X		X		X	X	X	X					\$41,000
COChevronRangely	Smart Ash 3		100 Chevron Road	Rangely	CO	81648														\$52,000



Part B Appendix 2 -  
CISWI Unit Test List

FacilityID	UnitID	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests
FLCemexMiami	Soil Thermal Treatment Facility		1200 NW 137th Avenue	Miami	FL	33182		X							X					\$47,000
FLCemexMiami	Cement Kiln		1200 NW 137th Avenue	Miami	FL	33182		X	X		X	X	X		X	X				\$28,000
FLFloridaRock	Kiln Line 1		4000 NW County Road 235	Newberry	FL	32669		X	X				X		X	X				\$28,000
FLSolutiaIncPensacola	CP-L		3000 Old Chemstrand Rd.	Cantonment	FL	32533-8926														\$52,000
GAADMLocation551	630-Wellons		1841 Clay Road	Valdosta	GA	31603		X						X						\$47,000
GAAmericasStyrenics	H2200		17401 State Route 7 South	Marietta	OH	45750		X												\$47,000
GAOwensCorningRoofingandAsphaltAtlanta	IB01	Owens Corning Roofing and Asphalt, LLC - Atlanta Roofing and Asphalt	4795 Frederick Drive	Atlanta	GA	30306														\$52,000
IACNHAmerica	INC-1	CNH America LLC, Burlington, IA	1930 Des Moines Avenue	Burlington	IA	52601														\$52,000
IAlafargeBuffalo	Kiln 1		301 E. Front Street	Buffalo	IA	52728		X	X				X	X		X				\$28,000
IAlhighCementMasonCity	302.203		700 25th Street NW	Mason City	IA	50401-9403		X	X	X			X	X	X	X				\$23,000
IAPellaCorp	EP-CO	Pella Corporation - Pella	102 Main Street	Pella	IA	50219														\$52,000
ILDixline	Paint Stripping Furnace	Dixline Corporation	26 SW Fourth Avenue, P.O. Box 166	Galva	IL	61434														\$52,000
ILFlintHillsResources	HB-2301	Flint Hills Resources, LP- Joliet Facility	23425 Amoco R	Joliet	IL	60434		X		X			X	X						\$41,000
ILHiltonLisle	Incinerator	Hilton Lisle/Naperville	3003 Corporate West Drive	Lisle	IL	60532														\$52,000
ILInterlakeMaterial	AN	Interlake Material Handling, Inc.	701 Interlake Drive	Pontiac	IL	61764														\$52,000
ILJacksonvilleDevelopmentalCenter	Incinerator	Jacksonville Developmental Center	1201 S. Main st.	Jacksonville	IL	62650														\$52,000
INBlufftonMotorWorks	6645, E6	Bluffton Motor Works, LLC	410 East Spring Street	Bluffton	IN	46714														\$52,000
INBungeDecatur	Murray (3SP1)		1200 North 2nd Street	Decatur	IN	46733														\$52,000
INCovanceLabsGreenfield	241-1A	Covance Laboratories, Inc. (SWI-115) Formerly Eli Lilly Greenfield Labs.	671 S. Meridian	Greenfield	IN	46140-5006														\$52,000

Part B Appendix 2 -  
CISWI Unit Test List

FacilityID	UnitID	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests	
INLehighCementMitchell	EU17	Lehigh Cement Company, Mitchell Plant	180 N. Meridian Road	Mitchell	IN	47446			X					X							\$34,000
INLehighCementMitchell	EU15	Lehigh Cement Company, Mitchell Plant	180 N. Meridian Road	Mitchell	IN	47446		X	X		X			X	X						\$29,000
INSupremeCorp	M-Building	Supreme Corporation	2581 E. Kercher Rd.	Goshen	IN	46526															\$52,000
INSyndicateSales	incinerator	Syndicate Sales Inc.	945 S. Lindsay Street	Kokomo	IN	46901															\$52,000
INWabashNational855	BO	Wabash National	1000 Sagamore Parkway South	Lafayette	IN	47905															\$52,000
INWhirlpool	Pyrolytic Oven #1	Whirlpool Corporation	5401 U.S Highway 41 North	Evansville	IN	47727															\$52,000
KSFClIndustries	EP-01	FC Industries, Inc.	13508 Oak St.	Kansas City	MO	64145															\$52,000
KYCooperStandard	SN-17	Cooper Standard Automotive	250 Oak Grove Drive	Mount Sterling	KY	40353															\$52,000
KYCoxInterior	WB2	Cox Interior, Inc.	1751 Old Columbia Road	Campbellsville	KY	42718		X													\$47,000
KYFauntleroy	D-900	Fauntleroy Supply Inc.	820 North Main Street	Greenville	KY	42345															\$52,000
LADeltech	HB-507	Deltech Corporation	11911 Scenic Highway	Baton Rouge	LA	70807															\$52,000
LAInternationalPaper-Pineville	Power Boiler /0601	International Paper-Pineville Mill	300 Williams Lake Rd	Pineville	LA	71360	X	X		X	X	X		X							\$31,000
LAInternationalPaperRedRiver Mill	EQT011 Hogged Fuel Boiler No. 2	International Paper - Red River Mill	4537 Highway 480	Campiti	LA	71411								X							\$52,000

Part B Appendix 2 -  
CISWI Unit Test List

FacilityID	UnitID	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests
MDMirantChalk Point	Unit 4	Mirant Chalk Point Generating Station	25100 Chalk Point Road	Aquasco	MD	20608-2600							X	X	X	X				\$46,000
MDSeverstalSparrows	1BLR		1430 Sparrows Point Boulevard	Sparrows Point	MD	21219														\$52,000
MEBoralex	Boiler #1	Boralex- Livermore Falls	267 Diamond Rd.	Livermore Falls	ME	4254	X	X	X	X	X	X	X	X	X					\$12,000
MEBoralexStratton	Boiler #1	Boralex Stratton Energy LP	PO Box 140 27 Fox Farm Rd	Stratton	ME	4982	X	X	X	X	X	X	X		X					\$12,000
MEHuberEngineeredWoodLLC	Boiler No.1		333 Station Road	Easton	ME	04740														\$52,000
MEHuberEngineeredWoodLLC	Dryer Furnace		333 Station Road	Easton	ME	04740														\$52,000
MEPioneerPlastics	Boiler #5/Thermal Oxidizer	Pioneer Plastics Corporation	1 Pionite Road	Auburn	ME	04210								X						\$52,000
MIGraylingGeneratingStation	Boiler1	Grayling Generating Station	4400 W. Four Mile Road	Grayling	MI	49738	X	X		X	X	X	X	X	X	X				\$25,000
MIHermanMiller	EUBBLR	Herman Miller, Inc.	855 E. Main Ave.	Zeeland	MI	49464	X	X		X	X	X		X	X					\$31,000
MIVikingEnergyMcBain	19313	Viking Energy of McBain	6751 W. Gerwoude DR	McBain	MI	49657		X			X	X	X		X	X				\$46,000
MNAinsworthEngineeredCook	EU006 Keeler Boiler #1	Ainsworth Engineered LLC - Cook	9358 US Highway 53	Cook	MN	55723		X						X	X					\$47,000
NC DukeEnergy Allen	ES-6(AuxB)	Duke Energy Carolinas LLC, Allen Steam Station	253 Plant Allen Road	Belmont	NC	28012														\$52,000
NDADMNorthernSun	EU17	Northern Sun - ADM	5525 136th Ave. SE	Enderlin	ND	58027	X	X		X	X	X		X	X	X				\$26,000
NECNH AmericaGrandIsland	7996	CNH America LLC Grand Island Operation	3445 Stolley Park Rd	Grand Island	NE	68802														\$52,000
NJNovartis	34		59 Route 10	East Hanover	NJ	07936		X					X	X		X				\$41,000
OHWhirlpoolClyde	N001		119 Birdseye St.	Clyde	OH	43410								X						\$52,000
OKVRCOklahoma	LPLT VCU	Valero Refining Company - Oklahoma	Highway 142 E and Cameron Road	Ardmore	OK	73401														\$52,000
OKVRCOklahoma	HI-501	Valero Refining Company - Oklahoma	Highway 142 E and Cameron Road	Ardmore	OK	73401		X				X				X				\$41,000
ORGPToledo	EU11 - Hog Fuel Boiler #4		1400 SE Butler Bridge Road	Toledo	OR	97391		X		X				X						\$42,000
PAcambria	Cambria 031/032	Cambria Cogen Company	243 Rubisch Road	Ebensburg	PA	15931														\$52,000

Part B Appendix 2 -  
CISWI Unit Test List

FacilityID	UnitID	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests
PACNHAmericaNewHolland	INC-1	CNH America LLC, New Holland, PA	300 Diller Avenue	New Holland	PA	17557														\$52,000
PAKimberlyClarkChester	Boiler #10 (ID 035)		One Avenue of the States	Chester	PA	19013		X	X	X		X	X		X	X				\$23,000
PALehighCementYork	200	Lehigh Cement Company, York Plant	200 Hokes Mill Road	York	PA	17403	X	X	X	X		X	X	X		X				\$23,000
PAWardMfg	C10 Afterburners	Ward Manufacturing LLC	115 Gulick St	Blossburg	PA	16912														\$52,000
SCBASFSeneca	23	BASF Corporation	554 Engelhard Drive	Seneca	SC	29678								X						\$52,000
SCCryovac	BL06		803 North Maple Street	Simpsonville	SC	29681			X	X				X						\$29,000
SCDixieNarco	47	Dixie-Narco/Crane	3330 Dixie Narco Blvd	Williston	SC	29583														\$52,000
SCINVESTACamdenPlant	Unit ID 19 - Lindberg	INVISTA S.à r.l.-Camden Plant	643 Highway 1 South	Lugoff	SC	29078														\$52,000
SCINVESTASpartanburg	EU39a - Polyester Burn Off Oven #1	INVISTA S.à r.l.	1550 Dewberry Road	Spartanburg	SC	29307														\$52,000
SCLaFargeHarleyville	2	Lafarge Harleyville	463 Judge Street	Harleyville	SC	29448	X	X	X	X	X	X		X	X					\$13,000
TNEastman_NO_CBIDATA	Boiler 18	Tennessee Operations, Eastman Chemical Company	100 North Eastman Road	Kingsport	TN	37662		X						X						\$47,000
TNPackagingCorpCounce	Combination Boiler # 2	Packaging Corporation of America, Counce Mill	6715 Hwy 57	Counce	TN	38326				X			X	X		X				\$41,000
TNStateIndustries	Waste Incinerator/Boiler	State Industries, Inc.	500 Tennessee Waltz Parkway	Ashland City	TN	37015														\$52,000
TNTeknorApex	Boiler # 5	Teknor Apex - Haywood Company	751 Dupree	Brownsville	TN	38012														\$52,000
TNTempleInland2426	5000F	Temple-Inland, Inc	2877 Sceptor Road	Waverly	TN	37185								X		X				\$47,000
TXBASFFreepoirt	IN-5500	BASF Corporation Freeport	602 Copper Road	Freeport	TX	77541		X				X		X	X	X				\$41,000

Part B Appendix 2 -  
CISWI Unit Test List

FacilityID	UnitID	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests	
TXChemtrade	PRO-001	Chemtrade Refinery Services Inc.	1400 Olin Road	Beaumont	TX	77705	X	X		X				X	X	X					\$37,000
TXDrugEmporium	01	Drug Emporium	2321 West Loop 281	Longview	TX	75608															\$52,000
TXInternational PaperQueenCity	PB02	International Paper Texarkana Mill	9978 FM 3129	Queen City	TX	75572	X	X	X		X	X	X	X	X	X					\$12,000
TXLuciteNederland	Acrylo Incinerator	Lucite International, Inc.	6350 North Twin City Highway	Nederland	TX	77627							X								\$51,000
TXMadix	Building C - Burn-off Oven	Madix, Inc.	500 Airport Rd.	Terrell	TX	75160															\$52,000
TXPED Oil Corporation PORTABLE FILTER INCIN	INCIN #1		P.O. Drawer 3547	Midland	TX	79702	X	X		X	X	X	X	X							\$30,000
TXReichhold	Thermal Oxidizer	Reichhold, Inc.	1503 Haden Road	Houston	TX	77213															\$52,000
TXSterlingChemTexasCity	53H3	Sterling Chemicals, Inc.	201 Baystreet South	Texas City	TX	77590		X					X	X							\$46,000
VABAENorfolk	003		750 West West Berkley Avenue	Norfolk	VA	23523															\$52,000
VABearIslandPaperCoAshland	Unit Ref #2 (Combo Boiler)	Bear Island Paper Company, L.L.C.	10026 Old Ridge Road	Ashland	VA	23005	X			X	X	X		X							\$36,000
VACovance	100264	Covance Inc.	9200 Leesburg Pike	Vienna	VA	22182															\$52,000
VAHapcoAbingdon	RGF TO-30	Hapco, Inc	26252 Hillman Hwy	Abingdon	VA	24210															\$52,000
VANautilusSyst	Controlled py	Nautilus Human Performance Systems Incorporated	709 Powerho	Independence	VA																\$52,000
VAQuadrantEPP	Controlled py	Quadrant Engineering Plastics Products	Rte 21	Wytheville	VA																\$52,000

Part B Appendix 2 -  
CISWI Unit Test List

FacilityID	UnitID	Facility Name	Address	City	State	Zip	Cadmium (Cd)	CO	Dioxin/Furans	Hydrogen Chloride (HCl)	Lead (Pb)	Mercury (Hg)	NOX	Particulate Matter (front half)	Particulate Matter (total, including condensibles)	SO2	HAP Metals	Hydrogen Fluoride (HF)	Particulate Matter Fine (PM2.5)	Estimated Cost of Emissions Tests
VARadfordArmyAmmunitionPlant	Decontamination Oven		Route 114	Radford	VA	24143-0100	X	X	X	X	X			X						\$29,000
VATransInd	50825	Trans Ind Corporation - Coxendale Incinerator	1711 Coxendale Road	Chester	VA	23831														\$52,000
WABoeingDevel	9-67 data-destroy incinerator	Boeing Military Aircraft (DC)		Seattle	WA	98108														\$52,000
WAEmeraldKalama	U-2	Emerald Kalama Chemical	2801 E 7th St	Kalama	WA	98625-9799		X												\$47,000
WALongviewFP	#12 Power Boiler	Longview Fibre Paper & Packaging, Inc.	300 Fibre Way	Longview	WA	98632	X	X		X	X	X		X		X				\$26,000
WALongviewFP	#20 Power Boiler	Longview Fibre Paper & Packaging, Inc.	300 Fibre Way	Longview	WA	98632	X	X		X	X	X	X	X		X				\$25,000
WAPortTownsendPaper	#10 Power Boiler	Port Townsend Paper Corp.	100 Mill Road	Port Townsend	WA	98368	X	X		X	X	X	X							\$30,000
WINSPWashland	B20		122 N. 14th Avenue West	Ashland	WI	54806	X	X			X	X	X	X	X	X				\$30,000
WIRichardsonBrosYacht	B-38	Richardson Brothers Yacht Interiors	635 Cty. Rd. PP	Sheboygan Falls	WI	53085														\$52,000
WYSinclairWyoming	Pt 67 Catalytic Oxidizer Unit	Sinclair Wyoming Refining Company	100 East Lincoln Highway	Sinclair	WY	82334														\$52,000
<b>Total</b>																				<b>\$5,572,000</b>