

# National Animal Health (NAHRS) Monthly Report



# Reporting System Form

USDA:APHIS:VS:CEAH

2150 Centre Ave, Bldg B  
Fort Collins, CO 80526-8117

OMB Number 0579-0299  
Exp. Date:

Person completing the report:

Name:  
Address:  
Telephone:  
FAX:  
E-mail address

These instructions refer to completion of this form by the State Veterinarian's office or representative. The level of disease (presumptive versus definitive) reported to your office by laboratories should be taken into account and combined with other available information to determine whether the data fit the National Animal Health Reporting System (NAHRS) reporting criteria.

For each month, please report for the entire month. The report for each month is generally due by the 20th of the following month. If you receive reports on out-of-state submissions, **REPORT ONLY FOR YOUR OWN STATE**. Be sure to indicate the State and month for which you are reporting in the spaces provided on the top of each page of the form.

Complete the following confirmed disease report after consulting the NAHRS disease reporting criteria for each disease. If a case meets the NAHRS criteria for presence of disease, record it as present. If a case does not strictly meet the NAHRS criteria, you may use additional information to decide if you want to report the presence of confirmed disease for the given month. The disease reporting criteria are minimum standards and additional information can be utilized to report i.e. epidemiological link, or other non listed laboratory tests. NOTE: For those diseases considered to be foreign to the United States (FAD), the default response is 'NO'. To report the presence of an FAD, change the 'NO' to 'YES'.

If you received a report of a case which fits the NAHRS criteria, check 'YES' under PRESENT. If you received a report of a case which does not fit the NAHRS criteria, but you have additional evidence to support the presence of confirmed disease, check 'YES' under PRESENT. In the COMMENTS column, please indicate the highest level of diagnostic criteria used in confirming a clinical case. If a report of a case is received after the report has been sent, notify the NAHRS administrator to update the information.

If you received no reports in the investigation of a suspected confirmed disease which fit the NAHRS criteria and you have no further supporting evidence of the presence of confirmed disease, check 'NO' under PRESENT (e.g., all investigations for a given disease were negative. If the disease is considered reportable in your State (you would expect to receive a report if found), but you received no report which fits the NAHRS criteria, check 'NO' under PRESENT.

Add any additional information which you feel may be of value in the COMMENTS column e.g. level of lab diagnosis, presumptive vs definitive, clarification if needed.

STATE: OIE NUMBER - DISEASE NAME	MONTH:		YEAR:
	PRESENT		COMMENTS
BOVINE	YES	NO	
<b>A010-A018</b> Foot and Mouth Disease (FMD, Viruses O, A, C, SAT 1, SAT 2, SAT 3, Asia 1, or not typed)		X	
<b>A020-A023</b> Vesicular Stomatitis (VS, Viruses Indiana, New Jersey, or not typed)		X	
<b>A040</b> Rinderpest		X	
<b>A060</b> Contagious Bovine Pleuropneumonia ( <i>Mycoplasma mycoides mycoides</i> )		X	
<b>A070</b> Lumpy Skin Disease		X	
<b>A080</b> Rift Valley Fever		X	
<b>N001</b> Crimean Congo Hemorrhagic Fever		X	
<b>A090</b> Bluetongue			
<b>B051</b> Anthrax ( <i>Bacillus anthracis</i> )			
<b>B052</b> Aujesky's Disease (Pseudorabies)			
<b>B053</b> Echinococcosis/Hydatidosis			
<b>B055</b> Heartwater ( <i>Cowdria ruminantium</i> )		X	
<b>B056</b> Leptospirosis			
<b>B057</b> Q Fever ( <i>Coxiella burnetti</i> )			
<b>B058</b> Rabies			
<b>B059</b> Paratuberculosis (Johne's Disease, <i>Mycobacterium avium paratuberculosis</i> )			
<b>B060-B061</b> New and Old World Screwworm ( <i>Cochliomyia (Callitroga) hominivorax</i> , <i>Chrysomya bezziana</i> )		X	
<b>B101</b> Anaplasmosis ( <i>Anaplasma marginale</i> , <i>A. centrale</i> )			
<b>B102</b> Babesiosis ( <i>Babesia bovis</i> , <i>B. bigemina</i> )		X	
<b>N103</b> Bovine Brucellosis ( <i>Brucella abortus</i> )			
<b>N152</b> Brucellosis ( <i>Brucella melitensis</i> )			
<b>N253</b> Brucellosis ( <i>Brucella suis</i> )			
<b>B104</b> Bovine Genital Campylobacteriosis ( <i>Campylobacter fetus venerealis</i> )			
<b>B105</b> Bovine Tuberculosis ( <i>Mycobacterium bovis</i> )			
<b>N117</b> Bovine viral diarrhea (BVD)			
<b>B108</b> Enzootic Bovine Leukosis (BLV)			
<b>B109</b> Hemorrhagic Septicemia ( <i>Pasteurella multocida</i> , B/Asian or E/African serotypes)			
<b>B110</b> Infectious Bovine Rhinotracheitis/ Infectious Pustular Vulvovaginitis (IBR/IPV)			
<b>B111</b> Theileriasis ( <i>Theileria annulata</i> , <i>T. parva</i> )		X	
<b>B112</b> Trichomoniasis ( <i>Trichomonas (Trichomonas) foetus</i> )			
<b>B113</b> Trypanosomiasis ( <i>Trypanosoma congolense</i> , <i>T. vivax</i> , <i>T. brucei brucei</i> )		X	
<b>B114</b> Malignant Catarrhal Fever (Bovine Malignant Catarrh, Wildebeest associated)			Indicate if Sheep or Wildebeest related form/ or other
<b>B115</b> Bovine Spongiform Encephalopathy		X	

<b>CAPRINE AND OVINE</b>	YES	NO	
<b>A010-A018</b> Foot and Mouth Disease (FMD, Viruses O, A, C, SAT 1, SAT 2, SAT 3, Asia 1, or not typed)		<b>X</b>	
<b>A020-A023</b> Vesicular Stomatitis (VS, Viruses Indiana, New Jersey, or not typed)		<b>X</b>	
<b>A040</b> Rinderpest		<b>X</b>	
<b>A050</b> Peste des Petits Ruminants		<b>X</b>	
<b>A080</b> Rift Valley Fever		<b>X</b>	
<b>A090</b> Bluetongue			
<b>N001</b> Crimean Congo Hemorrhagic Fever		<b>X</b>	
<b>A100</b> Sheep Pox and Goat Pox		<b>X</b>	
<b>B051</b> Anthrax ( <i>Bacillus anthracis</i> )			
<b>B052</b> Aujesky's Disease (Pseudorabies)			
<b>B053</b> Echinococcosis/Hydatidosis			
<b>B055</b> Heartwater ( <i>Cowdria ruminantium</i> )		<b>X</b>	
<b>B056</b> Leptospirosis			
<b>B057</b> Q Fever ( <i>Coxiella burnetti</i> )			
<b>B058</b> Rabies			
<b>B059</b> Paratuberculosis (Johne's Disease, <i>Mycobacterium paratuberculosis</i> )			
<b>B060-B061</b> New and Old World Screwworm ( <i>Cochliomyia (Callitroga) hominivorax</i> , <i>Chrysomya bezziana</i> )		<b>X</b>	
<b>B151</b> Ovine Epididymitis ( <i>Brucella ovis</i> infection)			
<b>N152</b> Caprine and Ovine Brucellosis- ( <i>B. melitensis</i> ) (all others except <i>B. ovis</i> )			
<b>B153</b> Caprine Arthritis/Encephalitis (CAE)			
<b>B154</b> Contagious Agalactia ( <i>Mycoplasma agalactiae</i> , <i>M. capricolum capricolum</i> , <i>M. putrefaciens</i> , <i>M. mycoides mycoides</i> , <i>M. mycoides mycoides</i> LC)			
<b>B155</b> Contagious Caprine Pleuropneumonia ( <i>Mycoplasma capricolum capripneumoniae</i> )		<b>X</b>	
<b>B156</b> Enzootic Abortion of Ewes (Ovine Psittacosis, <i>Chlamydia psittaci</i> )			
<b>B158</b> Nairobi Sheep Disease		<b>X</b>	
<b>B159</b> Salmonellosis ( <i>Salmonella abortus ovis</i> )			
<b>B160</b> Scrapie			
<b>B161</b> Maedi-Visna/Ovine Progressive Pneumonia			
<b>B352</b> Tularemia ( <i>Francisella tularensis</i> )			
<b>N002</b> West Nile fever/encephalitis			
<b>EQUINE</b>	YES	NO	
<b>A020-A023</b> Vesicular Stomatitis (VS, Viruses Indiana, New Jersey, or not typed)			
<b>A110</b> African Horse Sickness		<b>X</b>	
<b>B051</b> Anthrax ( <i>Bacillus anthracis</i> )			
<b>B056</b> Leptospirosis			
<b>B058</b> Rabies			
<b>B060-B061</b> New and Old World Screwworm ( <i>Cochliomyia (Callitroga) hominivorax</i> ,		<b>X</b>	

<i>Chrysomya bezziana</i>			
<b>B062</b> Trichinellosis ( <i>Trichinella spiralis</i> )			
<b>B201</b> Contagious Equine Metritis ( <i>Taylorella equigenitalis</i> )			
<b>B202</b> Dourine ( <i>Trypanosoma equiperadum</i> )		X	
<b>N220</b> Eastern Equine Encephalomyelitis (EEE)			
<b>N221</b> Western Equine Encephalomyelitis (WEE)			
<b>B205</b> Equine Infectious Anemia (EIA)			
<b>B206</b> Equine Influenza (Virus Type A)			
<b>B207</b> Equine Piroplasmiasis (Babesiosis, <i>Babesia (Piroplasma) equi, B. caballi</i> )		X	
<b>B208</b> Equine Rhinopneumonitis (EHV 1 and 4)			
<b>B208a</b> Equine herpesvirus myeloencephalopathy (EHV1 – EHM)			
<b>B209</b> Glanders ( <i>Pseudomonas mallei</i> )		X	
<b>B211</b> Equine Viral Arteritis (EVA)			
<b>B212</b> Japanese Encephalitis		X	
<b>B215</b> Surra ( <i>Trypanosoma evansi</i> )		X	
<b>B216</b> Venezuelan Equine Encephalomyelitis		X	
<b>N103</b> Brucellosis ( <i>Brucella abortus</i> )			
<b>N253</b> Brucellosis ( <i>Brucella suis</i> )			
<b>N352</b> Tularemia ( <i>Francisella tularensis</i> )			
<b>N002</b> West Nile Fever/encephalitis			

<b>PORCINE</b>	YES	NO	
<b>A010-A018</b> Foot and Mouth Disease (FMD, Viruses O, A, C, SAT 1, SAT 2, SAT 3, Asia 1, or not typed)		X	
<b>A020-A023</b> Vesicular Stomatitis (VS, Viruses Indiana, New Jersey, or not typed)			
<b>A030</b> Swine Vesicular Disease		X	
<b>A040</b> Rinderpest		X	
<b>A120</b> African Swine Fever		X	
<b>A130</b> Classical Swine Fever (Hog Cholera)		X	
<b>N258</b> Nipah Virus Encephalitis		X	
<b>B051</b> Anthrax ( <i>Bacillus anthracis</i> )			
<b>B052</b> Aujeszky's Disease (Pseudorabies)			
<b>B053</b> Echinococcosis/Hydatidosis			
<b>B056</b> Leptospirosis			
<b>B058</b> Rabies			
<b>B060-B061</b> New and Old World Screwworm ( <i>Cochliomyia (Callitroga) hominivorax, Chrysomya bezziana</i> )		X	
<b>B062</b> Trichinellosis ( <i>Trichinella spiralis</i> )			
<b>B252</b> Cysticercosis ( <i>Cysticercus cellulosae</i> metacestode stage of <i>Taenia solium</i> )			
<b>N253</b> Porcine Brucellosis ( <i>Brucella suis</i> )			
<b>B254</b> Transmissible Gastroenteritis (TGE)			
<b>B257</b> Porcine Reproductive and Respiratory Syndrome (PRRS)			
<b>B212</b> Japanese Encephalitis			

<b>B352</b> Tularemia ( <i>Francisella tularensis</i> )			
---	--	--	--

<b>POULTRY</b>	YES	NO	
<b>A150</b> Fowl Plague (Highly Pathogenic Avian Influenza)		<b>X</b>	
<b>A160</b> Newcastle Disease (Exotic)		<b>X</b>	
<b>N150i</b> Low Pathogenic Avian Influenza (H5 or H7 subtypes) poultry			
<b>1008</b> Turkey Rhinotracheitis		<b>X</b>	
<b>B301</b> Avian Infectious Bronchitis			
<b>B302</b> Avian Infectious Laryngotracheitis			
<b>B304</b> Duck Viral Hepatitis			
<b>B306</b> Fowl Cholera ( <i>Pasteurella multocida</i> )			
<b>B308</b> Fowl Typhoid ( <i>Salmonella gallinarum</i> )			
<b>B309</b> Infectious Bursal Disease (Gumboro Disease)			
<b>B310</b> Marek's Disease			
<b>B311</b> Mycoplasmosis ( <i>Mycoplasma gallisepticum</i> )			
<b>1009</b> Mycoplasmosis ( <i>Mycoplasma synoviae</i> )			
<b>B312</b> Avian Chlamydiosis (Psittacosis and Ornithosis, <i>Chlamydia psittaci</i> )			
<b>B313</b> Pullorum Disease ( <i>Salmonella pullorum</i> )			

<b>AQUICULTURE</b>	YES	NO	COMMENTS
<b>B401</b> Viral Hemorrhagic Septicemia			
<b>B404</b> Spring Viremia of Carp			
<b>B405</b> Infectious Hematopoietic Necrosis			
<b>B413</b> Epizootic Hematopoietic Necrosis			
<b>B415</b> <i>Onchorynchus Masou</i> Virus Disease			

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0579-0299. The time required to complete this information collection is estimated to average 4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.