

**Nurse Delivered Sexual Risk Reduction Intervention for
HIV-Positive Women in the South**

0920-XXXX

Attachment 8

REFERENCES

- Bedimo, A.L., Bennett, M., Kissinger, P., & Clark, R. (1998). Understanding barriers to condom usage among HIV-infected African American women. *JANAC, 9*(3), 48-58.
- Berger, N. E., Ferrans, C. E. & Lashley, F. R. (2001). Measuring stigma in people with HIV: Psychometric assessment of the HIV stigma scale. *Research in Nursing & Health, 24*, 518-529.
- Berkman, L. F., Berkman, C. S., Freeman, S., Lea, L., Ostfeld, A. M., Cornoni-Huntley, D., & Brody, J. A. (1986). Depressive symptoms in relation to physical health and functioning in the elderly. *Am. J. Epid., 124*, 372-388.
- Fishbein, M, Middlestadt, S.E., & Trafimov, D. (1993). Social norms for condom use: Implications for HIV prevention interventions of a KABP survey with heterosexuals in the Eastern Caribbean. *Adv Consum Res, 20*, 292-296.
- Fisher, J.D., Cornman, D.H., Osborn, C.Y., Amico, R., Fisher, W.A., & Friedland, G.A. (2004). Clinician-initiated HIV risk reduction intervention for HIV-positive persons. *JAIDS, 37*(S2), S78-S87.
- Fitzpatrick, J.L., Forma, F., Greenberg, A., Leone, P., Adimora, A., & Foust E. (2005, February). *HIV infection among young black women. The evolving HIV epidemic: Risk behavior, incidence, and prevalence.* Paper presented at the 12th Conference on Retroviruses and Opportunistic Infections, Boston, MA.
- Hudson, W. & McIntosh, S. (1981). The assessment of spouse abuse: two quantifiable dimensions. *Journal of Marriage and the Family, 43*, 873-888.
- Jemmott, L. S., Jemmott, J. B. III, & O'Leary, A. (2007). A Randomized Controlled Trial of Brief HIV/STD Prevention Interventions for African American Women in Primary Care Settings: Effects on Sexual Risk Behavior and STD Incidence. *American Journal of Public Health, 97* (6), 1034-1040..
- Kalichman, S.C., Rompa, D., Luke, W., et al. (2002). HIV transmission risk behaviors among HIV seropositive persons in serodiscordant relationships. *Journal of STD/AIDS, 16*, 677-682.
- Lake, E. (1993). An exploration of the violent victim experiences of female offenders. *Violence and Victims, 8*(1), 41-51.
- Latka, M. L., Metsch, L.R., Mizuno, Y., Tobin, K., MacKenzie, S., Arnstein, J.H., & Gourevitch, M. N. (2006). Unprotected sex among HIV-positive injections drug-

using women and their serodiscordant male partners: Role of personal and partnership influences. *J Acquir Immune Defic Syndr*, 42 (2), 222-228.

Leone, P., et al. (2005). HIV transmission among Black women – North Carolina, 2004. *MMWR*, 54(4), 89-94.

Mayfield, D., McLeod, G. & Hall, P. (1974). The CAGE questionnaire: Validation of a new alcoholism screening instrument. *Am J Psychiatry*, 131 (10), 1121-1123.

MacKinnon DP, Lockwood CM, Williams J. Confidence Limits for the Indirect Effect: Distribution of the Product and Resampling Methods. *Multivariate Behavioral Research* (2004). 39(1):99-128.

Mizuno, Y., Wilkinson, J.D., Santibanez, S., Dawson Dawson Rose, C., Knowlton, A., Handley, K., Gourevitch, M.N., & INSPIRE Team. (2006). Correlates of health care utilization among HIV-positive injection drug users. *AIDS Care*, 18(5), 417-425.

Mizuno, Y., Purcell, D.W., Latka, M.H., Metsch, L.R., Gomez, C.A., & Latkin, C.A. (2007). Beliefs that condoms reduce sexual pleasure-gender differences in correlates among heterosexual HIV-positive injection drug users (IDUs). *Journal of Urban Health*, 84(4), 523-536.

Moore, J., Schuman, P., Schoenbaum, E., Boland, B. Solomon, L. & Smith, D. (1999). Severe adverse life events and depressive symptoms among women with, or at risk for, HIV infection in four cities in the United States of America. *AIDS*, 13, 2459-2468.

O'Leary, A., Hoff, C., Purcell, D.W., Gomez, C.A., Parsons, J.T., Hardnett, F. & Lyles, C. M. (2005). What happened in the SUMIT trial? Mediation and behavior change. *AIDS*, 19 (Suppl 1), S111-S121.

Purcell, D.W., Mizuno, Y., Metsch, L.R., Latka, M.H., Santibanez, S., Gomez, C.A., Eldred, L., & Latkin, C.A. (2004). Inventions for Seropositive Injectors-Research and Evaluation. An integrated behavioral intervention with HIV-positive injection drug users to address medical care, adherence, and risk reduction. *J Acquir Immune Defic Syndr*, 37 (Suppl 2), S110-S118.

Purcell, D.W., Mizuno, Y., Metsch, L.R., Garfein, R., Tobin, K., Knight, K., & Latka, M.H. (2006). Unprotected sexual behavior among heterosexual HIV-positive injection drug using men: Associations by partner type and partner serostatus. *Journal of Urban Health*, 83(4), 656-668.

NCDHHS. (2004). *Epidemiologic profile for 2005 HIV/STD prevention and care planning*. Retrieved June 24, 2005, from <http://www.epi.state.nc.us/epi.hiv>.

- Pulewitz, J. (2000). Measuring sexual relationship power in HIV/STD research. *Sex Roles*, 42 (7/8), 637-660.
- Radloff, L. S. (1977). The CES-D scale : A self-report depression scale for use in the general population. *Applied Psychological Measurement*, 1, 385-401.
- Sandelowski, M. (1996). Using qualitative methods in intervention studies. Research in Nursing & Health, 19, 359-364.
- Selik, R.M., Glynn, M.K., & McKenna, M.T. (2004). Diagnosis of HIV/AIDS – 32 states, 2000-2003. *MMWR*, 53(47), 1106-1110.
- Semple, S.J., Patterson, T.L., & Grant, I. (2002). Gender differences in the sexual risk practices of HIV+ heterosexual men and women. *AIDS and Behavior*, 6(1), 45-54.
- Sherbourne, C.D. & Stewart, A.L. (1991). The MOS social support survey, *Social Science and Medicine*, 32, 705-714.
- Turner, C.F., Forsyth, B.H., O'Reilly, J.M. et al. (1998). Sutomated self-interviewing and the survey measurement of sensitive behavior. In M. P Couper (Ed.). Computer Assisted Survey Information Collection. New York: Wiley. Pgs 455-473.
- Wingood G.M., DiClemente RJ, Mikhal I. (2004). A Randomized Controlled Trial to Reduce HIV Transmission Risk Behaviors and Sexually Transmitted Diseases Among Women Living with HIV. The WiLLOW Program. *JAcquir Immune Defic Syndr*. 37(2): S58-S67.