Home Health Patient Tracking Sheet

(M0010)	C M S Certification Number:	
(M0014)	Branch State:	
(M0016)	Branch I D Number:	
(M0018)	National Provider Identifier (N P I) for the attending physicia	an who has signed the plan of care:
	DK – Unkno	own or Not Available
(M0020)	Patient I D Number:	
(M0030)	Start of Care Date://	
(M0032)	Resumption of Care Date:// month / day / year	□ NA - Not Applicable
(M0040)	Patient Name:	
(First)	(M I) (Last)	(Suffix)
(M0050)	Patient State of Residence:	
(M0060)	Patient Zip Code:	
(M0063)	Medicare Number: (including suffix)	□ NA - No Medicare
(M0064)	Social Security Number:	☐ UK - Unknown or Not Available
(M0065)	Medicaid Number:	□ NA - No Medicaid
(M0066)	Birth Date://	
(M0069)	Gender:	
	1 - Male	
	2 - Female	
(M0140)	Race/Ethnicity: (Mark all that apply.)	
	1 - American Indian or Alaska Native	
	2 - Asian	
	3 - Black or African-American	
	4 - Hispanic or Latino	
	5 - Native Hawaiian or Pacific Islander	
	6 - White	

(M0150)	Curi	ren	t Payment Sources for Home Care: (Mark all that apply.)
	0	-	None; no charge for current services
	1	-	Medicare (traditional fee-for-service)
	2	-	Medicare (HMO/managed care/Advantage plan)
	3	-	Medicaid (traditional fee-for-service)
	4	-	Medicaid (HMO/managed care)
	5	-	Workers' compensation
	6	-	Title programs (e.g., Title III, V, or XX)
	7	-	Other government (e.g., TriCare, VA, etc.)
	8	-	Private insurance
	9	-	Private HMO/managed care
	10	-	Self-pay
	11	-	Other (specify)
	UK	-	Unknown

Outcome and Assessment Information Set (OASIS-C draft) <u>Items to be Used at Specific Time Points</u>

Start of Care	M0010-M0030, M0040- M0150, M1000-M1036, M1100-M1242, M1300-M1302, M1306, M1308-M1324, M1330-M1350, M1400, M1410, M1600-M1730, M1740-M1910, M2000, M2002, M2010, M2020-M2250
Resumption of Care (after inpatient stay)	M0032, M0080-M0110, M1000-M1036, M1100-M1242, M1300-M1302, M1306, M1308-M1324, M1330-M1350, M1400, M1410, M1600-M1730, M1740-M1910, M2000, M2002, M2010, M2020-M2250
Follow-Up Recertification (follow-up) assessment Other follow-up assessment	M0080-M0100, M0110, M1020-M1030, M1200, M1242, M1306, M1308, M1322-M1324, M1330-M1350, M1400, M1610, M1620, M1630, M1810-M1860, M2030, M2200
Transfer to an Inpatient Facility Transferred to an inpatient facility—patient not discharged from an agency Transferred to an inpatient facility—patient discharged from agency	M0080-M0100, M1040-M1055, M1500, M1510, M2004, M2015, M2300-M2410, M2430-M2440, M0903, M0906
<u>Discharge from Agency — Not to an Inpatient Facility</u>	
Death at homeDischarge from agency	M0080-M0100, M0903, M0906 M0080-M0100, M1040-M1055, M1230, M1242, M1306- M1350, M1400-M1620, M1700-M1720, M1740, M1745, M1800-M1890, M2004, M2015-M2030, M2100-M2110, M2300-M2420, M0903, M0906

CLINICAL RECORD ITEMS

(M0080)	Discipl	line of Person Completing Assessment:
	1-RN	□ 2-PT □ 3-SLP/ST □ 4-OT
(M0090)	Date A	ssessment Completed://
		month / day / year
(M0100)	This A	ssessment is Currently Being Completed for the Following Reason:
	Start/R	Resumption of Care
	1 –	Start of care—further visits planned
	3 -	Resumption of care (after inpatient stay)
	Follow	- <u>Up</u>
	4 –	Recertification (follow-up) reassessment [Go to M0110]
	5 –	Other follow-up [Go to M0110]
	Transf	er to an Inpatient Facility
	6 –	Transferred to an inpatient facility—patient not discharged from agency [Go to M1040]
	7 –	Transferred to an inpatient facility—patient discharged from agency [Go to M1040]
	Discha	arge from Agency — Not to an Inpatient Facility
	8 –	Death at home [Go to M0903]
	9 –	Discharge from agency [Go to M1040]

(M0102)		Physician-ordered Start of Care (Resumption of Care): If the physician indicated a specific care (resumption of care) date when the patient was referred for home health services, record the
	•	/ / (Go to M0110, if date entered)
		nth / day / year
		NA –No specific SOC date ordered by physician
(M0104)	was rec	Referral: Indicate the date that the written or verbal referral for initiation or resumption of care eived by the HHA.
	mor	nth / day / year
(M0110)	case mi	e Timing: Is the Medicare home health payment episode for which this assessment will define a x group an "early" episode or a "later" episode in the patient's current sequence of adjacent e home health payment episodes?
	1 -	Early
	2 -	Later
	UK -	Unknown
	NA -	Not Applicable: No Medicare case mix group to be defined by this assessment.
		FORY AND DIAGNOSES nich of the following Inpatient Facilities was the patient discharged during the past 14 days?
(1411000)		Il that apply.)
	1 -	Long-term nursing facility (NF)
	2 -	Skilled nursing facility (SNF / TCU)
	3 -	Short-stay acute hospital (IPP S)
	4 -	Long-term care hospital (LTCH)
	5 -	Inpatient rehabilitation hospital or unit (IRF)
	6 -	Psychiatric hospital or unit
		Other (specify)
	NA -	Patient was not discharged from an inpatient facility [Go to M1016]
(M1005)	Inpatier	nt Discharge Date (most recent):
		nth / day / year
	UK -	Unknown

(M1010)		P-C M code at the level of highest specificity for only those y within the last 14 days (no E-codes, or V-codes):
	Inpatient Facility Diagnosis	ICD-9-C M Code
	a	
	b	
	c	
	d	
	e	
	f	
(M1012)	List each Inpatient Procedure and the a care.	ssociated ICD-9-C M procedure code relevant to the plan of
	Inpatient Procedure	Procedure Code
	a	· ·
	b	
	c	
	d	
	NA - Not applicable	
	UK - Unknown	
(M1016)	Diagnoses Requiring Medical or Treati	ment Regimen Change Within Past 14 Days: List the
		M codes at the level of highest specificity for those conditions egimen within the past 14 days (no surgical, E-codes, or
	Changed Medical Regimen Diagnosis	ICD-9-C M Code
	a	·
	b	·
	C	·
	d	
	e	
	f	
	NA - Not applicable (no medical or tre	eatment regimen changes within the past 14 days)

			t 14 days, indicate any conditions which existed <u>prior to</u> the inpatient stay or change in medical on tregimen. (Mark all that apply.)
	1	-	Urinary incontinence
	2	-	Indwelling/suprapubic catheter
	3	-	Intractable pain
	4	-	Impaired decision-making
	5	-	Disruptive or socially inappropriate behavior
	6	-	Memory loss to the extent that supervision required
	7	-	None of the above
	NA	-	No inpatient facility discharge <u>and</u> no change in medical or treatment regimen in past 14 days
	UK	-	Unknown

(M1018) Conditions Prior to Medical or Treatment Regimen Change or Inpatient Stay Within Past 14 Days:

If this patient experienced an inpatient facility discharge or change in medical or treatment regimen within

(M1020/1022/1024) Diagnoses, Symptom Control, and Payment Diagnoses: List each diagnosis for which the patient is receiving home care (Column 1) and enter its ICD-9-C M code at the level of highest specificity (no surgical/procedure codes) (Column 2). Diagnoses are listed in the order that best reflect the seriousness of each condition and support the disciplines and services provided. Rate the degree of symptom control for each condition (Column 2). Choose one value that represents the degree of symptom control appropriate for each diagnosis: V-codes (for M1020 or M1022) or E-codes (for M1022 only) may be used. ICD-9-C M sequencing requirements must be followed if multiple coding is indicated for any diagnoses. If a V-code is reported in place of a case mix diagnosis, then optional item M1024 Payment Diagnoses (Columns 3 and 4) may be completed. A case mix diagnosis is a diagnosis that determines the Medicare P P S case mix group. Do not assign symptom control ratings for V- or E-codes.

Code each row according to the following directions for each column:

Column 1: Enter the description of the diagnosis.

Column 2: Enter the ICD-9-C M code for the diagnosis described in Column 1;

Rate the degree of symptom control for the condition listed in Column 1 using the following scale:

- 0 Asymptomatic, no treatment needed at this time
- 1 Symptoms well controlled with current therapy
- 2 Symptoms controlled with difficulty, affecting daily functioning; patient needs ongoing monitoring
- 3 Symptoms poorly controlled; patient needs frequent adjustment in treatment and dose monitoring
- 4 Symptoms poorly controlled; history of re-hospitalizations

Note that in Column 2 the rating for symptom control of each diagnosis should not be used to determine the sequencing of the diagnoses listed in Column 1. These are separate items and sequencing may not coincide. Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided.

- Column 3: (OPTIONAL) If a V-code is assigned to any row in Column 2, in place of a case mix diagnosis, it may be necessary to complete optional item M1024 Payment Diagnoses (Columns 3 and 4). See OASIS-C Guidance Manual.
- Column 4: (OPTIONAL) If a V-code in Column 2 is reported in place of a case mix diagnosis that requires multiple diagnosis codes under ICD-9-C M coding guidelines, enter the diagnosis descriptions and the ICD-9-C M codes in the same row in Columns 3 and 4. For example, if the case mix diagnosis is a manifestation code, record the diagnosis description and ICD-9-C M code for the underlying condition in Column 3 of that row and the diagnosis description and ICD-9-C M code for the manifestation in Column 4 of that row. Otherwise, leave Column 4 blank in that row.

(Form on next page)

(M1020) Primary Diagnosis & ((M1022) Other Diagnoses	(M1024) Payment Diagnoses	(OPTIONAL)
Column 1	Column 2	Column 3	Column 4
Diagnoses (Sequencing of diagnoses should reflect the seriousness of each condition and support the disciplines and services provided.)	ICD-9-C M and symptom control rating for each condition. Note that the sequencing of these ratings may not match the sequencing of the diagnoses ICD-9-C M /	Complete if a V-code is assigned under certain circumstances to Column 2 in place of a case mix diagnosis. Description/	Complete only if the V-code in Column 2 is reported in place of a case mix diagnosis that is a multiple coding situation (e.g., a manifestation code).
Description	Symptom Control Rating	ICD-9-C M	Description/ ICD-9-C M
(M1020) Primary Diagnosis	(V-codes are allowed)	(V- or E-codes NOT allowed)	(V- or E-codes NOT allowed)
a	a. () □0 □1 □2 □3 □4	a	a
(M1022) Other Diagnoses	(V- or E-codes are allowed)	(V- or E-codes NOT allowed)	(V- or E-codes NOT allowed)
	b. ()	b	b
b	□0 □1 □2 □3 □4	()	()
	c. ()	C	C
C	□0 □1 □2 □3 □4	()	()
d.	d. ()	d	d
u	□0 □1 □2 □3 □4	()	()
e	e. ()	e	e
<u> </u>	□0 □1 □2 □3 □4	()	()
f	f. ()	f	f
	□0 □1 □2 □3 □4	()	()
☐ 2 - Parenteral n	or infusion therapy (excludes utrition (TPN or lipids) tion (nasogastric, gastrostom anal)		artificial entry into the
(M1032) Risk for Hospitaliza for hospitalization? (tion: Which of the following Mark all that apply.)	signs or symptoms character	rize this patient as at risk
☐ 2 - Multiple hos ☐ 3 - History of fa ☐ 4 - Taking five o	or more medications ators, e.g., weight loss, self-re	e past 12 months Il with an injury - in the past y	ear)

(M1034	ł)	Ove	rall	Status: Which description best fits the patient's overall status? (Check one)
		0	-	The patient is stable with no heightened risk(s) for serious complications and death (beyond those typical of the patient's age).
		1	-	The patient is temporarily facing high health risk(s) but is likely to return to being stable without heightened risk(s) for serious complications and death (beyond those typical of the patient's age).
		2	-	The patient is likely to remain in fragile health and have ongoing high risk(s) of serious complications and death.
		3	-	The patient has serious progressive conditions that could lead to death within a year.
		UK	-	The patient's situation is unknown or unclear.
(M1036				ctors, either present or past, likely to affect current health status and/or outcome: (Mark apply.)
		1	-	Smoking
		2	-	Obesity
		3	-	Alcohol dependency
		4	-	Drug dependency
		5	-	None of the above
		UK	-	Unknown
(M1040				va Vaccine: Did the patient receive the influenza vaccine from your agency for this year's a season (October 1 through March 31) during this episode of care?
		0	-	No
		1	-	Yes [Go to M1050]
		NA	-	Does not apply because entire episode of care (SOC/ROC to Transfer/Discharge) is outside this influenza season. [<i>Go to M1050</i>]
(M1045				Influenza Vaccine not received: If the patient did not receive the influenza vaccine from your during this episode of care, state reason:
		1	-	Received from another health care provider (e.g., physician)
		2	-	Received from your agency previously during this year's flu season
		3	-	Offered and declined
		4		Assessed and determined to have medical contraindication(s)
		5		Not indicated; patient does not meet age/condition guidelines for influenza vaccine
		_	-	Inability to obtain vaccine due to declared shortage None of the above
		7		
	_	your	age	coccal Vaccine: Did the patient receive pneumococcal polysaccharide vaccine (PPV) from ency during this episode of care (SOC/ROC to Transfer/Discharge)?
		0	-	
		1	-	Yes [Go to M1500 at TRN; Go to M1230 at DC]
(M1055				PPV not received: If patient did not receive the pneumococcal polysaccharide vaccine (PPV) ur agency during this episode of care (SOC/ROC to Transfer/Discharge), state reason:
		1	-	Patient has received PPV in the past
		2		Offered and declined
		3	-	Assessed and determined to have medical contraindication(s)
		4		Not indicated; patient does not meet age/condition guidelines for PPV
		5	-	None of the above

LIVING ARRANGEMENTS

(M1100) Patient Living Situation: Which of the following best describes the patient's residential circumstance and availability of assistance? (Check one box only.)

	Availability of Assistance					
Living Arrangement	Around the clock	Regular daytime	Regular nighttime	Occasional / short-term assistance	No assistance available	
a. Patient lives alone	□ 01	□ 02	□ 03	□ 04	□ 05	
b. Patient lives with other person(s) in the home	□ 06	□ 07	□ 08	□ 09	□ 10	
c. Patient lives in congregate situation (e.g., assisted living)	□ 11	□ 12	□ 13	□ 14	□ 15	

poroon(o) in the nome					
c. Patient lives in congregat situation (e.g., assisted liv		□ 12	□ 13	□ 14	□ 15
SENSORY STATUS					
(M1200) Vision (with correct	ive lenses if the pation	ent usually wear	s them):		
☐ 0 - Normal vis	ion: sees adequately	y in most situation	ons; can see me	edication labels,	newsprint.
	paired: cannot see r			but <u>can</u> see obs	acles in path,
	npaired: cannot loca			uching them or p	patient
(M1210) Ability to hear (with	n hearing aid or hear	ing appliance if	normally used):		
☐ 0 - Adequate:	hears normal conve	rsation without	difficulty.		
	oderately Impaired: olume or speak distin		g in some enviro	onments or spea	ker may need to
	npaired: absence of				
☐ UK - Unable to a	assess hearing.				
(M1220) Understanding of	Verbal Content in pa	atient's own lan	guage (with hea	ring aid or device	e if used):
0 - Understand	ds: clear comprehen	sion without cu	es or repetitions	i.	
	derstands: understa Requires cues at tim			isses some part/	intent of
☐ 2 - Sometimes	Understands: underequires cues to underequires cues cues cues cues cues cues cues cu	erstands only ba		ns or simple, dire	ct phrases.
	rer Understands	erstariu.			
☐ UK - Unable to a	assess understanding	g.			
(M1230) Speech and Oral (/erbal) Expression	of Language (i	n patient's owi	n language):	
	complex ideas, feelii servable impairment.		clearly, comple	tely, and easily ir	n all situations
☐ 1 - Minimal dif in word cho	ficulty in expressing in pice, grammar or spe	ideas and need ech intelligibility	s (may take exti v; needs minima	ra time; makes o	ccasional errors ssistance).
	simple ideas or need pice, organization or				
	e difficulty expressing y listener. Speech li				sistance or
	express basic needs nsive (e.g., speech is			or assistance but	is not comatose
☐ 5 - Patient nor	responsive or unable	e to speak.	- ,		

(M1240)				s patient had a formal Pain Assessment using a standardized pain assessment tool (appropria patient's ability to communicate the severity of pain)?
		0	-	No standardized assessment conducted
		1	-	Yes, and it does not indicate severe pain
		2	-	Yes, and it indicates severe pain
(M1242)) I	Free	que	ency of Pain Interfering with patient's activity or movement:
		0	-	Patient has no pain
		1	-	Patient has pain that does not interfere with activity or movement
		2	-	Less often than daily
		3	-	Daily, but not constantly
		4	-	All of the time
INTEG	U	ME	N.	TARY STATUS
(M1300)) I	Pre	รรเ	re Ulcer Assessment: Was this patient assessed for Risk of Developing Pressure Ulcers?
		0	-	No assessment conducted [Go to M1306]
		1	-	Yes, based on an evaluation of clinical factors, e.g., mobility, incontinence, nutrition, etc., without use of standardized tool
		2	-	Yes, using a standardized tool, e.g., Braden, Norton, other
(M1302)) [Doe	s tl	nis patient have a Risk of Developing Pressure Ulcers?
		0	-	No
		1	-	Yes
(M1306)				his patient have at least one Unhealed Pressure Ulcer at Stage II or Higher or designated as geable"?
		0	-	No [<i>Go to M1322</i>]
		1	-	Yes
(M1307)) T	he	Old	dest Non-epithelialized Stage II Pressure Ulcer that is present at discharge
		1	-	Was present at the most recent SOC/ROC assessment
		2	-	Developed since the most recent SOC/ROC assessment: record date pressure ulcer first identified:/
		NA	-	No non-epithelialized Stage II pressure ulcers are present at discharge

(M1308) Current Number of Unhealed Pressure Ulcers at Each Stage:
(Enter "0" if none; excludes Stage I pressure ulcers and Stage II, III, or IV pressure ulcers that have been newly-epithelialized for more than 30 days)

	, , , , , , , , , , , , , , , , , , , ,		1
		Column 1 Complete at SOC/ROC/FU & D/C	Column 2 Complete at FU & D/C
Sta	ge description – unhealed pressure ulcers	Number Currently Present	Number of those listed in Column 1 that were present on admission (most recent SOC / ROC)
a.	Stage II: Partial thickness loss of dermis presenting as a shallow open ulcer with red pink wound bed, without slough. May also present as an intact or open/ruptured serum-filled blister.		
b.	Stage III: Full thickness tissue loss. Subcutaneous fat may be visible but bone, tendon, or muscles are not exposed. Slough may be present but does not obscure the depth of tissue loss. May include undermining and tunneling.		
C.	Stage IV: Full thickness tissue loss with visible bone, tendon, or muscle. Slough or eschar may be present on some parts of the wound bed. Often includes undermining and tunneling.		
d.1	Unstageable: Known or likely but unstageable due to non-removable dressing or device		
d.2	Unstageable: Known or likely but unstageable due to coverage of wound bed by slough and/or eschar.		
d.3	Unstageable: Suspected deep tissue injury in evolution.		

Directions for M1310, M1312, and M1314: If the patient has one or more unhealed Stage III or IV pressure ulcers, identify the Stage III or IV pressure ulcer with the largest surface dimension (length x width) and record in centimeters. If no stageable Stage III or Stage IV pressure ulcers, go to M1320.
(M1310) Pressure Ulcer Length: Longest length "head-to-toe" . (cm)
(M1312) Pressure Ulcer Width: Width of the same pressure ulcer; greatest width perpendicular to the length
. (cm)
(M1314) Pressure Ulcer Depth: Depth of the same pressure ulcer; from visible surface to the deepest area
. (cm)
(M1320) Status of Most Problematic (Observable) Pressure Ulcer:
☐ 0 - Newly epithelialized
☐ 1 - Fully granulating
☐ 2 - Early/partial granulation
☐ 3 - Not healing
□ NA - No observable pressure ulcer

(M1322)	area us	At Number of Stage I Pressure Ulcers: Intact skin with non-blanchable redness of a localized sually over a bony prominence. The area may be painful, firm, soft, warmer or cooler as red to adjacent tissue.
	0	☐ 1 ☐ 2 ☐ 3 ☐ 4 or more
(M1324)	Stage	of Most Problematic Unhealed (Observable) Pressure Ulcer:
	1 -	Stage I
		Stage II
_		Stage III
		Stage IV No observable proceure ulcer or unhealed proceure ulcer
		No observable pressure ulcer or unhealed pressure ulcer
_		nis patient have a Stasis Ulcer?
		No [Go to M1340] Yes, patient has one or more (observable) stasis ulcers
		Stasis ulcer known but not observable due to non-removable dressing [<i>Go to M1340</i>]
 (M1332)		at Number of (Observable) Stasis Ulcer(s):
(III 133 <u>2)</u>	_	
	_	Two
	3 -	Three
	4 -	Four or more
(M1334)	Status	of Most Problematic (Observable) Stasis Ulcer:
(M1334)		of Most Problematic (Observable) Stasis Ulcer: Newly epithelialized
	0 -	
	0 - 1 - 2 -	Newly epithelialized Fully granulating Early/partial granulation
	0 - 1 - 2 -	Newly epithelialized Fully granulating
	0 - 1 - 2 - 3 -	Newly epithelialized Fully granulating Early/partial granulation
	0 - 1 - 2 - 3 - Does th	Newly epithelialized Fully granulating Early/partial granulation Not healing nis patient have a Surgical Wound? No [Go to M1350]
(M1340)	0 - 1 - 2 - 3 - Does th 0 - 1 -	Newly epithelialized Fully granulating Early/partial granulation Not healing his patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound
(M1340)	0 - 1 - 2 - 3 - Does th 0 - 1 - 2 -	Newly epithelialized Fully granulating Early/partial granulation Not healing nis patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350]
(M1340)	0 - 1 - 2 - 3 - Does tl 0 - 1 - 2 - Status	Newly epithelialized Fully granulating Early/partial granulation Not healing his patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350] of Most Problematic (Observable) Surgical Wound:
(M1340)	0 - 1 - 2 - 3 - Does th 0 - 1 - 2 - Status 0 -	Newly epithelialized Fully granulating Early/partial granulation Not healing his patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350] of Most Problematic (Observable) Surgical Wound: Newly epithelialized
(M1340)	0 - 1 - 2 - 3 - Does tl 0 - 1 - 2 - Status 0 - 1 -	Newly epithelialized Fully granulating Early/partial granulation Not healing nis patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350] of Most Problematic (Observable) Surgical Wound: Newly epithelialized Fully granulating
(M1340)	0 - 1 - 2 - 3 - Does th 0 - 1 - 2 - Status 0 - 1 - 2 -	Newly epithelialized Fully granulating Early/partial granulation Not healing his patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350] of Most Problematic (Observable) Surgical Wound: Newly epithelialized Fully granulating Early/partial granulation
(M1340)	0 - 1 - 2 - 3 - Does th 0 - 1 - 2 - Status 0 - 1 - 2 -	Newly epithelialized Fully granulating Early/partial granulation Not healing nis patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350] of Most Problematic (Observable) Surgical Wound: Newly epithelialized Fully granulating
(M1340) (M1342)	0 - 1 - 2 - 3 - Does tl 0 - 1 - 2 - Status 0 - 1 - 2 - 3 - Does tl	Newly epithelialized Fully granulating Early/partial granulation Not healing his patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350] of Most Problematic (Observable) Surgical Wound: Newly epithelialized Fully granulating Early/partial granulation
(M1340) (M1342)	0 - 1 - 2 - 3 - Does th 0 - 1 - 2 - Status 0 - 1 - 2 - 3 - Does th describ	Newly epithelialized Fully granulating Early/partial granulation Not healing nis patient have a Surgical Wound? No [Go to M1350] Yes, patient has at least one (observable) surgical wound Surgical wound known but not observable due to non-removable dressing [Go to M1350] of Most Problematic (Observable) Surgical Wound: Newly epithelialized Fully granulating Early/partial granulation Not healing nis patient have a Skin Lesion or Open Wound, excluding bowel ostomy, other than those

RESPI	RAT	OR	Y STATUS
(M1400)	Wh	en is	the patient dyspneic or noticeably Short of Breath?
	0	-	Patient is not short of breath
	1	-	When walking more than 20 feet, climbing stairs
	2	! -	With moderate exertion (e.g., while dressing, using commode or bedpan, walking distances less than 20 feet)
	3	; -	With minimal exertion (e.g., while eating, talking, or performing other ADLs) or with agitation
	4	-	At rest (during day or night)
(M1410)	Re	spira	atory Treatments utilized at home: (Mark all that apply.)
	1	-	Oxygen (intermittent or continuous)
	2	<u>-</u>	Ventilator (continually or at night)
	3		Continuous / Bi-level positive airway pressure
	4	-	None of the above
CARDI	AC	STA	ATUS
(M1500)	ext	nibit s	oms in Heart Failure Patients: If patient has been diagnosed with heart failure, did the patient symptoms indicated by clinical heart failure guidelines (including dyspnea, orthopnea, edema, or gain) at any point since the previous OASIS assessment?
	0	-	No [Go to M2004 at TRN; Go to M1600 at DC]
	1	-	Yes
	2	<u> </u>	Not assessed [Go to M2004 at TRN; Go to M1600 at DC]
	NA		Patient does not have diagnosis of heart failure [Go to M2004 at TRN; Go to M1600 at DC]
(M1510)	ind	icativ	ailure Follow-up: If patient has been diagnosed with heart failure and has exhibited symptoms we of heart failure since the previous OASIS assessment, what action(s) has (have) been taken to d? (Mark all that apply.)
	0	-	No action taken
	1	-	Patient's physician (or other primary care practitioner) contacted the same day
	2	<u>-</u>	Patient advised to get emergency treatment (e.g., call 911 or go to emergency room)
	3	-	Implemented physician-ordered patient-specific established parameters for treatment
	4	-	Patient education or other clinical interventions
	5	· -	Obtained change in care plan orders (e.g., increased monitoring by agency, change in visit frequency, telehealth, etc.)
<u>ELIMIN</u>	ΑT	ION	<u>STATUS</u>
(M1600)	Has	s this	s patient been treated for a Urinary Tract Infection in the past 14 days?
	0) -	No
	1	-	Yes
	NA		Patient on prophylactic treatment
	UK	<u> </u>	Unknown [Omit "UK" option on DC]
(M1610)	Uri	nary	Incontinence or Urinary Catheter Presence:
	0) -	No incontinence or catheter (includes anuria or ostomy for urinary drainage) [<i>Go to M1620</i>]
			Patient is incentinent

☐ 2 - Patient requires a urinary catheter (i.e., external, indwelling, intermittent, suprapubic)

[Go to M1620]

(M161	5)	Wh	en c	loes Urinary Incontinence occur?
		0	-	Timed-voiding defers incontinence
		1	-	Occasional stress incontinence
		2	-	During the night only
		3	-	During the day only
		4	-	During the day and night
(M162	0) E	3ow	el Ir	continence Frequency:
		0	-	Very rarely or never has bowel incontinence
		1	-	Less than once weekly
		2	-	One to three times weekly
		3	-	Four to six times weekly
		4	-	On a daily basis
		5	-	More often than once daily
		NA	-	Patient has ostomy for bowel elimination
		UK	-	Unknown [Omit "UK" option on FU, DC]
(M163	-	last	14	y for Bowel Elimination: Does this patient have an ostomy for bowel elimination that (within the days): a) was related to an inpatient facility stay, <u>or</u> b) necessitated a change in medical or nt regimen?
		0	-	Patient does <u>not</u> have an ostomy for bowel elimination.
		1	-	Patient's ostomy was \underline{not} related to an inpatient stay and did \underline{not} necessitate change in medical or treatment regimen.
		2	-	The ostomy $\underline{\text{was}}$ related to an inpatient stay or $\underline{\text{did}}$ necessitate change in medical or treatment regimen.
		Cog	gniti	FIONAL/BEHAVIORAL STATUS ve Functioning: Patient's current (day of assessment) level of alertness, orientation, hension, concentration, and immediate memory for simple commands.
			٠-	Alert/oriented, able to focus and shift attention, comprehends and recalls task directions
	П	1	_	independently. Requires prompting (cuing, repetition, reminders) only under stressful or unfamiliar conditions.
		_	-	Requires assistance and some direction in specific situations (e.g., on all tasks involving shifting of attention), or consistently requires low stimulus environment due to distractibility.
		3	-	Requires considerable assistance in routine situations. Is not alert and oriented or is unable to shift attention and recall directions more than half the time.
		4	-	Totally dependent due to disturbances such as constant disorientation, coma, persistent vegetative state, or delirium.
(M171	0)	Wh	en (Confused (Reported or Observed Within the Last 14 Days):
		0	-	Never
		1	-	In new or complex situations only
		2	-	On awakening or at night only
		3	-	During the day and evening, but not constantly
		4	-	Constantly
		NA	-	Patient nonresponsive

(M1720) \	N hei	n Anxious (Reported or O	bserved With	nin the Last 1	4 Days):				
		0	- None of the time							
	1 - Less often than daily2 - Daily, but not constantly									
		3	- All of the time							
	□ 1	NA	- Patient nonresponsive							
(M1730			ession Screening: Has the ression screening tool?	e patient beer	n screened for	depression, usi	ing a standard	lized		
		0	- No							
		1	 Yes, patient was screer patient: "Over the last t problems") 							
			PHQ-2© Pfizer	Not at all 0 - 1 day	Several days 2 - 6 days	More than half of the days 7 – 11 days	Nearly every day 12 – 14 days	N/A Unable to respond		
	a)		le interest or pleasure in ng things	□0	□1	□2	□3	□na		
	b)		eling down, depressed, or peless?	□0	□1	□2	□3	□na		
	 Yes, with a different standardized assessment-and the patient meets criteria for further evaluation for depression. Yes, patient was screened with a different standardized assessment-and the patient does not meet criteria for further evaluation for depression. 									
(M1740			nitive, behavioral, and psyorted or Observed): (Mark			e demonstrated	at least once	a week		
		1	 Memory deficit: failure f				ty to recall eve	ents of past 24		
		3				rofanity, sexual	references, et	c.		
		4	 Physical aggression: ag punches, dangerous ma 				e.g., hits self, t	hrows objects,		
		5				• •	erbal actions)			
		6	- Delusional, hallucinator	y, or paranoid	behavior					
	П	7	- None of the above beha	aviors demons	strated					

(M1745)				ncy of Disruptive Behavior Symptoms (Reported or Observed) Any physical, verbal, or other e/dangerous symptoms that are injurious to self or others or jeopardize personal safety.
		0	-	Never
		1	-	Less than once a month
		2	-	Once a month
		3	-	Several times each month
		4	-	Several times a week
		5	-	At least daily
(M1750)		s thi		atient receiving Psychiatric Nursing Services at home provided by a qualified psychiatric
		0	-	No
]	1	-	Yes
ADL/IA	۱D	Ls		
(M1800)				ng: Current ability to tend safely to personal hygiene needs (i.e., washing face and hands, hair aving or make up, teeth or denture care, fingernail care).
		0	-	Able to groom self unaided, with or without the use of assistive devices or adapted methods.
		1	-	Grooming utensils must be placed within reach before able to complete grooming activities.
		2	-	Someone must assist the patient to groom self.
		3	-	Patient depends entirely upon someone else for grooming needs.
(M1810)				Ability to Dress <u>Upper</u> Body safely (with or without dressing aids) including undergarments, s, front-opening shirts and blouses, managing zippers, buttons, and snaps:
		0		Able to get clothes out of closets and drawers, put them on and remove them from the upper body without assistance.
		1		Able to dress upper body without assistance if clothing is laid out or handed to the patient.
]	2		Someone must help the patient put on upper body clothing.
		3	-	Patient depends entirely upon another person to dress the upper body.
(M1820)				Ability to Dress Lower Body safely (with or without dressing aids) including undergarments, socks or nylons, shoes:
		0	-	Able to obtain, put on, and remove clothing and shoes without assistance.
		1	-	Able to dress lower body without assistance if clothing and shoes are laid out or handed to the patient.
		2		Someone must help the patient put on undergarments, slacks, socks or nylons, and shoes.
		3	-	Patient depends entirely upon another person to dress lower body.

(M1830				: Current ability to wash entire body safely. <u>Excludes</u> grooming (washing face, washing and shampooing hair).				
		0	-	Able to bathe self in shower or tub independently, including getting in and out of tub/shower.				
	☐ 1 - With the use of devices, is able to bathe self in shower or tub independently, including getting and out of the tub/shower.							
		2	-	Able to bathe in shower or tub with the intermittent assistance of another person:				
				 (a) for intermittent supervision or encouragement or reminders, <u>OR</u> (b) to get in and out of the shower or tub, <u>OR</u> (c) for washing difficult to reach areas. 				
		3	-	Able to participate in bathing self in shower or tub, <u>but</u> requires presence of another person throughout the bath for assistance or supervision.				
		4	-	Unable to use the shower or tub, but able to bathe self independently with or without the use of devices at the sink, in chair, or on commode.				
		5	-	Unable to use the shower or tub, but able to participate in bathing self in bed, at the sink, in bedside chair, or on commode, with the assistance or supervision of another person throughout the bath.				
		6	-	Unable to participate effectively in bathing and is bathed totally by another person.				
(M1840				ransferring: Current ability to get to and from the toilet or bedside commode safely and transfer off toilet/commode.				
		0	-	Able to get to and from the toilet and transfer independently with or without a device.				
		1	-	When reminded, assisted, or supervised by another person, able to get to and from the toilet and transfer.				
		2	-	<u>Unable</u> to get to and from the toilet but is able to use a bedside commode (with or without assistance).				
		3	-	<u>Unable</u> to get to and from the toilet or bedside commode but is able to use a bedpan/urinal independently.				
		4	-	Is totally dependent in toileting.				
(M184		pads	s be	g Hygiene: Current ability to maintain perineal hygiene safely, adjust clothes and/or incontinence fore and after using toilet, commode, bedpan, urinal. If managing ostomy, includes cleaning area stoma, but not managing equipment.				
		0	-	Able to manage toileting hygiene and clothing management without assistance.				
		1		Able to manage toileting hygiene and clothing management without assistance if supplies/implements are laid out for the patient.				
	Ш	2		Someone must help the patient to maintain toileting hygiene and/or adjust clothing.				
				Patient depends entirely upon another person to maintain toileting hygiene.				
(M1850				rring: Current ability to move safely from bed to chair, or ability to turn and position self in bed if s bedfast.				
		0	-	Able to independently transfer.				
		1	-	Able to transfer with minimal human assistance or with use of an assistive device.				
		2	-	Able to bear weight and pivot during the transfer process but unable to transfer self.				
		3	-	Unable to transfer self and is unable to bear weight or pivot when transferred by another person.				
		4	-	Bedfast, unable to transfer but is able to turn and position self in bed.				
		5	-	Bedfast, unable to transfer and is unable to turn and position self.				

				air, once in a seated position, on a variety of surfaces.
		0	-	Able to independently walk on even and uneven surfaces and negotiate stairs with or without railings (i.e., needs no human assistance or assistive device).
		1	-	With the use of a one-handed device (e.g. cane, single crutch, hemi-walker), able to independently walk on even and uneven surfaces and negotiate stairs with or without railings.
		2	-	Requires use of a two-handed device (e.g., walker or crutches) to walk alone on a level surface and/or requires human supervision or assistance to negotiate stairs or steps or uneven surfaces.
		3	-	Able to walk only with the supervision or assistance of another person at all times.
		4	-	Chairfast, <u>unable</u> to ambulate but is able to wheel self independently.
		5	-	Chairfast, unable to ambulate and is <u>unable</u> to wheel self.
		6	-	Bedfast, unable to ambulate or be up in a chair.
(M1870				or Eating: Current ability to feed self meals and snacks safely. Note: This refers only to the of eating, chewing, and swallowing, not preparing the food to be eaten.
		0	-	Able to independently feed self.
		1	-	Able to feed self independently but requires:
				 (a) meal set-up; <u>OR</u> (b) intermittent assistance or supervision from another person; <u>OR</u> (c) a liquid, pureed or ground meat diet.
		2	-	<u>Unable</u> to feed self and must be assisted or supervised throughout the meal/snack.
		3		Able to take in nutrients orally <u>and</u> receives supplemental nutrients through a nasogastric tube or gastrostomy.
		4	-	$\underline{\textbf{Unable}} \text{ to take in nutrients orally and is fed nutrients through a nasogastric tube or gastrostomy}.$
		5	-	Unable to take in nutrients orally or by tube feeding.
(M1880		Curre safel		Ability to Plan and Prepare Light Meals (e.g., cereal, sandwich) or reheat delivered meals
		0		(a) Able to independently plan and prepare all light meals for self or reheat delivered meals; OR
		-	-	(a) There to independently plant and propare an inglit medic for confer or remedic delivered medic,
		-	-	 (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
				(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care
			-	(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission).
	_ _ D)	1 2 Abili :	- - ty t	(b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). <u>Unable</u> to prepare light meals on a regular basis due to physical, cognitive, or mental limitations.
(M1890		1 2 Abili effec	- - ty t	 (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals. Use Telephone: Current ability to answer the phone safely, including dialing numbers, and
(M1890		1 2 Abili effec	- ty t t <u>ive</u> -	 (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals. O Use Telephone: Current ability to answer the phone safely, including dialing numbers, and ly using the telephone to communicate.
(M1890		1 2 Abili effec 0	- - ty t - -	 (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals. O Use Telephone: Current ability to answer the phone safely, including dialing numbers, and ly using the telephone to communicate. Able to dial numbers and answer calls appropriately and as desired. Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for
(M1890		1 2 Abili : effec 0 1	- - ty t tive - -	 (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals. O Use Telephone: Current ability to answer the phone safely, including dialing numbers, and ly using the telephone to communicate. Able to dial numbers and answer calls appropriately and as desired. Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers. Able to answer the telephone and carry on a normal conversation but has difficulty with placing
(M1890		1 2 Abili effec 0 1 2 3	- ty t - - -	 (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals. O Use Telephone: Current ability to answer the phone safely, including dialing numbers, and ly using the telephone to communicate. Able to dial numbers and answer calls appropriately and as desired. Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers. Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls. Able to answer the telephone only some of the time or is able to carry on only a limited
(M1890		1 2 Abili effec 0 1 2 3 4 4	- - tty t - - -	 (b) Is physically, cognitively, and mentally able to prepare light meals on a regular basis but has not routinely performed light meal preparation in the past (i.e., prior to this home care admission). Unable to prepare light meals on a regular basis due to physical, cognitive, or mental limitations. Unable to prepare any light meals or reheat any delivered meals. O Use Telephone: Current ability to answer the phone safely, including dialing numbers, and ly using the telephone to communicate. Able to dial numbers and answer calls appropriately and as desired. Able to use a specially adapted telephone (i.e., large numbers on the dial, teletype phone for the deaf) and call essential numbers. Able to answer the telephone and carry on a normal conversation but has difficulty with placing calls. Able to answer the telephone only some of the time or is able to carry on only a limited conversation.

(M1900) Prior Functioning ADL/IADL: Indicate the patient's usual ability with everyday activities prior to this current illness, exacerbation, or injury. Check only one box in each row.

	Functional Area	Independent	Needed Some Help	Dependent
a.	Self-Care (e.g., grooming, dressing, and bathing)	□0	□1	□2
b.	Ambulation	□0	□1	□2
C.	Transfer	□0	□1	□2
d.	Household tasks (e.g., light meal preparation, laundry, shopping)	□0	□1	□2

(M1910)		med	icat	patient had a multi-factor Fall Risk Assessment (such as falls history, use of multiple ions, mental impairment, toileting frequency, general mobility/transferring impairment, nental hazards)?
		0	-	No multi-factor falls risk assessment conducted.
		1	-	Yes, and it does not indicate a risk for falls.
		2	-	Yes, and it indicates a risk for falls.
<u>MEDI</u>	<u>C/</u>	<u>ATI</u>	<u>0</u> 1	<u>IS</u>
(M2000)	-	med	icat	egimen Review: Does a complete drug regimen review indicate potential clinically significant ion issues, e.g., drug reactions, ineffective drug therapy, side effects, drug interactions, duplicate omissions, dosage errors, or noncompliance?
		0	-	Not assessed/reviewed [Go to M2010]
		1	-	No problems found during review [Go to M2010]
		2	-	Problems found during review
		NA	-	Patient is not taking any medications [Go to M2040]
(M2002)				tion Follow-up: Was a physician or the physician-designee contacted within one calendar day to clinically significant medication issues, including reconciliation?
		0	-	No
		1	-	Yes
(M2004)	(OAS	SIS a	ction Intervention: If there were any clinically significant medication issues since the previous assessment, was a physician or the physician-designee contacted within one calendar day of the nent to resolve clinically significant medication issues, including reconciliation?
		0	-	No
		1	-	Yes
		NA	-	No clinically significant medication issues identified since the previous OASIS assessment
(M2010)		pred	auti	Caregiver High Risk Drug Education: Has the patient/caregiver received instruction on special ons for all high-risk medications (such as hypoglycemics, anticoagulants, etc.) and how and report problems that may occur?
		0	-	No
		1	-	Yes
		NA	-	Patient not taking any high risk drugs OR patient/caregiver fully knowledgeable about special precautions associated with all high-risk medications

(M2015	5) Patient/Caregiver Drug Education Intervention: Since the previous OASIS assessment, was the patient/caregiver instructed by agency staff or other health care provider to monitor the effectiveness of drug therapy, drug reactions, and side effects, and how and when to report problems that may occur?									
		0	-	No						
		1	-	Yes						
		NA	-	Patient not taking	any drugs					
(M2020	•	relia Exc	bly lud e	and safely, includin	g administration o	s current ability to profit the correct dosage NOTE: This refers t	at the appropriate ti	mes/intervals.		
		0	-	Able to independe times.	ntly take the corre	ect oral medication(s)	and proper dosage	(s) at the correct		
		1	-		ages are prepared	in advance by anoth	er person; <u>OR</u>			
		2	-	appropriate times	, ,	rect times if given rea	•	person at the		
			-			Iministered by anothe	er person.			
		NA	-	No oral medication	ns prescribed.					
(M2030	•	injed	ctab		bly and safely, inc	atient's current ability duding administration				
		0	-	Able to independe	ntly take the corre	ct medication(s) and	proper dosage(s) a	at the correct times.		
		1	-	•	iges are prepared	at the correct times in advance by anoth- diary or chart.				
		2	-	Able to take medic the frequency of the		rect times if given rea	minders by another	person based on		
		3	-	Unable to take inje	ectable medication	unless administered	by another person			
		NA	-	No injectable med	ications prescribe	d.				
(M2040	(M2040) Prior Medication Management: Indicate the patient's usual ability with managing oral and injectable medications prior to this current illness, exacerbation, or injury. Check only <u>one</u> box in each row.									
		F	une	ctional Area	Independent	Needed Some Help	Dependent	Not Applicable		
	a.	Ora	l me	edications	□0	□1	□2	□na		
	b.	Inje	ctat	ole medications	□0	□1	□2	□na		

CARE MANAGEMENT

(M2100) Types and Sources of Assistance: Determine the level of caregiver ability and willingness to provide assistance for the following activities, if assistance is needed. (Check only <u>one</u> box in each row.)

Type of Assistance	No assistance needed in this area	Caregiver(s) currently provide assistance	Caregiver(s) need training/ supportive services to provide assistance	Caregiver(s) not likely to provide assistance	Unclear if Caregiver(s) will provide assistance	Assistance needed, but no Caregiver(s) available
a. ADL assistance (e.g., transfer/ ambulation, bathing, dressing, toileting, eating/feeding)	□0	□1	□2	□3	□4	□5
b. IADL assistance (e.g., meals, housekeeping, laundry, telephone, shopping, finances)	O	□1	□2	□3	□4	□5
c. Medication administration (e.g., oral, inhaled or injectable)	□0	<u></u> 1	□2	□3	□4	□5
d. Medical procedures/ treatments (e.g., changing wound dressing)	□0	<u></u> 1	□2	□3	□4	□5
e. Management of Equipment (includes oxygen, IV/infusion equipment, enteral/ parenteral nutrition, ventilator therapy equipment or supplies)	□0	□1	□2	□3	□4	□5
f. Supervision and safety (e.g., due to cognitive impairment)	□0	□1	□2	□3	□4	□5
g. Advocacy or facilitation of patient's participation in appropriate medical care (includes transportation to or from appointments)	□0	□1	□2	□3	□4	□5

	health agency staff)?						
	☐ 1 - At least daily						
	□ 2 - Three or more times per week	Three or more times per week					
	☐ 3 - One to two times per week						
	☐ 4 - Received, but less often than v	weekly					
	☐ 5 - No assistance received						
	UK - Unknown [Omit "UK" option	on DC1					
		•					
<u>TH</u>	IERAPY NEED AND PLAN OF CA	ARE					
(M2	2200) Therapy Need: In the home health pla assessment will define a case mix grou and necessary physical, occupational, a ["000"] if no therapy visits indicated	p, what is and speed d.)	the indic ch-langua	cated nee	d for therapy visits (total of reasonable logy visits combined)? (Enter zero		
	() Number of therapy visits indica pathology combined).	ated (total	of physic	cal, occup	pational and speech-language		
	☐ NA - Not Applicable: No case mix g	group defi	ned by th	nis assess	sment.		
(M2	(M2250) Plan of Care Synopsis: (Check only <u>one</u> box in each row.) Does the physician-ordered plan of care include the following:						
	Plan / Intervention	No	Yes	Not Ap	plicable		
a.	Patient-specific parameters for notifying physician of changes in vital signs or other clinical findings	□0	□1	□na	Physician has chosen not to establish patient-specific parameters for this patient. Agency will use standardized clinical guidelines accessible for all care providers to reference		
b.	Diabetic foot care including monitoring for the presence of skin lesions on the lower extremities and patient/caregiver education on proper foot care	□0	□1	□na	Patient is not diabetic or is bilateral amputee		
C.	Falls prevention interventions	□0	□1	□na	Patient is not assessed to be at risk for falls		
d.	Depression intervention(s) such as medication, referral for other treatment, or a	□0	□1	□na	Patient has no diagnosis or symptoms of depression		
	monitoring plan for current treatment						
e.	monitoring plan for current treatment Intervention(s) to monitor and mitigate pain	□0	□1	□na	No pain identified		
e. f.	7 :	0 0	□1 □1	□na □na	No pain identified Patient is not assessed to be at risk for pressure ulcers		
	Intervention(s) to monitor and mitigate pain				Patient is not assessed to be at risk		

(M2110) How Often does the patient receive ADL or IADL assistance from any caregiver(s) (other than home

EMERGENT CARE

(M2300)			ent Care: Since the last time OASIS data were collected, has the patient utilized a hospital ncy department (includes holding/observation)?
	0	-	No [<i>Go to M2400</i>]
	1	-	Yes, used hospital emergency department WITHOUT hospital admission
	2	-	Yes, used hospital emergency department WITH hospital admission
	UK	-	Unknown [<i>Go to M2400</i>]
(M2310)			for Emergent Care: For what reason(s) did the patient receive emergent care (with or without ization)? (Mark all that apply.)
	1	-	Improper medication administration, medication side effects, toxicity, anaphylaxis
	2	-	Injury caused by fall
	3	-	Respiratory infection (e.g., pneumonia, bronchitis)
	4	-	Other respiratory problem
	5	-	Heart failure (e.g., fluid overload)
	6	-	Cardiac dysrhythmia (irregular heartbeat)
	7	-	Myocardial infarction or chest pain
	8	-	Other heart disease
	9	-	Stroke (CVA) or TIA
	10	-	Hypo/Hyperglycemia, diabetes out of control
	11	-	GI bleeding, obstruction, constipation, impaction
	12	-	Dehydration, malnutrition
	13	-	Urinary tract infection
	14	-	IV catheter-related infection or complication
	15	-	Wound infection or deterioration
	16	-	Uncontrolled pain
	17	-	Acute mental/behavioral health problem
	18	-	Deep vein thrombosis, pulmonary embolus
	19	-	Other than above reasons
П	UK	-	Reason unknown

<u>DATA ITEMS COLLECTED AT INPATIENT FACILITY ADMISSION OR AGENCY</u> DISCHARGE ONLY

(M2400) Intervention Synopsis: (Check only <u>one</u> box in each row.) Since the previous OASIS assessment, were the following interventions BOTH included in the physician-ordered plan of care AND implemented?

	Plan / Intervention	NO	Yes	Not Ap	plicable		
a.	Diabetic foot care including monitoring for the presence of skin lesions on the lower extremities and patient/caregiver education on proper foot care	□0	<u></u> 1	□na	Patient is not diabetic or is bilateral amputee		
b.	Falls prevention interventions	□0	<u></u> 1	□na	Formal multi-factor Fall Risk Assessment indicates the patient was not at risk for falls since the last OASIS assessment		
C.	Depression intervention(s) such as medication, referral for other treatment, or a monitoring plan for current treatment	□0	<u></u> 1	□na	Formal assessment indicates patient did not meet criteria for depression AND patient did not have diagnosis of depression since the last OASIS assessment		
d.	Intervention(s) to monitor and mitigate pain	□0	□1	□na	Formal assessment did not indicate pain since the last OASIS assessment		
e.	Intervention(s) to prevent pressure ulcers	□0	□1	□na	Formal assessment indicates the patient was not at risk of pressure ulcers since the last OASIS assessment		
f.	Pressure ulcer treatment based on principles of moist wound healing	□0	1	□na	Dressings that support the principles of moist wound healing not indicated for this patient's pressure ulcers <u>OR</u> patient has no pressure ulcers with need for moist wound healing		
(M	2410) To which Inpatient Facility has the pat	ient been	admitted	! ?			
•	☐ 1 - Hospital [<i>Go to M2430</i>]						
	☐ 2 - Rehabilitation facility [Go to I	<i>10903</i>]					
	☐ 3 - Nursing home [Go to M2440]					
	☐ 4 - Hospice [<i>Go to M0903</i>]						
	□ NA - No inpatient facility admission [Omit "NA" option on TRN]						
(M2420) Discharge Disposition: Where is the patient after discharge from your agency? (Choose only one answer.)							
	☐ 1 - Patient remained in the comm	unity (with	nout form	al assistiv	ve services)		
	☐ 2 - Patient remained in the comm	• '		ssistive s	services)		
	☐ 3 - Patient transferred to a non-ins	stitutional	hospice				
	☐ 4 - Unknown because patient mov	ed to a g	eographi	c location	not served by this agency		
	UK - Other unknown						
	[Go to M0903]						

(M2430)	Rea app		for Hospitalization: For what reason(s) did the patient require hospitalization? (Mark all that			
	1	-	Improper medication administration, medication side effects, toxicity, anaphylaxis			
	2	-	Injury caused by fall			
	3	-	Respiratory infection (e.g., pneumonia, bronchitis)			
	4	-	Other respiratory problem			
	5	-	Heart failure (e.g., fluid overload)			
	6	-	Cardiac dysrhythmia (irregular heartbeat)			
	7	-	Myocardial infarction or chest pain			
	8	-	Other heart disease			
	9	-	Stroke (CVA) or TIA			
	10	-	Hypo/Hyperglycemia, diabetes out of control			
	11	-	GI bleeding, obstruction, constipation, impaction			
	12	-	Dehydration, malnutrition			
	13	-	Urinary tract infection			
	14	-	IV catheter-related infection or complication			
	15	-	Wound infection or deterioration			
	16	-	Uncontrolled pain			
	17	-	Acute mental/behavioral health problem			
	18	-	Deep vein thrombosis, pulmonary embolus			
	19	-	Scheduled treatment or procedure			
	20	-	Other than above reasons			
□ [<i>G</i>	UK <i>o to</i> .		Reason unknown 903]			
(M2440)	For	wha	t Reason(s) was the patient Admitted to a Nursing Home? (Mark all that apply.)			
	1	-	Therapy services			
	2	-	Respite care			
	3	-	Hospice care			
	4	-	Permanent placement			
	5	-	Unsafe for care at home			
	6	-	Other			
			Unknown			
[6	[Go to M0903]					
(M0903)	Date		Last (Most Recent) Home Visit:// month / day / year			
(M0906)	Disc patie	char ent.	rge/Transfer/Death Date: Enter the date of the discharge, transfer, or death (at home) of the month / day / year			