#### Survey: TPOPS Section: TPOPS

#### COVER SHEET

## **TPOPS**

# Blaise Item-Level Specifications Report

### Items contained in this report:

- CONTACT
- INTRODUCTION
- GEOGRAPHY
- Household Roster
- COMMODITY PURCHASES
- BEA
- DEMOGRAPHIC
- Thank You
- TABs

Last Modified: Thursday, July 5, 2007 Page 1 of 208

Survey: TPOPS Blaise Item-Level Specifications Report
Section: CONTACT Spider Version 1.4.0

**CONTACT**Block
CONTACT

**Description:** Initial Contact Section

Tab Name: CT Section

Fly Over Name: Universe Type: If

**Inherited Universe:** 

Universe: all

Universe Description: first section

Array:

**Block Instructions:** Set variable RES\_NAME

Do not overwrite 8500.RESPNAME1 (from input file), spider variable name

RES\_NAME.

Before starting an interview, if RES\_NAME is BLANK, store 8500.RESPNAME1 in RES\_NAME. Make corrections/changes to the instrument variable RES\_NAME.

Field

HELLO\_RET CONTACT.HELLO\_RET

**Description:** Contact returning case

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: (MARK = Blank or MARK lt 3) AND INTNMBR = 2, 3, or 4 and RES\_NAME ne blank

Universe Description: This screen is for FIRST CONTACT if INTNMBR=2,3,4

**Question Text: Interview number: ^fINTNMBR** 

May I please speak to: ^fRES\_NAME

Fills: fINTNMBR

**Instructions:** This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fRES\_NAME

**Instructions:** RES\_NAME = the answer provided in variable RES\_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO\_RET

Value:	Mnemonic:	Description:
1	CorrectPerson	This is correct person
2	PersonCalled	Correct person called to phone
3	NotAvailable	Person not home or not available now
4	NoLongerThere	Person no longer lives there
5	PersonUnknown	Person unknown at this number
6	OtherProblem	Other outcome or problem interviewing respondent, including immediate
		hangup
		n't Know fuse apty
	□On	Input

☑ On Output

**Store Instructions:** <4> store <> in RES\_NAME

<5> store <> in RES\_NAME

Array: 🗌

**Special Instructions:** If HELLO\_RET = 4 or 5, set REPLC\_FL = 1;

Display Interview Number: INTNMBR = [fill: INTNMBR]

**Skip Instructions:** <1,2> goto ID\_RETRN

<3> goto HELLO\_RS <4> goto HELLO\_NEW <5> goto RESNUM <6> goto PROBCALL Field

HELLO\_TWO CONTACT.HELLO\_TWO

**Description:** Subsequent contact

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: RES\_NAME ne blank and MARK ne blank or ne 00

**Universe Description:** This screen is for a subsequent contact with any household in same quarter.

Question Text: May I please speak to ^fRES\_NAME?

Fills: fRES\_NAME

**Instructions:** RES\_NAME = the answer provided in variable RES\_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO\_TWO

Value:	Mnemonic:	Description:
1	CorrectPerson	This is correct person
2	PersonCalled	Correct person called to phone
3	NotAvailable	Person not home or not available now
4	OtherProblem	Other outcome or problem interviewing respondent, including immediate
		hangup

☐ Refuse ☐ Empty
☐ On Input ☑ On Output

☐ Don't Know

Array: 🗌

**Special Instructions:** Set PROB\_FLG = blank

Display Interview Number: INTNUM = [fill: INTNUM]

Skip Instructions: <1,2> If MARK at 8, goto ID PART

Else if MARK It 8 :

If INTNUM = 2, 3, or 4

If REPLC\_FL ne 1 – go ID\_RETRN

Else If REPLC\_FL = 1, goto INTRO\_1st

If INTNUM = 1
If ADLTR\_FL = 3 or 4, goto INTRO\_LTR
Else goto INTRO\_1st

Else If MARK = 8, go to ID\_SPVR

<3> goto HELLO\_RS <4> goto PROBCALL

Field RESNUM CONTACT.RESNUM

**Description:** Type of place

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: [INTNMBR = 1 and RES\_NAME = EMPTY] OR [(HELLO\_RET = 5 AND REPLC\_FL =

'1' AND HELLO\_TWO = EMPTY)] OR [(INTNMBR = 2, 3, or 4 AND

RES\_NAME = EMPTY and REPLC\_FL = BLANK and NAMEFLAG <> 1)]

**Universe Description:** 

**Question Text:** If incoming call: Verify phone number displayed on this screen. Interview number:

**^fINTNMBR** 

Do not F10 from this screen.

If necessary: This is ... from the U.S. Census Bureau \*Sample Phone: (^fAREA)

^fPREFIX - ^ SUFFIX

Is this the number for a business, a private residence, a cell phone, or is this  ${\bf r}$ 

college housing, or some other type of place?

Fills: fINTNMBR

**Instructions:** This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fAREA

**Instructions:** Fill respondent's area code = AREA

Fills: fPREFIX

**Instructions:** Fill the respondent's first 3 digits of his/her phone number = PREFIX

Type: Enumerated

Length: 1

Answer List: tRESNUM

Value:	Mnemonic:	Description:
1	Business	Business
2	PrivateResidence	PRIVATE RESIDENCE

3	College	College housing
4	Other	Other type of place
5	PayPhone	Pay phone
6	CellPhone	Cellular or mobile phone
7	OtherNonRes	Other nonresidential number such as a charity or service organization
8	OtherProblm	Other outcome or problem interviewing respondent, including immediate
		hang-up

☑ Don't Know

■ Refuse

☐ Empty

☐ On Input

☑ On Output

Array:

Special Instructions: If RESNUM = 7, DISPLAY: ENTER RESPONDENT'S VERBATIM RESPONSE

If RESNUM = 1, 3, 4, 5, 6, 7, 8, D, or R, store <> in CALLWHO

If RESNUM = 1, set OUTCOME = 20, SUBTYPE = 3; if MARK It 22, set MARK = 22

If RESNUM = 2, set OUTCOME = 00, SUBTYPE = 00, if MARK It 6, set MARK = 6

If RESNUM = 3, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If RESNUM = 4, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If RESNUM = 5, set OUTCOME = 20, SUBTYPE = 13; if MARK It 22, set MARK = 22

If RESNUM = 6, set OUTCOME = 20, SUBTYPE = 4; if MARK It 22, set MARK = 22

If RESNUM = 7, set OUTCOME = 20, SUBTYPE = 3; if MARK It 22, set MARK = 22

If RESNUM = 8, set OUTCOME = 00, SUBTYPE = 00; if MARK It 3, set MARK = 3

If RESNUM = D, set OUTCOME = 00, SUBTYPE = 00; if MARK It 3, set MARK = 3

If RESNUM = R, if MARK It 3, set MARK = 3

If RESNUM = F10, set MARK = 0

Soft Error: <1>: "VERIFY THAT YOU HAVE REACHED A BUSINESS NUMBER."

Soft Error: <5,6>: "VERIFY THAT YOU HAVE REACHED A PAY PHONE,

#### CELLULAR PHONE, OR MOBILE PHONE"

If RESNUM = 2, set CONTACT\_FL = 1

**Skip Instructions:** <1> Invoke softcheck1 - goto THANKRES

<2> goto HELLO\_NEW <3> goto PAYPHONE <4> goto OTHRES

<5,6> Invoke softcheck2 â€" goto THANKRES

<7> goto THANKRES <8> goto PROBCALL <D> goto TY\_CLBCK <R> goto EXITTHNK

Last Modified: Tuesday, August 14, 2007

**OTHRES** Field

CONTACT.OTHRES

**Description:** Other type of place

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: (RESNUM = 4 AND HELLO\_RET = 5) OR (RESNUM = 4 AND HELLO\_RET =

EMPTY AND HELLO\_TWO = Empty)

**Universe Description:** 

Question Text: Interview number: ^fINTNMBR

What type of place is this?

Is it a ... ? (PROBE AS NECESSARY)

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 2

Answer List: tOTHRES

Value:	Mnemonic:	Description:
1	BoardingHouse	Boarding or rooming house
2	WorkersHousing	Housing facility for workers (includes migrant workers)
3	StaffQuarters	Staff quarters in hospital or home for the aged, infirm, or needy
4	Hotel	Permanent living quarters in hotel or motel
5	PatientsRoom	Patient's or inmate's room
6	Camp	Camp or commune
7	Convent	Convent or monastery
8	HalfwayHouse	Halfway house
9	OtherHospital	Other place in hospital or home for the aged, infirm, or needy
10	TransientHotel	Transient living quarters in hotel, motel, or mission
11	OtherResidence	Some other type of residence, including assisted-living

ection: CONTACT	Spider Version 1.4.0
	☑ Don't Know ☑ Refuse □ Empty
	☐ On Input ☑ On Output
Array:	
Special Instructions:	Display Interview Number: INTNUM = [fill: INTNUM]
	To save space, use two columns for answer categories.
	If OTHRES = 1 - 4, set OUTCOME = 00, SUBTYPE = 00, MARK = 00
	If OTHRES = 5, 6, 7, 8, 9, 10, or 11, set OUTCOME = 20, SUBTYPE = 2; if MARK It 22, set $MARK = 22$
	If OTHRES = D, set OUTCOME = 20, SUBTYPE = 9; if MARK It 9, set MARK = 9
	If OTHRES = R, set OUTCOME = 20, SUBTYPE = 9; if MARK It 9, set MARK = 9
	If OTHRES = 5, set OUTCOME = 20, SUBTYPE = 13; if MARK It 22, set MARK = 22
	If OTHRES = 6, set OUTCOME = 20, SUBTYPE = 4; if MARK It 22, set MARK = 22
	If OTHRES = 7, set OUTCOME = 20, SUBTYPE = 3; if MARK It 22, set MARK = 22
	If OTHRES = 8, set OUTCOME = 00, SUBTYPE = 00; if MARK It 3, set MARK = 3
	If OTHRES = D, set OUTCOME = 00, SUBTYPE = 00; if MARK It 3, set MARK = 3
	If OTHRES = R, if MARK It 3, set MARK = 3
	If OTHRES = F10, set MARK = 0
	Coft adita:

#### Soft edits:

If OTHRES = 5, SIGNAL: VERIFY THAT YOU HAVE REACHED A PATIENT'S OR INMATE'S ROOM

If OTHRES = 6, SIGNAL: VERIFY THAT YOU HAVE REACHED A CAMP OR COMMUNE

If OTHRES = 7, SIGNAL: VERIFY THAT YOU HAVE REACHED A CONVENT OR MONASTERY

If OTHRES = 8, SIGNAL: VERIFY THAT YOU HAVE REACHED A HALFWAY

HOUSE

If OTHRES = 9, SIGNAL: VERIFY THAT YOU HAVE REACHED A HOSPITAL OR HOME FOR THE AGED, INFIRM, OR NEEDY

If OTHRES = 10, SIGNAL: VERIFY THAT YOU HAVE REACHED TRANSIENT LIVING QUARTERS IN A HOTEL, MOTEL, OR MISSION

If OTHRES = 11, SIGNAL: VERIFY THAT YOU HAVE REACHED SOME OTHER TYPE OF RESIDENCE

**Skip Instructions:** <1-4> goto PAYPHONE

<5-11, D, R>goto THANKRES

Field

PAYPHONE CONTACT.PAYPHONE

**Description:** This is pay phone

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: (RESNUM = 3 OR OTHRES = 1, 2, 3, or 4) AND HELLO\_TWO = EMPTY

**Universe Description:** 

Question Text: Interview number: ^fINTNMBR

Is this a pay phone?

Fills: fINTNMBR

**Instructions:** This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:	
1	Yes	Yes	
2	No	No	

☒ Don't Know☒ Refuse☐ Empty

☐ On Input ☑ On Output

Array:

**Special Instructions:** Display Interview Number: INTNUM = [fill: INTNUM]

If PAYPHONE = 1, set OUTCOME = 20, SUBTYPE = 13; if MARK It 22, set MARK =

22

If PAYPHONE = 2, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If PAYPHONE = 2, set CONTACT\_FL = 1

If PAYPHONE = D,R, set OUTCOME = 20, SUBTYPE = 9

**Skip Instructions:** <1> goto THANKRES

<2> goto HELLO\_NEW <D,R> goto THANKRES

Last Modified: Monday, August 13, 2007

Field

HELLO\_NEW CONTACT.HELLO\_NEW

**Description:** Is respondent 18+

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: (HELLO\_RET = 4 AND REPLC\_FL = 1 AND HELLO\_TWO = EMPTY ) OR

(RESNUM = 2 AND

RES\_NAME = EMPTY) OR PAYPHONE = 2

**Universe Description:** This screen is for INTNUM =1 or for REPLC\_FL = 1 - that is, RES\_NAME = blank.

Question Text: Interview number: ^fINTNMBR

I'd like to speak with a resident who is 18 years old or older, who normally uses

this phone, and who knows about household expenses.

If appropriate: Would that be you?

Fills: fINTNMBR

**Instructions:** This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tHELLO\_NEW

Value:	Mnemonic:	Description:
1	Respondent	Respondent is resident 18+
2	ResidentCalled	Resident 18+ called to phone
3	NotAvailable	Eligible person not home now or not available now
4	OnOne18	No one living in household is 18+
5	Problem	Other outcome/problem interviewing respondent, including immediate hangup
		and teenage phone line

☐ Refuse ☐ Empty

	•
	☐ On Input ☑ On Output
Array:	
Special Instructions:	Display Interview Number: INTNMBR = [fill: INTNMBR]
	If HELLO_NEW = 3, set OUTCOME = 55, SUBTYPE = 2; if MARK It 6, set MARK = 6
	If HELLO_NEW = 5, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6
	If HELLO_NEW = 1, 2, or 4 AND HELLO_TWO = EMPTY, set OUTCOME = 00 SUBTYPE = 00; if MARK It 6, set MARK = 6
Skip Instructions:	<1,2> If INTNMBR = 1 and ADLTR_FLG = 3 or 4, goto INTRO_LTR else goto INTRO_1ST <3> goto ID_OTHER <4> goto FIND_OTH <5> goto PROBCALL

Field

HELLO\_RS
CONTACT.HELLO\_RS

Description: New CU member is 18+

Form Pane Label: SAS Name:

Tag Name: Is respondent 18+

Inherited Universe: all

Universe: (HELLO\_RET = 3 and MARK It 3) OR (HELLO\_TWO = 3)

Universe Description: This screen is for finding another member of the consumer unit to do INTNUM =

2,3,or 4.

INTRO\_1st not needed-since same consumer unit.

Question Text: Interview number: ^fINTNMBR

Perhaps you can help me. I'd like to speak with a member of this household

who is 18 years old or older, uses this phone, and is either related

to ^fRES\_NAME by blood, marriage, or other legal arrangement or who shares

major living expenses with ^fRES\_NAME.

Fills: fINTNMBR

**Instructions:** This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fRES\_NAME

**Instructions:** RES\_NAME = the answer provided in variable RES\_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO\_NEW

Value:	Mnemonic:	Description:
1	Respondent	Respondent is resident 18+
2	ResidentCalled	Resident 18+ called to phone
3	NotAvailable	Eligible person not home now or not available now
4	OnOne18	No one living in household is 18+
5	Problem	Other outcome/problem interviewing respondent, including immediate hangup
		and teenage phone line

☐ Don't Know

Field

PROBCALL

CONTACT.PROBCALL

**Description:** Problem Interviewing

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: [(HELLO\_RET = 6) and (HELLO\_TWO = blank or HELLO\_TWO = 4)] OR

[HELLO\_TWO = 4] OR [(HELLO\_RS = 5) and (HELLO\_TWO = blank or HELLO\_TWO = 3)] OR [HELLO\_NEW = 5 AND HELLO\_TWO = blank)] OR

[RESNUM = 8]

#### **Universe Description:**

Question Text: • Do not read to the respondent

\* Choose the category that best indicates the problem

- 1. Temporarily absent or away. Nobody available through closeout.
- 2. III, hospitalized. Nobody available through closeout.
- 3. Temporarily ill, hospitalized.
- 4. Vacant
- 5. Physically or mentally unable
- 6. Answering machine/service reached
- 7. Language problem Refer to Supervisor
- 8. Hearing problem
- 9. Bad connection
- 10. Refused interview
- 11. Immediate hangup
- 12. No member in household 18 or older
- 13. No one uses this place as usual residence (for example: vacation home, recreation vehicle, car phone)
- 14. Teenager's phone line

**Type:** Enumerated

Length: 1

Answer List: tPROBCALL

Value:	Mnemonic:	Description:
1	Absent	Temporarily absent or away. Nobody available through closeout.

Survey:	TPOPS
Section:	CONTACT

2	III	III, hospitalized. Nobody available through closeout.
3	TemporarilyIII	Temporarily ill, hospitalized
4	Vacant	Vacant
5	Unable	Physically or mentally unable
6	AnsweringMachin	eAnswering machine/service reached
7	LanguageProbler	mLanguage problem - Refer to Supervisor
8	HearingProblem	Hearing Problem
9	BadConnection	Bad connection
10	Refused	Refused interview
11	Hangup	Immediate Hangup
12	NoOne18	No member in household 18 or older
13	AllURE	No one uses this place as usual residence (for example, vacation home,
		recreation vehicle, car phone)
14	TeenagersLine	Teenager's phone line

☐ Refuse ☐ Empty
☐ On Input ☑ On Output

☐ Don't Know

Array:

**Special Instructions:** SET PROB\_FLG = 1 if PROBCALL = 1-14

Display Interview Number: INTNUM = [fill: INTNUM]

If PROBCALL = 1, set OUTCOME = 21, SUBTYPE = 2; if MARK It 22, set MARK = 22

If PROBCALL = 2, set OUTCOME = 21, SUBTYPE = 1; if MARK It 22, set MARK = 22

If PROBCALL = 3, set OUTCOME = 55, SUBTYPE = 1; if MARK It 6, set MARK = 6

If PROBCALL = 4, set OUTCOME = 20, SUBTYPE = 7; if MARK It 22, set MARK = 22

If PROBCALL = 5, set OUTCOME = 20, SUBTYPE = 10; if MARK It 22, set MARK = 22

If PROBCALL = 6, set OUTCOME = 86, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 7, set OUTCOME = 70, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 8, set OUTCOME = 71, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 9, set OUTCOME = 126, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 10, if MARK It 3, set MARK = 3

If PROBCALL = 11, if MARK It 3, set MARK = 3

If PROBCALL = 12, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6

If PROBCALL = 13, set OUTCOME = 20, SUBTYPE = 5; if MARK It 22, set MARK = 22

If PROBCALL = 14, set OUTCOME = 20, SUBTYPE = 11; if MARK It 22, set MARK = 22

fill STOPDATE

Set PROB\_FLG = 1

**Skip Instructions:** <1, 2, 4, 5, 13> goto EXITTHNK

<3> If RES\_NAME = blank, goto ID\_OTHER; else goto TY\_CLBCK

<6, 7, 8, 9, 10, 11> goto TY\_LAST

<12> if RES\_NAME = blank, goto FIND\_OTH; else goto TY\_CLBCK

<14> goto THANKRES

FIND\_OTH
CONTACT.FIND\_OTH

**Description:** Other eligible respondent

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: (HELLO\_NEW = 4 AND HELLO\_TWO = EMPTY) OR (HELLO\_RS = 4 AND

 $HELLO_RET = 3) OR$ 

(PROBCALL = 4 AND (HELLO\_TWO = 4 OR ((HELLO\_RET = 6 OR HELLO\_NEW =

5) AND HELLO\_TWO = EMPTY)))

**Universe Description:** 

Question Text: Perhaps you can help me. You indicated that no one living in this household is

18 years old or older. May I speak to a person who lives here, is at least 16 or

17 years old, and is knowledgeable about this household?

Would you or someone else there qualify?

Type: Enumerated

Length: 1

Answer List: tFIND\_OTH

Mnemonic:	Description:
Yes	Yes, respondent qualifies
SomeoneCalled	Yes, someone else called to phone
NotAvailable	Yes, but person not home now or not available now
NoOneQualified	No, no qualified person lives there
	Yes SomeoneCalled NotAvailable

☑ Don't Know

☑ Refuse

☐ Empty

☐ On Input

☑ On Output

Array:

**Special Instructions:** Display Interview Number: INTNUM = [fill: INTNUM]

If FIND\_OTH = 1 or 2, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6

If FIND\_OTH = 3, set OUTCOME = 55, SUBTYPE = 2; if MARK It 6, set MARK = 6

If FIND\_OTH = 4, set OUTCOME = 20, SUBTYPE = 11; if MARK It 22, set MARK = 22

If FIND\_OTH = 1 or 2, set PROB\_FLG = blank

<1,2> SET PROB\_FLG = blank

**Skip Instructions:** <1,2> If INTNUM = 1 or CONTACT\_FL = 1

If ADLTR\_FL = 3 or 4, goto INTRO\_LTR

Else goto INTRO\_1st

If INTNUM = 2, 3, or 4 and CONTACT\_FL ne 1

If REPLC\_FL ne 1 â€" goto INTRO\_RS Else If REPLC\_FL = 1, goto INTRO\_1st

<3> goto ID\_OTHER

<4> goto THANKRES

<D> goto TY\_CLBCK

<R> goto EXITTHNK

INTRO\_RS Field

CONTACT.INTRO\_RS

**Description:** Different respondent

Form Pane Label: SAS Name:

Tag Name: Different respondent

Inherited Universe: all

Universe: (HELLO\_RS = 1 or 2 AND NOT(INTNMBR = 1 AND (ADLTR\_FL = 1 OR ADLTR\_FL

= 4))) OR

((INTNMBR = 2, 3, or 4) AND (FIND\_OTH = 1 or 2) AND REPLC\_FL ne 1)

Universe Description: This screen is for a new respondent in the SAME consumer unit.

Question Text: \*Reminder: DO NOT EXIT FROM THIS SCREEN.

This is ... from the U.S. Census Bureau. We are conducting the Telephone Point of Purchase Survey to update the Consumer Price Index by identifying where consumers currently shop.

◆Enter <1> to continue

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:	
1	Continue	Continue	
	□ F	Pon't Know Refuse Empty	
	□ ( X (	On Input On Output	
	Array: 🗌		
Specia	I Instructions: Dis	play Interview Number: INTNUM = [fill: INTNUM]	

NOTES:

This screen is for a new respondent in the SAME consumer unit.

Skip Instructions: <1> If INTNUM = 2, 3, or 4 and CONTACT\_FL = 1, goto INTRO\_1st; else go to ID\_SPVR

Last Modified: Tuesday, November 13, 2007

Field

Survey: TPOPS Section: CONTACT

INTRO\_LTR
CONTACT.INTRO\_LTR

**Description:** Get letter

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: {[INTNMBR = 1 AND (ADLTR = 3 or 4)] AND [(HELLO\_TWO = 1 or 2 AND MARK It

8) OR

((HELLO\_NEW = 1 or 2 OR FIND\_OTH = 1 or 2) AND HELLO\_TWO = EMPTY) OR

(HELLO\_RS = 1 or 2)]} AND INTRO\_LTR = EMPTY

#### **Universe Description:**

Question Text: Interview number: ^fINTNMBR

• If necessary: Hello. This is .... from the U.S. Census Bureau.

We are conducting the Telephone Point of Purchase Survey to update the Consumer Price Index by identifying where consumers currently shop.

Not long ago, we mailed a letter to your household telling you about this survey. Did you receive our letter?

Fills: fINTNMBR

**Instructions:** This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

	☑ Don't Know ☑ Refuse □ Empty
	☐ On Input ☑ On Output
Array:	
Special Instructions:	If INTRO_LTR = 1 and ADLTR = 4, set PROB_FLG = blank
	If INTRO_LTR = 1 and ADLTR_FL = 4 and MARK It 8, set MARK = 8
	if INTRO_LTR = 1, set GOT_LTR_FL = 1
	if INTRO_LTR = 2, set GOT_LTR_FL = 2
	if INTRO_LTR = D, set GOT_LTR_FL = 9
	if INTRO_LTR = R, set GOT_LTR_FL = 8
	**Once the GOT LTR_FL variable is set to 1_DO NOT reset to another value even

<2> goto INTRO\_1ST <D,R> goto INTRO\_1ST

INTRO\_LTR changes\*\*

INTRO\_1ST CONTACT.INTRO\_1ST Field

**Description:** Initial introduction

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe: all

Universe: ((MARK = EMPTY OR MARK It 8) AND (INTNMBR = 2, or 3, or 4) AND  $(HELLO_NEW = 1 \text{ or } 2 \text{ OR})$ FIND\_OT = 1 or 2) AND HELLO\_TWO = EMPTY) (((MARK = EMPTY OR MARK It 8) AND (INTNMBR = 1 AND (ADLTR FL = 1 OR ADLTR FL = 2))) AND (HELLO\_TWO = 1 or 2 OR (HELLO\_NEW = 1 or 2 OR Hello\_New = 1 or 2 OR FIND\_OTHE = 1 or 2) AND HELLO TWO = EMPTY OR (HELLO\_TWO = 3 AND HELLO\_RS = 1 or 2 AND INTRO\_LTR = EMPTY)) OR (((MARK = EMPTY OR MARK It 8) AND ((INTNMBR = 1 AND INTRO LTR = 1AND  $ADLTR_FL = 3)) OR$ (INTRO LTR = 2 OR INTRO LTR = DK OR INTRO LTR = RF))) MARK It 8 AND ((INTNMBR ne 1) AND REPLC FL ne 1 AND ORIG NAME = **EMPTY AND**  $(HELLO_TWO = 1 \text{ or } 2))$ OR MARK It 8 AND (INTNMBR = 2, 3, or 4) AND (HELLO\_TWO = 1 or 2 AND REPLC FL = 1) OR (((HELLO\_NEW = 1 or 2 OR FIND\_OTH = 1 or 2) AND HELL\_TWO = EMPTY) AND  $REPLC_FL = 1)$ 

#### **Universe Description:**

Question Text: • If necessary: Hello, this is .... from the U.S. Census Bureau.

^INTRO\_1ST

This survey is conducted quarterly. It will take about 7 to 15 minutes to complete and is voluntary. Without Office of Management and Budget approval under project 1220-0044, we could not conduct this survey. The BLS and the Census Bureau will use the information you provide for statistical purposes only. We will protect the confidentiality of the information in accordance with the Privacy Act of 1974 and the Confidentiality Information Protection and Statistical Efficiency Act of 2002.

Survey: TPOPS Blaise Item-Level Species Section: CONTACT Spide

# Title 29, Section 2 and Title 15 of the United States Code authorize us to conduct this survey.

+Enter <1> to continue

Fills: INTRO\_1ST

Instructions: If [(ADLTR\_FL = 1 or 2) or (REPLC\_FL = 1)] and INTRO\_RS ne 1, fill: We are

conducting the Telephone Point of Purchase Survey for the Bureau of Labor Statistics to update the Consumer Price Index by identifying where consumers currently shop.

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue
	□R	on't Know efuse mpty
	□ o ⊠ o	n Input n Output
	Array: 🗌	
Special	Instructions: Set	PROB_FLG = blank
	Disp	play Interview Number: INTNUM = [fill: INTNUM]

**Skip Instructions:** <1> Set MARK = 8 – go to ID\_SPVR

# GOT\_LTR\_FL CONTACT.GOT\_LTR\_FL

Field

											_
Description:	This is a letter.	flag to	o indicate	whether	or not	t the	respondent	received	the	Introducto	or
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	all										
Universe:											
Universe Description:											
Question Text:											
Type: Length:	Enumerat 1	ted									
	☐ Don't K ☐ Refuse ☐ Empty										
	☐ On Inpu ☐ On Out <sub>l</sub>										
Array:											

**Special Instructions:** This is a KEEP variable and should never be changed once set.

Survey: TPOPS Section: INTRODUCTION Blaise Item-Level Specifications Report Spider Version 1.4.0

Block

### **INTRODUCTION**

INTRODUCTION

**Description:** Introduction

Tab Name: ID

Fly Over Name: Introduction

Universe Type: If

**Inherited Universe:** 

Universe:

Universe Description: SET SECTION TIME VARIABLES:

ID\_START

ID\_END

Array:

**Block Instructions:** 

Last Modified: Friday, August 24, 2007

Survey: TPOPS Section: INTRODUCTION

ID\_PART Field

INTRODUCTION.ID\_PART

**Description:** Intro for partial interview cases

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: HELLO\_TWO = 1 or 2 AND LSTMARK gt 8

**Universe Description:** 

Question Text: \* Interview Number: ^fINTNMBR

• If necessary: Hello, This is .... from the U.S. Census Bureau.

We recently contacted your household as part of the Telephone Point of Purchase Survey. We completed part of the interview and would like to finish it now.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue
	□ F □ E	Don't Know Refuse Empty
	□ <b>(</b>	On Input On Output
	Array: □	

**Special Instructions:** If ID\_PART = 1 and MARK It 8, set MARK = 8

**Skip Instructions:** <1> goto ID\_SPVR

Field

ID\_RETRN

INTRODUCTION.ID\_RETRN

**Description:** Intro for returning cases

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: (INTNMBR = 2, 3, or 4) AND [HELLO\_RET = 1 or 2 OR

(HELLO\_TWO = 1 or 2 AND REPLC\_FL ne 1) AND ORIG\_NAME ne EMPTY AND

ID\_PART = EMPTY]

#### **Universe Description:**

Question Text: \* Interview Number: ^fINTNMBR

• If necessary: Hello, I'm .... from the U.S. Census Bureau.

We contacted your household a few months ago as part of the Telephone Point of Purchase Survey. I'm calling this month to ask you about other purchases you may have made recently.

• Enter <1> to continue

Fills: fINTNMBR

**Instructions:** This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue
	□ F □ E	Don't Know Refuse Empty
	□ ( X (	On Input On Output
	Array: 🗌	

Last Modified: Tuesday, November 13, 2007

Survey: TPOPS Section: INTRODUCTION

**Special Instructions:** Check input file (8500. RESPNAME) for respondent name; if blank, this screen should NOT be on path, since no contact was previously made with respondent

**Skip Instructions:** <1> go to ID\_SPVR

Last Modified: Tuesday, November 13, 2007 Page 34 of 208

Survey: TPOPS Section: INTRODUCTION

Field ID\_SPVR INTRODUCTION.ID SPVR

**Description:** Supervisor may listen

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: [((Intro\_1st\_ = Continue OR Intro\_Rs\_ = Continue OR (Front.CtSection.Intro\_Ltr =

Yes AND AdLtr\_FI = '4') OR

Id\_Retrn = Continue) OR Hello\_Two\_ IN[CorrectPerson, PersonCalled]) AND

PROB\_FLG = "]

#### **Universe Description:**

**Question Text:** • If necessary: Hello. This is .... from the U.S. Census Bureau. We recently contacted your household as part of the Telephone Point of Purchase Survey.

^fID\_SPVR

\*Persuade respondent to complete interview now, if possible.

My supervisor is working with me today and may listen in to evaluate my performance.

Fills: fID\_SPVR

Instructions: If ADLTR\_FL = 4 and INTRO\_LTR = 1, fill: "Just to remind you, this survey is

conducted quarterly and will take approximately 7 to 15 minutes to complete. Participation is voluntary and the information you provide will be kept confidential."

Type: Enumerated

Length: 1

Answer List: tID\_SPVR

Value:	Mnemonic:	Description:	
1		Continue with interview	
2		Inconvenient time, callback needed	
3		Refused to participate	
4		Language problem OR refer to supervisor	
		Don't Know	

Refuse

[	□ Empty		
[ [	☐ On Input ☑ On Output		
Array:			
Special Instructions:	If ID_SPVR = 1, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK =		
	6 If ID_SPVR = 2, set OUTCOME = 55, SUBTYPE = 2; if MARK It 8, set MARK = 8		
	If ID_SPVR = 3, if MARK It 7, set MARK = 7		
	If ID_SPVR = 4, set OUTCOME = 20, SUBTYPE = 12; if MARK It 7, set MARK = 7		
	If ADLTR_FL = 4 and INTRO_LTR = 1, fill: "Just to remind you, this survey is conducted quarterly and will take approximately 7 to 15 minutes to complete. Participation is voluntary and the information you provide will be kept confidential.―		
Skip Instructions:	<1> If MARK gt 8 AND RES_NAME ne blank goto ID_PTINT		
	If INTNUM = 1 OR REPLC_FL = 1, goto ID_RESP		
	If INTNUM = 2, 3, or 4 AND RES_NAME = blank, goto ID_RESP		
	Else if RES_NAME ne blank and if I_COUNTY ne blank–goto GEO_VER		
	Else goto GEO_ST		
	<2> If RES_NAME = blank goto ID_WHO ; else goto TY_CLBCK		
	<3, 4> goto EXITTHNK		

Field ID\_RESP INTRODUCTION.ID\_RESP

**Description:** Name of respondent

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

**Universe:** ID\_SPVR = 1 and RES\_NAME = blank

**Universe Description:** 

Question Text: May I have your first name.

• If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Enumerated

Length: 20

Answer List: tID\_RESP

Value:	Mnemonic:	Description:
1		Enter Name: [allow 20]
	□ Rei □ Em □ On	n't Know fuse pty Input Output
	Array: 🗌	
Special I	nstructions: Displ	ay Hard Error if entry is all numeric:
		D ERROR: THERE MUST BE AT LEAST ONE ALPHABETIC CHARACTER IN FIELD. GO BACK TO CORRECT.
	Store	ID_RESP in RES_NAME

If MARK It 8, set MARK = 8

Blaise Item-Level Specifications Report Spider Version 1.4.0

Survey: TPOPS Section: INTRODUCTION

Skip Instructions: If INTNUM = 2, 3, or 4 and REPLC\_FL ne 1 and I\_COUNTY ne blank--goto

GEO\_VER

else goto GEO\_ST

Last Modified: Friday, August 10, 2007 Page 38 of 208

Field ID\_PTINT
INTRODUCTION.ID\_PTINT

**Description:** Resume intro Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe:** Universe: ID\_SPVR = 1 AND MARK gt 8 AND PROB\_FLG ne 1 **Universe Description:** Question Text: Respondent: ^fRES\_NAME • Press the <END> key for the next unanswered question. Fills: fRES\_NAME **Instructions:** RES\_NAME = the answer provided in variable RES\_NAME Type: Integer Length: 1 Min: 1 Max: 1 ☐ Don't Know Refuse ☐ Empty On Input On Output Array:

**Skip Instructions:** <END> goto NEXT UNANSWERED QUESTION

Survey: TPOPS Section: INTRODUCTION

ID\_WHO Field

INTRODUCTION.ID\_WHO

**Description:** Who to call back

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

**Universe:** RES\_NAME = blank and ID\_SPVR = 2

Universe Description: First name of person to call back, if needed

Question Text: We can call back when it is more convenient. May I have your first name, so

that we can ask for you when we call again?

• If respondent prefers NOT to give their name, use YOUR best judgement and key

LADY OF HOUSE or MAN OF HOUSE

Type: Open
Length: 20

Don't Know
Refuse
Empty

On Input
On Output

**Special Instructions:** Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic

character in this field. Go back to correct.

If ID\_WHO ne blank, D or R, set OUTCOME = 55, SUBTYPE = 2;

if MARK It 6, set MARK = 6

store ID\_WHO in RES\_NAME

Skip Instructions: goto TY\_CLBCK

Field	ID_OTHER
	INTRODUCTION.ID_OTHER

**Description:** Who else to call

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: [RES\_NAME = blank] AND [HELLO\_NEW = 3 or FIND\_OTH = 3 or PROBCALL = 3]

**Universe Description:** 

Question Text: Fine. I'll call back later. Whom should I ask for when I call back?

◆ If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Open
Length: 20

Don't Know
Refuse
Empty

On Input
On Output

**Special Instructions:** 1. Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

 If ID\_OTHER ne blank, AND PROBCALL ne 3, set OUTCOME = 55, SUBTYPE = 2; if MARK It 6, set MARK = 6

store ID\_OTHER in RES\_NAME

Skip Instructions: goto TY\_CLBCK

Survey: TPOPS Blaise Item-Level Specifications Report
Section: GEOGRAPHY Spider Version 1.4.0

**GEOGRAPHY** Block

GEOGRAPHY

**Description:** Contains the geography questions for the survey

Tab Name: Geography

Fly Over Name: GEO Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array: 🗌

**Block Instructions:** 

GEO\_VER
GEOGRAPHY.GEO\_VER

**Description:** Same county

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: [ID\_SPVR = 1 OR ID\_RESP ne blank] AND

[INTNUM = 2, 3, or 4 AND REPLC\_FL ne 1 AND

I\_COUNTY ne blank]

Universe Description: Verify if collected in a previous interview.

Question Text: Is your household still located in ^fl\_COUNTY?

Fills: fl\_COUNTY

Instructions: Fill fl\_COUNTY - I\_COUNTY

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
	_	

X Don't KnowX Refuse

☐ Empty

☑ On Input

☑ On Output

Array:

**Special Instructions:** Fill county name and state from input file.

I\_COUNTY (length = 30) located in record type 8500/location 37-66

If GEO\_VER = 1, store I\_COUNTY in COUNTY

If GEO\_VER = 1, store FIPSCODE (8500/67-71) in

FIPS\_ST and FIPS\_CTY

If GEO\_VER = 1, store I\_MOVEDATE in MOVEDATE

If GEO\_VER Make MOVERCL = NUMBER OF DAYS BETWEEN MOVEDATE AND SYSDATE

If MARK It 11, set MARK = 11

**Skip Instructions:** <1> goto GEO\_DONE

<2,D,R> goto GEO\_ST

Field GEO\_ST
GEOGRAPHY.GEO\_ST

**Description:** Respondent's state of residence

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: INTNUM = 1 OR REPLC\_FL = 1 OR

GEO\_VER = 2, D, or R OR I\_COUNTY = blank

Universe Description: Possible states of respondent residense

Question Text: In which state do you live?

Type: Classification Length: 2

☑ Don't Know☑ Refuse☑ Empty

☐ On Input ☑ On Output

Store Instructions: STORE GEO\_ST in FIPS\_ST

Array:

**Special Instructions:** [fill STATE\_n associated with PSU in XSTATE]

SOFTCHECK: RESPONDENT DOES NOT LIVE IN ANY STATE LISTED?

HARDCHECK STATE NUMBER OUT OF RANGE FOR PSU

Number of states in PSU stored in XSTATE;

display appropriate number

Reject if GEO\_ST gt XSTATE (state number out of range

for PSU)

Store GEO\_ST in FIPS\_ST

If GEO\_ST = 1 - 4, set OUTCOME = 00, SUBTYPE = 00

If GEO\_ST = D, set OUTCOME = 20, SUBTYPE = 9;

if MARK It 8, set MARK = 8

If GEO ST = R, if MARK It 9, set MARK = 9

Last Modified: Friday, August 10, 2007

Page 45 of 208

If GEO\_ST = 95, set OUTCOME = 20, SUBTYPE = 8; if MARK It 22, set MARK = 22

**Skip Instructions:** <1,2,3,4> [goto GEO\_CNTY]

<95> Invoke SOFTCHECK - goto THANKRES

<D> [goto EXITTHNK] <R> [goto EXITTHNK]

Last Modified: Tuesday, August 28, 2007 Page 46 of 208

GEO\_CNTY

GEOGRAPHY.GEO\_CNTY

**Description:** Respondent's county of residence Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe: Universe:** (GEO\_ST = 1, 2, 3, or 4) AND [INTNUM = 1 OR REPLC\_FL = 1 OR GEO\_VER = 2, D, or R OR I\_COUNTY = blank] Universe Description: Possible counties of respondent Question Text: In which county do you live? Type: Classification Length: 2 ☐ Don't Know Refuse ☐ Empty ☑ On Input ☑ On Output Store Instructions: Number of counties in GEO ST in PSU is stored in XCOUNTY; display appropriate number Store GEO\_CNTY in FIPS\_CTY Array: **Special Instructions:** [fill CNTY in associated with GEO ST in PSU] SOFTCHECK: RESPONDENT DOES NOT LIVE IN ANY COUNTY LISTED? HARDCHECK COUNTY NUMBER OUT OF RANGE FOR STATE Number of counties in GEO\_ST in PSU is stored in XCOUNTY; display appropriate number Reject if GEO\_CNTY gt XCOUNTY (county number out of range for GEO\_ST in PSU) Store GEO\_CNTY in FIPS\_CTY If GEO\_CNTY ne D,R, or 95, if MARK It 11, set MARK = 11

Last Modified: Tuesday, August 28, 2007

Survey: TPOPS Section: GEOGRAPHY

If GEO\_CNTY = 1 - 26, set OUTCOME = 00, SUBTYPE = 00
If GEO\_CNTY = D, set OUTCOME = 20, SUBTYPE = 9;
 if MARK It 8, set MARK = 8
If GEO\_CNTY = R, if MARK It 9, set MARK = 9
If GEO\_CNTY = 95, set OUTCOME = 20, SUBTYPE = 8;
 if MARK It 22, set MARK = 22

**Skip Instructions:** <1, 2 ... n, 26> if PSU = A103 OR (PSU = A110 AND

GEO\_ST =1 AND GEO\_CNTY = 1 - 4) OR

PSU = B108 OR PSU = B116 â€" goto GEO\_LIM;

else goto GEO\_LONG

<95> Invoke SOFT CHECK - goto THANKRES

<D, R> [goto EXITTHNK]

GEO\_LIM

GEOGRAPHY.GEO\_LIM

**Description:** Inside city limits

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

**Universe:** (GEO\_CNTY = 1, 2, ... n, 26) AND [(PSU = A103) OR

(PSU = A110 and GEO\_ST = 1 and GEO\_CNTY = 1 - 4) OR

(PSU = B108) OR (PSU = B116)]

**Universe Description:** 

Question Text: Do you live inside the limits of a city, town, borough, or village?

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

☑ Don't Know

X Refuse

☐ Empty

☐ On Input ☐ On Output

Store Instructions: 1. If GEO\_LIM = 1, set OUTCOME = 00, SUBTYPE = 00

2. If GEO\_LIM = 2, set OUTCOME = 20, SUBTYPE = 8;

if MARK It 22, set MARK = 22

3. If GEO\_LIM = D, set OUTCOME = 20, SUBTYPE = 9;

if MARK It 8, set MARK = 8

4. If GEO\_LIM = R, if MARK It 9, set MARK = 9

Array:

Special Instructions: SOFTCHECK: RESPONDENT DOES NOT LIVE IN CITY LIMITS?

**Skip Instructions:** <1> [goto GEO\_TOWN]

Blaise Item-Level Specifications Report Spider Version 1.4.0

Page 50 of 208

Survey: TPOPS
Section: GEOGRAPHY

- <2> Invoke SOFT CHECK goto THANKRES
- <D> [goto EXITTHNK]
- <R> [goto EXITTHNK]

**GEO\_TOWN**GEOGRAPHY.GEO\_TOWN

Description:	Town/City of residence
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	GEO_LIM is 1
Universe Description:	
Question Text:	What is the name of the city or town?
Type: Length:	Classification 2
	☑ Don't Know ☑ Refuse □ Empty
	☐ On Input ☐ On Output
Store Instructions:	Store GEO_TOWN in TOWN
Array:	
Special Instructions:	SOFTCHECK: RESPONDENT DOES NOT LIVE IN ANY CITY/TOWN LISTED?
	HARDCHECK: TOWN NUMBER OUT OF RANGE FOR COUNTY
	1. City/Town names are HARD-CODED in >TOWNS<
	<ol><li>Number of cities/towns in GEO_TOWN in GEO_CNTY in PSU is stored in XTOWNS; display appropriate number</li></ol>
	3. Reject if GEO_TOWN gt XTOWNS (town number out of range for GEO_TOWN in GEO_CNTY in PSU)
	4. If GEO_TOWN = 1- 54, set OUTCOME = 00, SUBTYPE = 00
	5. If GEO TOWN = D, set OUTCOME = 20, SUBTYPE = 9;

if MARK It 8, set MARK = 8

6. If GEO\_TOWN = R, if MARK It 9, set MARK = 9

7. If GEO\_TOWN = 95, set OUTCOME = 20, SUBTYPE = 8; if MARK It 22, set MARK = 22

Skip Instructions: <1, 2 ... n, 54> [goto GEO\_LONG]

<95> Invoke SOFT CHECK - goto THANKRES

<D> [goto EXITTHNK] <R> [goto EXITTHNK]

**GEO\_LONG**GEOGRAPHY.GEO\_LONG

**Description:** How long in area Form Pane Label:

SAS Name: Tag Name: Inherited Universe:

Universe: GEO\_CNTY = 1 - 26

Universe Description: all respondents during first interview

Question Text: How long have you lived in ^fLONGNAME?

Fills: fLONGNAME

Instructions: FIII fLONGNAME with LONGNAME

Type: Classification

Length: 1

☑ Don't Know

□ Refuse
 □ Empty

☐ On Input ☒ On Output

Array:

Special Instructions: Fill LONGNAME

1. If MARK It 11, set MARK = 11

Skip Instructions: <1,D,R> If [INTNUM = 2, 3, 4 AND REPLC\_FL ne 1 AND I\_PSINCU

ne blank] – goto GEO\_DONE

<2> [goto GEO\_MN]

Last Modified: Friday, August 10, 2007

Page 53 of 208

Survey: TPOPS Blaise Item-Level Specifications Report
Section: GEOGRAPHY Spider Version 1.4.0

# GEO\_MN GEOGRAPHY.GEO\_MN Description: Month moved to area Form Pane Label: SAS Name: Tag Name:

**Universe:** GEO\_LONG = 2

Universe Description: Lived less than 5 years in area

Question Text: What are the month and year you moved to the area?

**Enter Month:** 

Type: Classification

Length: 2

**Inherited Universe:** 

☒ Don't Know☒ Refuse☐ Empty

☐ On Input ☐ On Output

Array: 🗌

**Skip Instructions:** <1-12, D, R> [goto GEO\_YR]

Survey: TPOPS Section: GEOGRAPHY

Field GEO\_YR
GEOGRAPHY.GEO\_YR

**Description:** Year moved to area Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe: Universe:** GEO\_MN = 1-12, D, R (GEO\_MN on path) **Universe Description:** Question Text: 2002 TO 2007 Enter Year: Type: Classification Length: 4 ☑ Don't Know X Refuse ☐ Empty ☐ On Input On Output Store Instructions: If GEO\_MN and GEO\_YR are more than 1 month ago - SET GEO\_DY = 15 â€" goto GEO DONE Array: Special Instructions: If GEO\_MN gt I\_MN and GEO\_YR = I\_YEAR â€" Invoke HARD CHECK â€" goto ERR\_FUT1 If GEO\_MN If I\_MN and GEO\_YR=(I\_YEAR-5) Invoke HARD CHECK go to ERR\_LONG MAKE MOVEDATE [allow 8] = MMDDYYYY (MM = month, DD = day, YYYY = year)

If GEO\_YEAR = D or R, store blank in MOVEDATE

If  $GEO\_MN = D$  or R AND  $GEO\_YR = CURRENT$  YEAR, store systems date in MOVEDATE

If GEO\_MN = D or R AND GEO\_YR ne D or R or current year, store current month in MOVEDATE (MM)

If GEO\_YR ne D or R .and. GEO\_MN ne D or R â€" MAKE MOVEDATE = GEO\_MN + GEO\_DY + GEO\_YR [allow 8] (MMDDYYYY)

If GEO\_YR = D or R, set MOVEDATE = blank

MAKE MOVEDAYS = NUMBER OF DAYS BETWEEN MOVEDATE AND SYSDATE.

HARD CHECKS:

ERR\_FUT1: DATE ENTERED IS IN THE FUTURE

ERR\_LONG: DATE ENTERED IS MORE THAN FIVE YEARS AGO

If GEO\_MN It I\_MN and GEO\_YR = (I\_YEAR - 5) â€" Invoke HARD CHECK â€" goto ERR\_LONG

**Skip Instructions:** If GEO\_MN and GEO\_YR are less than

1 month ago - goto GEO\_DY

If GEO\_MN and GEO\_YR are more than 1 month ago - goto GEO\_DONE

<D, R> – goto GEO\_DONE

**GEO\_DONE**GEOGRAPHY.GEO\_DONE

Description:	Section is complete
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	(GEO_ST NE D,R, 95) AND(GEO_CNTY ne D, R, 95)
Universe Description:	
Question Text:	Enter 1 to continue.
Type: Length:	Classification 1
	□ Don't Know □ Refuse □ Empty
	□ On Input ☑ On Output
Array:	
Special Instructions:	This is a GATE variable. Before leaving the GEO section, the interviewer MUST enter "1".
Skip Instructions:	<1> if I_PSINCU ne blank, goto HR_VER; else goto HR_SIZE

Last Modified: Friday, August 10, 2007 Page 57 of 208

Survey: TPOPS Section: GEOGRAPHY

GEO\_DY Field

GEOGRAPHY.GEO\_DY

**Description:** Day moved to area

Form Pane Label:

SAS Name: Tag Name:

**Inherited Universe:** 

**Universe:** GEO\_MN and GEO\_YR are less than 1 month ago (moved less than 1 month ago)

**Universe Description:** 

**Question Text:** Enter Day:

Type: Integer

Length: 2

Min: Max:

☑ Don't Know

■ Refuse

☐ Empty

On Input

☐ On Output

Array:

Special Instructions: If GEO\_MN gt I\_MN and GEO\_DY gt I\_DY -- Invoke HARD CHECK â€" goto

ERR\_FUT2

MAKE MOVEDATE = GEO\_MN + GEO\_DY + GEO\_YR

MAKE MOVEDAYS = NUMBER OF DAYS BETWEEN MOVEDATE AND SYSDATE.

HARD CHECK: ERR\_FUT2

DATE ENTERED IS IN THE FUTURE

Note: It is not necessary to do a check about past dates, since only those people that moved within the last 30 days will come to this point--and the dates entered would still

fall in range.

Survey: TPOPS Section: GEOGRAPHY

**Skip Instructions:** <1-31, D,R> [goto GEO\_DONE]

If GEO\_MN gt I\_MN and GEO\_DY gt I\_DY -- Invoke HARD CHECK – goto

ERR\_FUT2

Last Modified: Wednesday, March 1, 2006

Survey: TPOPS Blaise Item-Level Specifications Report Section: Household Roster

#### **Household Roster** Block

Spider Version 1.4.0

Household Roster

**Description:** Questions about the members of the household

Tab Name: HR

Fly Over Name: Household Roster

Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array:

**Block Instructions:** 

Last Modified: Tuesday, October 16, 2007 Page 60 of 208 Field Household Roster.HR VER

**Description:** Verify number HH members

Form Pane Label: Verify number HH members

SAS Name: HR\_VER

Tag Name: Inherited Universe:

Universe: (INTNMBR = 2 or INTNMBR = 3 or INTNMBR = 4) AND (REPLC\_FL ne 1) AND

(I\_PSINCU ne blank) OR

[(Hello\_Rs = 1 or 2) and (I\_PSINCU ne '01' and I\_PSINCU ne blank)]

#### **Universe Description:**

Question Text: \* INTERVIEW NUMBER: ^fINTNMBR

In your last interview, we determined that there **^IS\_ARE ^fI\_PSINCU ^PERSON\_PERSONS** residing in your consumer unit. Is this still true?

• If necessary: A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, who share major living expenses.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: IS\_ARE

**Instructions:** Fill "is" if I PSINCU = 1, else fill "are".

Fills: fl PSINCU

Instructions: Fill = I\_PSINCU

Fills: PERSON\_PERSONS

**Instructions:** Fill "person" if I\_PSINCU = 1, else fill "persons".

Type: Classification

Length: 1

☑ Don't Know

X Refuse

☐ Empty

On Input

☑ On Output

Survey: TPOPS Section: Household Roster

Store Instructions: <1> store I\_PSINCU in PSINCU – goto CP\_INTRO

Array: 🗌

**Skip Instructions:** <1> – goto CP\_INTRO

<2,D,R> goto HR\_SIZE

Last Modified: Tuesday, November 13, 2007 Page 62 of 208

Field Household Roster.HR\_SIZE

**Description:** Household size

Form Pane Label:

SAS Name: HR\_SIZE

Tag Name: Inherited Universe:

Universe: INTNMBR = 1 OR REPLC\_FL = 1 OR HR\_VER = 2, D, or R

OR (HELLO\_RS = 1 or 2 and I\_PSINCU = 1) OR I\_PSINCU = blank

**Universe Description:** 

Question Text: \*Sample Phone : (^fAREA) ^fPREFIX - ^fSUFFIX How many persons living at this

residence are served by THIS telephone number? Do not include students

living away at college or temporary house guests.

Fills: fAREA

**Instructions:** Fill respondent's area code = AREA

Fills: fPREFIX

**Instructions:** Fill the respondent's first 3 digits of his/her phone number = PREFIX

Fills: fSUFFIX

**Instructions:** Fill the respondent's last 4 digits of his/her phone number = SUFFIX

Type: Integer

Length: 2

Min: 1 Max: 99

X Don't Know

 ■ Refuse

☐ Empty

☐ On Input ☑ On Output

Store Instructions: <1> store HR\_SIZE in PSINCU; goto CP\_INTRO

Array: 🗌

Last Modified: Tuesday, November 13, 2007

Special Instructions: HR\_SIZE gt 30: SOFT EDIT: SIGNAL - NUMBER SEEMS UNUSUALLY HIGH.

PLEASE VERIFY

**Skip Instructions:** <1> goto CP\_INTRO

<2-30> goto HR\_DESCU

<31-99> goto HR\_DESCU

<D,R> [goto HR\_DESCU]

Last Modified: Tuesday, October 16, 2007

# HR\_DESCU

Household Roster.HR\_DESCU

**Description:** One consumer unit

Form Pane Label:

SAS Name: HR\_DESCU

Tag Name: Inherited Universe:

Universe: HR\_SIZE gt 1 or HR\_SIZE = D or R

**Universe Description:** 

Question Text: \* If respondent asks what major living expenses are included, click on the DEFS tab

and choose number 3. Read entire answer.

I will be asking questions about purchases made by people in your consumer unit. A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, who share major living expenses.

Does this describe all of the people at this residence?

Length: 1

| X | Don't Know |
| X | Refuse |
| Empty |
| On Input |
| X | On Output |
| Store Instructions: store HR\_SIZE in PSINCU |
| Array: □ |
| Skip Instructions: <1> If HR\_SIZE = D or R, goto HR\_NUMCU; else if HR\_SIZE gt 1, goto CP\_INTRO

Type: Classification

<2, D, R> [goto HR\_NUMCU]

Survey: TPOPS Section: Household Roster

HR NUMCU Field

Household Roster.HR\_NUMCU

**Description:** Number of people in consumer unit

Form Pane Label:

SAS Name: HR\_NUMCU

Tag Name: Inherited Universe:

**Universe:** (HR\_SIZE = D or R and HR\_DESCU = 1) OR

 $HR_DESCU = 2$ 

# **Universe Description:**

Question Text: ^MORETHAN1

How many people are in YOUR consumer unit?

If necessary: A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, who share major living expenses.

Fills: MORETHAN1

Instructions: iF HR\_DESCU = 2, fill the following text: You've indicated you have more than one

consumer unit at your residence

Type: Integer

Length: 2

Min: 1 Max: 99

☑ Don't Know

■ Refuse

☐ Empty

☐ On Input

✓ On Output

Array:

Special Instructions: HR\_NUMCU gt 30: SIGNAL - NUMBER SEEMS UNUSUALLY HIGH. PLEASE

**VERIFY** 

(HR SIZE ne DK or RF or blank) AND HR NUMCU gt HR SIZE:

CHECK - NUMBER IN CONSUMER UNIT IS LARGER THAN NUMBER IN

# HOUSEHOLD.

# GO BACK TO CORRECT.

Skip Instructions: <1-30> store HR\_NUMCU in PSINCU – goto CP\_INTRO

<31-99> store HR\_NUMCU in PSINCU – goto CP\_INTRO

< D, R> store <> in PSINCU – goto CP\_INTRO

Last Modified: Wednesday, March 1, 2006

Survey: TPOPS Section: COMMODITY PURCHASES Blaise Item-Level Specifications Report Spider Version 1.4.0

# **COMMODITY PURCHASES**

Block

**COMMODITY PURCHASES** 

Description:	Questions about CU commodity purchases
Tab Name:	
Fly Over Name:	
Universe Type:	If
Inherited Universe:	
Universe:	
Universe Description:	
A ##01/:	
Array:	
Block Instructions:	

# CP\_INTRO COMMODITY PURCHASES CP\_INTRO

	COMMODITY PURCHASES.CP_INTRO
Description:	Commodity introduction
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	HR_VER = 1 or HR_SIZE = 1 or HR_DESCU = 1 or HR_NUMCU ne blank
Universe Description:	
Question Text:	Now I have some questions about purchases <b>^YOU_YOUR</b> may have made <b>^TIMEFILL</b> .
	Please include items purchased as gifts, but exclude items purchased for a business.
	If necessary: A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, share major living expenses.
	YOU_YOUR fill "you" if PSINCU = 1; else fill "your consumer unit"
	TIMEFILL fill "recently" if GEO_LONG = 1, D, R; else fill "since you have lived in the area.
Type: Length:	Enumerated 1
Answer List:	tContinue
alue: Mnemonic:	Description:
Continue	Continue
	□ Don't Know □ Refuse □ Empty

Survey: TPOPS

Blaise Item-Level Specifications Report
Section: COMMODITY PURCHASES

Spider Version 1.4.0

	·
	☐ On Input ☑ On Output
Store Instructions:	Display how many POPSCATS are possible for the PSU in the left upper corner of the infopane. Show ORDER and TOTCOMM.
Array:	
Special Instructions:	(YOU/YOUR) you/your consumer unit
	fill "you" if PSINCU = 1; else fill "your consumer unit"
	(TIMEFILL) recently/since you have lived in the area.
	fill "recently" if GEO_LONG = 1, D, R; else fill "since you have lived in the area.
	(PSULONGNAME)fill the long name of the PSU
Skip Instructions:	<1> [goto CP_PURC]

# CP\_PURC

# COMMODITY PURCHASES.CP\_PURC

**Description:** Purchases/expenses, repeated for each commodity item purchased

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: CP\_INTRO = 1 or <ORDER> It <TOTCOMM>

RANDNMBR between LORANGE AND HIRANGE

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

In the ^fRECALLD ^HAVEHAS ^PAHEF2 ^TITLE ^TIMEFILL?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fRECALLD

**Instructions:** If RPTIME = 1, fill "past week"

If RPTIME = 2, fill "past two weeks"

If RPTIME = 3, fill "past month"

If RPTIME = 4, fill "past three months"

If RPTIME = 5, fill "past six months"

If RPTIME = 6, fill "past year"

If RPTIME = 7, fill "past two years"

If RPTIME = 8, fill "past five years"

Fills: HAVEHAS

**Instructions:** fill "have you" if PSINCU = 1;

else fill "has anyone in your consumer unit"

Fills: PAHEF2

**Instructions:** fill "purchased any" if COMMTYPE = G (good)

or fill "had expenses for" if COMMTYPE = S (service)

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Survey: TPOPS Section: COMMODITY PURCHASES

Fills: TIMEFILL

**Instructions:** fill "recently" if GEO\_LONG = 1, D, R;

else fill "since you have lived in the area.

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
	□ F □ E	Oon't Know Refuse Empty On Input On Output
	Array: □	

**Special Instructions:** If POPSCAT = T14, display:

Local vehicle registration refers to city, county, or other LOCAL government registration for vehicles. State registration is NOT included.

If ORDER ge 2, set PARTFLAG = 1 and MARKTWO = 001. If MARK it 12, set MARK = 12. Set OUTCOME = 000.

PURCVER1, fill if recall period changes or if answer to previouse PURC question = 1;

(fill: RECALLFL) (fill: HAVEHAS) (fill:PAHEF2) (fill:TITLE)?

#### **RECALLFL**

In the (fill:RECALLD)/Since you moved to the area

fill "In the (fill:RECALLD) if GEO\_LONG = 1, D, R or MOVEDAYS gt RECLDAYS

else fill: Since you moved to the area"

# TITLE

fill "commodity title― from parameter file

PURCVER2

(fill:PAHEF1) (fill:TITLE)?

PAHEF1 Purchased any/Had expenses for fill "Purchased any" if COMMTYPE = G (good)

or fill "Had expenses for" if COMMTYPE = S (service)

**TITLE** 

fill "commodity title― from parameter file

<F1> Commodity Help

**Skip Instructions:** >Value/Skip Instructions

<1> [if POPSCAT = H05 or H06 or R02 â€" goto CP\_DIRPY] [goto CP\_OLTNM]

<2,D,R> goto NEXT CP\_OLTNM;

if no more CP\_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP\_PURC); else if ORDER = TOTCOMM, goto CP\_END

CP\_DIRPY Field

COMMODITY PURCHASES.CP\_DIRPY

**Description:** Direct payment

Form Pane Label:

SAS Name: CP\_DIRPY

Tag Name: Inherited Universe:

Universe: POPSCAT = H05 or POPSCAT = H06 or POPSCAT = R02 and CP\_PURC = 1

**Universe Description:** 

Question Text: COMMODITY CODE: ^fPOPSCAT

Were the expenses for ^TITLE ... :

Read answer categories

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Type: Enumerated

Length: 1

Answer List: tCP\_DIRPY

Value:	Mnemonic:	Description:
1		Paid directly to service provider (CASH, CHECK, OR CREDIT CARD)
2		Included in rent/condominium or other fee
3		Included in property taxes
4		Paid by other means
	⊠ F □ E	Oon't Know Refuse Empty On Input On Output
	Array: □	

Blaise Item-Level Specifications Report Spider Version 1.4.0

Survey: TPOPS Section: COMMODITY PURCHASES

**Special Instructions:** 1. Display in upper left-hand corner

COMMODITY CODE = [fill: POPSCAT]

**Skip Instructions:** <1> [goto CP\_OLTNM]

<F1> Commodity Help

Last Modified: Friday, May 29, 2009

**CP\_OLTNM** Field

COMMODITY PURCHASES.CP\_OLTNM

**Description:** Outlet name

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: CP\_PURC = 1 and CP\_DIRPY = 1 or blank or

CP\_COST\_DR not equal blank

**Universe Description:** 

Question Text: ?[F1] COMMODITY CODE= ^fPOPSCAT

What are the names of all the DIFFERENT places from which **^YOU\_YOUR** 

**^PAHEF2 ^TITLE?** 

If necessary: ^fRECALLFL

Enter 888 to delete an outlet Any place else? If respondent mentions an outlet name more than one time, probe to be sure that the outlet mentioned again is actually at a separate LOCATION. Press ENTER when no more outlets are

reported

[

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: YOU\_YOUR

**Instructions:** fill "you" if PSINCU = 1;

else fill "your consumer unit"

Fills: PAHEF2

**Instructions:** fill "purchased any" if COMMTYPE = G (good)

or fill "had expenses for" if COMMTYPE = S (service)

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fRECALLFL

Instructions: Fill fRECALLFL: In the(RECALLD)/Since you moved to the area

Type: String
Length: 80

Don't Know
Refuse
Empty

On Input
On Output

Special Instructions: 1.SPECINST

If POPSCAT = R29:

IF RESPONDENT SAYS VENDING MACHINE, ENTER "VENDING MACHINE"•
IF RESPONDENT SAYS STREET VENDOR, ENTER "STREET VENDOR"•

If POPSCAT = M04:

IF RESPONSE INCLUDES THE WORD "HOSPITAL," PROBE FOR A SPECIFIC PHYSICIAN'S NAME. IF UNABLE TO OBTAIN PHYSICIAN'S NAME, ENTER HOSPITAL NAME.

2. Fill NOTE

If POSCAT = T04, T17, H02, R26 OR R27

IF respondent mentions and outlet name more then one time, probe to be sure that the outlet is mentioned again for a different occasion.

Else, fill:

If respondent mentions and outlet name more than one time, probe to be sure that the outlet mentioned again is actually at a separate location.

3. WHATOLT - SPECIAL WORDING REQUIRED for T14, H05, H06, R30

If POPSCAT = T14

What is the name of each local government agency from which [fill: YOU/YOUR] had expenses for [fill: TITLE]?

If POPSCAT = H05 or H06

What is the name of each organization from which [fill: YOU/YOUR] had expenses

for [fill: TITLE]?

If POPSCAT = R30

What are the names of all [fill: TITLE] [fill: YOU/YOUR] purchased?

If POPSCAT = T17

What are the names of all the cruise lines or tour companies used?

If POPSCAT = H02

What are the manes of all the hotels, motel, or vacation rental used?

If POPSCAT = T04

What are the names of all the rental companies used?

If POPSCAT = R27

What are the names of all the places where the events were held, such as stadiums, arenas, parks and gyms?

If POPSCAT = R26

What are the names of all the places where the events occured, such as theaters concert halls, museums, zoos or theme parks?

ALL OTHER POPSCATs (including R02, R29, or M04)

What are the names of all the DIFFERENT places from which [fill:YOU/YOUR] [fill:PAHEF2] [fill:TITLE]?

### 4. fill: SPECINST]

[fill: WHATOLT - special wording for T14, H05, H06, R30 "What is the name of each local government agency from which (fill: YOU/YOUR) has expenses for (fill: TITLE)]

5. Provide/Output CP\_CODE for every outlet identified.

The first 1 or 2 digits of CP\_CODE refers to the ORDER of the POPSCAT - that is, the outlets identified for the first POPSCAT in the PSU (regardless of whether it is in sample) will begin with "1" and the outlets identified for the tenth POPSCAT in the PSU will begin with a "10."• (The maximum value for the first 2 digits is "16".)

If a POPSCAT is in sample, but no outlets are identified for that POPSCAT, the order-identifier for that POPSCAT will not be used - that is, if no outlets are identified for the third POPSCAT in sample, no CP\_CODE will begin with the number "3."

If a POPSCAT in the PSU is not in sample for the case, the order-identifier for that POPSCAT will not be used. For example, if the random number for a case excludes the fourth POPSCAT, no CP\_CODE will begin with the number "4."•

The last digit of CP\_CODE numbers the outlet as it is identified - that is, the first outlet identified for a particular POPSCAT gets a "1" and the third outlet identified for that SAME POPSCAT gets a "3." (The maximum value for the last digit is "5".)

6. ALLOW UP TO FIVE OUTLET NAMES FOR EACH COMMODITY.

CP\_OLTNM1

CP\_OLTNM2

CP OLTNM3

CP OLTNM4

CP\_OLTNM5

7. If OLTNM = D, R, ask CP\_COST\_DR - DO NOT ASK ANY OTHER QUESTIONS FOR THIS OUTLET

8. If OLTNM is deleted (OLTNM = 888) check to see if address information is available for the outlet. If "YES," then address variables will remain on path. If "NO,"• then address variables will be off path. That is to say, an outlet reported and deleted before address information is collected, will not get address questions.

**Skip Instructions:** <allow = 30>

NO MORE [if POPSCAT = R30, goto CP\_MAGSB] [if POPSCAT = H05 or H06, goto CP\_GOVAG] [else goto CP\_COST]

<D> [goto CP\_COST\_DR] <R> [goto CP\_COST\_DR]

<F1> Commodity Help

CP\_COST\_DR Field

COMMODITY PURCHASES.CP\_COST\_DR

**Description:** Cost if no outlet name

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: CP\_OLTNM = BLANK, D, R

**Universe Description:** 

Question Text: COMMODITY CODE= ^fPOPSCAT

About how much did ^YOU\_YOUR spend there for ^TITLE?

If necessary: ^fRECALLFL

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: YOU YOUR

**Instructions:** fill "you" if PSINCU = 1;

else fill "your consumer unit"

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fRECALLFL

Instructions: Fill fRECALLFL: In the (RECALLD)/Since you moved to the area

Type: Real / decimal

Length: 75

Min: 0

Max:	0
	☑ Don't Know ☑ Refuse □ Empty
	☐ On Input ☑ On Output
Store Instructions:	If CP_COST ne blank - set CP_OLTYP = 1 STORE CP_COST_DR in CP_COST
Array:	
Special Instructions:	1. Fill RECALLFL: In the (RECALLD)/Since you moved to the area
	2. SOFTCHECKS  <0> invoke SOFTCHECK (SOFTFREE): SOFTFREE: PLEASE VERIFY THAT THERE WAS NO COST.  [if CP_COST greater than MAXTOVER, invoke SOFTCHECK (SOFTOVER): SOFTOVER: THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE VERIFY.
	3. If CP_COST ne blank - set CP_OLTYP = 1 STORE CP_COST_DR in CP_COST
	NOTES: No Outlet Information needed for OUTLETS where OUTLET NAME not known
Skip Instructions:	<0> invoke SOFTCHECK (SOFTFREE) â€" Go BACK to CP_OLTNM
	<1-999999> [if CP_COST greater than MAXTOVER, invoke SOFTCHECK (SOFTOVER) - Go BACK to CP_OLTNM
	<d,r> Go BACK to CP_OLTNM</d,r>

<F1> Commodity Help

CP GOVAG Field

COMMODITY PURCHASES.CP\_GOVAG

**Description:** CP\_GOVAG

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

**Universe:** POPSCAT = H05 or H06 and CP\_OLTNM not equal D, R, or blank

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

If answer is evdient, enter without asking.

If necessary, ask:

Is this a private firm or government agency?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Type: Enumerated

Length: 1

Answer List: tCP\_GOVAG

Value:	Mnemonic:	Description:
1		Private firm
2		Government agency
	⊠ R □ E	Don't Know Refuse Empty On Input On Output
	Array: 🗌	

Special Instructions: PLACE

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine

If  $\ensuremath{\mathsf{CP}}\xspace_{\ensuremath{\mathsf{OLTNM}}}$  = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

**Skip Instructions:** <1,D,R> goto CP\_COST

<2> goto CP\_DEPNM

<F1> Commodity Help

Last Modified: Friday, September 7, 2007 Page 83 of 208

CP DEPNM Field

COMMODITY PURCHASES.CP\_DEPNM

**Description:** Name of department

Form Pane Label: SAS Name:

Tag Name:

**Inherited Universe:** 

Universe: CP\_GOVAG = 2

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

You told me that this service was provided to you by ^PLACE. What is the

name of the department which provides this service?

**Enter Name** 

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine
If CP\_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

Type: String Length: 36

■ Don't Know

■ Refuse

☐ Empty

On Input

☑ On Output

Array:

Special Instructions: PLACE

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine
If CP\_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

**Skip Instructions:** <allow = 30> goto CP\_COST

<D,R> goto CP\_COST

<F1> Commodity Help

Last Modified: Friday, May 29, 2009

**CP MAGSB** Field

COMMODITY PURCHASES.CP\_MAGSB

**Description:** Direct subscription/ reservation

Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe:** 

Universe: (POPSCAT = H02, R26, R27, R30, T04 or T17) and CP\_OLTNM not equal D, R, or

blank

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

(fill: DIRECT)

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Type: Enumerated

Length: 2

Answer List: tCP\_MAGSB

Value:	Mnemonic:	Description:	
1		Publisher	
2		Wholesale distributor/secondary source	

☐ Empty

☐ On Input ☑ On Output

Array:

**Special Instructions:** If POPSCAT = R30

Was the subscription for ^fCP\_OLTNM purchased directly from the publisher or from

a wholesale distributor or a secondary source?

Answer Lists.tCP\_MAGSB

If POPSCAT = T17, H02 or T04

Was the reservation made directly with ^fCP\_OLTNM or was it booked through a different company?

Answer Lists.tCP\_MAGSB2

If POPSCAT = R26 or R27

Where the tickets purchased directly from ^fCP\_OLTNM or were they purchased

another way?

Answer Lists.tCP\_MAGSB3

**Skip Instructions:** <1,D,R> goto CP\_COST

<2> goto CP\_MAGDS

<F1> Commodity Help

Last Modified: Friday, May 29, 2009

CP\_MAGDS Field

COMMODITY PURCHASES.CP\_MAGDS

Description:	Name of distributor
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	CP_MAGSB = 2
Universe Description:	
Question Text:	COMMODITY CODE = ^fPOPSCAT (fill: NEWSOURCE)
	Enter Name:
	fPOPSCAT Fill the value for POPSCAT
Type: Length:	
	☑ Don't Know ☑ Refuse □ Empty
	☐ On Input ☑ On Output
Store Instructions:	POST-PROCESSING: Store CP-MAGDS in CP_OLTNM
	Copy CP_OLTNM into CP_MAGNM (no display - on OUTPUT FILE only)
Array:	
Special Instructions:	IF POPSCAT = R30 What is the name of the wholesale distributor or secondary source from which you purchased ^fCP_OLTNM?
	If POPSCAT = T17, H02 or H04

What is the name of the company you used to make your reservation for

Last Modified: Friday, May 29, 2009

^fCP\_OLTNM?

If POPSCAT = R26 or R27

What is the name of the com[pany you used to purchase your tickets for ^fCP\_OLTNM?

**Skip Instructions:** <allow = 30> goto CP\_COST

<D,R> goto CP\_COST

<F1> Commodity Help

Last Modified: Friday, May 29, 2009

CP COST Field

COMMODITY PURCHASES.CP\_COST

**Description:** Cost

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: CP\_OLTNM not equal BLANK or D or R

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

About how much did ^YOU\_YOUR spend at ^fPLACE2 for ^TITLE ^fPLACE1?

(Fill: Please do NOT include taxes based on the value of the motor vehicle.)

If necessary: ^fRECALLFL

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fPLACE2

Instructions: If CP\_MAGDS ne blank, fill: "at CP\_MAGDS"

If CP\_OLTNM = VENDING MACHINE, fill: "at the vending machine"

If CP\_OLTNM = STREET VENDOR, fill: "at the street vendor"

If CP\_MAGSB = 1, fill: "for the CP\_OLTNM subscription"

else, fill: CP\_OLTNM

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fPLACE1

Instructions: If CP\_MAGDS ne blank and If POPSCAT = H02, R26, R27 or T04, fill "at

CP OLTNM"

If CP\_MAGDS ne blank and If POPSCAT = T17, fill "on CP\_OLTNM"

Fills: fRECALLFL

Instructions: Fill fRECALLFL: In the(RECALLD)/Since you moved to the area

Type: Set

**Max Number of Values:** 

Length: 10

Answer List: tCP\_COST\_DR

Value:	Mnemonic:	Description:			
1		\$	. 00		
	X F	Oon't Know Refuse Empty			
		On Input On Output			
	Array: 🗌				

If CP\_MAGDS ne blank and If POPSCAT - H02, R26, R27 or T04, fill "at CP\_OLTNM"

If CP\_MAGDS ne blank and If POPSCAT = T17, fill "on CP\_OLTNM"

2. PLACE2

If CP\_MAGDS ne blank, fill: "at CP\_MAGDS"

If CP\_OLTNM = VENDING MACHINE,fill: "at the vending machine"

If CP\_OLTNM = STREET VENDOR, fill: "at the street vendor"

If CP\_MAGSB = 1, fill: "for the CP\_OLTNM subscription"

else, fill: CP\_OLTNM

3. SOFTCHECKS

SOFTFREE

PLEASE VERIFY THAT THERE WAS NO COST.

**SOFTOVER** 

THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE VERIFY.

4. If POPSCAT = T14, fill: Please do NOT include taxes based on the value of the motor vehicle.

**Skip Instructions:** <0> invoke SOFT CHECK (SOFTFREE) - go BACK to CP\_OLTNM

<1-999999> [if CP\_COST greater than MAXTOVER, invoke SOFT CHECK (SOFTOVER)]â€" goto CP\_SMOLT

<D,R> [goto CP\_SMOLT]

<F1> Commodity Help

Last Modified: Monday, September 10, 2007

Field

### CP\_SMOLT

COMMODITY PURCHASES.CP\_SMOLT

**Description:** Outlet already listed

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: CP\_OLTNM not equal blank or D or R

**Universe Description:** 

Question Text: SCROLL and SCAN all PREVIOUS and CURRENT OUTLETS

Is ^PLACE already listed below?

Previous outlets: ^PLACE

### **Current outlets:**

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12. 13.
- 14.
- 15.
- 16.

Fills: PLACE

Instructions: If CP\_MAGDS ne blank, fill: CP\_MAGDS

If  $CP\_OLTNM = VENDING\ MACHINE$ , fill: the vending machine

If CP\_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
	□ F □ E	Don't Know Refuse Empty On Input On Output
	` Array: □	on output

Special Instructions: 1. PLACE

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP OLTNM = VENDING MACHINE, fill: the vending machine

SPANISH "el vendedor callejero"

If CP OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP\_OLTNM

2. PREVIOUS OUTLETS:

DISPLAY LIST OF OUTLET NAMES (I\_OLTNM) COLLECTED DURING PREVIOUS INTERVIEWS

3. CURRENT OUTLETS:

DISPLAY OUTLETS (CP\_OLTNM) WHERE CP\_OLTYP = 1 (FOR CURRENT INTERVIEW)

4. RETURNING OUTLETS:

Display list of outlet names collected during previous interviews (up to 15 outlets may be displayed) in NUMERICAL ORDER

Display list of outlets names (if CP\_OLTYP = 1) collected during current interview in the order in which they are collected.

**Skip Instructions:** <1> goto CP\_OLTVR

<2> goto CP\_OLTYP

<F1> Commodity Help

Blaise Item-Level Specifications Report Spider Version 1.4.0

Survey: TPOPS Section: COMMODITY PURCHASES

Last Modified: Monday, September 10, 2007

CP\_OLTVR Field

COMMODITY PURCHASES.CP\_OLTVR

**Description:** Verify same outlet

Form Pane Label: SAS Name:

Tag Name:
Inherited Universe:

Universe: CP\_SMOLT = 2 OR CP\_OLTVR = 995, D, or R

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

Probe or ask: Is this the ^PLACE that is located at . . . . ?

Enter 995 if location is not on list.

Determine if the current outlet is at the location mentioned in the list. If it is the SAME EXACT OUTLET (same shopping center or same street and cross street), enter the

CODE for that outlet.

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine

If CP\_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

Type: String Length: 36

X Don't Know

■ Refuse

☐ Empty

On Input

✓ On Output

Array:

Special Instructions: INSTRUMENT SHOULD ACCEPT ENTRY ONLY FOR VALID CODES (I.E., CODE

MUST APPEAR ON THE LIST). DO NOT ALLOW INTERVIEWER TO ENTER A

CODE THAT DOES NOT APPEAR ON THE LIST

#### DISPLAY TWO LISTS OF OUTLETS.

PREVIOUS OUTLET LIST: shows alphabetical listing of up to 15 outlets collected during previous interviews and the associated outlet codes assigned on the input file (i.e., I\_CODE = 171 through 185, as needed).

CURRENT OUTLET LIST: shows OUTLETS (CP\_OLTYP = 1) collected during current interview and the CP\_CODE assigned by the instrument (i.e., 11 through 165, as needed)

Fill Instructions

**PLACE** 

If CP\_MAGDS ne blank, fill: CP\_MAGDS
If CP\_OLTNM = VENDING MACHINE, fill: vending machine
SPANISH "el vendedor callejero"
If CP\_OLTNM = STREET VENDOR, fill: street vendor
SPANISH "la Maquina expendedora"
else, fill: CP\_OLTNM

### **DISPLAY PREVIOUS OUTLETS:**

USE THE VARIABLES LISTED BELOW IN THE ORDER THAT THEY APPEAR. IF A VARIABLE IS BLANK, GOTO THE NEXT VARIABLE.

I\_CODE I\_OLTNM I\_SCNM I\_STRT I\_INET I\_PHONE I\_XSTRT

**DISPLAY CURRENT OUTLETS:** 

USE THE VARIABLES LISTED BELOW IN THE ORDER THAT THEY APPEAR. IF A VARIABLE IS BLANK, GOTO THE NEXT VARIABLE.

CP\_CODE CP\_OLTNM CP\_SCNM CP\_NEWSC CP\_STRT CP\_XSTRT

Skip Instructions: <11 - 165> STORE ALL ADDRESS INFORMATION FOR CP\_OLTNM = CP\_CODE

CP\_STRT to CP\_STRT [allow 36]
CP\_XSTR to CP\_XSTR [allow 36]
CP\_CITY to CP\_CITY [allow 22]
CP\_CNTY to CP\_CNTY [allow 20]
CP\_ST to CP\_ST [allow 2]
CP\_LAND to CP\_LAND [allow 20]

STORE <1> in CP\_OLTYP - goto NEXT CP\_OLTNM; if no more CP\_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP\_PURC); else if ORDER = TOTCOMM, goto CP\_END

<171-185> STORE ALL ADDRESS INFORMATION FOR CP\_OLTNM = I\_OLTID I\_SCNM to CP\_SCNM [allow 36] I\_STRT to CP\_STRT [allow 36] I\_XSTR to CP\_XSTR [allow 36] I\_CITY to CP\_CITY [allow 22] I\_CNTY to CP\_CNTY [allow 20] I\_ST to CP\_ST [allow 2] I\_PHONE to CP\_PHONE [allow 10] I\_INET to CP\_INET [allow 20] I\_LAND to CP\_LAND [allow 20] I\_OLTYP to CP\_OLTYP [allow 1]

goto NEXT CP\_OLTNM; if no more CP\_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP\_PURC); else if ORDER = TOTCOMM, goto CP\_END <995, D, R> goto CP\_OLTYP Field

# **CP\_OLTYP**COMMODITY PURCHASES.CP\_OLTYP

**Description:** Outlet type

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: CP\_SMOLT = 2 OR CP\_OLTVR = 995, D, or R

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

Read categories if not apparent. If respondent asks how to categorize the outlet, click on the DEFS tab and choose the number 4.

How was this ^ITEM\_SERVICE?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: ITEM\_SERVICE

Instructions: If COMMTYPE = G, fill "item purchased"; if COMMTYPE = S, fill "service obtained"

Type: Enumerated

Length: 1

Answer List: tCP\_OLTYP

Value:	Mnemonic:	Description:
1		Personal Visit to [fill: PLACE]
2		Mail Order
3		Telephone Order
4		Internet
5		Private Individual
6		Public Sale (yard/garage sale or estate sale/auction)
7		Location Outside of the U.S.

	X Don't Know
	☑ Refuse
	Empty
	☐ On Input
	☐ On Output
Array:	
Special Instructions:	PLACE If CP_MAGDS ne blank, fill: CP_MAGDS
opeoid. mondediene.	If CP_OLTNM = VENDING MACHINE, fill: the vending
	machine
	If CP_OLTNM = STREET VENDOR, fill: the street vendor
	else, fill: CP OLTNM
	eise, iiii. GP_OLTNivi
	If COMMTYPE = G, fill "item purchased―; if COMMTYPE = S, fill "service
	obtained―
Skip Instructions:	<1, D> goto CP_LOCSC
	<2> goto CP_CITY
	<3> goto CP_PHONE
	<4> goto CP_INET
	<5> goto CP_INDIV
	<6,7,R> goto NEXT CP_OLTNM;
	if no more CP_OLTNM, then if ORDER It TOTCOMM, goto
	NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto
	CP END
	<del>-</del>

Field

## CP\_LOCSC COMMODITY PURCHASES.CP\_LOCSC

**Description:** Outlet in shopping center

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: CP\_OLTYP = 1 or D

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

Read if not apparent.

Is ^PLACE located in a mall or shopping center?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine If CP\_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
	X	Don't Know Refuse Empty On Input On Output
	Array: □	

Special Instructions: PLACE

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP\_OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP\_OLTNM

**Skip Instructions:** <1> goto CP\_SCNM

<2, D, R> goto CP\_STRT

Field

## **CP INDIV**

COMMODITY PURCHASES.CP\_INDIV

**Description:** Private business

Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe:** 

Universe: CP\_OLTYP = 5

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

Does ^PLACE provide this ^ITEM\_SERVICE2 as part of a business?

Fills: fPOPSCAT

**Instructions:** Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP\_MAGDS ne blank, fill: CP\_MAGDS

> If CP\_OLTNM = VENDING MACHINE, fill: the vending machine If CP\_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

Fills: ITEM\_SERVICE2

**Instructions:** If COMMTYPE = G, fill "item"; if COMMTYPE = S, fill "service"

**Type:** Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No
	X	Don't Know Refuse Empty
	X	On Input On Output

### Array:

Special Instructions: PLACE

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP\_OLTNM = STREET VENDOR, fill: "the street vendor"

SPANISH "la Maquina expendedora"

else, fill: CP\_OLTNM

**Skip Instructions:** <1,D> goto CP\_STRT

<2,R> goto NEXT CP\_OLTNM;

if no more CP\_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP\_PURC); else if ORDER = TOTCOMM, goto

CP\_END

Field

## CP\_INET

COMMODITY PURCHASES.CP\_INET

Description:	Outlet Information		
Form Pane Label: SAS Name: Tag Name: Inherited Universe:			
Universe:	CP_OLTYP = 4		
Universe Description:			
Question Text:	COMMODITY CODE = ^fPOPSCAT		
	What is the Internet address of ^OBJECT?		
	Do not type WWW.		
	fPOPSCAT Fill the value for POPSCAT		
	OBJECT Fill = OBJECT		
Type: Length:	Classification 75		
	☑ Don't Know ☑ Refuse □ Empty		
	☐ On Input ☑ On Output		
Array:			
Special Instructions:	OBJECT:  If CP_NEWSC = D, fill: the shopping center  Else, if CP_NEWSC ne blank, fill: CP_NEWSC  else if CP_NEWSC = Blank, fill: [PLACE]		
	PLACE: If CP_MAGDS ne blank, fill: CP_MAGDS		

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine

SPANISH "el vendedor callejero"

If CP\_OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP\_OLTNM

TOTCOMM, goto CP\_END

Field

### **CP\_PHONE**

ONE

	COMMODITY PURCHASES.CP_PH
Description:	Outlet Information
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	CP_OLTYP = 3
Universe Description:	
Question Text:	COMMODITY CODE = ^fPOPSCAT What is the telephone number of ^OBJECT?
_	fPOPSCAT Fill the value for POPSCAT
	OBJECT Fill = OBJECT
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse □ Empty
	☐ On Input ☑ On Output
Array:	
	OBJECT: If CP_OLTSC not blank or D, fill "of CP_OLTSC―  If CP_OLTSC = D, fill "of the mall where CP_OLTNM is located―  If POPSCAT = T14, E09, E10, fill "where CP_OLTNM is located―  else, fill OLTNM
Skip Instructions:	<allow 10=""> <d> <r></r></d></allow>

goto NEXT CP\_OLTNM; if no more CP\_OLTNM,

then if ORDER It TOTCOMM, goto NEXTCOMM (CP\_PURC);

else if ORDER = TOTCOMM, goto CP\_END

Last Modified: Monday, September 10, 2007

Field

CP\_SCNM
COMMODITY PURCHASES.CP SCNM

**Description:** Mall/shopping center name

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: CP\_LOCSC= 1

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the name of the mall or shopping center in which ^PLACE is located?

Begin typing name of mall or shopping center. Alphabetical listing of shopping centers will appear.

Highlight the name of the EXACT Shopping Center that matches the respondent's answer and hit 'ENTER'

If more than one shopping center has the same name or a very similar name, verify correct shopping center by reading the CITY, STATE, STREET, and INTERSECTING STREET.

If respondent KNOWS the name of the Shopping Center, but the name of the Shopping Center does not appear in the list, ENTER 'X'

If respondent does not know the name of the shopping center,  ${\sf ENTER}$  'CTRL-D'

If the shopping center is a strip mall without a name, enter 'CTRL-D'

If respondent refuses to provide the name of the shopping center, ENTER 'CTRL-R'

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

**Instructions:** If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine If CP\_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP\_OLTNM

Type: String Length: 75

✓ Don't Know✓ Refuse☐ Empty

	,
	☐ On Input ☑ On Output
Array:	
Special Instructions:	DISPLAY PARAMETER FILE CONTAINING NATIONAL LIST OF SHOPPING CENTERS
	L_SCNAME L_SCID L_SCCITY L_SCST L_PSU
	PLACE If CP_MAGDS ne blank, fill: CP_MAGDS If CP_OLTNM = VENDING MACHINE, fill: the vending machine If CP_OLTNM = STREET VENDOR, fill: the street vendor else, fill: CP_OLTNM
Skip Instructions:	<allow 36="" ==""> <anyname> STORE ALL ADDRESS INFORMATION FOR CP_SCNM = L_SCNM L_STRT to CP_STRT [allow 36} L_XSTRT to CP_XSTR [allow 36] L_CITY to CP_CITY [allow 22] L_ST to CP_ST [allow 2] L_SCID to CP_SCID [allow 5]</anyname></allow>
	goto NEXT CP_OLTNM; if no more CP_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP_PURC);else if ORDER = TOTCOMM,goto CP_END
	<x> goto CP_NEWSC</x>
	<d> goto CP_STRT</d>
	<r> goto NEXT CP_OLTNM; if no more CP_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END</r>

Field

# **CP\_NEWSC**COMMODITY PURCHASES.CP\_NEWSC

Description:	
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	CP_SCNM = X
Universe Description:	
Question Text:	<> ENTER NAME OF SHOPPING CENTER NOT ON THE NATIONAL SHOPPING CENTER LIST.
	Enter Name: [allow 36]
Type: Length:	· · · · · ·
[	☑ Don't Know ☑ Refuse ☑ Empty
[ [	☐ On Input ☑ On Output
Array:	
Skip Instructions:	<allow 36="" ==""> goto CP_STRT  <d> goto CP_STRT  <r> if ORDER It TOTCOMM, goto NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END</r></d></allow>

Survey: TPOPS Section: COMMODITY PURCHASES

CP STRT Field

COMMODITY PURCHASES.CP\_STRT

**Description:** Street name

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: (CP\_LOCSC = 2, D, or R) OR (CP\_INDIV = 1 or D) OR

(CP\_SCNM = D) OR (CP\_NEWSC not blank or CP\_NEWSC = D)

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPScat

What is the address of ^OBJECT?

Probe: street name?

Fills: OBJECT

Instructions: Fill = OBJECT

Type: String Length: 36

X Don't KnowX Refuse

☐ Empty

☐ On Input ☑ On Output

Array:

**Special Instructions:** OBJECT:

If CP\_NEWSC = D, fill: the shopping center Else, if CP\_NEWSC ne blank, fill: CP\_NEWSC else if CP\_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: the vending machine

If  $CP\_OLTNM = STREET\ VENDOR$ , fill: the street vendor else, fill:  $CP\_OLTNM$ 

**Skip Instructions:** <allow = 36> <D> <R> goto CP\_CITY

Last Modified: Tuesday, September 11, 2007 Page 113 of 208

Survey: TPOPS Section: COMMODITY PURCHASES

CP\_CITY Field

COMMODITY PURCHASES.CP\_CITY

**Description:** Street

Form Pane Label: SAS Name: Tag Name:

Inherited Universe:

**Universe:** (CP\_STRT ne blank) OR (CP\_OLTYP = 2)

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address ^OBJECT?

Probe: City?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: Fill = OBJECT

Type: String Length: 36

☑ Don't Know

■ Refuse

☐ Empty

☐ On Input

☑ On Output

Array:

Special Instructions: OBJECT:

If CP\_NEWSC = D, fill: the shopping center Else, if CP\_NEWSC ne blank, fill: CP\_NEWSC else if CP\_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP\_OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP\_OLTNM

**Skip Instructions:** <allow = 22> goto CP\_STATE

<D> If CP\_OLTYP = 2 goto CP\_STATE; else goto CP\_CNTY

<R> goto CP\_STATE

Last Modified: Tuesday, September 11, 2007

CP CNTY Field

COMMODITY PURCHASES.CP\_CNTY

**Description:** County

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

**Universe:** (CP\_CITY = D and CP\_OLTYP ne 2)

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address of ^OBJECT?

Probe: county?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: Fill = OBJECT

Type: String Length: 36

☑ Don't Know ☑ Refuse ☐ Empty

☐ On Input ☑ On Output

Array:

Special Instructions: OBJECT:

If CP\_NEWSC = D, fill: the shopping center Else, if CP\_NEWSC ne blank, fill: CP\_NEWSC else if CP\_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP\_MAGDS ne blank, fill: CP\_MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP\_OLTNM = STREET VENDOR, fill: "the street vendor" SPANISH "la Maquina expendedora" else, fill: CP\_OLTNM

**Skip Instructions:** <allow = 20> <D> <R> goto CP\_STATE

Last Modified: Tuesday, September 11, 2007 Page 117 of 208

CP\_STATE Field

COMMODITY PURCHASES.CP\_STATE

**Description:** State abbreviation

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: (CP\_CITY = ne blank or CP\_CITY = R) OR

(CP\_CNTY ne blank or CP\_CNTY = D or R) OR

(CP\_CITY = D and CP\_OLTYP = 2)

**Universe Description:** 

Question Text: COMMODITY CODE = ^fPOPSCAT

Enter the 2 character state abbreviation.

If you need a list of the state abbreviations, click on the DEFS tab and choose

number 1.

Probe: State?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Type: String Length: 36

■ Don't Know

X Refuse

☐ Empty

On Input

✓ On Output

Array:

Special Instructions: OBJECT:

If CP\_NEWSC = D, fill: the shopping center Else, if CP\_NEWSC ne blank, fill: CP\_NEWSC else if CP\_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP MAGDS ne blank, fill: CP MAGDS

If CP\_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP\_OLTNM = STREET VENDOR, fill: "the street vendor"

SPANISH "la Maquina expendedora"

else, fill: CP\_OLTNM

Skip Instructions: <allow = 2> FILL CP\_STNM – if CP\_OLTYP = 2, goto NEXT CP\_OLTNM; if no more CP\_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP\_PURC); else if ORDER = TOTCOMM, goto CP\_END

If CP\_OLTYP ne 2, goto CP\_XSTRT

<D> <R> goto CP\_XSTRT

Last Modified: Tuesday, February 28, 2006

**CP\_STNM** Field

COMMODITY PURCHASES.CP\_STNM

**Description:** State name

Form Pane Label:

SAS Name: Tag Name:

**Inherited Universe:** 

Universe:

**Universe Description:** 

Question Text: IF CP\_STATE = VALID 2-CHARACTER STATE ABBREVIATION, THEN DISPLAY

APPROPRIATE STATE NAME [allow 40]

AL Alabama MT Montana
AK Alaska NE Nebraska
AZ Arizona NV Nevada

AR Arkansas
CA California
CO Colorado
CT Connecticut
DE Delaware
DC District of Columbia
NH New Hampshire
NJ New Jersey
NM New Mexico
NY New York
NC North Carolina
ND North Dakota

FL Florida OH Ohio
GA Georgia OK Oklahoma
HI Hawaii OR Oregon

**ID Idaho** PA Pennsylvania **IL Illinois** RI Rhode Island IN Indiana SC South Carolina IA lowa **SD South Dakota KS Kansas TN Tennessee TX Texas KY Kentucky** LA Louisiana **UT Utah ME Maine VT Vermont MD Maryland VA Virginia MA Massachusetts WA Washington MI Michigan WV West Virginia** 

MN Minnesota WI Wisconsin MS Mississippi WY Wyoming

**MO Missouri** 

Type: Enumerated

Length: 40

Answer List: tCP\_STNM

Value:	Mnemonic:	Description:
1		AL Alabama
2		AK Alaska
3	,	AZ Arizona
4		AR Arkansas
5		CA California
6		CO Colorado
7		CT Connecticut
8		DE Delaware
9	,	DC District of Columbia
10		FL Florida
11		GA Georgia
12		HI Hawaii
13		ID Idaho
14		IL Illinois
15		IN Indiana
16		IA Iowa
17		KS Kansas
18		KY Kentucky
19		LA Louisiana
20		ME Maine
21		MD Maryland
22		MA Massachusetts
23		MI Michigan
24		MN Minnesota
25		MS Mississippi
26		MO Missouri
27		MT Montana
28		NE Nebraska
29		NV Nevada
30		NH New Hampshire
31		NJ New Jersey
32		NM New Mexico
33		NY New York
34		NC North Carolina
35		ND North Dakota
36		OH Ohio

Last Modified: Tuesday, February 28, 2006

37	OK Oklahoma
38	OR Oregon
39	PA Pennsylvania
40	RI Rhode Island
41	SC South Carolina
42	SD South Dakota
43	TN Tennessee
44	TX Texas
45	UT Utah
46	VT Vermont
47	VA Virginia
48	WA Washington
49	WV West Virginia
50	WI Wisconsin
51	WY Wyoming

☑ Don't Know

X Refuse
 □ Empty

□ Empty

☐ On Input ☑ On Output

Array: 🗌

Last Modified: Friday, May 29, 2009

#### Field

### CP XSTRT

### COMMODITY PURCHASES.CP\_XSTRT

**Description:** Nearest intersecting street Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe: Universe:** (CP\_STATE = ne blank or CP\_STATE = D or CP\_STATE = R) **Universe Description:** Question Text: COMMODITY CODE = ^fPOPSCAT What is the address of ^OBJECT? Probe: nearest intersecting street? Fills: fPOPSCAT Instructions: Fill the value for POPSCAT Fills: OBJECT Instructions: Fill = OBJECT Type: String Length: 36 ☑ Don't Know ■ Refuse ☐ Empty On Input ☑ On Output Array: Special Instructions: OBJECT: If CP\_NEWSC = D, fill: the shopping center Else, if CP\_NEWSC ne blank, fill: CP\_NEWSC else if CP NEWSC = Blank, fill: [PLACE] PLACE: If CP\_MAGDS ne blank, fill: CP\_MAGDS If CP\_OLTNM = VENDING MACHINE, fill: "the vending machine" SPANISH "el vendedor callejero"

If CP\_OLTNM = STREET VENDOR, fill: "the street vendor"

SPANISH "la Maquina expendedora"

else, fill: CP\_OLTNM

**Skip Instructions:** <allow = 36> <D> <R>

If POPSCAT = H02, T04, R26 or R27, goto POS\_CITY

If no more CP\_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM

(CP\_PURC);

Else if ORDER = TOTCOMM, goto CP\_END

Last Modified: Friday, May 29, 2009

POS CITY Field

COMMODITY PURCHASES.POS\_CITY **Description:** Point of service city Form Pane Label: SAS Name: Tag Name: **Inherited Universe:** Universe: CP\_XSTRT ne blank and POPSCAT = H02, T04, R27, or R26 and CP\_MAGSB = 2 or CP\_OLTYP = 2, 3, 4, 5, 6 or 7 **Universe Description:** Question Text: Can you provide me with the location of ^fCP\_OLTNM for which ^fPOS <>Probe: city? Fills: fCP\_OLTNM **Instructions:** Fill = CP\_OLTNM Fills: fPOS Instructions: If POPSCAT = H02 or T04 Fill "this reservation was made" If POPSCAT = R26 or R26 Fill "tickets were purchased" Type: String Length: 22 ☑ Don't Know ☒ Refuse ☐ Empty ☐ On Input ☐ On Output Array: Special Instructions: fPOS If POPSCAT = H02 or T04

fill "this reservation was made"

If POPSCAT = R26 or R26 Fill "tickets were purchased" Survey: TPOPS Section: COMMODITY PURCHASES

**Skip Instructions:** <D><R> got to POS\_STATE

Last Modified: Friday, May 29, 2009 Page 126 of 208

Field

# POS\_STATE

COMMODITY PURCHASES.POS\_STATE

Description:	Point of service state
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	POC_CITY ne blank and POPSCAT = H02, T04, R26 or R27
Universe Description:	
Question Text:	Can you provide me with the location of ^fCP_OLTNM for which ^fPOS
	Enter the 2 character state abbreviation. Enter "X" if outside the United States. If you need a list of the state abbrevations, click on the DEFs tab and choose number 1.
	<> Probe: State?
	fCP_OLTNM Fill = CP_OLTNM
	fPOS  If POPSCAT = H02 or T04  Fill "this reservation was made"  If POPSCAT = R26 or R26
_	Fill "tickets were purchased"
Type: Length:	
	☑ Don't Know ☑ Refuse ☐ Empty
	☐ On Input ☐ On Output
Array:	

**Special Instructions:** Fill CP\_STNM - If POS\_STATE = X, goto POS\_COUNTRY

Else goto next CP\_OLTNM;

Page 128 of 208

If no more CP\_OLTNM then If order It TOTCOMM, go to NEXTCOMM (CP\_PURC) Else If ORDER = TOTCOMM, goto CP\_END

**fPOS** 

If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26 Fill "tickets were purchased"

Last Modified: Friday, May 29, 2009

Field

POS\_COUNTRY COMMODITY PURCHASES.POS\_COUNTRY

Description:	Foreign Country
Farm Dana Lahali	
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	POS_STATE = X and POPSCAT = H02, T04, R27, or R26
Universe Description:	
Question Text:	Can you provide me with the location of ^fCP_OLTNM for which ^fPOS
	<>Probe: Foreign Country?
Fille	fCP_OLTNM
	Fill = CP_OLTNM
msuuctions.	TIII - OF _OLTIVIN
Fille	fPOS
	If POPSCAT = H02 or T04
instructions:	
	Fill "this reservation was made"
	If POPSCAT = R26 or R26
	Fill "tickets were purchased"
Туре:	String
Length:	
Lengui.	20
	☑ Don't Know
	X Refuse
	☐ Empty
	On Input
	☐ On Output
Array:	
Special Instructions:	fPOS
-	If POPSCAT = H02 or T04
	Fill "this reservation was made"
	Indicate ration rate made
	If POPSCAT = R26 or R26
	Fill "tickets were purchased"

Survey: TPOPS Section: COMMODITY PURCHASES

goto NEXT CP\_OLTNM

If no more CP\_OLTNM, then if ORDER It TOTCOMM, goto NEXTCOMM (CP\_PURC)

Else IF ORDER = TOTCOMM, goto CP\_END

Last Modified: Friday, May 29, 2009 Page 130 of 208

Field

# **CP\_END**COMMODITY PURCHASES.CP\_END

Description:	
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	ORDER = TOTCOMM
Universe Description:	
Question Text:	
Type: Length:	Enumerated 1
[ [	□ Don't Know □ Refuse □ Empty
[	☐ On Input ☑ On Output
Array: [	
Special Instructions:	All commodity and outlet questions have been asked. SET COMPLETION FLAG = 1
	POPSGRP = 1 - 15 – goto BEA_INTRO
	POPSGRP = 16 – goto DM_ENDCP

**BEA**BEA
BEA

**Description:** Research questions for BEA

Tab Name: BEA

Fly Over Name: Bureau of Economic Analysis Research Section

Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array:

Block Instructions: \*\*\* This section is no longer included in the instrument. The specifications are

maintained as a record for future reference and as a precaution in case the section is

to be included in a future version of the instrument. \*\*\*

Field BEA\_INTRO BEA.BEA\_INTRO

**Description:** Intro Research

Form Pane Label: SAS Name:

Tag Name:

Inherited Universe:

Universe: [POPSGRP = 1 - 15 and Completion Flag = 1 (All commodity questions have been

asked)]

**Universe Description:** 

**Question Text:** <> If the respondent asks for an explaination of "business expenses," click on the DEFS tab and choose number 7. Read entire answer.

Next, I will ask a few questions about restaurant expenditures within the United States that include business expenses. By business expenses, I mean purchases that were reimbursed by an employer, or for self-employed people, purchases that were tax deductible business expenses.

<Enter 1 to continue

Type: Classification

Length: 1

☐ Don't Know☐ Refuse☐ Empty

☐ On Input ☑ On Output

Array:

**Skip Instructions:** <1> goto BEA\_FSR

Survey: TPOPS Section: BEA

BEA\_FSR
BEA.BEA\_FSR

**Description:** Full service expenses

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: BEA\_INTRO = 1

**Universe Description:** 

Question Text: In the past month, how much [fill: YOU2/YOUR2] spent at full service

restaurants, including business expenses?

**ENTER DOLLARS ONLY** 

\$\_\_\_\_.00

Type: Classification

Length: 1

✓ Don't Know✓ Refuse

▼ Empty

☐ On Input ☑ On Output

Array:

Special Instructions: SOFTCHECK #1: THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE

VERIFY.

(YOU2/YOUR2) have you/has your consumer unit

fill "have you" if PSINCU = 1; else fill "has your consumer unit"

Skip Instructions: <0> goto BEA\_LSR

<1-999999> [if BEA\_FSR greater than 600, invoke SOFTCHECK #1]–goto

BEA\_FSRBS

<D,R> goto BEA\_LSR

<F1> H\_FSR

Last Modified: Thursday, February 23, 2006

Survey: TPOPS Section: BEA

BEA\_FSRBS
BEA.BEA\_FSRBS
Field

**Description:** Full service business

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: BEA\_FSR ge 1

**Universe Description:** 

Question Text: Of that amount, how much was a business expense?

**ENTER DOLLARS ONLY** 

\$\_\_\_\_.00

Type: Classification

Length: 1

☑ Don't Know

■ Refuse

☐ On Input

✓ On Output

Array:

Special Instructions: HARDCHECK #1: BUSINESS EXPENSE AMOUNT CANNOT BE MORE THAN

**AMOUNT SPENT** 

**Skip Instructions:** <0> goto BEA\_LSR

<1-99999> [if >BEA\_FSRBS< gt >BEA\_FSR< invoke HARDCHECK #1] goto

BEA\_LSR

<D,R> goto BEA\_LSR

Last Modified: Thursday, February 23, 2006

Field BEA\_LSR
BEA.BEA\_LSR

**Description:** Limited service expenses Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe:** Universe: (BEA\_INTRO = 1) AND [(BEA\_FSR = 0, D, R) OR (BEA\_FSRBS ne blank)] **Universe Description:** Question Text: In the past month, how much was spent at limited service restaurants [fill: YOU3/YOUR31? <> If necessary: including business expenses. **ENTER DOLLARS ONLY** \$\_\_\_\_.00 Type: Classification Length: 1 ☑ Don't Know X Refuse ☐ On Input ☑ On Output Array: Special Instructions: SOFTCHECK #2: THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE **VERIFY** (YOU3/YOUR3) by you/by your consumer unit fill "by you" if PSINCU = 1; else fill "by your consumer unit"

**Skip Instructions:** <0> goto DM\_ENDCP

<1-999999> [if BEA\_LSR greater than 400, invoke SOFTCHECK #2]–goto BEA\_LSRBS

<D,R> goto DM\_ENDCP

<F1> H\_LSR

Last Modified: Thursday, February 23, 2006

Field BEA\_LSRBS
BEA.BEA\_LSRBS

**Description:** Limited service business

Form Pane Label:
SAS Name:
Tag Name:
Inherited Universe:

Universe: BEA\_LSR ge 1

**Universe Description:** 

Question Text: Of that amount, how much was a business expense? ENTER DOLLARS ONLY

\$\_\_ \_\_ . **00** 

Type: Classification
Length: 1

X Don't Know
Refuse
X Empty

☐ On Input ☑ On Output

Array:

Special Instructions: HARDCHECK #2: BUSINESS EXPENSE AMOUNT CANNOT BE MORE THAN

**AMOUNT SPENT** 

**Skip Instructions:** <0> goto DM\_ENDCP

<1-99999> [if >BEA\_LSRBS< gt >BEA\_LSR< invoke HARDCHECK #2] goto

DM\_ENDCP

<D,R> goto DM\_ENDCP

Survey: TPOPS Blaise Item-Level Specifications Report
Section: DEMOGRAPHIC Spider Version 1.4.0

**DEMOGRAPHIC**DEMOGRAPHIC

**Description:** Demographic questions

Tab Name: Fly Over Name: Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array:

**Block Instructions:** 

Last Modified: Tuesday, October 23, 2007 Page 140 of 208

Field

# **DM\_ENDCP**

	DEMOGRAPHIC.DM_ENDCP
Description:	End expenditure questions
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	DM_ENDCP
Universe:	Flg_CompleteGeoSection = 1
Universe Description:	
Question Text:	^fDM_ENDCP
	◆Enter <1> to continue.
	fDM_ENDCP  If INTNUM = 1 or REPLC_FL = 1 or CONTACT_FL = 1, fill "That completes the expenditure questions. I have a few remaining questions I'd like to ask to help us analyze the data / Esto completa las preguntas sobre los gastos. Me gustaria ahora hacerle unas preguntas que nos ayudaran a analizar la información que Usted nos dio."
	If INTNUM = 2 or 3 and REPLC_FL ne 1 and CONTACT_FL ne 1, fill: "That completes today's interview / Con esto completamos la entrevista de hoy."
	If INTNMBR = 4 and REPLC_FL ne '1', there is NO fill.
Type: Length:	Classification 1
	☐ Don't Know ☐ Refuse ☐ Empty
	☐ On Input ☑ On Output
Array:	
Special Instructions:	GOTO CHANGES when INCOME questions are included: If INTNUM = 4, goto INCOME

Last Modified: Tuesday, October 23, 2007

**Skip Instructions:** <1> If INTNUM = 1 OR REPLC\_FI = 1 or CONTACT\_FL = 1  $\hat{a} \in \text{``goto DM_DFNUM'}$ 

If INTNUM = 2 or 3 and REPLC\_FL ne 1-- goto TY\_NXTTM
If INTNUM = 4 and REPLC\_FL ne 1-- goto TY\_ENDIT

Last Modified: Monday, October 15, 2007

Field

## DM\_DFNUM

DEMOGRAPHIC.DM\_DFNUM

**Description:** More than one phone number Form Pane Label: SAS Name: DM\_DFNUM Tag Name: **Inherited Universe:** Universe: DM\_ENDCP = 1 and (INTNUM = 1 or REPLC\_FL = 1 or CONTACT\_FL = 1) **Universe Description:** Question Text: Does this residence have more than one telephone number? Include only land-based phone lines; do not include cell phones or pagers. Type: Classification Length: 1 ■ Don't Know ■ Refuse ☐ On Input ☑ On Output

Skip Instructions: <1> goto DM\_NMTEL

Array:

<2> Set DM\_NMTEL = 1; set DM\_USETL = 1; set DM\_BUSTL = 0 â€" go to

 $\mathsf{DM}\_\mathsf{LVQTR}$ 

<D, R> goto DM\_LVQTR

**DM\_NMTEL** Field

DEMOGRAPHIC.DM\_NMTEL

**Description:** How many phone numbers

Form Pane Label:

SAS Name: DM\_NMTEL

Tag Name: Inherited Universe:

Universe: DM\_DFNUM = 1

**Universe Description:** 

Question Text: • If more than 10 different numbers, enter 10.

How many different telephone NUMBERS does it have?

Type: Classification

Length: 2

☑ Don't Know

☑ Refuse

X Empty

☐ On Input

☑ On Output

Array:

Special Instructions: If >DM\_NMTEL< = 1 â€" invoke HARDCHECK #1

HARDCHECK#1: NUMBER OF DIFFERENT NUMBERS MUST EXCEED "1"

IF DM\_DFNUM = 1

BACK UP TO CORRECT DM\_DFNUM BACK UP TO CORRECT DM\_NMTEL

**Skip Instructions:** <2-10> goto DM\_USETL

<D,R> goto DM\_BUSTL

If >DM\_NMTEL< = 1 â€" invoke HARDCHECK #1

DM\_USETL DEMOGRAPHIC.DM\_USETL

**Description:** Numbers used by CU

Form Pane Label:

SAS Name: DM\_USETL

Tag Name: Inherited Universe:

**Universe:** DM\_NMTEL = 2, 3, 4, 5, 6, 7, 8, 9, or 10

**Universe Description:** 

Question Text: • If more than 10 different numbers, enter 10.

How many of ^fDM\_NMTEL telephone numbers do you usually use?

Fills: fDM\_NMTEL

**Instructions:** if DM\_NMTEL = 2 - 9, fill DM\_NMTEL; else fill "these"

Type: Classification

Length: 1

☑ Don't Know

X Refuse

X Empty

☐ On Input

☑ On Output

Array:

Special Instructions: If DM\_USETL gt DM\_NMTEL invoke HARDCHECK

HARDCHECK: NUMBER OF TELEPHONE NUMBERS RESPONDENT USES CANNOT EXCEED THE NUMBER OF TELEPHONES IN THE CONSUMER UNIT.

GO BACK TO CORRECT.

**Skip Instructions:** <1-10,D,R> goto DM\_BUSTL

Survey: TPOPS Section: DEMOGRAPHIC

DM BUSTL Field

DEMOGRAPHIC.DM\_BUSTL

**Description:** Number of business phones

Form Pane Label: SAS Name: Tag Name: Inherited Universe:

Universe: DM\_DFNUM = 1 AND [(DM\_NMTEL = D, R) OR (DM\_USETL ne blank)]

**Universe Description:** 

Question Text: • If more than 10 different numbers, enter 10.

How many of ^fDM\_NMTEL telephone numbers are used ONLY for business?

Fills: fDM\_NMTEL

**Instructions:** if DM\_NMTEL = 2 - 9, fill DM\_NMTEL; else fill "these"

Type: Classification

Length: 1

☑ Don't Know

X Refuse

☐ On Input

✓ On Output

Array:

Special Instructions: If DM\_BUSTL = DM\_NMTEL invoke SOFTCHECK

SOFTCHECK: ALL OF THE TELEPHONE NUMBERS IN YOUR CONSUMER UNIT ARE USED ONLY FOR BUSINESS. IS THAT CORRECT? SPA Todos los números de teléfono en su unidad de consúmo se usan se usan solamente para negocios.

¿Es correcto?

If DM\_USETL gt DM\_NMTEL invoke HARDCHECK

HARDCHECK: NUMBER OF BUSINESS TELEPHONE NUMBERS CANNOT EXCEED THE NUMBER OF TELEPHONES IN THE CONSUMER UNIT. GO BACK TO CORRECT.

**Skip Instructions:** <0-10,D,R> goto DM\_LVQTR

If >DM\_BUSTL< = >DM\_NMTEL< - goto DM\_LVQTR

Survey: TPOPS Section: DEMOGRAPHIC

DM\_LVQTR Field

DEMOGRAPHIC.DM\_LVQTR

**Description:** Own or rent

Form Pane Label:

SAS Name: DM\_LVQTR

Tag Name: Inherited Universe:

**Universe:** (DM\_BUSTL ne blank) or (DM\_DFNUM = D or R)

**Universe Description:** 

Question Text: Are your living quarters owned or rented?

Type: Classification

Length: 2

☑ Don't Know

X Refuse

X Empty

☐ On Input

☑ On Output

Array:

**Skip Instructions:** <1, 2, D, R> if PSINCU = 1, goto DM\_SEX; else goto DM\_RELAT

#### DM\_RELAT DEMOGRAPHIC.DM\_RELAT

Description:	relationship of current respondent to owner/renter of home
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	DM_RELAT
Universe:	DM_LVQTR ne blank
Universe Description:	
Question Text:	How are YOU related to one of the persons who ^fDM_RELAT this home?
	fDM_RELAT  If DM_LVQTR = 1, fill: owns;  If DM_LVQTR = 2, fill: rents;  else fill: owns or rents
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse □ Empty
	☐ On Input ☐ On Output
Store Instructions:	If DM_LVQTR = 1, fill: owns/es dueño; If DM_LVQTR = 2, fill: rents/renta; else fill: owns or rents/es dueño o renta
Array:	
Special Instructions:	If PSINCU = 1 then set DM_RELAT = 1 else ask DM_RELAT

**DM\_SEX** Field

DEMOGRAPHIC.DM\_SEX

**Description:** gender of respondent

Form Pane Label:

SAS Name: DM\_SEX

Tag Name: Inherited Universe:

Universe: DM\_RELAT ne blank

**Universe Description:** 

Question Text: • If necessary, ask:

Are you male or female?

Type: Classification

Length: 1

☑ Don't Know

☐ Empty

☐ On Input

On Output

Array:

**Special Instructions:** 

**Skip Instructions:** 

<1, 2, 3, 4, 5, 6, 7, 8, 9, D, R> goto DM\_SEX

# DM\_MARTL DEMOGRAPHIC.DM\_MARTL

Description:	marital status of respondent
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	DM_MARTL
Universe:	DM_SEX ne blank
Universe Description:	
Question Text:	• If necessary, ask:
	Are you currently married, widowed, divorced, separated, or never married?
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
	☐ On Input ☐ On Output
Array:	

Survey: TPOPS Blaise Item-Level Specifications Report
Section: DEMOGRAPHIC Spider Version 1.4.0

DM\_SPNSH Field

DEMOGRAPHIC.DM\_SPNSH

Description:	is respondent Spanish, hispanic or latino
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	DM_SPNSH
Universe:	DM_MARTL ne blank
Universe Description:	
Question Text:	Are you Spanish, Hispanic, or Latino?
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse □ Empty

Array: 🗌

☐ On Input ☐ On Output

Last Modified: Monday, October 15, 2007

Field DEMOGRAPHIC.DM\_RACE

**Description:** respondent's race

Form Pane Label:

SAS Name: DM\_RACE

Tag Name: Inherited Universe:

Universe: DM\_SPNSH ne blank

**Universe Description:** 

Question Text: \* Mark all that apply.

• Press ENTER when done

What is your race? Please choose one or more categories from the following list: White; Black or African American; American Indian or Alaska Native; Asian; or Native Hawaiian or Other Pacific Islander.

Type: Classification

Length: 1

Don't Know
Refuse
Empty

On Input
On Output

Array:

DM\_SPCFY Field

DEMOGRAPHIC.DM\_SPCFY

**Description:** Respondent's race verbatim response

Form Pane Label:

SAS Name: DM\_SPCFY

Tag Name: Inherited Universe:

**Universe:** DM\_RACE = 6

**Universe Description:** 

Question Text: \*Enter verbatim response

Type: Classification

Length: 65

☑ Don't Know

□ Refuse
 □ Empty

, ,

☐ On Input ☐ On Output

Array:

**Skip Instructions:** <Response> goto DM\_AGE

<D,R> goto DM\_AGE

**DM\_AGE**DEMOGRAPHIC.DM\_AGE

**Description:** respondent's age

Form Pane Label:

**SAS Name:** DM\_AGE

Tag Name: Inherited Universe:

Universe: DM\_RACE ne blank

**Universe Description:** 

Question Text: • If 99 or older, enter 99

What is your age?

Type: Classification

Length: 1

\[ \times Don't Know \]
\[ \times Refuse \]
\[ \times Empty \]

\[ \times On Input \]
\[ \times On Output \]

Array: \[ \times \]

**Special Instructions:** If 0 - 15, invoke HARDCHECK.

HARDCHECK: RESPONDENT MUST BE AT LEAST 16 YEARS OLD.

If 16 or 17, invoke SOFTCHECK.

SOFTCHECK: ENG YOU TOLD ME THAT YOU ARE ^DM\_AGE YEARS OLD.

IS THAT CORRECT?

SPA Me dijo que usted tiene ^DM\_AGE años, ¿Es correcto?

Survey: TPOPS Section: DEMOGRAPHIC

DM\_ELDER Field

DEMOGRAPHIC.DM\_ELDER

Description:	are there	people aged	62 or	older in CU
--------------	-----------	-------------	-------	-------------

Form Pane Label:

**SAS Name:** DM\_ELDER

Tag Name:

**Inherited Universe:** 

Universe: (PSINCU = blank and (DM\_AGE gt 15 or DK or RF)) OR (PSINCU gt 1 and

(DM\_AGE gt 15 or DK or RF))

**Universe Description:** 

Question Text: ^fDM\_ELDER many members of your consumer unit are aged 62 or older, if

any?

Fills: fDM\_ELDER

Instructions: IF DM\_AGE >= 62, fill "Including yourself, how/Incluyendose usted, cuantas"

ELSE fill "How/Cuantas"

Type: Classification

Length: 2

☑ Don't Know

X Refuse

☐ Empty

On Input

On Output

Array:

**Special Instructions:** If (DM\_AGE gt 15 and le 61) AND PSINCU = 1 set DM\_ELDER = 0

If (DM\_AGE ge 62 and le 99) AND PSINCU = 1set DM\_ELDER =1

Else ask DM\_ELDER

0, invoke HARDCHECK\_1.

HARDCHECK\_1: "RESPONDENT REPORTED AGE AS 62 OR OLDER. GO BACK TO CORRECT."

DM\_ELDER gt PSINCU, invoke HARDCHECK\_2:

HARDCHECK\_2: "NUMBER OF ELDERLY MEMBERS CANNOT EXCEED THE NUMBER OF MEMBERS IN THE CONSUMER UNIT.
GO BACK TO CORRECT."

DM\_ELDER gt 30, invoke SOFTCHECK.

SOFTCHECK: ENG "NUMBER SEEMS UNUSUALLY HIGH. PLEASE VERIFY."

SPA "El numbero parece excepcionalmente alta. Verifique por favor."

Survey: TPOPS Section: DEMOGRAPHIC

DM\_ARMFC Field

DEMOGRAPHIC.DM\_ARMFC

**Description:** pay from the armed forces account for at least half CU earnings

Form Pane Label:

SAS Name: DM\_ARMFC

Tag Name: Inherited Universe:

Universe: (DM\_ELDER ne blank) OR (PSINCU ge 1 AND (DM\_AGE ge 16 or DK or RF))

**Universe Description:** 

Question Text: \* If the respondent asks if he/she should consider income from another source, click

on the DEFs tab and choose number 6. Read the entire answer.

In the past year, did earnings from Armed Forces pay and allowances account for at least half of your total consumer unit income?

Type: Classification

Length: 1

☑ Don't Know

Refuse

☐ Empty

On Input

☐ On Output

Array: 🗌

Special Instructions: If DM\_ARMFC = 1, set OUTCOME = 1, SUBTYPE = 5, If MARK It 21 set MARK = 21

If DM\_ARMFC = 2, set OUTCOME = 0, SUBTYPE = 00

Survey: TPOPS Section: DEMOGRAPHIC

Field

## **DM\_AFNOW**DEMOGRAPHIC.DM\_AFNOW

**Description:** is respondent in the armed forces Form Pane Label: SAS Name: DM\_AFNOW Tag Name: **Inherited Universe:** Universe: DM\_ARMFC = DK or RF **Universe Description:** Question Text: \* If the respondent asks which branches of the service are included, click on the DEFs tab and choose number 5. Read entire answer. Are you currently in the Armed Forces? Type: Classification Length: 1 ■ Don't Know ■ Refuse ☐ Empty ☐ On Input ☐ On Output Array: Special Instructions: If DM\_AFNOW = 1, set OUTCOME = 1, SUBTYPE = 5, If MARK It 21 set MARK = 21

If DM\_AFNOW = 2, DK, or RF, set OUTCOME = 0, SUBTYPE = 00

Survey: TPOPS

Blaise Item-Level Specifications Report
Section: Thank You

Spider Version 1.4.0

Thank You

Block
Thank You

**Description:** Thank You - end of interview

Tab Name: TY

Fly Over Name: Thank You - end of interview

Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array:

**Block Instructions:** 

Field		

TY\_NXTTM
Thank You.TY\_NXTTM

**Description:** Plans for call backs

Form Pane Label:

SAS Name: TY\_NXTTM

Tag Name:

**Inherited Universe:** 

Universe: (DM\_ARMFC = 2 and IntNmbr ne 4) OR ((DM\_AFNOW = 2 or DK or RF) and

IntNmbr ne 4) OR(DM\_ENDCP = 1 and IntNmbr = 2 or 3) and (Replc\_Fl ne '1' and

Contact\_FI ne '1'))

#### **Universe Description:**

Question Text: We plan to contact your household ^fTY\_NXTTM. What are the best days and

times to call you?

• Jot down the best and worst days and times on paper. You will record them in Web CATI after the interview has ended.

• Enter <1> to continue.

Fills: fTY\_NXTTM

**Instructions:** If INTNMBER = 1, fill: three more times over the next 9 months

If INTNMBER = 2, fill: two more times over the next 6 months If INTNMBER = 3, fill: one more time over the next 3 months

Type: Classification

Length: 1

☐ Don't Know☐ Refuse☐ Empty

☐ On Input

☑ On Output

Array:

**Skip Instructions:** <1> goto TY\_CMBLS

Last Modified: Tuesday, November 13, 2007

TY\_CMBLS Field

Thank You.TY\_CMBLS

**Description:** Want BLS address

Form Pane Label:

SAS Name: TY\_CMBLS

Tag Name: Inherited Universe:

Universe: TY\_NXTTM = 1

**Universe Description:** 

Question Text: Comments or ideas about how to improve the survey can be sent to the Bureau

of Labor Statistics.

Would you like that address?

Type: Classification

Length: 1

☐ Don't Know

Refuse

☐ Empty

☐ On Input

☑ On Output

Array:

Special Instructions: 1. If TY\_CMBLS = 1, D or R, set OUTCOME = 00, SUBTYPE = 00

2. If TY\_CMBLS = 2, set OUTCOME = 1, SUBTYPE = 1, MARK = 21

**Skip Instructions:** <1> goto TY\_BLSAD

<2> goto EXITTHNK

Field

TY ENDIT

Thank You.TY\_ENDIT

**Description:** Thanks for last call

Form Pane Label:

SAS Name: TY ENDIT

Tag Name:

**Inherited Universe:** 

Universe: (DM\_ENDCP = 1 and IntNmbr = 4) OR DM\_ARMFC = 1 OR DM\_AFNOW = 1 OR

((DM\_AFNOW = 2, DK, or RF) and IntNmbr = 4) OR DM\_ARMFC = 2 andIntNmbr

= 4)

**Universe Description:** 

Question Text: This completes the last regularly scheduled interview for this consumer unit for the Point of Purchase Survey. If you have any comments regarding the burden estimate or any other aspect of this survey, including suggestions for reducing the time needed to respond, you may contact the Bureau of Labor Statistics. Would you like that address?

Type: Classification Length: 1 ☐ Don't Know Refuse X Empty ☐ On Input ☑ On Output

Array: 🗌

Special Instructions: If TY ENDIT = 2 then

If DM\_ARMFC = 1 or DM\_AFNOW = 1, set OUTCOME = 1, SUBTYPE = 5, and

if MARK It 21, set MARK = 21

else

set OUTCOME = 1, SUBTYPE = 1, and if MARK It 21, set MARK = 21

Skip Instructions: <1> goto TY\_BLSAD

<2> goto EXITTHNK

TY\_BLSAD Field

Thank You.TY\_BLSAD

**Description:** BLS address

Form Pane Label:

SAS Name: TY\_BLSAD

Tag Name: Inherited Universe:

Universe: TY\_CMBLS = 1 or TY\_ENDIT = 1

**Universe Description:** 

Question Text: Direct any comments you may have to:

Bureau of Labor Statistics 2 Massachusetts Avenue, N.E., Room 3615 Washington, DC 20212

or to their website at: www.bls.gov

Remember to include your name, address, and telephone number or your case identification number, if you would like a response.

• Enter <1> to continue

Type: Classification

Length: 1

☐ Don't Know☐ Refuse☐ Empty

☐ On Input ☑ On Output

Array:

**Special Instructions:** IF TY\_BLSAD = 1, SET OUTCOME = 1, SUBTYPE = 1, MARK = 21

**Skip Instructions:** <1> EXITTHNK

Field THANKRES
Thank You.THANKRES

Form Pane Label:

**SAS Name: THANKRES** 

Tag Name: Inherited Universe:

**Universe:** (RESNUM = 1, 5, 6, or 7)

**Description:** Thanks to ineligible HH

OR (OTHRES = 5, 6, 7, 8, 9, 10, 11, D or R)

OR (PAYPHONE = 1, D, or R) OR (PROBCALL = 14)

OR (FIND OTH = 4)

OR (GEO\_ST = 95 OR GEO\_CNTY = 95 OR GEO\_LIM = 2 OR GEO\_TOWN = 95)

**Universe Description:** 

Question Text: Thank you for your time. Your phone number is not eligible for this survey.

• Enter <1> to continue.

Type: Classification

Length: 1

Don't Know
Refuse
Empty

On Input

Array: 🗌

Special Instructions: 1. If THANKRES = 1, set OUTCOME = 20, set SUBTYPE = 3. If MARK It 22, set

MARK = 22

✓ On Output

**Skip Instructions:** <1> TY\_LAST

**EXITTHNK**Thank You.EXITTHNK

**Description:** Thanks to end call

Form Pane Label:

**SAS Name: EXITTHNK** 

Tag Name: Inherited Universe:

Universe: (RESNUM = R) OR (PROBCALL = 1, 2, 4, 5, or 13)

OR (TY\_CMBLS = 2 OR TY\_ENDIT = 2 OR TY\_BLSAD = 1)
OR (GEO\_ST = D OR R) OR (GEO\_CNTY = D OR R)
OR (GEO\_LIM = D OR R) OR (GEO\_TOWN = D OR R)

 $OR (ID\_SPVR = 3 OR 4) OR (FIND\_OTH = R)$ 

**Universe Description:** 

Question Text: Thank you for your time and cooperation.

• Enter <1> to continue.

Type: Classification
Length: 1

Don't Know
Refuse
Empty

On Input
On Output

Special Instructions: 1. If RES\_NAME = BLANK, SET RES\_NAME = LADY OR MAN OF HOUSE

**Skip Instructions:** <1> TY\_LAST

Array:

TY\_CLBCK

Thank You.TY\_CLBCK

**Description:** Thanks for call backs

Form Pane Label:

SAS Name: TY\_CLBCK

Tag Name: Inherited Universe:

Universe: RESNUM = DK OR ID\_WHO ne blank OR ID\_OTHER ne blank OR

(FIND\_OTH = 3 and Res\_Name ne blank) OR

(Res\_Name ne blank and (HELLO\_RS = 3 or ID\_SPVR = 2)) OR

((PROBCALL = 3 or 12) and Res\_Name ne blank) OR (FIND\_OTH = DK) OR

(HELLO RS = 4 and HELLO TWO = 3)

#### **Universe Description:**

Question Text: We will try again at another time.

What are the best days and times to call?

- Jot down the best and worst days and times on paper.
   You will record them in WebCATI after the interview has ended.
- Enter <1> to continue.

Length: 1

Don't Know
Refuse
Empty

Type: Classification

☐ On Input ☑ On Output

Array:

Special Instructions: If RES\_NAME = blank, set RES\_NAME = LADY OR MAN OF HOUSE

If MARK LT 3, SET MARK = 0

**Skip Instructions:** <1> TY\_LAST

## F10\_TY\_CLBCK

Field

Thank You.F10\_TY\_CLBCK

Description:	Thanks for call backs
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	F10 – EXIT FROM ANY SCREEN
Universe Description:	
Question Text:	We will try again at another time. What are the best days and times to call? Thank you for your help.
	<jot after="" and="" best="" days="" down="" ended.<="" has="" in="" interview="" on="" p="" paper.="" record="" the="" them="" times="" webcati="" will="" worst="" you=""> &lt; Enter 1 to continue</jot>
Type: Length:	Classification 1
	□ Don't Know □ Refuse □ Empty
	☐ On Input ☑ On Output
Array:	
Special Instructions:	If RES_NAME = blank and RESNUM = 2, set RES_NAME = LADY OR MAN OF HOUSE
	IF MARK LT 3, SET MARK = 0
Skip Instructions:	<1> TY_LAST

#### TY\_LAST

Thank You.TY\_LAST

```
Description: Reminders
   Form Pane Label:
         SAS Name: TY_LAST
          Tag Name:
  Inherited Universe:
           Universe: (TY_BLSAD = 1) or (THANKRES = 1)
                      or EXITTHNK = 1)
                      or (TY\_CLBCK = 1)
                      or (PROBCALL = 6, 7, 8, 9, 10, 11)
Universe Description:
      Question Text: * Remember to Record the Language in which the interview was conducted.
                     • Remember to Record the Future Best and Worst Time to Call Information.
                     • Enter <1> to continue.
               Type: Classification
             Length: 1
                     ☐ Don't Know
                     Refuse
                     ☐ Empty
                     On Input

    ✓ On Output

              Array:
 Special Instructions: 1. COPY RES_NAME into NAMERESP
                       If RES_NAME = blank, store LADY OR MAN OF HOUSE in NAMERESP
                      2. If PARTFLAG = 1, if MARK It 12, set MARK = 12
                      If TY_LAST = 1 then
                          If PROBCALL = 10 then
```

If CP\_INTRO = blank, set OUTCOME = 35, SUBTYPE = 4

else

set OUTCOME = 35, SUBTYPE = 3

**Skip Instructions:** <1> SHOW\_CTRL

Last Modified: Wednesday, October 24, 2007

## CHNG\_RESP

Thank You.CHNG\_RESP

Description:	Change Respondent	
Form Pane Label: SAS Name: Tag Name: Inherited Universe:		
Universe:		
Universe Description:		
Question Text:	Whom should I ask for when I call back?	
Type: Length:		
	□ Don't Know □ Refuse □ Empty	
	☐ On Input ☑ On Output	
Store Instructions:	[store CHNG_RESP in RESPNAME] - goto MAIN PATH	
Array:		
Special Instructions:	1. Display Hard Error if entry is all numeric:	
	HARD ERROR: There must be at least one alphabetic character in this field. back to correct.	Go
Skip Instructions:	[store CHNG_RESP in RESPNAME] - goto MAIN PATH	

Last Modified: Wednesday, March 1, 2006

Survey: TPOPS Blaise Item-Level Specifications Report Section: TABs

**TABs** Block TABs

**Description:** This block contains information concerning the TABs

Tab Name: Fly Over Name: Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array: 🗌

Block Instructions: Create a TAB for each item.

Last Modified: Thursday, November 1, 2007

Spider Version 1.4.0

Block FAQs
TABs.FAQs

**Description:** TAB - This block contains 20 FAQs

Tab Name: FAQ

Fly Over Name: Frequently Asked Question

Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array: 🗌

**Block Instructions:** 

Last Modified: Thursday, November 1, 2007

## FAQ\_WHATSRVY

Field

TABs.FAQs.FAQ\_WHATSRVY

Description:	FAQ 1 What is this survey about?
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	What is this survey about?  The purpose of the Telephone Point of Purchase Survey is to provide information on the stores and businesses where people shop and the products they buy. This information is used to update the Consumer Price Index, which directly affects almost everyone.
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
	☐ On Input ☐ On Output
Array:	

## FAQ\_SRVYUSE

TABs.FAQs.FAQ\_SRVYUSE

Description:	FAQ 2 How will the information be used?
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	How will the information be used? In order for the Bureau of Labor Statistics to update the Consumer Price Index, it is necessary to maintain an up-to-date list of the stores and businesses where people shop. The Census Bureau conducts the Telephone Point of Purchase Survey to provide the statistical data needed to update this list.
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
[	☐ On Input ☐ On Output
Array:	

FAQ_WHYME TABs.FAQs.FAQ_WHYM		Field
Description:	FAQ 3 How was I selected? Why me?	
Form Pane Label: SAS Name: Tag Name: Inherited Universe:		
Universe:		
Universe Description:		
Question Text:	How was I selected? Why me?	
	We did not select you PERSONALLY; your PHONE NUMBER was randomly selected from a list of phone numbers.	,
Type: Length:	Classification 1	
	☑ Don't Know ☑ Refuse ☑ Empty	
	☐ On Input ☐ On Output	
Array:		

Last Modified: Thursday, November 1, 2007

## FAQ\_SOMEELSE

TABs.FAQs.FAQ\_SOMEELSE

Description:	FAQ 4 Why don't you select someone else?
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	Why don't you select someone else? Your answers are very important to this survey because your phone number was selected randomly. Your household's <u1:p>purchases represent the purchases of many similar households. It would cost too much and take too long to call all <u1:p>households in the U.S. We cannot select another phone number because it would harm the quality of the information we <u1:p>collect. <o:p><o:p> <o:p></o:p></o:p></o:p></u1:p></u1:p></u1:p>
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
	□ On Input □ On Output
Array:	

Last Modified: Thursday, November 1, 2007 Page 177 of 208

#### FAQ\_HAVETODO

Field

TABs.FAQs.FAQ\_HAVETODO

171B0.171Q0.171Q_1171VE	
Description:	FAQ 5 Do I have to participate?
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	Do I have to participate?
	Participation is voluntary and there are no penalties for not answering questions, but to ensure the validity and accuracy of the information it is very important that we have your cooperation in the survey. To collect information on the buying habits of the population, your telephone number was selected to represent hundreds of other households like yours. <o:p></o:p>
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
}	☐ On Input ☐ On Output
Array:	

## FAQ\_MAILME

Page 179 of 208

TABs.FAQs.FAQ\_MAILME

Description:	FAQ 6 Just mail me a questionnaire.
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	Just mail me a questionnaire
	<o:p>We do not have a paper questionnaire.<o:p>The questionnaire's design and the nature of the questions require a trained person to record the information. This is the least expensive way of obtaining this information.<o:p><o:p></o:p></o:p></o:p></o:p>
Length:	
	☑ Don't Know ☑ Refuse ☑ Empty
	☐ On Input ☐ On Output
Array:	

Last Modified: Thursday, November 1, 2007

## FAQ\_AUTHORIZ

Field

TABs.FAQs.FAQ\_AUTHORIZ

Description:	FAQ 7 Is this survey authorized by law?
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	Is this surey authorized by law? <o:p>Participation is voluntary and there are no penalties for refusing to answer any questions in this survey which is authorized by Title 29, section 2, of the United States Code. Your participation is extremely important to ensure the completeness and accuracy of the statistical results.<o:p></o:p></o:p>
Length:	Classification  1  Don't Know Refuse Empty  On Input On Output
Array:	

# FAQ\_CONFPROT

	TABs.FAQs.FAQ_CONFPROT
Description:	FAQ 8 What confidentiality protection do I have?
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	What confidentiality protection do I have? <o:p>The confidentiality of the information you provide is assured to the full extent permitted by law in accordance with the Privacy Act of 1974 and the Confidential Information Protection and Statistical Efficiency Act of 2002 (Title 5 of Public Law 107-347). The information you provide will only be used for statistical purposes.<o:p>We will not ask for your address, birth date, social security number, or last name. In fact, we will not ask for any information that will identify you as an individual. The information that you provide will be used only to identify the stores and businesses where Americans shop and the products they buy.<o:p></o:p></o:p></o:p>
Length:	Classification  1  Don't Know Refuse Empty  On Input On Output
Array:	

Survey: TPOPS Section: TABs.FAQs Blaise Item-Level Specifications Report Spider Version 1.4.0

<b>FAQ</b>	WH	YN	ΔME
FAW	VVI	I IN/	-\ IVI 🗀

Field

TABs.FAQs.FAQ\_WHYNAME

Description:	FAQ 9 Why do you need my name?
Form Pane Label: SAS Name:	
Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	Why do you need my name? <o:p>We ask for a first name so that we can refer to you during the interview.<o:p></o:p></o:p>
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
	☐ On Input ☐ On Output
Array:	

# FAQ\_TAXWASTE

TABs.FAQs.FAQ\_TAXWASTE

Description:	FAQ 10 I think this is a waste of taxes?
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	I think this is a waste of taxes! <o:p>By calling a selected number of households we provide information to update the Consumer Price Index, which is required by law. This method is far less expensive than calling every housing unit.<o:p></o:p></o:p>
Length:	Classification  1  Don't Know Refuse Empty  On Input
	☐ On Output
Array:	

## FAQ\_CNTDPEPL

Field

TABs.FAQs.FAQ\_CNTDPEPL

Description:	FAQ 11 I thought you only counted people.
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	I thought you only counted people. <o:p><o:p>We also conduct surveys to collect information monthly, quarterly and yearly, on labor force, retail and wholesale trade, household expenses, household income, and education to name a few examples.</o:p></o:p>
Type: Length:	Classification  1  Don't Know Refuse Empty  On Input On Output
Array:	

# FAQ\_TITLE29

	TABs.FAQs.FAQ_TITLE29
Description:	FAQ 12 What is Title 29?
Form Pane Label: SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	What is title 29? <o:p>Title 29 is part of the United States Code which by law specifies the duties of the Bureau of Labor Statistics. It is very broad in scope. This title gives the Bureau of Labor Statistics authority to designate the Census Bureau to collect data including the data collected in this survey. The title includes acquiring and diffusing: "among the people of the United States useful information on subjects connected with labor"  Section 2 of the code specifically mentions the collection of many types of labor related data, including retail and wholesale trade information.<o:p></o:p></o:p>
Type: Length:	Classification 1
	X Don't Know     X Refuse     Empty
	☐ On Input ☐ On Output
Array:	

FAQ\_CPI\_USE

Field

TABs.FAQs.FAQ\_CPI\_USE

Description:	FAQ 13 Uses of the Consumer Price Index
Form Pane Label: SAS Name:	
Tag Name: Inherited Universe:	

**Universe Description:** 

Universe:

Question Text: Uses of the Consumer Price Index<o:p>The Consumer Price Index is a measure of the average change in the prices paid by urban consumers for a fixed market basket of goods and services.

<o:p>The Consumer Price Index is commonly used as:<o:p> 1. A measure of inflation.<o:p> 2. An economic indicator. The President, the Congress, and the Federal Reserve use trends in the Consumer Price Index to aid in formulating fiscal and monetary policies. In addition, businesses, labor organizations and private citizens use the index as a guide in making economic decisions.<o:p>3. A means of adjusting income payments. Adjustments to wages, Social Security Pay- ments, retirement bene-fits and other compen-sation such as child support and payments received by millions of Americans are based on changes in the Consumer Price Index.<o:p> 4. An adjustment factor for tax brackets (indexing) to prevent &lsquo;bracket creep' due to inflation.

Type: Length:	Classification
	X Don't Know X Refuse X Empty
	☐ On Input ☐ On Output
Array:	

## FAQ\_TOLLPHN

TABs.FAQs.FAQ\_TOLLPHN

Description:	FAQ 14 Confirm call/toll-free (800) numbers
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	
Universe:	
Universe Description:	
	Confirm call/toll free (800) numbers
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
	☐ On Input ☐ On Output
Array:	
Special Instructions:	Fill CASEID number in [fill: ]

## FAQ\_BLSADDR

Field

TABs.FAQs.FAQ\_BLSADDR

Description:	FAQ 15 BLS comments
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	Bureau of Labor Statistics (BLS) Comments
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
	☐ On Input ☐ On Output
Array:	

# FAQ\_DATAREQS TABs.FAQs.FAQ DATAREQS

	TABS.FAQS.FAQ_DATAREQ
Description:	FAQ 16 Data requests
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	Data Requests<0:p>Neither the Census Bureau nor the Bureau of Labor Statistics publishes data collected from this survey.<0:p>The purpose of the Telephone Point of Purchase Survey is to provide the Bureau of Labor Statistics with a list of outlets (stores) where consumers buy the goods and services asked about during the interview. The Bureau of Labor Statistics uses data from of the Telephone Point of Purchase Survey, along with data from three other surveys to adjust the Consumer Price Index, which is a leading measure of inflation that indicates the cost of living in our country.<0:p> We can send you a pamphlet describing the Consumer Price Index and how people use it. The TPOPS survey collects the stores and service establishments mentioned in Chapter 8 of that pamphlet.
	THE PAMPLET IS AVAILABLE IN ENGLISH ONLY WRITE DOWN THE RESPONDENT'S NAME AND ADDRESS AND GIVE IT TO YOUR SUPERVISOR
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse ☑ Empty
	☐ On Input ☐ On Output
Array:	

## FAQ\_ADDRESS

Field

TABs.FAQs.FAQ\_ADDRESS

Description:	FAQ 17 How did you get my address?
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
Universe:	
Universe Description:	
Question Text:	How did you get my address? <o:p>First, your telephone number was randomly selected from a computer-generated list of all possible phone numbers in your area code. Next, the residential address registered to your phone number was identified via a computer search of various telephone databases. <o:p>Finally, the address information was used exclusively to create and mail the letter to you. A permanent record of your address was not kept.<o:p></o:p></o:p></o:p>
Type: Length:	Classification 1
	☑ Don't Know ☑ Refuse
I	☐ On Input ☐ On Output
Array:	

## **FAQ\_SENDINFO**

TABs.FAQs.FAQ\_SENDINFO

Description:	FAQ 18 What is this advance letter about? How can I get one?
Form Pane Label:	
SAS Name:	
Tag Name:	
Inherited Universe:	
illiterited Offiverse.	
Universe:	
Universe Description:	
Question Text:	What is this advance letter about? How can I get one? <o:p>The letter contains a brief explanation of the Telephone Point of Purchase Survey and its importance in creating the Consumer Price Index, as well as the legal authorizations for collecting this data. We would like to continue the interview at this time. If you like, we can send you another copy of the letter if you provide me with your name and address.</o:p>
	THE LETTER IS AVAILABLE IN ENGLISH ONLY. <o:p></o:p>
Typo	Classification
Length:	
Lengui.	
	☑ Don't Know
	☑ Refuse
	☐ On Input ☐ On Output
Array:	

Survey: TPOPS Blaise Item-Level Specifications Report
Section: TABs.FAQs Spider Version 1.4.0

FAQ20 Field TABs.FAQs.FAQ20 **Description:** FAQ20Return to interview Form Pane Label: **SAS Name:** Tag Name: **Inherited Universe:** Universe: **Universe Description: Question Text:** Type: Classification Length: 1 ☐ Don't Know Refuse ☐ Empty ☐ On Input ☐ On Output Array: □

FAQ\_RACE

TABs.FAQs.FAQ\_RACE

**Description:** FAQ 19 Why do we ask race and ethnicity questions?

Form Pane Label:

SAS Name: FAQ\_RACE

Tag Name:

**Inherited Universe:** 

Universe:

**Universe Description:** 

Question Text: Why do we ask race and ethnicity questions?<o:p><o:p>In October 1997, the Office of Management and Budget, or OMB, issued Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity. These guidelines state that race and ethnicity are separate and distinct concepts and should be collected in different questions. The standards are available on the Internet at www.whitehouse.gov/omb/fedreg/1997standards.html. <o:p>All federal agencies, including the Census Bureau, which collect and report data on race and ethnicity, must follow these standards. <o:p>The Bureau of Labor Statistics uses the data from the TPOPS survey to produce a sample of retail stores and service establishments that is then used to price goods and services for the Consumer Price Index. The race and ethnicity questions are asked to ensure that the survey shows no bias regarding any ethnic group and

that the shopping habits of the whole population are represented.

Type: Classification
Length: 2

X Don't Know
X Refuse
X Empty

On Input
On Output

Array:

Survey: TPOPS
Section: TABs
Blaise Item-Level Specifications Report
Spider Version 1.4.0

**DEFs** Block

TABs.DEFs

**Description:** TAB - Definition of 7 commodity concepts Help Screens

Tab Name: DEFs

Fly Over Name: Definition of some commodity concepts

Universe Type: If

**Inherited Universe:** 

Universe:

**Universe Description:** 

Array: 🗌

**Block Instructions:** 

#### STATE ABBREVATIONS

TABs.DEFs.STATE ABBREVATIONS

Description: 2-digit abbreviations of the 50 US states and the District of Columbia

Form Pane Label: SAS Name:

Tag Name: Def 1. STATE ABBREVIATIONS

**Inherited Universe:** 

Universe:

**Universe Description:** 

**Question Text: State abbreviations** 

AL Alabama MT Montana
AK Alaska NE Nebraska
AZ Arizona NV Nevada

AR Arkansas
CA California
CO Colorado
CT Connecticut
DE Deleware
DC District of Columbia
NH New Hampshire
NJ New Jersey
NM New Mexico
NY New York
NC North Carolina
ND North Dakota

FL Florida OH Ohio
GA Georgia OK Oklahoma
HI Hawaii OR Oregon
ID Idaho PA Pennsylvania

IL Illinois RI **Rhode Island South Carolina** IN Indiana SC SD **South Dakota** IA Iowa **KS Kansas** TN Tennessee **KY Kentucky** TX **Texas** LA Louisiana UT Utah ME Maine VT Vermont MD Maryland **VA** Virginia **MA Massachusetts WA Washington** WV West Virginia MΙ Michigan **MN Minnesota** WI Wisconsin MS Mississippi WY Wyoming

MO Missiouri

Type: Classification

Length: 1

Survey: TPOPS
Section: TABs.DEFs
Blaise Item-Level Specifications Report
Spider Version 1.4.0

Don't Know
Refuse

Refuse
Empty

On Input
On Output

Store Instructions: IF GEO\_VER =1, store FIPSCODE (8500/67-71) in FIPS\_ST and FIPS CTY.

Output variable is GEO\_ST

Array:

**Special Instructions:** Fill county name and state from input file, up to 4 Different States, or 95. Someplace Else.

[fill STATE\_n associated with PSU in XSTATE]

- Number of states in PSU stored in XSTATE; display appropriate number
- Reject if GEO\_ST gt XSTATE (state number out of range for PSU)
- 3. Store GEO ST in FIPS ST
- 4. If GEO\_ST = 1 4, set OUTCOME = 00, SUBTYPE = 00
- 5. If GEO\_ST = D, set OUTCOME = 20, SUBTYPE = 9; if MARK It 8, set MARK = 8
- 6. If GEO\_ST = R, if MARK It 9, set MARK = 9
- 7. If GEO\_ST = 95, set OUTCOME = 20, SUBTYPE = 8; if MARK It 22, set MARK = 22

Field DEF\_CU
TABs.DEFs.DEF\_CU

Description:	Consumer Unit
Form Pane Label: SAS Name: Tag Name: Inherited Universe:	Def 2, Consumer Unit
Universe:	
Universe Description:	
Question Text:	CONSUMER UNITA consumer unit is a person living alone or a group of two or more people who are related by blood, marriage, or other legal arrangement or who share major living expenses.
Type: Length:	Classification 1
	□ Don't Know □ Refuse □ Empty
	☐ On Input ☐ On Output
Array:	

Survey: TPOPS Section: TABs.DEFs

# **DEF LVGEXP** Field TABs.DEFs.DEF\_LVGEXP **Description:** Critial shared living expenses Form Pane Label: **SAS Name:** Tag Name: Def 3. Living Expenses **Inherited Universe:** Universe: **Universe Description:** Question Text: Living Expenses Individuals will be considered part of the same consumer unit if they share at least two of the following major living expenses: 1. Housing Expenses 2. Food Expenses or 3. Other Expenses such as transportation, clothing, medical, or educational expenses. Type: Classification Length: 1 ☐ Don't Know Refuse ☐ Empty

☐ On Input☐ On Output☐

Array:

#### DEF\_OUT\_TYPE

TABs.DEFs.DEF\_OUT\_TYPE

**Description:** Different outlet types for consumor purchases

Form Pane Label:

SAS Name:

Tag Name: Def 4. Outlet Type

**Inherited Universe:** 

Universe:

**Universe Description:** 

**Question Text: Outlet Type** 

The key to selecting the correct outlet type at screen CP\_OLTYP is to determine

HOW you entered into the ""contract"", either express or implied, to purchase

the item or service.

SELECT (1) PERSONAL VISIT, if you made a personal visit to the store/business/outlet and

either paid for the item at the store or made arrangements there to finance the purchase.

SELECT (2) MAIL ORDER, if you filled out a mail-order form and mailed the form to the vendor.

SELECT (3) TELEPHONE ORDER, if you ordered the item over the telephone

by calling the vendor, or by sending the request order by fax. This includes food items that are delivered to the home, if the order was placed over the telephone (for example Pizza Delivery).

SELECT (4) INTERNET, if you filled out a form on an Internet web site or company home page

and submitted the order electronically over the Internet or via e mail. (This is true, even if the company is located outside the U.S.)

SELECT (5) PRIVATE INDIVIDUAL, if the outlet name is a person's name (e.g., Joe Smith) and

is not connected to a business. (This is true, even in cases where the contract was made by

personal visit or over the telephone.) Precode (5) Private Individual has priority and should be

Survey: TPOPS Blaise Item-Level Species
Section: TABs.DEFs Spide

selected if the outlet name is a person and not a business.

One exception: If the outlet name is a doctor or medical physician's name (e.g., Dr. Joe Smith),

then Precode (5) should not be selected. Assume doctors have offices or make house calls and

are ""normally"" in business, so Precode (1) Personal Visit or Precode (3) Telephone should be

SELECT (6) PUBLIC SALE, if the outlet name given by the respondent contains the phrase

"public sale", "garage sale", "yard sale", "estate sale", "swap meet", or "auction". (This is true, even in cases where the contract was made by personal visit.)

Precode (6) Public Sale has priority and should be selected if you know know the purchase

was made at a public sale.

selected.

If you are not sure if the purchase was made at a public sale (and the outlet name does not

give an indication), Precode (1) Personal Visit should be selected.

SELECT (7) LOCATION OUTSIDE OF THE U.S., if the outlet is located outside the U.S.,

unless it is an Internet outlet. Precode (7) Location Outside the U.S. has priority

and should be selected if the outlet is located outside the United States. (This is true, even in cases where the contract was made by personal visit, mail order, or telephone.)

Type: _ength:	Classification 1
	☐ Don't Know ☐ Refuse ☐ Empty
	☐ On Input ☐ On Output
Array:	

# **DEF\_INARMFC**

TABs.DEFs.DEF\_INARMFC

Description:	Listing of the types of services, which to include and which to NOT include
Form Pane Label: SAS Name: Tag Name: Inherited Universe: Universe:	Def 5. In Armed Forces
Question Text:	IN ARMED FORCES<0:p> <0:p> INCLUDE:  U.S. Army U.S. Navy U.S. Air Force U.S. Marine Corps U.S. Coast Guard a Reserve Branch of any of the above Commissioned Officers of the U.S. Public Health Service National Guard in Federal Service (if service is during a period when that unit became part of the regular forces by presidential order) DO NOT INCLUDE: Coast Guard Temporary Reserve Active Reserve Training Merchant Marine, Maritime Commission, or American Field Service Civilian employees of the Department of Defense National Guard on standby status R.O.T.C., VISTA, or Peace Corps
Length:	Classification  1  Don't Know  Refuse Empty
Array:	□ On Input □ On Output □

Survey: TPOPS Section: TABs.DEFs

**DEF\_AFCPAY** Field

TABs.DEFs.DEF\_AFCPAY

**Description:** Description what the components of pay and the types of armed forces pay to include

and NOT to include

Form Pane Label:

**SAS Name:** 

Tag Name: Def 6. Armed Forces Pay

**Inherited Universe:** 

Universe:

**Universe Description:** 

Question Text: Armed Forces Pay<u1:p><o:p>Total consumer unit income shall be defined as: total money earnings and selected money receipts of all consumer unit members 14 years of age or over during the 12 months preceding the interview.

#### Components of income include:

- -- wages and salaries,
- -- self-employment income,
- -- Social Security,
- -- private and government retirement,
- -- interest,
- -- dividends,
- -- rental income,
- -- unemployment and workers' compensation,
- -- veterans' benefits,
- -- public assistance,
- -- supplemental security income,
- food stamps,
- -- regular contributions for support, and
- -- other income such as cash scholarships, fellowships, and meals and rent as pay.

It does not include money from any non-periodic, one-time, or lump-sum items such as

money received from the sale of property, withdrawals of bank deposits, money borrowed,

tax refunds, or gifts.

Armed Forces pay consists of wages, salaries, and allowances earned while on active duty

in the following:

Survey: TPOPS Blaise Item-Level Special Section: TABs.DEFs Spide

- -- U.S. Army
- -- U.S. Navy
- -- U.S. Air Force
- -- U.S. Marine Corps
- -- U.S. Coast Guard

It also includes income received by individuals in the following:

- -- a Reserve Branch of any of the above
- -- Commissioned Officers of the U.S. Public Health Service
- National Guard in Federal Service (if service is during a period when that unit became part of the regular forces by presidential order)

It does not include earnings of members in the following organizations:

- -- Coast Guard Temporary Reserve
- -- Active Reserve Training
- -- Merchant Marine, Maritime Commission, or American Field Service
- -- Civilian employees of the Department of Defense
- -- National Guard on standby status
- -- R.O.T.C., VISTA, or Peace Corps

Type: Length:	Classification 1
	☐ Don't Know ☐ Refuse ☐ Empty
	☐ On Input ☐ On Output
Array:	

Survey: TPOPS Section: TABs.DEFs Blaise Item-Level Specifications Report Spider Version 1.4.0

# **DEF BUSEXP** Field TABs.DEFs.DEF\_BUSEXP **Description:** Definition of business expenses Form Pane Label: SAS Name: Tag Name: DEF 7. Business Expenses **Inherited Universe:** Universe: **Universe Description: Question Text: Business** Expenses<o:p>Business expenses at a full service or limited service restaurant include any expense incurred directly by the employee who has been or will be reimbursed by an employer. This includes using personal funds or credit card, a company credit acrd, or money advanced by the employer. If the expense is incurred by a self-employed individual, then the expense should be included only if it is eligible to be deducted from income as a cost of doing business. <0:p> Type: Classification Length: 1 ☐ Don't Know

Last Modified: Friday, October 19, 2007

☐ Refuse ☐ Empty

☐ On Input ☐ On Output

Array:

Field ChangeResp
TABs.ChangeResp

**Description:** TAB - Change Respondent Help Screen Form Pane Label: Change **SAS Name:** Tag Name: Change Respondent **Inherited Universe:** Universe: **Universe Description:** Question Text: Whom should I ask for when I call back? Type: Classification Length: 20 ☐ Don't Know Refuse ☑ Empty ☐ On Input On Output **Store Instructions:** Store CHNG\_RESP in RESPNAME Array: 🗌 **Special Instructions:** Display Hard Error if entry is all numberic: HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

Skip Instructions: goto MAIN PATH

Last Modified: Tuesday, February 28, 2006

Survey: TPOPS Section: TABs

TAB_INTNM TABs.TAB_INTNM		Field
Description:	TAB - Number of Interview Help Screen	
Form Pane Label: SAS Name:		
	Interview Number	
Universe:		
Universe Description:		
Question Text:		
Type: Length:	Classification 1	
	☐ Don't Know ☐ Refuse ☐ Empty	
	☐ On Input ☐ On Output	

Skip Instructions: goto MAIN PATH

Special Instructions: Fill INTNUM of current interview

Array: 🗌

Last Modified: Tuesday, February 28, 2006

Field Instrument
TABs.Instrument

Poscription: Main path of the instrument

Form Pane Label:
 SAS Name:
 Tag Name:
 Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification
Length: 1

Don't Know
Refuse
Empty

On Input
On Output

Array: □

	Field
Allows interviewer to exit interview using TY_CLBCK	
See TY_CLBCK	
Classification 1	
□ Don't Know □ Refuse □ Empty	
☐ On Input ☐ On Output	
	See TY_CLBCK  Classification 1  Don't Know Refuse Empty  On Input On Output