

COVER SHEET
TPOPS
Blaise Item-Level Specifications Report

Items contained in this report:

- CONTACT
- INTRODUCTION
- GEOGRAPHY
- Household Roster
- COMMODITY PURCHASES
- BEA
- DEMOGRAPHIC
- Thank You
- TABs

CONTACT

CONTACT

Block

Description: Initial Contact Section

Tab Name: CT Section

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe: all

Universe Description: first section

Array:

Block Instructions: Set variable RES_NAME

Do not overwrite 8500.RESPNAME1 (from input file), spider variable name RES_NAME.

Before starting an interview, if RES_NAME is BLANK, store 8500.RESPNAME1 in RES_NAME. Make corrections/changes to the instrument variable RES_NAME.

Field

HELLO_RET
CONTACT.HELLO_RET

Description: Contact returning case

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (MARK = Blank or MARK It 3) AND INTNMBR = 2, 3, or 4 and RES_NAME ne blank

Universe Description: This screen is for FIRST CONTACT if INTNMBR=2,3,4

Question Text: Interview number: ^fINTNMBR
May I please speak to: ^fRES_NAME

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO_RET

Value:	Mnemonic:	Description:
1	CorrectPerson	This is correct person
2	PersonCalled	Correct person called to phone
3	NotAvailable	Person not home or not available now
4	NoLongerThere	Person no longer lives there
5	PersonUnknown	Person unknown at this number
6	OtherProblem	Other outcome or problem interviewing respondent, including immediate hangup

- Don't Know
- Refuse
- Empty

On Input

On Output

Store Instructions: <4> store <> in RES_NAME
<5> store <> in RES_NAME

Array:

Special Instructions: If HELLO_RET = 4 or 5, set REPLC_FL = 1;

Display Interview Number: INTNMBR = [fill: INTNMBR]

Skip Instructions: <1,2> goto ID_RETRN
<3> goto HELLO_RS
<4> goto HELLO_NEW
<5> goto RESNUM
<6> goto PROBCALL

Field

HELLO_TWO
CONTACT.HELLO_TWO

Description: Subsequent contact

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: RES_NAME ne blank and MARK ne blank or ne 00

Universe Description: This screen is for a subsequent contact with any household in same quarter.

Question Text: May I please speak to ^fRES_NAME?

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO_TWO

Value:	Mnemonic:	Description:
1	CorrectPerson	This is correct person
2	PersonCalled	Correct person called to phone
3	NotAvailable	Person not home or not available now
4	OtherProblem	Other outcome or problem interviewing respondent, including immediate hangup

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Set PROB_FLG = blank

Display Interview Number: INTNUM = [fill: INTNUM]

Skip Instructions: <1,2> If MARK gt 8. goto ID_PART

```
Else if MARK It 8 :  
  If INTNUM = 2, 3, or 4  
    If REPLC_FL ne 1 " go ID_RETRN  
  Else If REPLC_FL = 1, goto INTRO_1st  
  
  If INTNUM = 1  
    If ADLTR_FL = 3 or 4, goto INTRO_LTR  
  Else goto INTRO_1st  
  
Else If MARK = 8, go to ID_SPVR  
  
<3> goto HELLO_RS  
<4> goto PROBCALL
```

Field

RESNUM
CONTACT.RESNUM

Description: Type of place

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: [INTNMBR = 1 and RES_NAME = EMPTY] OR [(HELLO_RET = 5 AND REPLC_FL = '1' AND HELLO_TWO = EMPTY)] OR [(INTNMBR = 2, 3, or 4 AND RES_NAME = EMPTY and REPLC_FL = BLANK and NAMEFLAG <> 1)]

Universe Description:

Question Text: If incoming call: Verify phone number displayed on this screen. Interview number: ^fINTNMBR
Do not F10 from this screen.

If necessary: This is ... from the U.S. Census Bureau ♦ Sample Phone: (^fAREA) ^fPREFIX - ^ SUFFIX

Is this the number for a business, a private residence, a cell phone, or is this college housing, or some other type of place?

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fAREA

Instructions: Fill respondent's area code = AREA

Fills: fPREFIX

Instructions: Fill the respondent's first 3 digits of his/her phone number = PREFIX

Type: Enumerated

Length: 1

Answer List: tRESNUM

Value:	Mnemonic:	Description:
1	Business	Business
2	PrivateResidence	PRIVATE RESIDENCE

3	College	College housing
4	Other	Other type of place
5	PayPhone	Pay phone
6	CellPhone	Cellular or mobile phone
7	OtherNonRes	Other nonresidential number such as a charity or service organization
8	OtherProblm	Other outcome or problem interviewing respondent, including immediate hang-up

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If RESNUM = 7, DISPLAY: ENTER RESPONDENT'S VERBATIM RESPONSE

If RESNUM = 1, 3, 4, 5, 6, 7, 8, D, or R, store <> in CALLWHO

If RESNUM = 1, set OUTCOME = 20, SUBTYPE = 3; if MARK lt 22, set MARK = 22

If RESNUM = 2, set OUTCOME = 00, SUBTYPE = 00, if MARK lt 6, set MARK = 6

If RESNUM = 3, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If RESNUM = 4, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If RESNUM = 5, set OUTCOME = 20, SUBTYPE = 13; if MARK lt 22, set MARK = 22

If RESNUM = 6, set OUTCOME = 20, SUBTYPE = 4; if MARK lt 22, set MARK = 22

If RESNUM = 7, set OUTCOME = 20, SUBTYPE = 3; if MARK lt 22, set MARK = 22

If RESNUM = 8, set OUTCOME = 00, SUBTYPE = 00; if MARK lt 3, set MARK = 3

If RESNUM = D, set OUTCOME = 00, SUBTYPE = 00; if MARK lt 3, set MARK = 3

If RESNUM = R, if MARK lt 3, set MARK = 3

If RESNUM = F10, set MARK = 0

Soft Error: <1> : "VERIFY THAT YOU HAVE REACHED A BUSINESS NUMBER."

Soft Error: <5,6> : "VERIFY THAT YOU HAVE REACHED A PAY PHONE,"

CELLULAR PHONE, OR MOBILE PHONE"

If RESNUM = 2, set CONTACT_FL = 1

Skip Instructions: <1> Invoke softcheck1 - goto THANKRES
<2> goto HELLO_NEW
<3> goto PAYPHONE
<4> goto OTHRES
<5,6> Invoke softcheck2 " goto THANKRES
<7> goto THANKRES
<8> goto PROBCALL
<D> goto TY_CLBCK
<R> goto EXITTHNK

OTHRES

CONTACT.OTHRES

Field

Description: Other type of place

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (RESNUM = 4 AND HELLO_RET = 5) OR (RESNUM = 4 AND HELLO_RET = EMPTY AND HELLO_TWO = Empty)

Universe Description:

Question Text: Interview number: ^fINTNMBR
What type of place is this?

Is it a ... ? (PROBE AS NECESSARY)

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 2

Answer List: tOTHRES

Value:	Mnemonic:	Description:
1	BoardingHouse	Boarding or rooming house
2	WorkersHousing	Housing facility for workers (includes migrant workers)
3	StaffQuarters	Staff quarters in hospital or home for the aged, infirm, or needy
4	Hotel	Permanent living quarters in hotel or motel
5	PatientsRoom	Patientâ€™s or inmateâ€™s room
6	Camp	Camp or commune
7	Convent	Convent or monastery
8	HalfwayHouse	Halfway house
9	OtherHospital	Other place in hospital or home for the aged, infirm, or needy
10	TransientHotel	Transient living quarters in hotel, motel, or mission
11	OtherResidence	Some other type of residence, including assisted-living

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

To save space, use two columns for answer categories.

If OTHRES = 1 - 4, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If OTHRES = 5, 6, 7, 8, 9, 10, or 11, set OUTCOME = 20, SUBTYPE = 2; if MARK lt 22, set MARK = 22

If OTHRES = D, set OUTCOME = 20, SUBTYPE = 9; if MARK lt 9, set MARK = 9

If OTHRES = R, set OUTCOME = 20, SUBTYPE = 9; if MARK lt 9, set MARK = 9

If OTHRES = 5, set OUTCOME = 20, SUBTYPE = 13; if MARK lt 22, set MARK = 22

If OTHRES = 6, set OUTCOME = 20, SUBTYPE = 4; if MARK lt 22, set MARK = 22

If OTHRES = 7, set OUTCOME = 20, SUBTYPE = 3; if MARK lt 22, set MARK = 22

If OTHRES = 8, set OUTCOME = 00, SUBTYPE = 00; if MARK lt 3, set MARK = 3

If OTHRES = D, set OUTCOME = 00, SUBTYPE = 00; if MARK lt 3, set MARK = 3

If OTHRES = R, if MARK lt 3, set MARK = 3

If OTHRES = F10, set MARK = 0

Soft edits:

If OTHRES = 5, SIGNAL: VERIFY THAT YOU HAVE REACHED A PATIENTâ€™S OR INMATEâ€™S ROOM

If OTHRES = 6, SIGNAL: VERIFY THAT YOU HAVE REACHED A CAMP OR COMMUNE

If OTHRES = 7, SIGNAL: VERIFY THAT YOU HAVE REACHED A CONVENT OR MONASTERY

If OTHRES = 8, SIGNAL: VERIFY THAT YOU HAVE REACHED A HALFWAY

HOUSE

If OTHRES = 9, SIGNAL: VERIFY THAT YOU HAVE REACHED A HOSPITAL OR HOME FOR THE AGED, INFIRM, OR NEEDY

If OTHRES = 10, SIGNAL: VERIFY THAT YOU HAVE REACHED TRANSIENT LIVING QUARTERS IN A HOTEL, MOTEL, OR MISSION

If OTHRES = 11, SIGNAL: VERIFY THAT YOU HAVE REACHED SOME OTHER TYPE OF RESIDENCE

Skip Instructions: <1-4> goto PAYPHONE

<5-11, D, R>goto THANKRES

Field

PAYPHONE
CONTACT.PAYPHONE

Description: This is pay phone

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (RESNUM = 3 OR OTHRES = 1, 2, 3, or 4) AND HELLO_TWO = EMPTY

Universe Description:

Question Text: Interview number: ^fINTNMBR
Is this a pay phone?

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

If PAYPHONE = 1, set OUTCOME = 20, SUBTYPE = 13; if MARK It 22, set MARK = 22

If PAYPHONE = 2, set OUTCOME = 00, SUBTYPE = 00, MARK = 00

If PAYPHONE = 2, set CONTACT_FL = 1

If PAYPHONE = D,R, set OUTCOME = 20, SUBTYPE = 9

Skip Instructions: <1> goto THANKRES
<2> goto HELLO_NEW
<D,R> goto THANKRES

Field

HELLO_NEW
CONTACT.HELLO_NEW

Description: Is respondent 18+

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (HELLO_RET = 4 AND REPLC_FL = 1 AND HELLO_TWO = EMPTY) OR
(RESNUM = 2 AND
RES_NAME = EMPTY) OR PAYPHONE = 2

Universe Description: This screen is for INTNUM =1 or for REPLC_FL = 1 - that is, RES_NAME = blank.

Question Text: [Interview number: ^fINTNMBR](#)

I'd like to speak with a resident who is 18 years old or older, who normally uses this phone, and who knows about household expenses.

[If appropriate:](#) **Would that be you?**

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tHELLO_NEW

Value:	Mnemonic:	Description:
1	Respondent	Respondent is resident 18+
2	ResidentCalled	Resident 18+ called to phone
3	NotAvailable	Eligible person not home now or not available now
4	OnOne18	No one living in household is 18+
5	Problem	Other outcome/problem interviewing respondent, including immediate hangup and teenage phone line

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNMBR = [fill: INTNMBR]

If HELLO_NEW = 3, set OUTCOME = 55, SUBTYPE = 2; if MARK It 6, set MARK = 6

If HELLO_NEW = 5, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6

If HELLO_NEW = 1, 2, or 4 AND HELLO_TWO = EMPTY, set OUTCOME = 00, SUBTYPE = 00;
if MARK It 6, set MARK = 6

Skip Instructions: <1,2> If INTNMBR = 1 and ADLTR_FLG = 3 or 4, goto INTRO_LTR
else goto INTRO_1ST
<3> goto ID_OTHER
<4> goto FIND_OTH
<5> goto PROBCALL

Field

HELLO_RS
CONTACT.HELLO_RS

Description: New CU member is 18+

Form Pane Label:

SAS Name:

Tag Name: Is respondent 18+

Inherited Universe: all

Universe: (HELLO_RET = 3 and MARK It 3) OR (HELLO_TWO = 3)

Universe Description: This screen is for finding another member of the consumer unit to do INTNUM = 2,3,or 4.
INTRO_1st not needed-since same consumer unit.

Question Text: Interview number: ^fINTNMBR

Perhaps you can help me. I'd like to speak with a member of this household who is 18 years old or older, uses this phone, and is either related to ^fRES_NAME by blood, marriage, or other legal arrangement or who shares major living expenses with ^fRES_NAME.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Enumerated

Length: 1

Answer List: tHELLO_NEW

Value:	Mnemonic:	Description:
1	Respondent	Respondent is resident 18+
2	ResidentCalled	Resident 18+ called to phone
3	NotAvailable	Eligible person not home now or not available now
4	OnOne18	No one living in household is 18+
5	Problem	Other outcome/problem interviewing respondent, including immediate hangup and teenage phone line

Don't Know

- Refuse
 Empty

- On Input
 On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

1. If HELLO_RS = 1 or 2 or 4, store <> in RES_NAME; set NAMEFLAG = 1 " we will collect new respondent's first name in ID_RESP

2. If HELLO_RS = 3, set OUTCOME = 55, SUBTYPE = 2; if MARK It 6, set MARK = 6

3. If HELLO_RS = 1, 2, 4 or 5, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6

NOTES:

This screen is for finding another member of the consumer unit to do INTNUM = 2, 3, or 4.

INTRO_1st not needed "since same consumer unit.

Set PROB_FLG = blank

If HELLO_RS = 5, set PROB_FLG = 1

Skip Instructions: <1,2> goto INTRO_RS
<3> goto TY_CLBCK
<4> if HELLO_TWO = 3, goto TY_CLBCK; else goto FIND_OTH
<5> if HELLO_TWO = 3, goto TY_CLBCK; else goto PROBCALL

Field

PROBCALL
CONTACT.PROBCALL

Description: Problem Interviewing

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: [(HELLO_RET = 6) and (HELLO_TWO = blank or HELLO_TWO = 4)] OR
[HELLO_TWO = 4] OR [(HELLO_RS = 5) and (HELLO_TWO = blank or
HELLO_TWO = 3)] OR [HELLO_NEW = 5 AND HELLO_TWO = blank] OR
[RESNUM = 8]

Universe Description:

Question Text: ♦ Do not read to the respondent
♦ Choose the category that best indicates the problem

1. Temporarily absent or away. Nobody available through closeout.
2. Ill, hospitalized. Nobody available through closeout.
3. Temporarily ill, hospitalized.
4. Vacant
5. Physically or mentally unable
6. Answering machine/service reached
7. Language problem - Refer to Supervisor
8. Hearing problem
9. Bad connection
10. Refused interview
11. Immediate hangup
12. No member in household 18 or older
13. No one uses this place as usual residence (for example: vacation home, recreation vehicle, car phone)
14. Teenager's phone line

Type: Enumerated

Length: 1

Answer List: tPROBCALL

Value:	Mnemonic:	Description:
1	Absent	Temporarily absent or away. Nobody available through closeout.

2	Ill	Ill, hospitalized. Nobody available through closeout.
3	TemporarilyIll	Temporarily ill, hospitalized
4	Vacant	Vacant
5	Unable	Physically or mentally unable
6	AnsweringMachine	Answering machine/service reached
7	LanguageProblem	Language problem - Refer to Supervisor
8	HearingProblem	Hearing Problem
9	BadConnection	Bad connection
10	Refused	Refused interview
11	Hangup	Immediate Hangup
12	NoOne18	No member in household 18 or older
13	AllURE	No one uses this place as usual residence (for example, vacation home, recreation vehicle, car phone)
14	TeenagersLine	Teenager's phone line

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: SET PROB_FLG = 1 if PROBCALL = 1-14

Display Interview Number: INTNUM = [fill: INTNUM]

If PROBCALL = 1, set OUTCOME = 21, SUBTYPE = 2; if MARK lt 22, set MARK = 22

If PROBCALL = 2, set OUTCOME = 21, SUBTYPE = 1; if MARK lt 22, set MARK = 22

If PROBCALL = 3, set OUTCOME = 55, SUBTYPE = 1; if MARK lt 6, set MARK = 6

If PROBCALL = 4, set OUTCOME = 20, SUBTYPE = 7; if MARK lt 22, set MARK = 22

If PROBCALL = 5, set OUTCOME = 20, SUBTYPE = 10; if MARK lt 22, set MARK = 22

If PROBCALL = 6, set OUTCOME = 86, SUBTYPE = 00; if MARK lt 3, set MARK = 3

If PROBCALL = 7, set OUTCOME = 70, SUBTYPE = 00; if MARK lt 3, set MARK = 3

If PROBCALL = 8, set OUTCOME = 71, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 9, set OUTCOME = 126, SUBTYPE = 00; if MARK It 3, set MARK = 3

If PROBCALL = 10, if MARK It 3, set MARK = 3

If PROBCALL = 11, if MARK It 3, set MARK = 3

If PROBCALL = 12, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6

If PROBCALL = 13, set OUTCOME = 20, SUBTYPE = 5; if MARK It 22, set MARK = 22

If PROBCALL = 14, set OUTCOME = 20, SUBTYPE = 11; if MARK It 22, set MARK = 22

fill STOPDATE

Set PROB_FLG = 1

Skip Instructions: <1, 2, 4, 5, 13> goto EXITTHNK

<3> If RES_NAME = blank, goto ID_OTHER; else goto TY_CLBCK

<6, 7, 8, 9, 10, 11> goto TY_LAST

<12> if RES_NAME = blank, goto FIND_OTH; else goto TY_CLBCK

<14> goto THANKRES

FIND_OTH
CONTACT.FIND_OTH

Field

Description: Other eligible respondent

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: (HELLO_NEW = 4 AND HELLO_TWO = EMPTY) OR (HELLO_RS = 4 AND HELLO_RET = 3) OR (PROBCALL = 4 AND (HELLO_TWO = 4 OR ((HELLO_RET = 6 OR HELLO_NEW = 5) AND HELLO_TWO = EMPTY)))

Universe Description:

Question Text: Perhaps you can help me. You indicated that no one living in this household is 18 years old or older. May I speak to a person who lives here, is at least 16 or 17 years old, and is knowledgeable about this household?

Would you or someone else there qualify?

Type: Enumerated

Length: 1

Answer List: tFIND_OTH

Value:	Mnemonic:	Description:
1	Yes	Yes, respondent qualifies
2	SomeoneCalled	Yes, someone else called to phone
3	NotAvailable	Yes, but person not home now or not available now
4	NoOneQualified	No, no qualified person lives there

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

If FIND_OTH = 1 or 2, set OUTCOME = 00, SUBTYPE = 00; if MARK It 6, set MARK = 6

If FIND_OTH = 3, set OUTCOME = 55, SUBTYPE = 2; if MARK It 6, set MARK = 6

If FIND_OTH = 4, set OUTCOME = 20, SUBTYPE = 11; if MARK It 22, set MARK = 22

If FIND_OTH = 1 or 2, set PROB_FLG = blank

<1,2> SET PROB_FLG = blank

Skip Instructions: <1,2> If INTNUM = 1 or CONTACT_FL = 1
If ADLTR_FL = 3 or 4, goto INTRO_LTR
Else goto INTRO_1st

If INTNUM = 2, 3, or 4 and CONTACT_FL ne 1
If REPLC_FL ne 1 " goto INTRO_RS
Else If REPLC_FL = 1, goto INTRO_1st

<3> goto ID_OTHER

<4> goto THANKRES

<D> goto TY_CLBCK

<R> goto EXITTHNK

INTRO_RS

CONTACT.INTRO_RS

Field

Description: Different respondent

Form Pane Label:

SAS Name:

Tag Name: Different respondent

Inherited Universe: all

Universe: (HELLO_RS = 1 or 2 AND NOT(INTNMBR = 1 AND (ADLTR_FL = 1 OR ADLTR_FL = 4))) OR
((INTNMBR = 2, 3, or 4) AND (FIND_OTH = 1 or 2) AND REPLC_FL ne 1)

Universe Description: This screen is for a new respondent in the SAME consumer unit.

Question Text: ♦Reminder: DO NOT EXIT FROM THIS SCREEN.

This is ... from the U.S. Census Bureau. We are conducting the Telephone Point of Purchase Survey to update the Consumer Price Index by identifying where consumers currently shop.

♦Enter <1> to continue

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Interview Number: INTNUM = [fill: INTNUM]

NOTES:

This screen is for a new respondent in the SAME consumer unit.

Skip Instructions: <1> If INTNUM = 2, 3, or 4 and CONTACT_FL = 1, goto INTRO_1st; else go to ID_SPVR

INTRO_LTR
CONTACT.INTRO_LTR

Field

Description: Get letter

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: {[INTNMBR = 1 AND (ADLTR = 3 or 4)] AND [(HELLO_TWO = 1 or 2 AND MARK It 8) OR ((HELLO_NEW = 1 or 2 OR FIND_OTH = 1 or 2) AND HELLO_TWO = EMPTY) OR (HELLO_RS = 1 or 2)]} AND INTRO_LTR = EMPTY

Universe Description:

Question Text: Interview number: ^fINTNMBR

• **If necessary:** Hello. This is from the U.S. Census Bureau.

We are conducting the Telephone Point of Purchase Survey to update the Consumer Price Index by identifying where consumers currently shop.

Not long ago, we mailed a letter to your household telling you about this survey. Did you receive our letter?

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If INTRO_LTR = 1 and ADLTR = 4, set PROB_FLG = blank

If INTRO_LTR = 1 and ADLTR_FL = 4 and MARK lt 8, set MARK = 8

if INTRO_LTR = 1, set GOT_LTR_FL = 1

if INTRO_LTR = 2, set GOT_LTR_FL = 2

if INTRO_LTR = D, set GOT_LTR_FL = 9

if INTRO_LTR = R, set GOT_LTR_FL = 8

****Once the GOT_LTR_FL variable is set to 1, DO NOT reset to another value even if INTRO_LTR changes****

Skip Instructions: <1> if ADLTR_FL = 4, go to ID_SPVR; else goto INTRO_1st
<2> goto INTRO_1ST
<D,R> goto INTRO_1ST

INTRO_1ST
CONTACT.INTRO_1ST

Field

Description: Initial introduction

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe: ((MARK = EMPTY OR MARK lt 8) AND (INTNMBR = 2, or 3, or 4) AND (HELLO_NEW = 1 or 2 OR FIND_OT = 1 or 2) AND HELLO_TWO = EMPTY)
OR
(((MARK = EMPTY OR MARK lt 8) AND (INTNMBR = 1 AND (ADLTR_FL = 1 OR ADLTR_FL = 2))) AND (HELLO_TWO = 1 or 2 OR (HELLO_NEW = 1 or 2 OR Hello_New = 1 or 2 OR FIND_OTHE = 1 or 2) AND HELLO_TWO = EMPTY OR (HELLO_TWO = 3 AND HELLO_RS = 1 or 2 AND INTRO_LTR = EMPTY))
OR
(((MARK = EMPTY OR MARK lt 8) AND ((INTNMBR = 1 AND INTRO_LTR = 1 AND ADLTR_FL = 3)) OR (INTRO_LTR = 2 OR INTRO_LTR = DK OR INTRO_LTR = RF)))
OR
MARK lt 8 AND ((INTNMBR ne 1) AND REPLC_FL ne 1 AND ORIG_NAME = EMPTY AND (HELLO_TWO = 1 or 2))
OR
MARK lt 8 AND (INTNMBR = 2, 3, or 4) AND (HELLO_TWO = 1 or 2 AND REPLC_FL = 1) OR
(((HELLO_NEW = 1 or 2 OR FIND_OTH = 1 or 2) AND HELL_TWO = EMPTY) AND REPLC_FL = 1))

Universe Description:

Question Text: ♦ [If necessary: Hello, this is from the U.S. Census Bureau.](#)

^INTRO_1ST

This survey is conducted quarterly. It will take about 7 to 15 minutes to complete and is voluntary. Without Office of Management and Budget approval under project 1220-0044, we could not conduct this survey. The BLS and the Census Bureau will use the information you provide for statistical purposes only. We will protect the confidentiality of the information in accordance with the Privacy Act of 1974 and the Confidentiality Information Protection and Statistical Efficiency Act of 2002.

Title 29, Section 2 and Title 15 of the United States Code authorize us to conduct this survey.

◆ [Enter <1> to continue](#)

Fills: INTRO_1ST

Instructions: If [(ADLTR_FL = 1 or 2) or (REPLC_FL = 1)] and INTRO_RS ne 1, fill: We are conducting the Telephone Point of Purchase Survey for the Bureau of Labor Statistics to update the Consumer Price Index by identifying where consumers currently shop.

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Set PROB_FLG = blank

Display Interview Number: INTNUM = [fill: INTNUM]

Skip Instructions: <1> Set MARK = 8 " go to ID_SPVR

GOT_LTR_FL
CONTACT.GOT_LTR_FL

Field

Description: This is a flag to indicate whether or not the respondent received the Introductory letter.

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe: all

Universe:

Universe Description:

Question Text:

Type: Enumerated

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: This is a KEEP variable and should never be changed once set.

Block

INTRODUCTION

INTRODUCTION

Description: Introduction

Tab Name: ID

Fly Over Name: Introduction

Universe Type: If

Inherited Universe:

Universe:

Universe Description: SET SECTION TIME VARIABLES:

ID_START

ID_END

Array:

Block Instructions:

ID_PART

Field

INTRODUCTION.ID_PART

Description: Intro for partial interview cases

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: HELLO_TWO = 1 or 2 AND LSTMARK gt 8

Universe Description:

Question Text: ♦ Interview Number: ^fINTNMBR

♦ **If necessary:** Hello, This is from the U.S. Census Bureau.

We recently contacted your household as part of the Telephone Point of Purchase Survey. We completed part of the interview and would like to finish it now.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If ID_PART = 1 and MARK lt 8, set MARK = 8

Skip Instructions: <1> goto ID_SPVR

Field

ID_RETRN
INTRODUCTION.ID_RETRN

Description: Intro for returning cases

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (INTNMBR = 2, 3, or 4) AND [HELLO_RET = 1 or 2 OR
(HELLO_TWO = 1 or 2 AND REPLC_FL ne 1) AND ORIG_NAME ne EMPTY AND
ID_PART = EMPTY]

Universe Description:

Question Text: ♦ Interview Number: ^fINTNMBR

♦ If necessary: Hello, I'm from the U.S. Census Bureau.

We contacted your household a few months ago as part of the Telephone Point of Purchase Survey. I'm calling this month to ask you about other purchases you may have made recently.

♦ Enter <1> to continue

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Check input file (8500. RESPNAME)for respondent name; if blank, this screen should NOT be on path, since no contact was previously made with respondent

Skip Instructions: <1> go to ID_SPVR

Field

ID_SPVR
INTRODUCTION.ID_SPVR

Description: Supervisor may listen

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [((Intro_1st_ = Continue OR Intro_Rs_ = Continue OR (Front.CtSection.Intro_Ltr = Yes AND AdLtr_FI = '4') OR Id_Reetrn = Continue) OR Hello_Two_ IN[CorrectPerson, PersonCalled]) AND PROB_FLG = "]

Universe Description:

Question Text: ♦ *If necessary:* Hello. This is from the U.S. Census Bureau. We recently contacted your household as part of the Telephone Point of Purchase Survey.

^fID_SPVR

♦ *Persuade respondent to complete interview now, if possible.*

My supervisor is working with me today and may listen in to evaluate my performance.

Fills: fID_SPVR

Instructions: If ADLTR_FL = 4 and INTRO_LTR = 1, fill: "Just to remind you, this survey is conducted quarterly and will take approximately 7 to 15 minutes to complete. Participation is voluntary and the information you provide will be kept confidential."

Type: Enumerated

Length: 1

Answer List: tID_SPVR

Value:	Mnemonic:	Description:
1		Continue with interview
2		Inconvenient time, callback needed
3		Refused to participate
4		Language problem OR refer to supervisor

- Don't Know
- Refuse

Empty

On Input

On Output

Array:

Special Instructions: If ID_SPVR = 1, set OUTCOME = 00, SUBTYPE = 00; if MARK lt 6, set MARK = 6

If ID_SPVR = 2, set OUTCOME = 55, SUBTYPE = 2; if MARK lt 8, set MARK = 8

If ID_SPVR = 3, if MARK lt 7, set MARK = 7

If ID_SPVR = 4, set OUTCOME = 20, SUBTYPE = 12; if MARK lt 7, set MARK = 7

If ADLTR_FL = 4 and INTRO_LTR = 1, fill: "Just to remind you, this survey is conducted quarterly and will take approximately 7 to 15 minutes to complete. Participation is voluntary and the information you provide will be kept confidential."

Skip Instructions: <1> If MARK gt 8 AND RES_NAME ne blank -- goto ID_PTINT

If INTNUM = 1 OR REPLC_FL = 1, goto ID_RESP

If INTNUM = 2, 3, or 4 AND RES_NAME = blank, goto ID_RESP

Else if RES_NAME ne blank and if I_COUNTY ne blank goto GEO_VER

Else goto GEO_ST

<2> If RES_NAME = blank goto ID_WHO ; else goto TY_CLBCK

<3, 4> goto EXITTHNK

Field

ID_RESP
INTRODUCTION.ID_RESP

Description: Name of respondent

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: ID_SPVR = 1 and RES_NAME = blank

Universe Description:

Question Text: May I have your first name.

✦ If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Enumerated

Length: 20

Answer List: tID_RESP

Value:	Mnemonic:	Description:
1		Enter Name: [allow 20]

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Hard Error if entry is all numeric:

HARD ERROR: THERE MUST BE AT LEAST ONE ALPHABETIC CHARACTER IN THIS FIELD. GO BACK TO CORRECT.

Store ID_RESP in RES_NAME

If MARK It 8, set MARK = 8

Skip Instructions: If INTNUM = 2, 3, or 4 and REPLC_FL ne 1 and I_COUNTY ne blank--goto
GEO_VER
else goto GEO_ST

Field

ID_PTINT
INTRODUCTION.ID_PTINT

Description: Resume intro

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: ID_SPVR = 1 AND MARK gt 8 AND PROB_FLG ne 1

Universe Description:

Question Text: Respondent: ^fRES_NAME

◆ Press the <END> key for the next unanswered question.

Fills: fRES_NAME

Instructions: RES_NAME = the answer provided in variable RES_NAME

Type: Integer

Length: 1

Min: 1

Max: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <END> goto NEXT UNANSWERED QUESTION

ID_WHO

Field

INTRODUCTION.ID_WHO

Description: Who to call back

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: RES_NAME = blank and ID_SPVR = 2

Universe Description: First name of person to call back, if needed

Question Text: We can call back when it is more convenient. May I have your first name, so that we can ask for you when we call again?

◆ If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Open

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Display Hard Error if entry is all numeric:
HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

If ID_WHO ne blank, D or R, set OUTCOME = 55, SUBTYPE = 2;
if MARK lt 6, set MARK = 6

store ID_WHO in RES_NAME

Skip Instructions: goto TY_CLBCK

Field

ID_OTHER
INTRODUCTION.ID_OTHER

Description: Who else to call

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [RES_NAME = blank] AND [HELLO_NEW = 3 or FIND_OTH = 3 or PROBCALL = 3]

Universe Description:

Question Text: Fine. I'll call back later. Whom should I ask for when I call back?

✦ If respondent prefers NOT to give their name, use YOUR best judgement and key LADY OF HOUSE or MAN OF HOUSE

Type: Open

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

2. If ID_OTHER ne blank, AND PROBCALL ne 3,
set OUTCOME = 55, SUBTYPE = 2; if MARK lt 6, set MARK = 6

store ID_OTHER in RES_NAME

Skip Instructions: goto TY_CLBCK

GEOGRAPHY

GEOGRAPHY

Block

Description: Contains the geography questions for the survey

Tab Name: Geography

Fly Over Name: GEO

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

GEO_VER
GEOGRAPHY.GEO_VER

Description: Same county

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [ID_SPVR = 1 OR ID_RESP ne blank] AND
[INTNUM = 2, 3, or 4 AND REPLC_FL ne 1 AND
I_COUNTY ne blank]

Universe Description: Verify if collected in a previous interview.

Question Text: Is your household still located in ^fl_COUNTY?

Fills: fl_COUNTY

Instructions: Fill fl_COUNTY - I_COUNTY

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Fill county name and state from input file.
I_COUNTY (length = 30) located in record type 8500/location 37-66

If GEO_VER = 1, store I_COUNTY in COUNTY

If GEO_VER = 1, store FIPSCODE (8500/67-71) in

FIPS_ST and FIPS_CTY

If GEO_VER = 1, store I_MOVEDATE in MOVEDATE

If GEO_VER Make MOVERCL = NUMBER OF DAYS BETWEEN MOVEDATE AND
SYSDATE

If MARK lt 11, set MARK = 11

Skip Instructions: <1> goto GEO_DONE

<2,D,R> goto GEO_ST

Field

GEO_ST
GEOGRAPHY.GEO_ST

Description: Respondent's state of residence

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: INTNUM = 1 OR REPLC_FL = 1 OR
GEO_VER = 2, D, or R OR I_COUNTY = blank

Universe Description: Possible states of respondent residence

Question Text: In which state do you live?

Type: Classification

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Store Instructions: STORE GEO_ST in FIPS_ST

Array:

Special Instructions: [fill STATE_n associated with PSU in XSTATE]

SOFTCHECK: RESPONDENT DOES NOT LIVE IN ANY STATE LISTED?

HARDCHECK STATE NUMBER OUT OF RANGE FOR PSU

Number of states in PSU stored in XSTATE;
display appropriate number

Reject if GEO_ST gt XSTATE (state number out of range
for PSU)

Store GEO_ST in FIPS_ST

If GEO_ST = 1 - 4, set OUTCOME = 00, SUBTYPE = 00

If GEO_ST = D, set OUTCOME = 20, SUBTYPE = 9;

if MARK lt 8, set MARK = 8

If GEO_ST = R, if MARK lt 9, set MARK = 9

If GEO_ST = 95, set OUTCOME = 20, SUBTYPE = 8;
if MARK lt 22, set MARK = 22

Skip Instructions: <1,2,3,4> [goto GEO_CNTY]
<95> Invoke SOFTCHECK - goto THANKRES
<D> [goto EXITTHNK]
<R> [goto EXITTHNK]

Field

GEO_CNTY
GEOGRAPHY.GEO_CNTY

Description: Respondent's county of residence

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (GEO_ST = 1, 2, 3, or 4) AND
[INTNUM = 1 OR REPLC_FL = 1 OR
GEO_VER = 2, D, or R OR I_COUNTY = blank]

Universe Description: Possible counties of respondent

Question Text: In which county do you live?

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: Number of counties in GEO_ST in PSU is stored
in XCOUNTY; display appropriate number
Store GEO_CNTY in FIPS_CTY

Array:

Special Instructions: [fill CNTY_n associated with GEO_ST in PSU]

SOFTCHECK: RESPONDENT DOES NOT LIVE IN ANY COUNTY LISTED?

HARDCHECK COUNTY NUMBER OUT OF RANGE FOR STATE

Number of counties in GEO_ST in PSU is stored
in XCOUNTY; display appropriate number

Reject if GEO_CNTY gt XCOUNTY (county number out of
range for GEO_ST in PSU)

Store GEO_CNTY in FIPS_CTY

If GEO_CNTY ne D,R, or 95, if MARK lt 11,
set MARK = 11

If GEO_CNTY = 1 - 26, set OUTCOME = 00, SUBTYPE = 00
If GEO_CNTY = D, set OUTCOME = 20, SUBTYPE = 9;
 if MARK lt 8, set MARK = 8
If GEO_CNTY = R, if MARK lt 9, set MARK = 9
If GEO_CNTY = 95, set OUTCOME = 20, SUBTYPE = 8;
 if MARK lt 22, set MARK = 22

Skip Instructions: <1, 2 ... n, 26> if PSU = A103 OR (PSU = A110 AND
 GEO_ST =1 AND GEO_CNTY = 1 - 4) OR
 PSU = B108 OR PSU = B116 " goto GEO_LIM;
 else goto GEO_LONG
<95> Invoke SOFT CHECK - goto THANKRES
<D, R> [goto EXITTHNK]

Field

GEO_LIM
GEOGRAPHY.GEO_LIM

Description: Inside city limits

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (GEO_CNTY = 1, 2, ... n, 26) AND [(PSU = A103) OR
(PSU = A110 and GEO_ST = 1 and GEO_CNTY = 1 - 4) OR
(PSU = B108) OR (PSU = B116)]

Universe Description:

Question Text: Do you live inside the limits of a city, town, borough, or village?

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

- Store Instructions:**
1. If GEO_LIM = 1, set OUTCOME = 00, SUBTYPE = 00
 2. If GEO_LIM = 2, set OUTCOME = 20, SUBTYPE = 8;
if MARK lt 22, set MARK = 22
 3. If GEO_LIM = D, set OUTCOME = 20, SUBTYPE = 9;
if MARK lt 8, set MARK = 8
 4. If GEO_LIM = R, if MARK lt 9, set MARK = 9

Array:

Special Instructions: SOFTCHECK: RESPONDENT DOES NOT LIVE IN CITY LIMITS?

Skip Instructions: <1> [goto GEO_TOWN]

<2> Invoke SOFT CHECK - goto THANKRES
<D> [goto EXITTHNK]
<R> [goto EXITTHNK]

Field

GEO_TOWN
GEOGRAPHY.GEO_TOWN

Description: Town/City of residence

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_LIM is 1

Universe Description:

Question Text: What is the name of the city or town?

Type: Classification

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Store Instructions: Store GEO_TOWN in TOWN

Array:

Special Instructions:

SOFTCHECK: RESPONDENT DOES NOT LIVE IN ANY CITY/TOWN LISTED?

HARDCHECK: TOWN NUMBER OUT OF RANGE FOR COUNTY

1. City/Town names are HARD-CODED in >TOWNS<

2. Number of cities/towns in GEO_TOWN in GEO_CNTY in PSU
is stored in XTOWNS; display appropriate number

3. Reject if GEO_TOWN gt XTOWNS (town number out of
range for GEO_TOWN in GEO_CNTY in PSU)

4. If GEO_TOWN = 1- 54, set OUTCOME = 00, SUBTYPE = 00

5. If GEO_TOWN = D, set OUTCOME = 20, SUBTYPE = 9;

if MARK It 8, set MARK = 8

6. If GEO_TOWN = R, if MARK It 9, set MARK = 9

7. If GEO_TOWN = 95, set OUTCOME = 20, SUBTYPE = 8;
if MARK It 22, set MARK = 22

Skip Instructions: <1, 2 ... n, 54> [goto GEO_LONG]
<95> Invoke SOFT CHECK - goto THANKRES
<D> [goto EXITTHNK]
<R> [goto EXITTHNK]

Field

GEO_LONG
GEOGRAPHY.GEO_LONG

Description: How long in area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_CNTY = 1 - 26

Universe Description: all respondents during first interview

Question Text: How long have you lived in ^fLONGNAME?

Fills: fLONGNAME

Instructions: Fill fLONGNAME with LONGNAME

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: Fill LONGNAME

1. If MARK It 11, set MARK = 11

Skip Instructions: <1,D,R> If [INTNUM = 2, 3, 4 AND REPLC_FL ne 1 AND I_PSINCU
ne blank] â€" goto GEO_DONE
<2> [goto GEO_MN]

GEO_MN
GEOGRAPHY.GEO_MN

Field

Description: Month moved to area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_LONG = 2

Universe Description: Lived less than 5 years in area

Question Text: What are the month and year you moved to the area?

Enter Month:

Type: Classification

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <1-12, D, R> [goto GEO_YR]

Field

GEO_YR
GEOGRAPHY.GEO_YR

Description: Year moved to area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_MN = 1-12, D, R (GEO_MN on path)

Universe Description:

Question Text: 2002 TO 2007

Enter Year:

Type: Classification

Length: 4

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: If GEO_MN and GEO_YR are more than 1 month ago - SET GEO_DY = 15 " goto GEO_DONE

Array:

Special Instructions:

If GEO_MN gt I_MN and GEO_YR = I_YEAR " Invoke HARD CHECK " goto ERR_FUT1

If GEO_MN If I_MN and GEO_YR=(I_YEAR-5) Invoke HARD CHECK go to ERR_LONG

MAKE MOVEDATE [allow 8] = MMDDYYYY (MM = month, DD = day, YYYY = year)

If GEO_YEAR = D or R, store blank in MOVEDATE

If GEO_MN = D or R AND GEO_YR = CURRENT YEAR, store systems date in MOVEDATE

If GEO_MN = D or R AND GEO_YR ne D or R or current year, store current month in MOVEDATE (MM)

If GEO_YR ne D or R .and. GEO_MN ne D or R â€“ MAKE MOVEDATE = GEO_MN + GEO_DY + GEO_YR [allow 8] (MMDDYYYY)

If GEO_YR = D or R, set MOVEDATE = blank

MAKE MOVEDAYS = NUMBER OF DAYS BETWEEN MOVEDATE AND SYSDATE.

HARD CHECKS:

ERR_FUT1: DATE ENTERED IS IN THE FUTURE

ERR_LONG: DATE ENTERED IS MORE THAN FIVE YEARS AGO

If GEO_MN lt I_MN and GEO_YR = (I_YEAR - 5) â€“ Invoke HARD CHECK â€“ goto ERR_LONG

Skip Instructions: If GEO_MN and GEO_YR are less than
1 month ago - goto GEO_DY
If GEO_MN and GEO_YR are more than 1 month ago - goto GEO_DONE
<D, R> â€“ goto GEO_DONE

Field

GEO_DONE
GEOGRAPHY.GEO_DONE

Description: Section is complete

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (GEO_ST NE D,R, 95) AND(GEO_CNTY ne D, R, 95)

Universe Description:

Question Text: [Enter 1 to continue.](#)

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: This is a GATE variable. Before leaving the GEO section, the interviewer MUST enter "1".

Skip Instructions: <1> if I_PSINCU ne blank, goto HR_VER; else goto HR_SIZE

GEO_DY
GEOGRAPHY.GEO_DY

Field

Description: Day moved to area

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: GEO_MN and GEO_YR are less than 1 month ago (moved less than 1 month ago)

Universe Description:

Question Text: [Enter Day:](#)

Type: Integer

Length: 2

Min:

Max:

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: If GEO_MN gt I_MN and GEO_DY gt I_DY -- Invoke HARD CHECK " goto ERR_FUT2

MAKE MOVEDATE = GEO_MN + GEO_DY + GEO_YR

MAKE MOVEDAYS = NUMBER OF DAYS BETWEEN MOVEDATE AND SYSDATE.

HARD CHECK: ERR_FUT2

DATE ENTERED IS IN THE FUTURE

Note: It is not necessary to do a check about past dates, since only those people that moved within the last 30 days will come to this point--and the dates entered would still fall in range.

Skip Instructions: <1-31, D,R> [goto GEO_DONE]

If GEO_MN gt I_MN and GEO_DY gt I_DY -- Invoke HARD CHECK " goto
ERR_FUT2

Household Roster

Block

Household Roster

Description: Questions about the members of the household

Tab Name: HR

Fly Over Name: Household Roster

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

HR_VER
Household Roster.HR_VER

Description: Verify number HH members

Form Pane Label: Verify number HH members

SAS Name: HR_VER

Tag Name:

Inherited Universe:

Universe: (INTNMBR = 2 or INTNMBR = 3 or INTNMBR = 4) AND (REPLC_FL ne 1) AND (I_PSINCU ne blank) OR [(Hello_Rs = 1 or 2) and (I_PSINCU ne '01' and I_PSINCU ne blank)]

Universe Description:

Question Text: ♦ INTERVIEW NUMBER: ^fINTNMBR

In your last interview, we determined that there ^IS_ARE ^fl_PSINCU ^PERSON_PERSONS residing in your consumer unit. Is this still true?

♦ **If necessary:** A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, who share major living expenses.

Fills: fINTNMBR

Instructions: This fills in the interview number from the variable INTNMBR and is = INTNMBR

Fills: IS_ARE

Instructions: Fill "is" if I_PSINCU = 1, else fill "are".

Fills: fl_PSINCU

Instructions: Fill = I_PSINCU

Fills: PERSON_PERSONS

Instructions: Fill "person" if I_PSINCU = 1, else fill "persons".

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: <1> store I_PSINCU in PSINCU " goto CP_INTRO

Array:

Skip Instructions: <1> " goto CP_INTRO
<2,D,R> goto HR_SIZE

Field

HR_SIZE
Household Roster.HR_SIZE

Description: Household size

Form Pane Label:

SAS Name: HR_SIZE

Tag Name:

Inherited Universe:

Universe: INTNMBR = 1 OR REPLC_FL = 1 OR HR_VER = 2, D, or R
OR (HELLO_RS = 1 or 2 and I_PSINCU = 1) OR I_PSINCU = blank

Universe Description:

Question Text: ♦ Sample Phone : (^fAREA) ^fPREFIX - ^fSUFFIX How many persons living at this residence are served by THIS telephone number? Do not include students living away at college or temporary house guests.

Fills: fAREA

Instructions: Fill respondent's area code = AREA

Fills: fPREFIX

Instructions: Fill the respondent's first 3 digits of his/her phone number = PREFIX

Fills: fSUFFIX

Instructions: Fill the respondent's last 4 digits of his/her phone number = SUFFIX

Type: Integer

Length: 2

Min: 1

Max: 99

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: <1> store HR_SIZE in PSINCU; goto CP_INTRO

Array:

Special Instructions: HR_SIZE gt 30: SOFT EDIT: SIGNAL - NUMBER SEEMS UNUSUALLY HIGH.
PLEASE VERIFY

Skip Instructions: <1> goto CP_INTRO

<2-30> goto HR_DESCU

<31-99> goto HR_DESCU

<D,R> [goto HR_DESCU]

Field

HR_DESCU
Household Roster.HR_DESCU

Description: One consumer unit

Form Pane Label:

SAS Name: HR_DESCU

Tag Name:

Inherited Universe:

Universe: HR_SIZE gt 1 or HR_SIZE = D or R

Universe Description:

Question Text: ♦ If respondent asks what major living expenses are included, click on the DEFS tab and choose number 3. Read entire answer.

I will be asking questions about purchases made by people in your consumer unit. A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, who share major living expenses.

Does this describe all of the people at this residence?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: store HR_SIZE in PSINCU

Array:

Skip Instructions: <1> If HR_SIZE = D or R, goto HR_NUMCU;
else if HR_SIZE gt 1, goto CP_INTRO

<2, D, R> [goto HR_NUMCU]

HR_NUMCU

Field

Household Roster.HR_NUMCU

Description: Number of people in consumer unit

Form Pane Label:

SAS Name: HR_NUMCU

Tag Name:

Inherited Universe:

Universe: (HR_SIZE = D or R and HR_DESCU = 1) OR
HR_DESCU = 2

Universe Description:

Question Text: ^MORETHAN1

How many people are in YOUR consumer unit?

If necessary: A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, who share major living expenses.

Fills: MORETHAN1

Instructions: if HR_DESCU = 2, fill the following text: You've indicated you have more than one consumer unit at your residence

Type: Integer

Length: 2

Min: 1

Max: 99

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: HR_NUMCU gt 30: SIGNAL - NUMBER SEEMS UNUSUALLY HIGH. PLEASE VERIFY

(HR_SIZE ne DK or RF or blank) AND HR_NUMCU gt HR_SIZE:

CHECK - NUMBER IN CONSUMER UNIT IS LARGER THAN NUMBER IN

HOUSEHOLD.

GO BACK TO CORRECT.

Skip Instructions: <1-30> store HR_NUMCU in PSINCU " goto CP_INTRO

<31-99> store HR_NUMCU in PSINCU " goto CP_INTRO

< D, R> store <> in PSINCU " goto CP_INTRO

COMMODITY PURCHASES

COMMODITY PURCHASES

Block

Description: Questions about CU commodity purchases

Tab Name:

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

CP_INTRO
COMMODITY PURCHASES.CP_INTRO

Description: Commodity introduction

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: HR_VER = 1 or HR_SIZE = 1 or HR_DESCU = 1 or HR_NUMCU ne blank

Universe Description:

Question Text: Now I have some questions about purchases ^YOU_YOUR may have made ^TIMEFILL.

Please include items purchased as gifts, but exclude items purchased for a business.

If necessary: A consumer unit is a person living alone or a group of two or more people who are related or, if unrelated, share major living expenses.

Fills: YOU_YOUR

Instructions: fill "you" if PSINCU = 1;
else fill "your consumer unit"

Fills: TIMEFILL

Instructions: fill "recently" if GEO_LONG = 1, D, R;
else fill "since you have lived in the area."

Type: Enumerated

Length: 1

Answer List: tContinue

Value:	Mnemonic:	Description:
1	Continue	Continue

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: Display how many POPSCATS are possible for the PSU in the left upper corner of the infopane. Show ORDER and TOTCOMM.

Array:

Special Instructions: (YOU/YOUR) you/your consumer unit

fill "you" if PSINCU = 1;
else fill "your consumer unit"

(TIMEFILL) recently/since you have lived in the area.

fill "recently" if GEO_LONG = 1, D, R;
else fill "since you have lived in the area."

(PSULONGNAME)fill the long name of the PSU

Skip Instructions: <1> [goto CP_PURC]

Field

CP_PURC
COMMODITY PURCHASES.CP_PURC

Description: Purchases/expenses, repeated for each commodity item purchased

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_INTRO = 1 or <ORDER> It <TOTCOMM>

RANDNMBR between LORANGE AND HIRANGE

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

In the ^fRECALLD ^HAVEHAS ^PAHEF2 ^TITLE ^TIMEFILL?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fRECALLD

Instructions: If RPTIME = 1, fill "past week"
If RPTIME = 2, fill "past two weeks"
If RPTIME = 3, fill "past month"
If RPTIME = 4, fill "past three months"
If RPTIME = 5, fill "past six months"
If RPTIME = 6, fill "past year"
If RPTIME = 7, fill "past two years"
If RPTIME = 8, fill "past five years"

Fills: HAVEHAS

Instructions: fill "have you" if PSINCU = 1;
else fill "has anyone in your consumer unit"

Fills: PAHEF2

Instructions: fill "purchased any" if COMMTYPE = G (good)
or fill "had expenses for" if COMMTYPE = S (service)

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: TIMEFILL

Instructions: fill "recently" if GEO_LONG = 1, D, R;
else fill "since you have lived in the area."

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If POPSCAT = T14, display:

Local vehicle registration refers to city, county, or other LOCAL government registration for vehicles. State registration is NOT included.

If ORDER ge 2, set PARTFLAG = 1 and MARKTWO = 001. If MARK lt 12, set MARK = 12. Set OUTCOME = 000.

PURCVER1, fill if recall period changes or if answer to previous PURC question = 1;

(fill: RECALLFL) (fill: HAVEHAS) (fill:PAHEF2) (fill:TITLE)?

RECALLFL

In the (fill:RECALLD)/Since you moved to the area

fill "In the (fill:RECALLD) if GEO_LONG = 1, D, R or
MOVEDAYS gt RECLDAYS
else fill: Since you moved to the area"

TITLE

fill "€œcommodity title€• from parameter file

PURCVER2

(fill:PAHEF1) (fill:TITLE)?

PAHEF1 Purchased any/Had expenses for
fill "Purchased any" if COMMTYPE = G (good)
or fill "Had expenses for" if COMMTYPE = S (service)

TITLE

fill "commodity title" from parameter file
<F1> Commodity Help

Skip Instructions: >Value/Skip Instructions

<1> [if POPSCAT = H05 or H06 or R02 " goto CP_DIRPY]
[goto CP_OLTNM]

<2,D,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER = TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto
CP_END

CP_DIRPY

Field

COMMODITY PURCHASES.CP_DIRPY

Description: Direct payment

Form Pane Label:

SAS Name: CP_DIRPY

Tag Name:

Inherited Universe:

Universe: POPSCAT = H05 or POPSCAT = H06 or POPSCAT = R02 and CP_PURC = 1

Universe Description:

Question Text: [COMMODITY CODE: ^fPOPSCAT](#)

Were the expenses for ^TITLE ... :

[Read answer categories](#)

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Type: Enumerated

Length: 1

Answer List: tCP_DIRPY

Value:	Mnemonic:	Description:
1		Paid directly to service provider (CASH, CHECK, OR CREDIT CARD)
2		Included in rent/condominium or other fee
3		Included in property taxes
4		Paid by other means

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: 1. Display in upper left-hand corner
COMMODITY CODE = [fill: POPSCAT]

Skip Instructions: <1> [goto CP_OLTNM]

<2, 3, 4,> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt
TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM,
goto CP_END

<D,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt
TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM,
goto CP_END

<F1> Commodity Help

CP_OLTNM

Field

COMMODITY PURCHASES.CP_OLTNM

Description: Outlet name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_PURC = 1 and CP_DIRPY = 1 or blank or
CP_COST_DR not equal blank

Universe Description:

Question Text: ?[F1] COMMODITY CODE= ^fPOPSCAT

What are the names of all the DIFFERENT places from which ^YOU_YOUR
^PAHEF2 ^TITLE?

If necessary: ^fRECALLFL

Enter 888 to delete an outlet Any place else? If respondent mentions an outlet
name more than one time, probe to be sure that the outlet mentioned again is
actually at a separate LOCATION. Press ENTER when no more outlets are
reported

[

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: YOU_YOUR

Instructions: fill "you" if PSINCU = 1;
else fill "your consumer unit"

Fills: PAHEF2

Instructions: fill "purchased any" if COMMTYPE = G (good)
or fill "had expenses for" if COMMTYPE = S (service)

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fRECALLFL

Instructions: Fill fRECALLFL: In the(RECALLD)/Since you moved to the area

Type: String

Length: 80

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: 1.SPECINST

If POPSCAT = R29:

IF RESPONDENT SAYS VENDING MACHINE, ENTER "VENDING MACHINE"•

IF RESPONDENT SAYS STREET VENDOR, ENTER "STREET VENDOR"•

If POPSCAT = M04:

IF RESPONSE INCLUDES THE WORD "HOSPITAL,"• PROBE FOR A SPECIFIC PHYSICIAN'S NAME. IF UNABLE TO OBTAIN PHYSICIAN'S NAME, ENTER HOSPITAL NAME.

2. Fill NOTE

If POSCAT = T04, T17, H02, R26 OR R27

IF respondent mentions and outlet name more than one time, probe to be sure that the outlet is mentioned again for a different occasion.

Else, fill:

If respondent mentions and outlet name more than one time, probe to be sure that the outlet mentioned again is actually at a separate location.

3. WHATOLT - SPECIAL WORDING REQUIRED for T14, H05, H06, R30

If POPSCAT = T14

What is the name of each local government agency from which [fill: YOU/YOUR] had expenses for [fill: TITLE]?

If POPSCAT = H05 or H06

What is the name of each organization from which [fill: YOU/YOUR] had expenses

for [fill: TITLE]?

If POPSCAT = R30

What are the names of all [fill: TITLE] [fill: YOU/YOUR] purchased?

If POPSCAT = T17

What are the names of all the cruise lines or tour companies used?

If POPSCAT = H02

What are the names of all the hotels, motel, or vacation rental used?

If POPSCAT = T04

What are the names of all the rental companies used?

If POPSCAT = R27

What are the names of all the places where the events were held, such as stadiums, arenas, parks and gyms?

If POPSCAT = R26

What are the names of all the places where the events occurred, such as theaters concert halls, museums, zoos or theme parks?

ALL OTHER POPSCATs (including R02, R29, or M04)

What are the names of all the DIFFERENT places from which [fill:YOU/YOUR] [fill:PAHEF2] [fill:TITLE]?

4. fill: SPECINST]

[fill: WHATOLT - special wording for T14, H05, H06, R30 "What is the name of each local government agency from which (fill: YOU/YOUR) has expenses for (fill: TITLE)]

5. Provide/Output CP_CODE for every outlet identified.

The first 1 or 2 digits of CP_CODE refers to the ORDER of the POPSCAT - that is, the outlets identified for the first POPSCAT in the PSU (regardless of whether it is in sample) will begin with "1" and the outlets identified for the tenth POPSCAT in the PSU will begin with a "10."• (The maximum value for the first 2 digits is "16".)

If a POPSCAT is in sample, but no outlets are identified for that POPSCAT, the order-identifier for that POPSCAT will not be used - that is, if no outlets are identified for the third POPSCAT in sample, no CP_CODE will begin with the number "3."

If a POPSCAT in the PSU is not in sample for the case, the order-identifier for that POPSCAT will not be used. For example, if the random number for a case excludes the fourth POPSCAT, no CP_CODE will begin with the number "4."•

The last digit of CP_CODE numbers the outlet as it is identified - that is, the first outlet identified for a particular POPSCAT gets a "1" and the third outlet identified for that SAME POPSCAT gets a "3." (The maximum value for the last digit is "5".)

6. ALLOW UP TO FIVE OUTLET NAMES FOR EACH COMMODITY.

CP_OLTNM1
CP_OLTNM2
CP_OLTNM3
CP_OLTNM4
CP_OLTNM5

7. If OLTNM = D, R, ask CP_COST_DR - DO NOT ASK ANY OTHER QUESTIONS FOR THIS OUTLET

8. If OLTNM is deleted (OLTNM = 888) check to see if address information is available for the outlet. If "YES," then address variables will remain on path. If "NO," then address variables will be off path. That is to say, an outlet reported and deleted before address information is collected, will not get address questions.

Skip Instructions: <allow = 30>

NO MORE [if POPSCAT = R30, goto CP_MAGSB]
[if POPSCAT = H05 or H06, goto CP_GOVAG]
[else goto CP_COST]

<D> [goto CP_COST_DR]

<R> [goto CP_COST_DR]

<F1> Commodity Help

CP_COST_DR

Field

COMMODITY PURCHASES.CP_COST_DR

Description: Cost if no outlet name**Form Pane Label:****SAS Name:****Tag Name:****Inherited Universe:****Universe:** CP_OLTNM = BLANK, D, R**Universe Description:****Question Text:** COMMODITY CODE= ^fPOPSCAT**About how much did ^YOU_YOUR spend there for ^TITLE?****If necessary:** ^fRECALLFL**Fills:** fPOPSCAT**Instructions:** Fill the value for POPSCAT**Fills:** YOU_YOUR**Instructions:** fill "you" if PSINCU = 1;
else fill "your consumer unit"**Fills:** TITLE**Instructions:** Fill "commodity title" from parameter file**Fills:** fRECALLFL**Instructions:** Fill fRECALLFL: In the(RECALLD)/Since you moved to the area**Type:** Real / decimal**Length:** 75**Min:** 0

Max: 0

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: If CP_COST ne blank - set CP_OLTYP = 1
STORE CP_COST_DR in CP_COST

Array:

Special Instructions: 1. Fill RECALLFL: In the (RECALLD)/Since you moved to the area

2. SOFTCHECKS

<0> invoke SOFTCHECK (SOFTFREE): SOFTFREE: PLEASE VERIFY THAT THERE WAS NO COST.

[if CP_COST greater than MAXTOVER, invoke SOFTCHECK (SOFTOVER): SOFTOVER: THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE VERIFY.

3. If CP_COST ne blank - set CP_OLTYP = 1
STORE CP_COST_DR in CP_COST

NOTES: No Outlet Information needed for OUTLETS where OUTLET NAME not known

Skip Instructions: <0> invoke SOFTCHECK (SOFTFREE) â€œ Go BACK to CP_OLTNM

<1-999999> [if CP_COST greater than MAXTOVER, invoke SOFTCHECK (SOFTOVER) -
Go BACK to CP_OLTNM

<D,R> Go BACK to CP_OLTNM

<F1> Commodity Help

CP_GOVAG

Field

COMMODITY PURCHASES.CP_GOVAG

Description: CP_GOVAG

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: POPSCAT = H05 or H06 and CP_OLTNM not equal D, R, or blank

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

If answer is evident, enter without asking.

If necessary, ask:

Is this a private firm or government agency?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Type: Enumerated

Length: 1

Answer List: tCP_GOVAG

Value:	Mnemonic:	Description:
1		Private firm
2		Government agency

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Skip Instructions: <1,D,R> goto CP_COST

<2> goto CP_DEPNM

<F1> Commodity Help

CP_DEPNM

Field

COMMODITY PURCHASES.CP_DEPNM

Description: Name of department

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_GOVAG = 2

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

You told me that this service was provided to you by ^PLACE. What is the name of the department which provides this service?

Enter Name

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Type: String

Length: 36

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Skip Instructions: <allow = 30> goto CP_COST

<D,R> goto CP_COST

<F1> Commodity Help

CP_MAGSB

Field

COMMODITY PURCHASES.CP_MAGSB

Description: Direct subscription/ reservation

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (POPSCAT = H02, R26, R27, R30, T04 or T17)and CP_OLTNM not equal D, R, or blank

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT
(fill: DIRECT)

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Type: Enumerated

Length: 2

Answer List: tCP_MAGSB

Value:	Mnemonic:	Description:
1		Publisher
2		Wholesale distributor/secondary source

- Don't Know
 Refuse
 Empty

- On Input
 On Output

Array:

Special Instructions: If POPSCAT = R30

Was the subscription for ^fCP_OLTNM purchased directly from the publisher or from a wholesale distributor or a secondary source?

Answer Lists.tCP_MAGSB

If POPSCAT = T17, H02 or T04

Was the reservation made directly with ^fCP_OLTNM or was it booked through a different company?

Answer Lists.tCP_MAGSB2

If POPSCAT = R26 or R27

Where the tickets purchased directly from ^fCP_OLTNM or were they purchased another way?

Answer Lists.tCP_MAGSB3

Skip Instructions: <1,D,R> goto CP_COST
<2> goto CP_MAGDS

<F1> Commodity Help

CP_MAGDS

Field

COMMODITY PURCHASES.CP_MAGDS

Description: Name of distributor

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_MAGSB = 2

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT
(fill: NEWSOURCE)

Enter Name:

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: POST-PROCESSING: Store CP-MAGDS in CP_OLTNM

Copy CP_OLTNM into CP_MAGNM (no display - on OUTPUT FILE only)

Array:

Special Instructions: IF POPSCAT = R30

What is the name of the wholesale distributor or secondary source from which you purchased
^fCP_OLTNM?

If POPSCAT = T17, H02 or H04

What is the name of the company you used to make your reservation for
^fCP_OLTNM?

If POPSCAT = R26 or R27

What is the name of the company you used to purchase your tickets for
^fCP_OLTNM?

Skip Instructions: <allow = 30> goto CP_COST

<D,R> goto CP_COST

<F1> Commodity Help

CP_COST

Field

COMMODITY PURCHASES.CP_COST

Description: Cost

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTNM not equal BLANK or D or R

Universe Description:

Question Text: [COMMODITY CODE = ^fPOPSCAT](#)

About how much did ^YOU_ YOUR spend at ^fPLACE2 for ^TITLE ^fPLACE1?

(Fill: Please do NOT include taxes based on the value of the motor vehicle.)

[If necessary: ^fRECALLFL](#)

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: fPLACE2

Instructions: If CP_MAGDS ne blank, fill: "at CP_MAGDS"
If CP_OLTNM = VENDING MACHINE, fill: "at the vending machine"
If CP_OLTNM = STREET VENDOR, fill: "at the street vendor"
If CP_MAGSB = 1, fill: "for the CP_OLTNM subscription"
else, fill: CP_OLTNM

Fills: TITLE

Instructions: Fill "commodity title" from parameter file

Fills: fPLACE1

Instructions: If CP_MAGDS ne blank and If POPSCAT = H02, R26, R27 or T04, fill "at CP_OLTNM"

If CP_MAGDS ne blank and If POPSCAT = T17, fill "on CP_OLTNM"

Fills: fRECALLFL

Instructions: Fill fRECALLFL: In the(RECALLD)/Since you moved to the area

Type: Set

Max Number of Values:

Length: 10

Answer List: tCP_COST_DR

Value:	Mnemonic:	Description:
1		\$__ __ __ __ __ . 00

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. PLACE1

If CP_MAGDS ne blank and If POPSCAT - H02, R26, R27 or T04, fill "at CP_OLTNM"

If CP_MAGDS ne blank and If POPSCAT = T17, fill "on CP_OLTNM"

2. PLACE2

If CP_MAGDS ne blank, fill: "at CP_MAGDS"

If CP_OLTNM = VENDING MACHINE, fill: "at the vending machine"

If CP_OLTNM = STREET VENDOR, fill: "at the street vendor"

If CP_MAGSB = 1, fill: "for the CP_OLTNM subscription"

else, fill: CP_OLTNM

3. SOFTCHECKS

SOFTFREE

PLEASE VERIFY THAT THERE WAS NO COST.

SOFTOVER

THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE VERIFY.

4. If POPSCAT = T14, fill: Please do NOT include taxes based on the value of the motor vehicle.

Skip Instructions: <0> invoke SOFT CHECK (SOFTFREE) - go BACK to CP_OLTNM

<1-999999> [if CP_COST greater than MAXTOVER, invoke SOFT CHECK (SOFTOVER)] goto CP_SMOLT

<D,R> [goto CP_SMOLT]

<F1> Commodity Help

Field

CP_SMOLT
COMMODITY PURCHASES.CP_SMOLT

Description: Outlet already listed

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTNM not equal blank or D or R

Universe Description:

Question Text: SCROLL and SCAN all PREVIOUS and CURRENT OUTLETS
Is ^PLACE already listed below?

Previous outlets: ^PLACE

Current outlets:

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.
- 11.
- 12.
- 13.
- 14.
- 15.
- 16.

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Type: Enumerated
Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: the street vendor
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

2. PREVIOUS OUTLETS:
DISPLAY LIST OF OUTLET NAMES (I_OLTNM) COLLECTED DURING
PREVIOUS INTERVIEWS

3. CURRENT OUTLETS:
DISPLAY OUTLETS (CP_OLTNM) WHERE CP_OLTYP = 1 (FOR
CURRENT INTERVIEW)

4. RETURNING OUTLETS:

Display list of outlet names collected during previous interviews (up to 15 outlets may
be displayed) in NUMERICAL ORDER

Display list of outlets names (if CP_OLTYP = 1) collected during current interview in
the order in which they are collected.

Skip Instructions: <1> goto CP_OLTVR

<2> goto CP_OLTYP

<F1> Commodity Help

CP_OLTVR

Field

COMMODITY PURCHASES.CP_OLTVR

Description: Verify same outlet

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_SMOLT = 2 OR CP_OLTVR = 995, D, or R

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

Probe or ask: **Is this the ^PLACE that is located at . . . ?**

Enter 995 if location is not on list.

Determine if the current outlet is at the location mentioned in the list. If it is the SAME EXACT OUTLET (same shopping center or same street and cross street), enter the CODE for that outlet.

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Type: String

Length: 36

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: INSTRUMENT SHOULD ACCEPT ENTRY ONLY FOR VALID CODES (I.E., CODE MUST APPEAR ON THE LIST). DO NOT ALLOW INTERVIEWER TO ENTER A CODE THAT DOES NOT APPEAR ON THE LIST

DISPLAY TWO LISTS OF OUTLETS.

PREVIOUS OUTLET LIST: shows alphabetical listing of up to 15 outlets collected during previous interviews and the associated outlet codes assigned on the input file (i.e., I_CODE = 171 through 185, as needed).

CURRENT OUTLET LIST: shows OUTLETS (CP_OLTYP = 1) collected during current interview and the CP_CODE assigned by the instrument (i.e., 11 through 165, as needed)

Fill Instructions

PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: vending machine

SPANISH "el vendedor callejero"

If CP_OLTNM = STREET VENDOR, fill: street vendor

SPANISH "la Maquina expendedora"

else, fill: CP_OLTNM

DISPLAY PREVIOUS OUTLETS:

USE THE VARIABLES LISTED BELOW IN THE ORDER THAT THEY APPEAR. IF A VARIABLE IS BLANK, GOTO THE NEXT VARIABLE.

I_CODE I_OLTNM I_SCNM I_STRT I_INET I_PHONE I_XSTRT

DISPLAY CURRENT OUTLETS:

USE THE VARIABLES LISTED BELOW IN THE ORDER THAT THEY APPEAR. IF A VARIABLE IS BLANK, GOTO THE NEXT VARIABLE.

CP_CODE CP_OLTNM CP_SCNM CP_NEWSC CP_STRT CP_XSTRT

Skip Instructions: <11 - 165> STORE ALL ADDRESS INFORMATION FOR CP_OLTNM = CP_CODE
CP_STRT to CP_STRT [allow 36]
CP_XSTR to CP_XSTR [allow 36]
CP_CITY to CP_CITY [allow 22]
CP_CNTY to CP_CNTY [allow 20]
CP_ST to CP_ST [allow 2]
CP_LAND to CP_LAND [allow 20]

STORE <1> in CP_OLTYP - goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER It TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END

<171-185> STORE ALL ADDRESS INFORMATION FOR CP_OLTNM = I_OLTID
I_SCNM to CP_SCNM [allow 36]
I_STRT to CP_STRT [allow 36]
I_XSTR to CP_XSTR [allow 36]
I_CITY to CP_CITY [allow 22]
I_CNTY to CP_CNTY [allow 20]
I_ST to CP_ST [allow 2]
I_PHONE to CP_PHONE [allow 10]
I_INET to CP_INET [allow 20]
I_LAND to CP_LAND [allow 20]
I_OLTYP to CP_OLTYP [allow 1]

goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END
<995, D, R> goto CP_OLTYP

Field

CP_OLTYP
COMMODITY PURCHASES.CP_OLTYP

Description: Outlet type

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_SMOLT = 2 OR CP_OLTVR = 995, D, or R

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

Read categories if not apparent. If respondent asks how to categorize the outlet, click on the DEFS tab and choose the number 4.

How was this ^ITEM_SERVICE?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: ITEM_SERVICE

Instructions: If COMMTYPE = G, fill "item purchased"; if COMMTYPE = S, fill "service obtained"

Type: Enumerated

Length: 1

Answer List: tCP_OLTYP

Value:	Mnemonic:	Description:
1		Personal Visit to [fill: PLACE]
2		Mail Order
3		Telephone Order
4		Internet
5		Private Individual
6		Public Sale (yard/garage sale or estate sale/auction)
7		Location Outside of the U.S.

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: PLACE If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending
machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

If COMMTYPE = G, fill "item purchased"; if COMMTYPE = S, fill "service
obtained"

Skip Instructions: <1, D> goto CP_LOCSC
<2> goto CP_CITY
<3> goto CP_PHONE
<4> goto CP_INET
<5> goto CP_INDIV
<6,7,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto
CP_END

Field

CP_LOCSC
COMMODITY PURCHASES.CP_LOCSC

Description: Outlet in shopping center

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 1 or D

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

Read if not apparent.

Is ^PLACE located in a mall or shopping center?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: the street vendor
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

Skip Instructions: <1> goto CP_SCNM

<2, D, R> goto CP_STRT

Field

CP_INDIV
COMMODITY PURCHASES.CP_INDIV

Description: Private business

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 5

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

Does ^PLACE provide this ^ITEM_SERVICE2 as part of a business?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine
If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Fills: ITEM_SERVICE2

Instructions: If COMMTYPE = G, fill "item"; if COMMTYPE = S, fill "service"

Type: Enumerated

Length: 1

Answer List: tYesNo

Value:	Mnemonic:	Description:
1	Yes	Yes
2	No	No

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: "the street vendor"
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

Skip Instructions: <1,D> goto CP_STRT
<2,R> goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto
NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto
CP_END

Field

CP_INET
COMMODITY PURCHASES.CP_INET

Description: Outlet Information

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 4

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the Internet address of ^OBJECT?

Do not type WWW.

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: Fill = OBJECT

Type: Classification

Length: 75

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine

SPANISH "el vendedor callejero"

If CP_OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP_OLTNM

Skip Instructions: <allow 20> <D> <R> goto NEXT CP_OLTNM; if no more CP_OLTNM,
Then if ORDER It TOTCOMM, goto NEXTCOMM (CP_PURC); else if ORDER =
TOTCOMM, goto CP_END

Field

CP_PHONE
COMMODITY PURCHASES.CP_PHONE

Description: Outlet Information

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_OLTYP = 3

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the telephone number of ^OBJECT?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: Fill = OBJECT

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: OBJECT: If CP_OLTSC not blank or D, fill 'CP_OLTSC'

If CP_OLTSC = D, fill 'the mall where CP_OLTNM is located'

If POPSCAT = T14, E09, E10, fill 'where CP_OLTNM is located'

else, fill OLTNM

Skip Instructions: <allow 10> <D> <R>

goto NEXT CP_OLTNM; if no more CP_OLTNM,

then if ORDER It TOTCOMM, goto NEXTCOMM (CP_PURC);

else if ORDER = TOTCOMM, goto CP_END

Field

CP_SCNM
COMMODITY PURCHASES.CP_SCNM

Description: Mall/shopping center name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_LOCSC= 1

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the name of the mall or shopping center in which ^PLACE is located?

Begin typing name of mall or shopping center. Alphabetical listing of shopping centers will appear.

Highlight the name of the EXACT Shopping Center that matches the respondent's answer and hit 'ENTER'

If more than one shopping center has the same name or a very similar name, verify correct shopping center by reading the CITY, STATE, STREET, and INTERSECTING STREET.

If respondent KNOWS the name of the Shopping Center, but the name of the Shopping Center does not appear in the list, ENTER 'X'

If respondent does not know the name of the shopping center, ENTER 'CTRL-D'

If the shopping center is a strip mall without a name, enter 'CTRL-D'

If respondent refuses to provide the name of the shopping center, ENTER 'CTRL-R'

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: PLACE

Instructions: If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Type: String

Length: 75

Don't Know

Refuse

Empty

- On Input
 On Output

Array:

Special Instructions: DISPLAY PARAMETER FILE CONTAINING NATIONAL LIST OF SHOPPING CENTERS

L_SCNAME L_SCID L_SCCITY L_SCST L_PSU

PLACE

If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor

else, fill: CP_OLTNM

Skip Instructions: <allow = 36>

<aname> STORE ALL ADDRESS INFORMATION FOR CP_SCNM = L_SCNM

L_STRT to CP_STRT [allow 36]

L_XSTRT to CP_XSTR [allow 36]

L_CITY to CP_CITY [allow 22]

L_ST to CP_ST [allow 2]

L_SCID to CP_SCID [allow 5]

goto NEXT CP_OLTNM;

if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto

NEXTCOMM (CP_PURC);else if ORDER = TOTCOMM,goto CP_END

<X> goto CP_NEWSC

<D> goto CP_STRT

<R> goto NEXT CP_OLTNM; if no more CP_OLTNM,

then if ORDER lt TOTCOMM, goto

NEXTCOMM (CP_PURC); else if ORDER = TOTCOMM, goto CP_END

Field

CP_NEWSC
COMMODITY PURCHASES.CP_NEWSC

Description:

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_SCNM = X

Universe Description:

Question Text: <> ENTER NAME OF SHOPPING CENTER NOT ON THE NATIONAL SHOPPING CENTER LIST.

Enter Name: [allow 36]

Type: String

Length: 36

Don't Know

Refuse

Empty

On Input

On Output

Array:

Skip Instructions: <allow = 36> goto CP_STRT

<D> goto CP_STRT

<R> if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC);

else if ORDER = TOTCOMM, goto CP_END

CP_STRT

Field

COMMODITY PURCHASES.CP_STRT

Description: Street name

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (CP_LOCSC = 2, D, or R) OR (CP_INDIV = 1 or D) OR
(CP_SCNM = D) OR (CP_NEWSC not blank or CP_NEWSC = D)

Universe Description:

Question Text: COMMODITY CODE = ^fPOPScat

What is the address of ^OBJECT?

Probe: street name?

Fills: OBJECT

Instructions: Fill = OBJECT

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: the vending machine

If CP_OLTNM = STREET VENDOR, fill: the street vendor
else, fill: CP_OLTNM

Skip Instructions: <allow = 36> <D> <R> goto CP_CITY

CP_CITY

Field

COMMODITY PURCHASES.CP_CITY

Description: Street

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (CP_STRT ne blank) OR (CP_OLTYP = 2)

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address ^OBJECT?

Probe: City?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: Fill = OBJECT

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP_OLTNM = STREET VENDOR, fill: the street vendor

SPANISH "la Maquina expendedora"

else, fill: CP_OLTNM

Skip Instructions: <allow = 22> goto CP_STATE

<D> If CP_OLTYP = 2 goto CP_STATE; else goto CP_CNTY

<R> goto CP_STATE

CP_CNTY

Field

COMMODITY PURCHASES.CP_CNTY

Description: County

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (CP_CITY = D and CP_OLTYP ne 2)

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address of ^OBJECT?

Probe: county?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: Fill = OBJECT

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"
SPANISH "el vendedor callejero"

If CP_OLTNM = STREET VENDOR, fill: "the street vendor"
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

Skip Instructions: <allow = 20> <D> <R> goto CP_STATE

CP_STATE

Field

COMMODITY PURCHASES.CP_STATE

Description: State abbreviation

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (CP_CITY = ne blank or CP_CITY = R) OR
(CP_CNTY ne blank or CP_CNTY = D or R) OR
(CP_CITY = D and CP_OLTYP = 2)

Universe Description:

Question Text: [COMMODITY CODE = ^fPOPSCAT](#)

[Enter the 2 character state abbreviation.](#)

[If you need a list of the state abbreviations, click on the DEFS tab and choose number 1.](#)

[Probe: State?](#)

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS

If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"
SPANISH "el vendedor callejero"
If CP_OLTNM = STREET VENDOR, fill: "the street vendor"
SPANISH "la Maquina expendedora"
else, fill: CP_OLTNM

Skip Instructions: <allow = 2> FILL CP_STNM " " if CP_OLTYP = 2, goto NEXT CP_OLTNM;
if no more CP_OLTNM, then if ORDER lt TOTCOMM, goto NEXTCOMM
(CP_PURC); else if ORDER = TOTCOMM, goto CP_END

If CP_OLTYP ne 2, goto CP_XSTRT

<D> <R> goto CP_XSTRT

CP_STNM

Field

COMMODITY PURCHASES.CP_STNM

Description: State name**Form Pane Label:****SAS Name:****Tag Name:****Inherited Universe:****Universe:****Universe Description:****Question Text:** IF CP_STATE = VALID 2-CHARACTER STATE ABBREVIATION, THEN DISPLAY APPROPRIATE STATE NAME [allow 40]

AL Alabama	MT Montana
AK Alaska	NE Nebraska
AZ Arizona	NV Nevada
AR Arkansas	NH New Hampshire
CA California	NJ New Jersey
CO Colorado	NM New Mexico
CT Connecticut	NY New York
DE Delaware	NC North Carolina
DC District of Columbia	ND North Dakota
FL Florida	OH Ohio
GA Georgia	OK Oklahoma
HI Hawaii	OR Oregon
ID Idaho	PA Pennsylvania
IL Illinois	RI Rhode Island
IN Indiana	SC South Carolina
IA Iowa	SD South Dakota
KS Kansas	TN Tennessee
KY Kentucky	TX Texas
LA Louisiana	UT Utah
ME Maine	VT Vermont
MD Maryland	VA Virginia
MA Massachusetts	WA Washington
MI Michigan	WV West Virginia
MN Minnesota	WI Wisconsin
MS Mississippi	WY Wyoming
MO Missouri	

Type: Enumerated**Length:** 40

Answer List: tCP_STNM

Value:	Mnemonic:	Description:
1		AL Alabama
2		AK Alaska
3		AZ Arizona
4		AR Arkansas
5		CA California
6		CO Colorado
7		CT Connecticut
8		DE Delaware
9		DC District of Columbia
10		FL Florida
11		GA Georgia
12		HI Hawaii
13		ID Idaho
14		IL Illinois
15		IN Indiana
16		IA Iowa
17		KS Kansas
18		KY Kentucky
19		LA Louisiana
20		ME Maine
21		MD Maryland
22		MA Massachusetts
23		MI Michigan
24		MN Minnesota
25		MS Mississippi
26		MO Missouri
27		MT Montana
28		NE Nebraska
29		NV Nevada
30		NH New Hampshire
31		NJ New Jersey
32		NM New Mexico
33		NY New York
34		NC North Carolina
35		ND North Dakota
36		OH Ohio

37	OK Oklahoma
38	OR Oregon
39	PA Pennsylvania
40	RI Rhode Island
41	SC South Carolina
42	SD South Dakota
43	TN Tennessee
44	TX Texas
45	UT Utah
46	VT Vermont
47	VA Virginia
48	WA Washington
49	WV West Virginia
50	WI Wisconsin
51	WY Wyoming

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

CP_XSTRT
COMMODITY PURCHASES.CP_XSTRT

Description: Nearest intersecting street

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (CP_STATE = ne blank or CP_STATE = D or CP_STATE = R)

Universe Description:

Question Text: COMMODITY CODE = ^fPOPSCAT

What is the address of ^OBJECT?

Probe: nearest intersecting street?

Fills: fPOPSCAT

Instructions: Fill the value for POPSCAT

Fills: OBJECT

Instructions: Fill = OBJECT

Type: String

Length: 36

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: OBJECT:

If CP_NEWSC = D, fill: the shopping center
Else, if CP_NEWSC ne blank, fill: CP_NEWSC
else if CP_NEWSC = Blank, fill: [PLACE]

PLACE:

If CP_MAGDS ne blank, fill: CP_MAGDS
If CP_OLTNM = VENDING MACHINE, fill: "the vending machine"

SPANISH "el vendedor callejero"

If CP_OLTNM = STREET VENDOR, fill: "the street vendor"

SPANISH "la Maquina expendedora"

else, fill: CP_OLTNM

Skip Instructions: <allow = 36> <D> <R>

If POPSCAT = H02, T04, R26 or R27, goto POS_CITY

If no more CP_OLTNM, then if ORDER lt TOTCOMM, goto NEXTCOMM
(CP_PURC);

Else if ORDER = TOTCOMM, goto CP_END

Field

POS_CITY
COMMODITY PURCHASES.POS_CITY

Description: Point of service city

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: CP_XSTRT ne blank and POPSCAT = H02, T04, R27, or R26 and CP_MAGSB = 2
or CP_OLTYP = 2, 3, 4, 5, 6 or 7

Universe Description:

Question Text: Can you provide me with the location of ^fCP_OLTNM for which ^fPOS

<>Probe: city?

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Type: String

Length: 22

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: fPOS

If POPSCAT = H02 or T04
fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Skip Instructions: <D><R> got to POS_STATE

Field

POS_STATE
COMMODITY PURCHASES.POS_STATE

Description: Point of service state

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: POC_CITY ne blank and POPSCAT = H02, T04, R26 or R27

Universe Description:

Question Text: Can you provide me with the location of ^fCP_OLTNM for which ^fPOS

Enter the 2 character state abbreviation. Enter "X" if outside the United States.

If you need a list of the state abbreviations, click on the DEFs tab and choose number 1.

<> Probe: State?

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04

Fill "this reservation was made"

If POPSCAT = R26 or R26

Fill "tickets were purchased"

Type: String

Length: 2

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: Fill CP_STNM - If POS_STATE = X, goto POS_COUNTRY

Else goto next CP_OLTNM;

If no more CP_OLTNM
then If order It TOTCOMM, go to NEXTCOMM (CP_PURC)
Else If ORDER = TOTCOMM, goto CP_END

fPOS
If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Field

POS_COUNTRY
COMMODITY PURCHASES.POS_COUNTRY

Description: Foreign Country

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: POS_STATE = X and POPSCAT = H02, T04, R27, or R26

Universe Description:

Question Text: Can you provide me with the location of ^fCP_OLTNM for which ^fPOS

<>Probe: Foreign Country?

Fills: fCP_OLTNM

Instructions: Fill = CP_OLTNM

Fills: fPOS

Instructions: If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

Type: String

Length: 25

Don't Know
 Refuse
 Empty

On Input
 On Output

Array:

Special Instructions: fPOS
If POPSCAT = H02 or T04
Fill "this reservation was made"

If POPSCAT = R26 or R26
Fill "tickets were purchased"

```
goto NEXT CP_OLTNM  
If no more CP_OLTNM, then if ORDER lt TOTCOMM, goto NEXTCOMM (CP_PURC)  
Else IF ORDER = TOTCOMM, goto CP_END
```

Field

CP_END
COMMODITY PURCHASES.CP_END

Description:

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: ORDER = TOTCOMM

Universe Description:

Question Text:

Type: Enumerated

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: All commodity and outlet questions have been asked. SET COMPLETION FLAG = 1

POPSGRP = 1 - 15 " goto BEA_INTRO

POPSGRP = 16 " goto DM_ENDCP

BEA
BEA

Block

Description: Research questions for BEA

Tab Name: BEA

Fly Over Name: Bureau of Economic Analysis Research Section

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions: *** This section is no longer included in the instrument. The specifications are maintained as a record for future reference and as a precaution in case the section is to be included in a future version of the instrument. ***

Field

BEA_INTRO
BEA.BEA_INTRO

Description: Intro Research

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: [POPSGRP = 1 - 15 and Completion Flag = 1 (All commodity questions have been asked)]

Universe Description:

Question Text: <> If the respondent asks for an explanation of "business expenses," click on the DEFS tab and choose number 7. Read entire answer.

Next, I will ask a few questions about restaurant expenditures within the United States that include business expenses. By business expenses, I mean purchases that were reimbursed by an employer, or for self-employed people, purchases that were tax deductible business expenses.

<Enter 1 to continue

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <1> goto BEA_FSR

BEA_FSR
BEA.BEA_FSR

Field

Description: Full service expenses

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: BEA_INTRO = 1

Universe Description:

Question Text: In the past month, how much [fill: YOU2/YOUR2] spent at full service restaurants, including business expenses?

ENTER DOLLARS ONLY

\$ _ _ _ _ .00

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: SOFTCHECK #1: THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE VERIFY.

(YOU2/YOUR2) have you/has your consumer unit
fill "have you" if PSINCU = 1;
else fill "has your consumer unit"

Skip Instructions: <0> goto BEA_LSR

<1-999999> [if BEA_FSR greater than 600, invoke SOFTCHECK #1]â€“goto BEA_FSRBS

<D,R> goto BEA_LSR

<F1> H_FSR

BEA_FSRBS

Field

BEA.BEA_FSRBS

Description: Full service business

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: BEA_FSR ge 1

Universe Description:

Question Text: Of that amount, how much was a business expense?

ENTER DOLLARS ONLY

\$_____ . 00

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: HARDCHECK #1: BUSINESS EXPENSE AMOUNT CANNOT BE MORE THAN AMOUNT SPENT

Skip Instructions: <0> goto BEA_LSR

<1-99999> [if >BEA_FSRBS< gt >BEA_FSR< invoke HARDCHECK #1] goto BEA_LSR

<D,R> goto BEA_LSR

Field

BEA_LSR
BEA.BEA_LSR

Description: Limited service expenses

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: (BEA_INTRO = 1) AND
[(BEA_FSR = 0, D, R) OR (BEA_FSRBS ne blank)]

Universe Description:

Question Text: In the past month, how much was spent at limited service restaurants [fill:
YOU3/YOUR3]?

<> If necessary: including business expenses.

ENTER DOLLARS ONLY

\$ _ _ _ _ _ . 00

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: SOFTCHECK #2: THE AMOUNT ENTERED IS UNUSUALLY HIGH. PLEASE
VERIFY

(YOU3/YOUR3) by you/by your consumer unit
fill "by you" if PSINCU = 1;
else fill "by your consumer unit"

Skip Instructions: <0> goto DM_ENDCP

<1-999999> [if BEA_LSR greater than 400, invoke SOFTCHECK #2]â€“goto
BEA_LSRBS

<D,R> goto DM_ENDCP

<F1> H_LSR

Field

BEA_LSRBS
BEA.BEA_LSRBS

Description: Limited service business

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: BEA_LSR ge 1

Universe Description:

Question Text: Of that amount, how much was a business expense?

ENTER DOLLARS ONLY

\$_____ . 00

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: HARDCHECK #2: BUSINESS EXPENSE AMOUNT CANNOT BE MORE THAN AMOUNT SPENT

Skip Instructions: <0> goto DM_ENDCP

<1-99999> [if >BEA_LSRBS< gt >BEA_LSR< invoke HARDCHECK #2] goto DM_ENDCP

<D,R> goto DM_ENDCP

DEMOGRAPHIC

DEMOGRAPHIC

Block

Description: Demographic questions

Tab Name:

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

DM_ENDCP
DEMOGRAPHIC.DM_ENDCP

Description: End expenditure questions

Form Pane Label:

SAS Name: DM_ENDCP

Tag Name:

Inherited Universe:

Universe: Flg_CompleteGeoSection = 1

Universe Description:

Question Text: ^fDM_ENDCP

♦ Enter <1> to continue.

Fills: fDM_ENDCP

Instructions: If INTNUM = 1 or REPLC_FL = 1 or CONTACT_FL = 1, fill "That completes the expenditure questions. I have a few remaining questions I'd like to ask to help us analyze the data / Esto completa las preguntas sobre los gastos. Me gustaria ahora hacerle unas preguntas que nos ayudaran a analizar la informaci3n que Usted nos dio."

If INTNUM = 2 or 3 and REPLC_FL ne 1 and CONTACT_FL ne 1, fill: "That completes today's interview / Con esto completamos la entrevista de hoy."

If INTNMBR = 4 and REPLC_FL ne '1', there is NO fill.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: GOTO CHANGES when INCOME questions are included: If INTNUM = 4, goto INCOME

Skip Instructions: <1> If INTNUM = 1 OR REPLC_FI = 1 or CONTACT_FL = 1 â€“ goto DM_DFNUM
If INTNUM = 2 or 3 and REPLC_FL ne 1-- goto TY_NXTTM
If INTNUM = 4 and REPLC_FL ne 1-- goto TY_ENDIT

Field

DM_DFNUM
DEMOGRAPHIC.DM_DFNUM

Description: More than one phone number

Form Pane Label:

SAS Name: DM_DFNUM

Tag Name:

Inherited Universe:

Universe: DM_ENDCP = 1 and (INTNUM = 1 or REPLC_FL = 1 or CONTACT_FL = 1)

Universe Description:

Question Text: Does this residence have more than one telephone number?

Include only land-based phone lines; do not include cell phones or pagers.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <1> goto DM_NMTEL

<2> Set DM_NMTEL = 1; set DM_USETL = 1; set DM_BUSTL = 0 " go to DM_LVQTR

<D, R> goto DM_LVQTR

DM_NMTEL

Field

DEMOGRAPHIC.DM_NMTEL

Description: How many phone numbers

Form Pane Label:

SAS Name: DM_NMTEL

Tag Name:

Inherited Universe:

Universe: DM_DFNUM = 1

Universe Description:

Question Text: ♦ If more than 10 different numbers, enter 10.

How many different telephone NUMBERS does it have?

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If >DM_NMTEL< = 1 invoke HARDCHECK #1

HARDCHECK#1: NUMBER OF DIFFERENT NUMBERS MUST EXCEED "1"
IF DM_DFNUM = 1

BACK UP TO CORRECT DM_DFNUM
BACK UP TO CORRECT DM_NMTEL

Skip Instructions: <2-10> goto DM_USETL

<D,R> goto DM_BUSTL

If >DM_NMTEL< = 1 invoke HARDCHECK #1

Field

DM_USETL
DEMOGRAPHIC.DM_USETL

Description: Numbers used by CU

Form Pane Label:

SAS Name: DM_USETL

Tag Name:

Inherited Universe:

Universe: DM_NMTEL = 2, 3, 4, 5, 6, 7, 8, 9, or 10

Universe Description:

Question Text: ♦ If more than 10 different numbers, enter 10.

How many of ^fDM_NMTEL telephone numbers do you usually use?

Fills: fDM_NMTEL

Instructions: if DM_NMTEL = 2 - 9, fill DM_NMTEL; else fill "these"

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: If DM_USETL gt DM_NMTEL invoke HARDCHECK

HARDCHECK: NUMBER OF TELEPHONE NUMBERS RESPONDENT USES
CANNOT EXCEED THE NUMBER OF TELEPHONES IN THE CONSUMER UNIT.
GO BACK TO CORRECT.

Skip Instructions: <1-10,D,R> goto DM_BUSTL

DM_BUSTL

Field

DEMOGRAPHIC.DM_BUSTL

Description: Number of business phones

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: DM_DFNUM = 1 AND [(DM_NMTEL = D, R) OR (DM_USETL ne blank)]

Universe Description:

Question Text: ♦ If more than 10 different numbers, enter 10.

How many of ^fDM_NMTEL telephone numbers are used ONLY for business?

Fills: fDM_NMTEL

Instructions: if DM_NMTEL = 2 - 9, fill DM_NMTEL; else fill "these"

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: If DM_BUSTL = DM_NMTEL invoke SOFTCHECK

SOFTCHECK: ALL OF THE TELEPHONE NUMBERS IN YOUR CONSUMER UNIT ARE USED ONLY FOR BUSINESS. IS THAT CORRECT? SPA Todos los números de teléfono en su unidad de consumo se usan solamente para negocios. ¿Es correcto?

If DM_USETL gt DM_NMTEL invoke HARDCHECK

HARDCHECK: NUMBER OF BUSINESS TELEPHONE NUMBERS CANNOT EXCEED THE NUMBER OF TELEPHONES IN THE CONSUMER UNIT. GO BACK TO CORRECT.

Skip Instructions: <0-10,D,R> goto DM_LVQTR

If >DM_BUSTL< = >DM_NMTEL< - goto DM_LVQTR

DM_LVQTR

Field

DEMOGRAPHIC.DM_LVQTR

Description: Own or rent**Form Pane Label:****SAS Name:** DM_LVQTR**Tag Name:****Inherited Universe:****Universe:** (DM_BUSTL ne blank) or (DM_DFNUM = D or R)**Universe Description:****Question Text:** Are your living quarters owned or rented?**Type:** Classification**Length:** 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array: **Skip Instructions:** <1, 2, D, R> if PSINCU = 1, goto DM_SEX; else goto DM_RELAT

Field

DM_RELAT
DEMOGRAPHIC.DM_RELAT

Description: relationship of current respondent to owner/renter of home

Form Pane Label:

SAS Name: DM_RELAT

Tag Name:

Inherited Universe:

Universe: DM_LVQTR ne blank

Universe Description:

Question Text: How are YOU related to one of the persons who ^fDM_RELAT this home?

Fills: fDM_RELAT

Instructions: If DM_LVQTR = 1, fill: owns;
If DM_LVQTR = 2, fill: rents;
else fill: owns or rents

Type: Classification

Length: 1

Don't Know
 Refuse
 Empty

On Input
 On Output

Store Instructions: If DM_LVQTR = 1, fill: owns/es due \pm o;
If DM_LVQTR = 2, fill: rents/renta;
else fill: owns or rents/es due \pm o o renta

Array:

Special Instructions: If PSINCU = 1 then set DM_RELAT = 1 else ask DM_RELAT

DM_SEX

Field

DEMOGRAPHIC.DM_SEX

Description: gender of respondent

Form Pane Label:

SAS Name: DM_SEX

Tag Name:

Inherited Universe:

Universe: DM_RELAT ne blank

Universe Description:

Question Text: ♦ If necessary, ask:
Are you male or female?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions:

Skip Instructions:

<1, 2, 3, 4, 5, 6, 7, 8, 9, D, R> goto DM_SEX

Field

DM_MARTL
DEMOGRAPHIC.DM_MARTL

Description: marital status of respondent

Form Pane Label:

SAS Name: DM_MARTL

Tag Name:

Inherited Universe:

Universe: DM_SEX ne blank

Universe Description:

Question Text: ♦ If necessary, ask:

Are you currently married, widowed, divorced, separated, or never married?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DM_SPNSH

Field

DEMOGRAPHIC.DM_SPNSH

Description: is respondent Spanish, hispanic or latino

Form Pane Label:

SAS Name: DM_SPNSH

Tag Name:

Inherited Universe:

Universe: DM_MARTL ne blank

Universe Description:

Question Text: Are you Spanish, Hispanic, or Latino?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

DM_RACE
DEMOGRAPHIC.DM_RACE

Description: respondent's race

Form Pane Label:

SAS Name: DM_RACE

Tag Name:

Inherited Universe:

Universe: DM_SPNSH ne blank

Universe Description:

Question Text: ♦ Mark all that apply.

♦ Press ENTER when done

What is your race? Please choose one or more categories from the following list: White; Black or African American; American Indian or Alaska Native; Asian; or Native Hawaiian or Other Pacific Islander.

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

DM_SPCFY

Field

DEMOGRAPHIC.DM_SPCFY

Description: Respondent's race verbatim response

Form Pane Label:

SAS Name: DM_SPCFY

Tag Name:

Inherited Universe:

Universe: DM_RACE = 6

Universe Description:

Question Text: [♦ Enter verbatim response](#)

Type: Classification

Length: 65

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <Response> goto DM_AGE
<D,R> goto DM_AGE

Field

DM_AGE
DEMOGRAPHIC.DM_AGE

Description: respondent's age

Form Pane Label:

SAS Name: DM_AGE

Tag Name:

Inherited Universe:

Universe: DM_RACE ne blank

Universe Description:

Question Text: ♦ If 99 or older, enter 99
What is your age?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If 0 - 15, invoke HARDCHECK.

HARDCHECK: RESPONDENT MUST BE AT LEAST 16 YEARS OLD.

If 16 or 17, invoke SOFTCHECK.

SOFTCHECK: ENG YOU TOLD ME THAT YOU ARE ^DM_AGE YEARS OLD.
IS THAT CORRECT?

SPA Me dijo que usted tiene ^DM_AGE años, ¿Es correcto?

DM_ELDER

Field

DEMOGRAPHIC.DM_ELDER

Description: are there people aged 62 or older in CU

Form Pane Label:

SAS Name: DM_ELDER

Tag Name:

Inherited Universe:

Universe: (PSINCU = blank and (DM_AGE gt 15 or DK or RF)) OR (PSINCU gt 1 and (DM_AGE gt 15 or DK or RF))

Universe Description:

Question Text: ^fDM_ELDER many members of your consumer unit are aged 62 or older, if any?

Fills: fDM_ELDER

Instructions: IF DM_AGE >= 62, fill "Including yourself, how/Incluyendose usted, cuantas"

ELSE fill "How/Cuantas"

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If (DM_AGE gt 15 and le 61) AND PSINCU = 1 set DM_ELDER = 0

If (DM_AGE ge 62 and le 99) AND PSINCU = 1 set DM_ELDER =1

Else ask DM_ELDER

0, invoke HARDCHECK_1.

HARDCHECK_1: "RESPONDENT REPORTED AGE AS 62 OR OLDER. GO BACK TO CORRECT."

DM_ELDER gt PSINCU, invoke HARDCHECK_2:

HARDCHECK_2: "NUMBER OF ELDERLY MEMBERS CANNOT EXCEED THE NUMBER OF MEMBERS IN THE CONSUMER UNIT. GO BACK TO CORRECT."

DM_ELDER gt 30, invoke SOFTCHECK.

SOFTCHECK: ENG "NUMBER SEEMS UNUSUALLY HIGH. PLEASE VERIFY."

SPA "El numero parece excepcionalmente alta. Verifique por favor."

DM_ARMFC

Field

DEMOGRAPHIC.DM_ARMFC

Description: pay from the armed forces account for at least half CU earnings

Form Pane Label:

SAS Name: DM_ARMFC

Tag Name:

Inherited Universe:

Universe: (DM_ELDER ne blank) OR (PSINCU ge 1 AND (DM_AGE ge 16 or DK or RF))

Universe Description:

Question Text: ♦ [If the respondent asks if he/she should consider income from another source, click on the DEFs tab and choose number 6. Read the entire answer.](#)

In the past year, did earnings from Armed Forces pay and allowances account for at least half of your total consumer unit income?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If DM_ARMFC = 1, set OUTCOME = 1, SUBTYPE = 5, If MARK It 21 set MARK = 21

If DM_ARMFC = 2, set OUTCOME = 0, SUBTYPE = 00

Field

DM_AFNOW
DEMOGRAPHIC.DM_AFNOW

Description: is respondent in the armed forces

Form Pane Label:

SAS Name: DM_AFNOW

Tag Name:

Inherited Universe:

Universe: DM_ARMFC = DK or RF

Universe Description:

Question Text: ♦ If the respondent asks which branches of the service are included, click on the DEFs tab and choose number 5. Read entire answer.

Are you currently in the Armed Forces?

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Special Instructions: If DM_AFNOW = 1, set OUTCOME = 1, SUBTYPE = 5, If MARK It 21 set MARK = 21

If DM_AFNOW = 2, DK, or RF, set OUTCOME = 0, SUBTYPE = 00

Thank You

Block

Thank You

Description: Thank You - end of interview

Tab Name: TY

Fly Over Name: Thank You - end of interview

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

TY_NXTTM
Thank You.TY_NXTTM

Description: Plans for call backs

Form Pane Label:

SAS Name: TY_NXTTM

Tag Name:

Inherited Universe:

Universe: (DM_ARMFC = 2 and IntNmbr ne 4) OR ((DM_AFNOW = 2 or DK or RF) and IntNmbr ne 4) OR(DM_ENDCP = 1 and IntNmbr = 2 or 3) and (Replc_FI ne '1' and Contact_FI ne '1'))

Universe Description:

Question Text: We plan to contact your household ^fTY_NXTTM. What are the best days and times to call you?

• Jot down the best and worst days and times on paper. You will record them in Web CATI after the interview has ended.

• Enter <1> to continue.

Fills: fTY_NXTTM

Instructions: If INTNUMBER = 1, fill: three more times over the next 9 months

If INTNUMBER = 2, fill: two more times over the next 6 months

If INTNUMBER = 3, fill: one more time over the next 3 months

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Skip Instructions: <1> goto TY_CMBLS

TY_CMBLS

Field

Thank You.TY_CMBLS

Description: Want BLS address

Form Pane Label:

SAS Name: TY_CMBLS

Tag Name:

Inherited Universe:

Universe: TY_NXTTM = 1

Universe Description:

Question Text: Comments or ideas about how to improve the survey can be sent to the Bureau of Labor Statistics.

Would you like that address?

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. If TY_CMBLS = 1, D or R, set OUTCOME = 00, SUBTYPE = 00

2. If TY_CMBLS = 2, set OUTCOME = 1, SUBTYPE = 1, MARK = 21

Skip Instructions: <1> goto TY_BLSAD

<2> goto EXITTHNK

Field

TY_ENDIT
Thank You.TY_ENDIT

Description: Thanks for last call

Form Pane Label:

SAS Name: TY_ENDIT

Tag Name:

Inherited Universe:

Universe: (DM_ENDCP = 1 and IntNmbr = 4) OR DM_ARMFC = 1 OR DM_AFNOW = 1 OR
((DM_AFNOW = 2, DK, or RF) and IntNmbr = 4) OR DM_ARMFC = 2 and IntNmbr
= 4)

Universe Description:

Question Text: This completes the last regularly scheduled interview for this consumer unit for the Point of Purchase Survey. If you have any comments regarding the burden estimate or any other aspect of this survey, including suggestions for reducing the time needed to respond, you may contact the Bureau of Labor Statistics. Would you like that address?

Type: Classification

Length: 1

- Don't Know
 Refuse
 Empty

- On Input
 On Output

Array:

Special Instructions: If TY_ENDIT = 2 then
If DM_ARMFC = 1 or DM_AFNOW = 1, set OUTCOME = 1, SUBTYPE = 5, and
if MARK lt 21, set MARK = 21

else

set OUTCOME = 1, SUBTYPE = 1, and if MARK lt 21, set MARK = 21

Skip Instructions: <1> goto TY_BLSAD
<2> goto EXITTHNK

TY_BLSAD
Thank You.TY_BLSAD

Field

Description: BLS address

Form Pane Label:

SAS Name: TY_BLSAD

Tag Name:

Inherited Universe:

Universe: TY_CMBLS = 1 or TY_ENDIT = 1

Universe Description:

Question Text: Direct any comments you may have to:

**Bureau of Labor Statistics
2 Massachusetts Avenue, N.E., Room 3615
Washington, DC 20212**

or to their website at: www.bls.gov

Remember to include your name, address, and telephone number or your case identification number, if you would like a response.

*** Enter <1> to continue**

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: IF TY_BLSAD = 1, SET OUTCOME = 1, SUBTYPE = 1, MARK = 21

Skip Instructions: <1> EXITTHNK

Field

THANKRES
Thank You.THANKRES

Description: Thanks to ineligible HH

Form Pane Label:

SAS Name: THANKRES

Tag Name:

Inherited Universe:

Universe: (RESNUM = 1, 5, 6, or 7)
OR (OTHRES = 5, 6, 7, 8, 9, 10, 11, D or R)
OR (PAYPHONE = 1, D, or R) OR (PROBCALL = 14)
OR (FIND_OTH = 4)
OR (GEO_ST = 95 OR GEO_CNTY = 95
OR GEO_LIM = 2 OR GEO_TOWN = 95)

Universe Description:

Question Text: Thank you for your time. Your phone number is not eligible for this survey.

◆ Enter <1> to continue.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. If THANKRES = 1, set OUTCOME = 20, set SUBTYPE = 3. If MARK It 22, set MARK = 22

Skip Instructions: <1> TY_LAST

EXITTHNK

Field

Thank You.EXITTHNK

Description: Thanks to end call

Form Pane Label:

SAS Name: EXITTHNK

Tag Name:

Inherited Universe:

Universe: (RESNUM = R) OR (PROBCALL = 1, 2, 4, 5, or 13)
OR (TY_CMBLS = 2 OR TY_ENDIT = 2 OR TY_BLSAD = 1)
OR (GEO_ST = D OR R) OR (GEO_CNTY = D OR R)
OR (GEO_LIM = D OR R) OR (GEO_TOWN = D OR R)
OR (ID_SPVR = 3 OR 4) OR (FIND_OTH = R)

Universe Description:

Question Text: Thank you for your time and cooperation.

✦ Enter <1> to continue.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: 1. If RES_NAME = BLANK, SET RES_NAME = LADY OR MAN OF HOUSE

Skip Instructions: <1> TY_LAST

Field

TY_CLBCK
Thank You.TY_CLBCK

Description: Thanks for call backs

Form Pane Label:

SAS Name: TY_CLBCK

Tag Name:

Inherited Universe:

Universe: RESNUM = DK OR ID_WHO ne blank OR ID_OTHER ne blank OR
(FIND_OTH = 3 and Res_Name ne blank) OR
(Res_Name ne blank and (HELLO_RS = 3 or ID_SPVR = 2)) OR
((PROBCALL = 3 or 12) and Res_Name ne blank) OR (FIND_OTH = DK) OR
(HELLO_RS = 4 and HELLO_TWO = 3)

Universe Description:

Question Text: We will try again at another time.
What are the best days and times to call?

- Jot down the best and worst days and times on paper.
You will record them in WebCATI after the interview has ended.
- Enter <1> to continue.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If RES_NAME = blank, set RES_NAME = LADY OR MAN OF HOUSE

If MARK LT 3, SET MARK = 0

Skip Instructions: <1> TY_LAST

F10_TY_CLBCK

Field

Thank You.F10_TY_CLBCK

Description: Thanks for call backs

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe: F10 " EXIT FROM ANY SCREEN

Universe Description:

Question Text: We will try again at another time. What are the best days and times to call?
Thank you for your help.

<Jot down the best and worst days and times on paper. You will record them in
WebCATI after the interview has ended.

< Enter 1 to continue

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: If RES_NAME = blank and RESNUM = 2, set RES_NAME = LADY OR MAN OF
HOUSE

IF MARK LT 3, SET MARK = 0

Skip Instructions: <1> TY_LAST

Field

TY_LAST
Thank You.TY_LAST

Description: Reminders

Form Pane Label:

SAS Name: TY_LAST

Tag Name:

Inherited Universe:

Universe: (TY_BLSAD = 1) or (THANKRES = 1)
or EXITTHNK = 1)
or (TY_CLBCK = 1)
or (PROBCALL = 6, 7, 8, 9, 10, 11)

Universe Description:

- Question Text:** ♦ Remember to Record the Language in which the interview was conducted.
- ♦ Remember to Record the Future Best and Worst Time to Call Information.
- ♦ Enter <1> to continue.

Type: Classification

Length: 1

- Don't Know
 Refuse
 Empty

- On Input
 On Output

Array:

Special Instructions: 1. COPY RES_NAME into NAMERESP

If RES_NAME = blank, store LADY OR MAN OF HOUSE in NAMERESP

2. If PARTFLAG = 1, if MARK lt 12, set MARK = 12

If TY_LAST = 1 then

If PROBCALL = 10 then

If CP_INTRO = blank, set OUTCOME = 35, SUBTYPE = 4

else

set OUTCOME = 35, SUBTYPE = 3

Skip Instructions: <1> SHOW_CTRL

Field

CHNG_RESP
Thank You.CHNG_RESP

Description: Change Respondent

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Whom should I ask for when I call back?

Type: Open

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: [store CHNG_RESP in RESPNAME] - goto MAIN PATH

Array:

Special Instructions: 1. Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

Skip Instructions: [store CHNG_RESP in RESPNAME] - goto MAIN PATH

TABs

Block

TABs

Description: This block contains information concerning the TABs

Tab Name:

Fly Over Name:

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions: Create a TAB for each item.

Block

FAQs
TABs.FAQs

Description: TAB - This block contains 20 FAQs

Tab Name: FAQ

Fly Over Name: Frequently Asked Question

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

FAQ_WHATSRVY

Field

TABs.FAQs.FAQ_WHATSRVY

Description: FAQ 1 What is this survey about?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What is this survey about?

The purpose of the Telephone Point of Purchase Survey is to provide information on the stores and businesses where people shop and the products they buy. This information is used to update the Consumer Price Index, which directly affects almost everyone.

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Field

FAQ_SRVYUSE
TABs.FAQs.FAQ_SRVYUSE

Description: FAQ 2 How will the information be used?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: How will the information be used?

In order for the Bureau of Labor Statistics to update the Consumer Price Index, it is necessary to maintain an up-to-date list of the stores and businesses where people shop.

The Census Bureau conducts the Telephone Point of Purchase Survey to provide the statistical data needed to update this list.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_WHYME
TABs.FAQs.FAQ_WHYME

Field

Description: FAQ 3 How was I selected? Why me?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: How was I selected? Why me?

We did not select you PERSONALLY; your PHONE NUMBER was randomly selected from a list of phone numbers.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_SOMEELSE
TABs.FAQs.FAQ_SOMEELSE

Description: FAQ 4 Why don't you select someone else?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Why don't you select someone else?

Your answers are very important to this survey because your phone number was selected randomly. Your household's <u1:p>purchases represent the purchases of many similar households. It would cost too much and take too long to call all <u1:p>households in the U.S. We cannot select another phone number because it would harm the quality of the information we <u1:p>collect.
<o:p><o:p> <o:p>

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

FAQ_HAVETODO

Field

TABs.FAQs.FAQ_HAVETODO

Description: FAQ 5 Do I have to participate?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Do I have to participate?

Participation is voluntary and there are no penalties for not answering questions, but to ensure the validity and accuracy of the information it is very important that we have your cooperation in the survey. To collect information on the buying habits of the population, your telephone number was selected to represent hundreds of other households like yours.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_MAILME
TABs.FAQs.FAQ_MAILME

Description: FAQ 6 Just mail me a questionnaire.

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Just mail me a questionnaire

<o:p>We do not have a paper questionnaire.<o:p>The questionnaire's design and the nature of the questions require a trained person to record the information. This is the least expensive way of obtaining this information.<o:p>
<o:p>

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

FAQ_AUTHORIZ

Field

TABs.FAQs.FAQ_AUTHORIZ

Description: FAQ 7 Is this survey authorized by law?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Is this surey authorized by law?<o:p>Participation is voluntary and there are no penalties for refusing to answer any questions in this survey which is authorized by Title 29, section 2, of the United States Code. Your participation is extremely important to ensure the completeness and accuracy of the statistical results.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_CONFPROT
TABs.FAQs.FAQ_CONFPROT

Description: FAQ 8 What confidentiality protection do I have?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What confidentiality protection do I have?<o:p>The confidentiality of the information you provide is assured to the full extent permitted by law in accordance with the Privacy Act of 1974 and the Confidential Information Protection and Statistical Efficiency Act of 2002 (Title 5 of Public Law 107-347). The information you provide will only be used for statistical purposes.<o:p>We will not ask for your address, birth date, social security number, or last name. In fact, we will not ask for any information that will identify you as an individual. The information that you provide will be used only to identify the stores and businesses where Americans shop and the products they buy.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_WHYNAME

Field

TABs.FAQs.FAQ_WHYNAME

Description: FAQ 9 Why do you need my name?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Why do you need my name?<o:p>We ask for a first name so that we can refer to you during the interview.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_TAXWASTE
TABs.FAQs.FAQ_TAXWASTE

Description: FAQ 10 I think this is a waste of taxes?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: I think this is a waste of taxes!<o:p>By calling a selected number of households we provide information to update the Consumer Price Index, which is required by law. This method is far less expensive than calling every housing unit.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_CNTDPEPL

Field

TABs.FAQs.FAQ_CNTDPEPL

Description: FAQ 11 I thought you only counted people.

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: I thought you only counted people. <o:p> <o:p>We also conduct surveys to collect information monthly, quarterly and yearly, on labor force, retail and wholesale trade, household expenses, household income, and education to name a few examples.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_TITLE29
TABs.FAQs.FAQ_TITLE29

Description: FAQ 12 What is Title 29?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What is title 29?<o:p>Title 29 is part of the United States Code which by law specifies the duties of the Bureau of Labor Statistics. It is very broad in scope. This title gives the Bureau of Labor Statistics authority to designate the Census Bureau to collect data including the data collected in this survey. The title includes acquiring and diffusing: "among the people of the United States useful information on subjects connected with labor ..."
Section 2 of the code specifically mentions the collection of many types of labor related data, including retail and wholesale trade information.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_CPI_USE

Field

TABs.FAQs.FAQ_CPI_USE

Description: FAQ 13 Uses of the Consumer Price Index

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Uses of the Consumer Price Index<o:p>The Consumer Price Index is a measure of the average change in the prices paid by urban consumers for a fixed market basket of goods and services.

<o:p>The Consumer Price Index is commonly used as:<o:p> 1. A measure of inflation.<o:p> 2. An economic indicator. The President, the Congress, and the Federal Reserve use trends in the Consumer Price Index to aid in formulating fiscal and monetary policies. In addition, businesses, labor organizations and private citizens use the index as a guide in making economic decisions.<o:p>3. A means of adjusting income payments. Adjustments to wages, Social Security Pay- ments, retirement bene-fits and other compen-sation such as child support and payments received by millions of Americans are based on changes in the Consumer Price Index.<o:p> 4. An adjustment factor for tax brackets (indexing) to prevent 'bracket creep' due to inflation.

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

Field

FAQ_TOLLPHN
TABs.FAQs.FAQ_TOLLPHN

Description: FAQ 14 Confirm call/toll-free (800) numbers

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Confirm call/toll free (800) numbers <o:p>To verify that I am calling from the Census Bureau, you may call our toll free number:
Hagerstown: 1-800-392-6975
Tucson: 1-800-642-0469
Jeffersonville: 1-800-523-3205<o:p>When you call, please provide your name and the following case identification number:

Read CASEID number from lower left corner of screen.

IF NECESSARY

To verify that the toll free number is legitimate, you may call Directory Assistance on: 1-800-555-1212.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Fill CASEID number in [fill:]

FAQ_BLSADDR

Field

TABs.FAQs.FAQ_BLSADDR

Description: FAQ 15 BLS comments

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Bureau of Labor Statistics (BLS) Comments <o:p>Direct any
comments you have to: <o:p>Bureau of Labor Statistics<o:p>2
Massachusetts Avenue, N.E., Room 3615 <o:p>Washington, DC 20212
<o:p>or to their website at: www.bls.gov

Reference the Telephone Point of Purchase Survey or “TPOPS”
in your correspondence. Remember to include your name, address, and
telephone number or the following case identification number, if you request a
response.<o:p>Read CASEID number from lower left corner of screen.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_DATAREQS
TABs.FAQs.FAQ_DATAREQS

Description: FAQ 16 Data requests

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Data Requests<o:p>Neither the Census Bureau nor the Bureau of Labor Statistics publishes data collected from this survey.<o:p>The purpose of the Telephone Point of Purchase Survey is to provide the Bureau of Labor Statistics with a list of outlets (stores) where consumers buy the goods and services asked about during the interview. The Bureau of Labor Statistics uses data from of the Telephone Point of Purchase Survey, along with data from three other surveys to adjust the Consumer Price Index, which is a leading measure of inflation that indicates the cost of living in our country.<o:p> We can send you a pamphlet describing the Consumer Price Index and how people use it. The TPOPS survey collects the stores and service establishments mentioned in Chapter 8 of that pamphlet.

**THE PAMPHLET IS AVAILABLE IN ENGLISH ONLY
WRITE DOWN THE RESPONDENT'S NAME AND ADDRESS AND GIVE IT TO
YOUR SUPERVISOR**

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

FAQ_ADDRESS

Field

TABs.FAQs.FAQ_ADDRESS

Description: FAQ 17 How did you get my address?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: How did you get my address?<o:p>First, your telephone number was randomly selected from a computer-generated list of all possible phone numbers in your area code. Next, the residential address registered to your phone number was identified via a computer search of various telephone databases. <o:p>Finally, the address information was used exclusively to create and mail the letter to you. A permanent record of your address was not kept.<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_SENDINFO
TABs.FAQs.FAQ_SENDINFO

Description: FAQ 18 What is this advance letter about? How can I get one?

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: What is this advance letter about? How can I get one?<o:p>The letter contains a brief explanation of the Telephone Point of Purchase Survey and its importance in creating the Consumer Price Index, as well as the legal authorizations for collecting this data. We would like to continue the interview at this time. If you like, we can send you another copy of the letter if you provide me with your name and address.

THE LETTER IS AVAILABLE IN ENGLISH ONLY.<o:p>

Type: Classification

Length: 1

Don't Know

Refuse

Empty

On Input

On Output

Array:

FAQ20

Field

TABs.FAQs.FAQ20

Description: FAQ20Return to interview

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

FAQ_RACE
TABs.FAQs.FAQ_RACE

Description: FAQ 19 Why do we ask race and ethnicity questions?

Form Pane Label:

SAS Name: FAQ_RACE

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: Why do we ask race and ethnicity questions?<o:p> <o:p>In October 1997, the Office of Management and Budget, or OMB, issued Standards for Maintaining, Collecting, and Presenting Federal Data on Race and Ethnicity. These guidelines state that race and ethnicity are separate and distinct concepts and should be collected in different questions. The standards are available on the Internet at www.whitehouse.gov/omb/fedreg/1997standards.html. <o:p>All federal agencies, including the Census Bureau, which collect and report data on race and ethnicity, must follow these standards. <o:p>The Bureau of Labor Statistics uses the data from the TPOPS survey to produce a sample of retail stores and service establishments that is then used to price goods and services for the Consumer Price Index. The race and ethnicity questions are asked to ensure that the survey shows no bias regarding any ethnic group and that the shopping habits of the whole population are represented.

Type: Classification

Length: 2

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEFs
TABs.DEFs

Block

Description: TAB - Definition of 7 commodity concepts Help Screens

Tab Name: DEFs

Fly Over Name: Definition of some commodity concepts

Universe Type: If

Inherited Universe:

Universe:

Universe Description:

Array:

Block Instructions:

Field

STATE ABBREVIATIONS

TABs.DEFs.STATE ABBREVIATIONS

Description: 2-digit abbreviations of the 50 US states and the District of Columbia

Form Pane Label:

SAS Name:

Tag Name: Def 1. STATE ABBREVIATIONS

Inherited Universe:

Universe:

Universe Description:

Question Text: State abbreviations

AL	Alabama	MT	Montana
AK	Alaska	NE	Nebraska
AZ	Arizona	NV	Nevada
AR	Arkansas	NH	New Hampshire
CA	California	NJ	New Jersey
CO	Colorado	NM	New Mexico
CT	Connecticut	NY	New York
DE	Deleware	NC	North Carolina
DC	District of Columbia	ND	North Dakota
FL	Florida	OH	Ohio
GA	Georgia	OK	Oklahoma
HI	Hawaii	OR	Oregon
ID	Idaho	PA	Pennsylvania
IL	Illinois	RI	Rhode Island
IN	Indiana	SC	South Carolina
IA	Iowa	SD	South Dakota
KS	Kansas	TN	Tennessee
KY	Kentucky	TX	Texas
LA	Louisiana	UT	Utah
ME	Maine	VT	Vermont
MD	Maryland	VA	Virginia
MA	Massachusetts	WA	Washington
MI	Michigan	WV	West Virginia
MN	Minnesota	WI	Wisconsin
MS	Mississippi	WY	Wyoming
MO	Missouri		

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: IF GEO_VER =1, store FIPSCODE (8500/67-71) in FIPS_ST and FIPS CTY.

Output variable is GEO_ST

Array:

Special Instructions: Fill county name and state from input file, up to 4 Different States, or 95. Someplace Else.

[fill STATE_n associated with PSU in XSTATE]

1. Number of states in PSU stored in XSTATE; display appropriate number
2. Reject if GEO_ST gt XSTATE (state number out of range for PSU)
3. Store GEO_ST in FIPS_ST
4. If GEO_ST = 1 - 4, set OUTCOME = 00, SUBTYPE = 00
5. If GEO_ST = D, set OUTCOME = 20, SUBTYPE = 9; if MARK lt 8, set MARK = 8
6. If GEO_ST = R, if MARK lt 9, set MARK = 9
7. If GEO_ST = 95, set OUTCOME = 20, SUBTYPE = 8; if MARK lt 22, set MARK = 22

Field

DEF_CU
TABs.DEFs.DEF_CU

Description: Consumer Unit

Form Pane Label:

SAS Name:

Tag Name: Def 2, Consumer Unit

Inherited Universe:

Universe:

Universe Description:

Question Text: **CONSUMER UNIT** A consumer unit is a person living alone or a group of two or more people who are related by blood, marriage, or other legal arrangement or who share major living expenses.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEF_LVGEXP
TABs.DEFs.DEF_LVGEXP

Field

Description: Critical shared living expenses

Form Pane Label:

SAS Name:

Tag Name: Def 3. Living Expenses

Inherited Universe:

Universe:

Universe Description:

Question Text: Living Expenses Individuals will be considered part of the same consumer unit if they share at least two of the following major living expenses:

1. Housing Expenses
2. Food Expenses or
3. Other Expenses such as transportation, clothing, medical, or educational expenses.

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

DEF_OUT_TYPE
TABs.DEFs.DEF_OUT_TYPE

Description: Different outlet types for consumer purchases

Form Pane Label:

SAS Name:

Tag Name: Def 4. Outlet Type

Inherited Universe:

Universe:

Universe Description:

Question Text: Outlet Type

The key to selecting the correct outlet type at screen CP_OLTYM is to determine

HOW you entered into the "contract", either express or implied, to purchase the item or service.

SELECT (1) PERSONAL VISIT, if you made a personal visit to the store/business/outlet and either paid for the item at the store or made arrangements there to finance the purchase.

SELECT (2) MAIL ORDER, if you filled out a mail-order form and mailed the form to the vendor.

SELECT (3) TELEPHONE ORDER, if you ordered the item over the telephone by calling the vendor, or by sending the request order by fax. This includes food items that are delivered to the home, if the order was placed over the telephone (for example Pizza Delivery).

SELECT (4) INTERNET, if you filled out a form on an Internet web site or company home page and submitted the order electronically over the Internet or via e mail. (This is true, even if the company is located outside the U.S.)

SELECT (5) PRIVATE INDIVIDUAL, if the outlet name is a person's name (e.g., Joe Smith) and is not connected to a business. (This is true, even in cases where the contract was made by personal visit or over the telephone.) Precode (5) Private Individual has priority and should be

selected if the outlet name is a person and not a business.

One exception: If the outlet name is a doctor or medical physician's name (e.g., Dr. Joe Smith), then Precode (5) should not be selected. Assume doctors have offices or make house calls and are "normally" in business, so Precode (1) Personal Visit or Precode (3) Telephone should be selected.

SELECT (6) PUBLIC SALE, if the outlet name given by the respondent contains the phrase

"public sale", "garage sale", "yard sale", "estate sale", "swap meet", or "auction". (This is true, even in cases where the contract was made by personal visit.)

Precode (6) Public Sale has priority and should be selected if you know the purchase was made at a public sale.

If you are not sure if the purchase was made at a public sale (and the outlet name does not give an indication), Precode (1) Personal Visit should be selected.

SELECT (7) LOCATION OUTSIDE OF THE U.S., if the outlet is located outside the U.S.,

unless it is an Internet outlet. Precode (7) Location Outside the U.S. has priority

and should be selected if the outlet is located outside the United States. (This is true, even in cases where the contract was made by personal visit, mail order, or telephone.)

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

DEF_INARMFC
TABs.DEFs.DEF_INARMFC

Description: Listing of the types of services, which to include and which to NOT include

Form Pane Label:

SAS Name:

Tag Name: Def 5. In Armed Forces

Inherited Universe:

Universe:

Universe Description:

Question Text: IN ARMED FORCES<o:p> <o:p> INCLUDE:

- U.S. Army
- U.S. Navy
- U.S. Air Force
- U.S. Marine Corps
- U.S. Coast Guard
- a Reserve Branch of any of the above
- Commissioned Officers of the U.S. Public Health Service
- National Guard in Federal Service (if service is during a period when that unit became part of the regular forces by presidential order)

DO NOT INCLUDE:

- Coast Guard Temporary Reserve
- Active Reserve Training
- Merchant Marine, Maritime Commission, or American Field Service
- Civilian employees of the Department of Defense
- National Guard on standby status
- R.O.T.C., VISTA, or Peace Corps

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEF_AFCPAY

Field

TABs.DEFs.DEF_AFCPAY

Description: Description what the components of pay and the types of armed forces pay to include and NOT to include

Form Pane Label:

SAS Name:

Tag Name: Def 6. Armed Forces Pay

Inherited Universe:

Universe:

Universe Description:

Question Text: Armed Forces Pay<u1:p><o:p>Total consumer unit income shall be defined as: total money earnings and selected money receipts of all consumer unit members 14 years of age or over during the 12 months preceding the interview.

Components of income include:

- wages and salaries,
- self-employment income,
- Social Security,
- private and government retirement,
- interest,
- dividends,
- rental income,
- unemployment and workers' compensation,
- veterans' benefits,
- public assistance,
- supplemental security income,
- food stamps,
- regular contributions for support, and
- other income such as cash scholarships, fellowships, and meals and rent as pay.

It does not include money from any non-periodic, one-time, or lump-sum items such as
money received from the sale of property, withdrawals of bank deposits, money borrowed,
tax refunds, or gifts.

Armed Forces pay consists of wages, salaries, and allowances earned while on active duty
in the following:

-
- U.S. Army
 - U.S. Navy
 - U.S. Air Force
 - U.S. Marine Corps
 - U.S. Coast Guard

It also includes income received by individuals in the following:

- a Reserve Branch of any of the above
- Commissioned Officers of the U.S. Public Health Service
- National Guard in Federal Service (if service is during a period when that unit became part of the regular forces by presidential order)

It does not include earnings of members in the following organizations:

- Coast Guard Temporary Reserve
- Active Reserve Training
- Merchant Marine, Maritime Commission, or American Field Service
- Civilian employees of the Department of Defense
- National Guard on standby status
- R.O.T.C., VISTA, or Peace Corps

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

DEF_BUSEXP

Field

TABs.DEFs.DEF_BUSEXP

Description: Definition of business expenses

Form Pane Label:

SAS Name:

Tag Name: DEF 7. Business Expenses

Inherited Universe:

Universe:

Universe Description:

Question Text:

Business

Expenses<o:p>Business expenses at a full service or limited service restaurant include any expense incurred directly by the employee who has been or will be reimbursed by an employer. This includes using personal funds or credit card, a company credit acrd, or money advanced by the employer. If the expense is incurred by a self-employed individual, then the expense should be included only if it is eligible to be deducted from income as a cost of doing business.
<o:p>

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Field

ChangeResp
TABs.ChangeResp

Description: TAB - Change Respondent Help Screen

Form Pane Label: Change

SAS Name:

Tag Name: Change Respondent

Inherited Universe:

Universe:

Universe Description:

Question Text: Whom should I ask for when I call back?

Type: Classification

Length: 20

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Store Instructions: Store CHNG_RESP in RESPNAME

Array:

Special Instructions: Display Hard Error if entry is all numeric:

HARD ERROR: There must be at least one alphabetic character in this field. Go back to correct.

Skip Instructions: goto MAIN PATH

TAB_INTNM
TABs.TAB_INTNM

Field

Description: TAB - Number of Interview Help Screen

Form Pane Label:

SAS Name:

Tag Name: Interview Number

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Special Instructions: Fill INTNUM of current interview

Skip Instructions: goto MAIN PATH

Field

Instrument
TABs.Instrument

Description: Main path of the instrument

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text:

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array:

Exit

Field

TABs.Exit

Description: Allows interviewer to exit interview using TY_CLBCK

Form Pane Label:

SAS Name:

Tag Name:

Inherited Universe:

Universe:

Universe Description:

Question Text: See TY_CLBCK

Type: Classification

Length: 1

- Don't Know
- Refuse
- Empty

- On Input
- On Output

Array: