

Appendix F. Screen from the CDC IRB intranet site showing current approval of the Tremolite Asbestos Registry protocol. Accessed 3/18/2009.

http://inside.od.cdc.gov/adshsp/source/Protocol.asp?protoid=4022 - Windows Internet Explorer

http://inside.od.cdc.gov/adshsp/source/Protocol.asp?protoid=4022

atlanta climbing

File Edit View Favorites Tools Help

Q&A on General Schedule Wi... Salary Table 2009-ATL Atlanta News, Sports, Atlant... Morning Edition : NPR http://inside.od.cdc.gov/...

OD InTRAnet Home Search OD Site Map

**CDC InTRAnet**

**HUMAN SUBJECTS IRB**

Protocol # :4022 Title : Tremolite Asbestos Registry

Primary Contact : Ted Larson, MS

Board : G

Birth Date : 12/10/2003 Expiration Date : 12/9/2009

**ACTIONS ASSURANCES PROTOCOL QUERY**

Please do not contact the IRB reviewers directly.

---

[Human Subjects](#) | [OCSO Staff](#) | [Contact Us](#) | [Help](#)  
[CDC InTRAnet](#) | [InTRAnet Search](#) | [Health Topics A-Z](#)

This page last reviewed January 4, 2005  
URL : <http://inside.od.cdc.gov/adshsp/source/Protocol.asp?protoid=4022>

Office of the Chief Science Officer  
Centers for Disease Control and Prevention  
One West Court Square, 7th Floor, Mailstop D-73  
Decatur, GA 30030  
**404-371-5980**

Done Trusted sites 100%

start SAS - [Gr... temp Libby http://ins... 2008070... Adobe Ac... 60 day h... Appendix... supportin... NPR Med... Inbox - M... 9:13 AM