



August 26, 2009

DSSD 2010 CENSUS COVERAGE MEASUREMENT MEMORANDUM SERIES #2010-D10-02

MEMORANDUM FOR Barbara LoPresti
 Chief, Technologies Management Office

From: David C. Whitford *Signed August 26, 2009*
 Chief, Decennial Statistics Studies Division

Prepared by: Patricia B. Hartman and Angela-Jo Wetzel
 Quality Assurance Branch
 Decennial Statistics Studies Division

Subject: 2010 Census Coverage Measurement Person Interview
 Reinterview Instrument Specification

This memorandum contains the specification for the 2010 Census Coverage Measurement (CCM) Person Interview (PI) Reinterview (RI) instrument. It includes revisions to the 2009 specification dated May 19, 2009, based on findings from the 2009 PI RI Operational Test.

The attached specification outlines the PI RI scripts, skip patterns, special instructions and proposed screen layouts. This specification, in conjunction with the detailed PI RI operational requirements and the PI instrument specification, provides the basis for the PI RI instrument development. The requirements are provided in Memorandum 2010-D1-06 in this series, *2010 Census Coverage Measurement Person Interview and Reinterview Operational High Level and Detailed Level Requirements*. The PI instrument specification is provided in Memorandum 2010-D8-02 in this series, *2010 Census Coverage Measurement Person Interview Instrument Specification*.

The 2010 CCM PI RI operation will be conducted by personal visit or telephone using a computer-assisted data collection instrument on a laptop computer. For each CCM PI interviewer, we will conduct a reinterview on a sample of completed and eligible interview cases. The purpose of the reinterview is to confirm that the PI interviewer conducted an interview, to determine the unit's status on the PI interview date, to collect the household roster for units occupied on the PI date, and to conduct a Full PI interview when certain questionable conditions exist.

The PI RI instrument will also contain a Spanish wording path. The Spanish Translation specification will be provided in Memorandum 2010-D10-04 in this series, *2010 Census Coverage Measurement Person Interview Reinterview Instrument Specification – Spanish*.

The PI RI instrument will also contain a Puerto Rico Spanish wording path. The Puerto Rico Spanish Translation specification will be provided in Memorandum 2010-D10-05 in this series, *2010 Census Coverage Measurement Person Interview Reinterview Instrument Specification – Puerto Rico Spanish*.

The 2010 CCM PI RI operation is scheduled to occur from 8/21/10 to 10/09/10. The workload is estimated at approximately 36,300 reinterview cases. Please direct any questions on this specification to Angela-Jo Wetzel on 301-763-9277 or Patricia Hartman on 301-763-1975.

Attachments

cc:

DSSD CCM Contacts List
S. Johnson (TMO)
Y. Purohit "
C. Ziesing "

2010 Census Coverage Measurement
Person Interview
Reinterview Instrument Specification



2010 CCM PI RI Instrument Specification Modification History Table

Change #	Version #	CR #	CR Status	Screen Changed	Description of Change	Date of Change

Special Instructions

The following items provide a guideline for interpreting the specification for the Person Interview (PI) Reinterview (RI) instrument. This section should be examined prior to reading the screen specification.

1. Screen Specification Table

Our specification for each screen is outlined in a table consisting of the following eight sections:

- Variable Name
- Field Description
- Universe
- Screen Text
- Input Options
- Fill Instructions
- Skip Instructions
- Special Instructions

- 1.1. Section 1 - Variable Name: This section gives the screen name and its screen number in alphanumeric. Screen names and numbers are present to add clarity for the reinterview enumerators (reinterviewers) and to aid in training. Any changes to the screen names and numbers must be discussed with the Decennial Statistical Studies Division (DSSD) – Quality Assurance Branch (QAB) staff. If new screens need to be created, the screen names need to be consistent with the purpose of the screen and the screen numbers should follow the numbering used in that section of the instrument.

We tried to number the screens sequentially within each section of the instrument – the Front, the Middle, and the Back. The Front screens have a prefix of "F" before their number; the Middle screens, a prefix of "M"; and the Back screens, a prefix of "B."

Both screen name and number should appear in the laptop computer for each screen as seen in the specification. Screen names are in all caps throughout the specification. They are also bolded, except in the universe block.

- 1.2. Section 2 - Field Description: This section gives a brief description of the screen's purpose.
- 1.3. Section 3 - Universe: The universe gives the conditions for which the screen is applicable.

- 1.4. Section 4 - Screen Text: This section displays question text, information useful/helpful to the reinterviewer, and/or information useful/helpful to the programmer.
- 1.4.1. To discern what information in Section 4 is for the programmer, the reinterviewer, and read to the respondent, we used five categories for screen presentation of text:
- **BLACK/BOLD UPPERCASE** text is used for variable names.
 - **Black/Bold** text is used to identify text the reinterviewer reads aloud to the respondent.
 - **Plain Blue text** is used to represent Actions/Instructions for the reinterviewer. A diamond precedes this text.
 - Black plain text is used for unread response options in the answer list and optional screen text the reinterviewer reads if necessary (will appear in gray bold text on the screen).
 - *Italics* text is information for the programmer.
- 1.4.2. Some screen text is designated by a variable fill. The fill is the value of the variable or the "word" fill for that value. Appendix A lists the wording for a variable's values when a word fill is specified.
- 1.5. Section 5 - Input Options: This section lists the acceptable response choices for the screen. Only one response per question is allowed unless otherwise stated. Also, **blank is not a valid response option, unless otherwise stated.**
- The numbers beside the response options are displayed on the screen and used as the response's input/output value, unless otherwise stated. Note that for a few of the screens, the responses are not numbered in order.
- Special attention should be given to the "Don't Know" and "Refused" response options. "Don't Know" and "Refused" are options on every screen, unless otherwise stated. "Don't Know" and "Refused" should not be visible on the screen. However, they should be rapidly available to the reinterviewer. "Don't Know" and "Refused" are represented by DK and RF, respectively, in the skip instructions. "Don't Know" and "Refused" may not be combined with other responses, unless otherwise stated (that is, when multiple responses are allowed). "Don't Know" and "Refused" will be input and output according to their respective Blaise conversions, unless otherwise stated.
- 1.6. Section 6 - Fill Instructions: When applicable, this section tells the programmer the conditions for filling each option listed for a fill in the Screen Text section.

- 1.7. Section 7 - Skip Instructions: This section tells the programmer the next screen the instrument should go to if a particular input option is chosen and if certain conditions exist. The instructions also tell the programmer what variables to set and what counters to increment. The skip instructions are written in a linear progression, so that conditions are tested from top to bottom.
- 1.8. Section 8 - Special Instructions: This section, when used, provides other relevant information for the programmer.

2. Screen Layout

- 2.1. The screen layout will depend on the amount of space on the screen and the method chosen to display the text.
- 2.2. The input method options will depend on the number and nature of the response categories.
- 2.3. If screens need to be broken into multiple screens or changed in some other way, programmers should consult with DSSD-QAB staff.

3. Functions

- 3.1. Case NOTES (Ctrl+F7) is a global function available throughout the instrument from any screen. The instrument also opens NOTES each time a case is closed following the RI close routine.
- 3.2. Item Notes functionality is disabled.
- 3.3. HU_HELP (Shift+F6) for occupancy/unit status questions/decision is a global button available throughout the instrument.
- 3.4. H_RESP_RULES (F6) for Respondent/Attempt type Rules is a global button available throughout the instrument.
- 3.5. Exit/F10 is a global function that leads to the END_NOW screen and allows the reinterviewer to end the interview early. However it should only be accessible if the following condition is true:

(ROSTER1B = 1 and COMPLETE = 1).
- 3.6. PI RI Frequently Asked Questions (PI RI FAQs) are accessed through a parallel button and (Shift+F3). The list of questions and answers are in Appendix B.
- 3.7. PI FAQs are accessible through a global button and (Shift+F2). Copy the text from the PI Instrument.

- 3.8 The instrument will use buttons, instead of tabs, to allow for appropriate functionality.
- 3.9 When the PRFLAG = 1 in the input, the instrument should default to PR Spanish Mode. When the PRFLAG = 0 in the input, the instrument should default to Untied States (U.S.) English Mode. Both U.S. and PR modes should have the counterpart Spanish and English available.
- 3.10 For tables entries, F12 allows the user to copy an entry from the same column in the previous row.

4. Person Interview Variables Needed for the Person Interview Reinterview Instrument

The following table lists the variables from the PI Instrument and/or the PI RI Sample Control Input File (SCIF) needed as input in the PI RI Instrument. Since RI variables often use the same names as their corresponding PI variables, certain PI instrument variables should be copied to variables with an "ORIG_" prefix added to the PI variable name. These "ORIG_" prefixed variables should then serve as the input variables in the RI instrument.

PI Variable Name	Description	Copy to ...
ENTRYDATE	Date original case was completed	ORIG_ENTRYDATE
BEGINTIME	Time original case was completed	ORIG_BEGINTIME
PRFLAG	Flag designating Puerto Rico case	
PI sample address variables	All address variables input into the PI instrument for the sample address (U.S. and Puerto Rico)	
OUTCOME	Outcome of PI	ORIOUT
ATTEMPT_TYPE	Type of PI conducted	ORIG_ATTEMPT_TYPE
CP2ADD1	Line 1 of PI proxy address	
CP2ADD2	Line 2 of PI proxy address	
CP2PO	City of PI proxy address	
CP2ST	State of PI proxy address	
CP2ZP5	ZIP Code of PI proxy address	
R_NAME	Name of the original respondent	ORIG_R_NAME
R_PHONE (Split into AREA, PREFIX, and SUFFIX on the PI RI SCIF.)	Telephone number of the original respondent	ORIG_R_PHONE and initially set MASTER_PHONE (Merged from AREA, PREFIX, and SUFFIX on the PI RI SCIF.)
R_TYPE	Type of original respondent	ORIG_R_TYPE
LANG_SPEAK	Language spoken by PI respondent	ORIG_LANG_SPEAK
AGE	Age of PI respondent	ORIG_AGE
SEX	Sex of PI respondent	ORIG_SEX
RELATION1	The PI respondent's relationship to	ORIG_RELATION1

PI Variable Name	Description	Copy to ...
	reference person (PV)	
RELATION2	The PI respondent's relationship to reference person (Telephone)	ORIG_RELATION2
CURSTAT	Current status of the sample address on PI date	ORIG_CURSTAT
BEST_TIME	Best time to contact – collected during the original interview	ORIG_BEST_TIME
RI_CATEGORY	Reinterview category set by PI RI MaRCS	
PV_TEL_FLAG	Initial 'attempt mode' set by PI RI MaRCS	

5. Other Required Information

Each reinterview case must also have the necessary variables required for display or processing by the Coverage Measurement Operations Control System (CMOCS), Laptop Case Management (LCM), or the PI RI Matching, Review and Coding System (MaRCS). These variables are defined in the PI RI SCIF and the TMO-PI RI MaRCS Interface Control Document (ICD). These variables include the following types of information:

- 5.1. Case control information, similar to that for the corresponding PI case.
- 5.2. Employee information such as the Applicant ID and Field Representative (FR) Code for both the interviewer and reinterviewer.
- 5.3. The data in the Record of Calls Table on the History Tab in LCM.

6. Address Fills

The variable SAMPLE_ADDR is a concatenated field of the address information for the PI sample address. It is composed of the address variables defined on Record Type 20 of the PI RI SCIF. When filling the PI sample address (SAMPLE_ADDR with a length of 442) and other addresses in the reinterview instrument, the following rules apply.

- 6.1 If U.S., the following should be displayed:
 - 6.1.1 Display House Number, Street Name, and Unit designation, if both House Number and Street Name are present (excluding Don't Know and Refused answers).
 - 6.1.2 Otherwise, display RURALADDRESS, if not blank.
 - 6.1.3 Otherwise, display Street Name, if not blank, and Physical Description, if not blank.

6.1.4 For the Sample Address, if (HOUSENO = blank or STREETNM = blank) and (RURALADDRESS = blank), we collect another description of the address from the respondent, this description (*ADDRESS_DESCRIP*) should be used throughout the instrument when *SAMPLE_ADDR* is used in fills.

6.2 If Puerto Rico, the following should be displayed:

6.2.1 If (PR House Number and PR Urbanization Name) or (PR Urbanization Name and PR Unit Designation) or ((PR House Number or PR KM/HM) and PR Street Name) or ((PR House Number or PR KM/HM) and PR Ramal) are not blank, then display:

PR Urbanization Name, PR Complex Descriptor and Designation, PR Street Name, PR Ramal, PR House Number, PR Unit Designation, PR Area Name 1, PR Area Name 2, and PR KM/HM. (Remove blank fields and concatenate for readability, separating field values by commas.)

6.2.2 Else if RURALADDRESS is filled: display RURALADDRESS.

6.2.3 Else display PR Urbanization Name, PR Street Name, PR Ramal, and Physical Description. (Remove blank fields and concatenate for readability, separating field values by commas.)

6.2.4 For the PR Sample Address, if all of the following are true:

- (PR House Number = blank or PR Urbanization Name = blank) and
- (PR Urbanization Name = blank or PR Unit Designation = blank) and
- ((PR House Number = blank and PR KM/HM = blank) or PR Street Name = blank) and
- ((PR House Number = blank and PR KM/HM = blank) or PR Ramal = blank) and
- (RURALADDRESS = blank),

we collect another description of the address from the respondent. This description (*ADDRESS_DESCRIP*) should be used throughout the instrument when *SAMPLE_ADDR* is used in fills.

6.3 The variable *ORIG_PRX_LOC* is a concatenated field of the address information from the PI instrument. It is composed of the following copied PI address variables: *CP2ADD1*, *CP2ADD2*, *CP2PO*, *CP2ST*, and *CP2ZP5*.

- 6.4 The variable PRX_LOC_UPDATE is a concatenated field of the address information from the following variables: CP1ADD1, CP1ADD2, CP1PO, CP1ST, and CP1ZP5. These variables may be updated in the reinterview instrument.
- 6.5 For all state collections, a state lookup box will be provided. It will sort through the lookup based on state abbreviations or arrow or clicking on a line. The state abbreviation shall appear, as well as the spelled out name, for ease in finding the proper state.
- 6.6 A hard error that states, 'Enter a complete five-digit ZIP Code' will be displayed when less than five numbers are entered for a ZIP Code entry. Also, 99998 and 99999 are not valid ZIP Codes. They are reserved for a ZIP Code entry of "Refused" (99998) and "Don't Know " (99999).

7. Phone Number Fills

When filling a phone number in the reinterview instrument, the following rules apply:

- 7.1 Display a valid phone number only. A valid phone number, (ABC) DEF-GHIJ, must meet each of the following conditions:
- The telephone number contains 10 digits
 - The digits in positions A and D are not 0 or 1
 - The digit in position B is not 9
 - The digits in positions B and C are not the same
 - The digits in positions ABC are not 456, 710, or 950
 - The digits in positions AB are not 88.
 - The digits in positions DEFGHIJ are not all the same
 - The digits in positions DEF are not 555, 950, 958, 959
 - The digits in positions EF are not 11
- 7.2 Display MASTER_PHONE as the phone number fill, except when filling ORIG_R_PHONE on STARTA, INTRO_INT, and RI_START_TPH.
- 7.3 Always update MASTER_PHONE with the latest phone number collected in the reinterview instrument or Laptop Case Management, if the latest phone number is valid.

8. Date Format Fills

Use the long date format (day of week, month, day, and four-digit year) to display ORIG_ENTRYDATE in the reinterview instrument. This includes instances where the date is displayed in the roster section.

9. Roster Screens

The PI RI instrument contains various screens that collect household members' names. When setting the name of a household member (WNAME), trim and concatenate the various parts (FNAME, MINIT and LNAME or DESCRIPTION and LNAME), leaving a space between each part.

All roster list information must travel with the case.

10. Reinterview Categories

The PI RI MaRCS sets a reinterview category flag for all potential reinterview cases. This flag must travel with the reinterview case. Values of the RI_CATEGORY Flag for eligible RI cases are:

- 1 - Sample household occupied or seasonally occupied and interviewed
- 2 - Proxy interviewed and sample household occupied or seasonally occupied, contact information available
- 3 - Proxy interviewed and sample household occupied or seasonally occupied, contact information not available
- 5 - Proxy interviewed, sample household vacant, seasonally vacant or not a housing unit, and contact information available
- 6 - Proxy interviewed, sample household vacant, seasonally vacant or not a housing unit, and contact information not available
- 7 - Sample household vacant, seasonally vacant or not a housing unit, and unit status determined by enumerator (interviewer) observation or respondent type of "Don't Know."

11. Reinterview Groups

Some of the RI Categories subdivide into groups based on the number of reinterview attempts and/or the results of those attempts. The possible Categories and Groups are:

- Category 1 – Group 1
- Category 1 – Group 11
- Category 2 – Group 2
- Category 2 – Group 21
- Category 3 – Group 3
- Category 5 – Group 5
- Category 5 – Group 51
- Category 6 – Group 6
- Category 6 – Group 61
- Category 7 – Group 7
- Category 7 – Group 71

A brief description of each of the groups follows:

11.1. Category 1 - Group 1

For RI cases where the PI unit status was occupied or seasonally occupied and the original PI respondent was a household member, we attempt to reinterview the original respondent.

If the original respondent is not available and another household member is available, that person will be reinterviewed.

If the original household confirms that a PI interview took place, we attempt to complete a reinterview with that household. We do not reinterview a proxy.

If the original household does not confirm that a PI interview took place, we attempt to complete a Full PI interview with that household. We do not interview a proxy.

11.2. Category 1 – Group 11

If the original household cannot be contacted after six attempts, or will not be available for an extended period on any attempt, attempts will be made to reinterview a proxy respondent.

At the point a Category 1 case is set to interview a proxy respondent, rather than a household respondent, the case converts from a Group 1 case to a Group 11 case. The reinterview is structured differently, as we will no longer be contacting the original respondent.

11.3. Category 2 – Group 2

For RI cases where the PI unit status was occupied or seasonally occupied and the original PI respondent was a proxy, and we have enough contact information about the proxy, we attempt to contact the original proxy respondent.

If the original proxy respondent confirms that a PI interview took place, we attempt to complete a reinterview with that person.

11.4. Category 2 – Group 21

If the original proxy refuses to be reinterviewed at all, or does not confirm that a PI interview took place, attempts will be made to complete a Full PI interview with the PI sample household.

If the original proxy respondent is not available after six attempts, or will not be available for an extended period on any attempt, we attempt to complete a Full PI interview with the PI sample household.

At the point a Category 2 case is set to interview a household respondent rather than the proxy respondent, the case converts from a Group 2 case to a Group 21 case. The reinterview is structured differently, as we will no longer be contacting the original respondent.

11.5. Category 3 – Group 3

When the PI unit status was occupied or seasonally occupied and we do not have sufficient information to contact the original proxy, we go directly to the PI sample household. We make six attempts to conduct the Full PI interview with the household. No proxy interviews are attempted.

11.6. Category 5 – Group 5

For a vacant, a seasonally vacant, or a "not a housing unit (HU)" case with sufficient original respondent contact information, we attempt to reinterview the original respondent (PI sample household member or proxy household member). If we find that the PI sample address was occupied on the PI date, and the original respondent is a member of the PI sample address, we conduct a Full PI interview with the original respondent.

11.7. Category 5 – Group 51

If a vacant, a seasonally vacant, or a "not a HU" case with sufficient original respondent contact information was occupied on the PI date, and the original respondent is NOT a member of the PI sample address, we attempt to conduct a Full PI interview with an eligible household member of the PI sample address.

At the point a Category 5 case is set to interview a PI sample household respondent, rather than the original proxy respondent, the case converts from a Group 5 case to a Group 51 case. The reinterview is structured differently, as we will no longer be contacting the original respondent.

11.8. Category 6 – Group 6

For vacant, seasonally vacant, or "not a HU" cases with insufficient original respondent contact information, we attempt to reinterview a new respondent (PI sample household member or new proxy household member). If we find that the PI sample address was occupied on the PI date, and the new respondent is a member of the PI sample address, we conduct a Full PI interview with the new respondent.

11.9. Category 6 – Group 61

If a vacant, seasonally vacant, or "not a HU" case with insufficient respondent contact information was occupied on the PI date, and the new respondent is NOT a member of the PI sample address, we conduct a Full PI interview with an eligible household member of the PI sample address.

At the point a Category 6 case is set to interview the PI sample address because the new respondent is not an eligible household member, the case converts from a Group 6 case to a Group 61 case. The reinterview is structured differently, since we are required to contact the PI sample address.

11.10. Category 7 – Group 7

For a vacant, a seasonally vacant, or a "not a HU" case whose unit status was determined by interviewer observation or respondent type of "Don't Know", we attempt to reinterview a new respondent (PI sample household member or new proxy household member). If we find that the PI sample address was occupied on the PI date, and the new respondent is a member of the PI sample address, we conduct a Full PI interview with the new respondent.

11.11. Category 7 – Group 71

If a vacant, a seasonally vacant, or a "not an HU" case whose unit status was determined by interviewer observation, was occupied on the PI date, and the new respondent is NOT a member of the PI sample address, we conduct a Full PI interview with an eligible household member of the PI sample address.

At the point a Category 7 case is set to interview the PI sample address because the new respondent is not an eligible household member, the case converts from a Group 7 case to a Group 71 case. The reinterview is structured differently, since we are required to contact the PI sample address.

11.12. A case in Group 21, 3, 51, 61 or 71, or a case in Group 1, 5, 6 or 7 that requires a Full PI interview, becomes a noninterview after the PI sample household refuses, six attempts to interview the household have been made, or the household is unavailable for an extended period.

11.13. The case's category (RI_CATEGORY) and updated group number (RI_GROUP) must travel with the case.

12. Pathing to Person Interview Instrument Screens

12.1. If a reinterview case requires a Full PI interview, the skip instructions in the PI RI Instrument Specification will lead to either the ROSTER_ADDR1 screen or the ROSTER_REV screen in the PI Instrument Specification. The reinterview case

will then follow the PI Instrument Specification from that screen to the end of module L and then path into PI RI's back section at R_TYPE, R_PHONE or BEST_TIME. At the PI RI's close routine, the PI RI instrument will set the PI outcome code (PI_OUTCOME) according to the coding of OUTCOME in the PI Instrument Specification. The PI RI instrument will then continue with the PI RI's close routine, setting the PI RI outcome code (RI_OUTCOME) and closing the case.

12.1.1. Appendix C lists the PI RI outcome codes.

12.1.2. Refer to Attachment A of the PI Instrument Specification for instructions for setting PI outcome codes.

12.2. When following the PI Instrument Specification, adhere to instructions for question type (Person Based, Topic Based, Household Based), Rosters, Age Calculations, and Date Fills outlined in the Special Instructions in the PI Instrument Specification.

12.3. ***Note that some of the screen names in the PI RI Instrument Specification are identical to similar screens in the PI Instrument Specification. This should not cause a problem. If the reinterview path leads to either ROSTER_ADDR1 or (ROSTER_REV and PI_SCREEN = 1), proceed with the PI instrument screens, as specified. If not, continue with the RI instrument screens.***

13. Variables to Empty Based on RI_OUTCOME

Based on the current reinterview outcome code, certain variables need to be emptied or retained using the following rules.

13.1 If the reinterview outcome is 200, use the original version.

13.2 If the reinterview outcome is 201 or 203, send the current version of all fields to HQ.

13.3 If the reinterview outcome is 213, 214, or 219 and is accepted in Supervisory Review, send the current version of all fields to HQ.

13.4 For any reinterview outcome, if a case is reassigned through View/Reassign, send the original version to the reinterviewer.

13.5 If the reinterview outcome is 219 and the case is reassigned through Supervisory Review, send the original version to the reinterviewer.

13.6 If the reinterview outcome is 302 and GATE_TROSTER = 1 and the case is reopened, empty the following fields in the in script:

STARTA	PRX_LOC_ZP5
BYOBS	THANK_YOU
ATTEMPT_TYPE	THANK_YOU_TPH
RI_STARTB_PV	OMB
RI_STARTB_TPH	CALLBACK
VER_RESP	R_TYPE2
INTRO_COMP	LANG_WHICH
LANG_SPEAK_Q	SURVEY_Q
INTERVIEW_HH	HUTYPE1
MAKE_PV	HUTYPE2
END_NOW	ROSTER1B
R_TYPE	JICPOP2
R_NAME	RI_HH_OK
R_PHONE	PROBLEM
PRX_LOC_ADD1	CURSTAT
PRX_LOC_ADD2	PI_OUTCOME
PRX_LOC_PO	REASSIGN_FLAG
PRX_LOC_ST	RI_PERCOUNT

13.7 Empty the following fields in the in script if the:

- reinterview outcome is 202 and the case is reopened, or
- reinterview outcome is 302 and GATE_TROSTER = 0, and the case is reopened, or
- reinterview outcome is 213 or 214 and the case is reassigned through Supervisory Review (current version ONLY).

STARTA	MAKE_PV
BYOBS	END_NOW
ATTEMPT_TYPE	R_TYPE
RI_STARTB_PV	R_NAME
RI_STARTB_TPH	R_PHONE
INTRO_FULL	PRX_LOC_ADD1
VER_ADD	PRX_LOC_ADD2
INTRO1B	PRX_LOC_PO
INTRO1C	PRX_LOC_ST
INTRO1	PRX_LOC_ZP5
INTRO2	THANK_YOU
INTRO_INT	THANK_YOU_TPH
INTRO3	OMB
INTRO_FULL2	CALLBACK
ADDRESS_DESCRIP	R_TYPE2
INTRO2B	LANG_WHICH
INTRO2B_HH	SURVEY_Q

OCC_PI_DATE
USUAL_RES
LANG_SPEAK_Q
JICINT
JICPOP
VACANT_CHK
HU_STATUS1
HU_STATUS2
SEASONAL_OCCUPIED
KNOWL_AVAIL
INTERVIEW_HH

HUTYPE1
HUTYPE2
ROSTER1B
JICPOP2
RI_HH_OK
PROBLEM
CURSTAT
PI_OUTCOME
REASSIGN_FLAG
RI_PERCOUNT

Instrument Screens

Variable Name	HU_HELP F1
Field Description	Help for occupancy/unit status questions/decisions. Global throughout the instrument.
Universe	(HU_HELP1=1) OR (HU_HELP2=1) OR (HU_HELP3=1) OR (HU_HELP4=1) OR (Global Function accessible through a parallel block (button) or Shift+F6) Button name: HU_HELP Fly over: (Shift+F6) occupancy/unit status questions/decisions
Screen Text	◆ Occupancy/unit status
Input Options	1 - Housing unit 2 - Vacant 3 - Usual residence 4 - Mobile Home/trailer – Empty Site or Moved 5 - Return to reinterview <i>"Don't Know" and "Refused" are not options on this screen</i>
Fill Instructions	
Skip Instructions	1: Goto HU_HELP1 2: Goto HU_HELP2 3: Goto HU_HELP3 4: Goto HU_HELP4 5: GO BACK to previous/originating screen
Special Instructions	

Variable Name	HU_HELP1 F1a
Field Description	Help for Housing Unit
Universe	(HU_HELP = 1)
Screen Text	<p style="text-align: center;">Housing Unit</p> <p>A housing unit (also known as separate living quarters) is one in which:</p> <ol style="list-style-type: none"> 1) The household members live separately from other person(s) in the building, AND 2) The household members have direct access from the outside of the building OR through a common hall (as in an apartment). <p>If the housing unit is vacant, the criteria of separateness and direct access apply to the intended occupants.</p> <p>Examples: a house, an apartment, a trailer or mobile home, a group of rooms, or a single room.</p> <p>(Also see special rules for empty mobile home sites and moved trailers.)</p> <p>A tent, a cave or even a burned out building, can also be considered to be housing units, if they are OCCUPIED by someone with no other usual residence.</p> <p>A house or an apartment that is used for commercial purposes is not considered to be a housing unit. A model home or model apartment are two examples of this. These units are reported as "Not a housing unit" and "Business" in the instrument. The same is true of a unit used purely for storage purposes.</p> <p>Addresses used as Group Quarters (dormitories, nursing homes, etc.) are not housing units. They are reported as "Not a housing unit" and "Group Quarters" in the instrument.</p>
Input Options	<p>1 - Return to HU_HELP 2 - Return to reinterview</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>
Fill Instructions	
Skip Instructions	<p>1-Return to HU_HELP 2-Return to question (GOTO originating screen)</p>
Special Instructions	

Variable Name	HU_HELP2 F1b
Field Description	Help for Vacant
Universe	(HU_HELP = 2)
Screen Text	<p style="text-align: center;">Vacant</p> <p>A vacant unit is any housing unit that was not occupied on the day of the PI.</p> <p>A "Vacant" housing unit is not for seasonal or occasional use and was not occupied on the PI date.</p> <p>A "Seasonal vacant" or "Seasonal occupied" housing unit is for seasonal or occasional use and was either vacant or occupied for less than two months by persons with a usual residence elsewhere on the day of the PI.</p> <p>(Also see rules for empty mobile home sites and moved trailers.)</p>
Input Options	<p>1 - Return to HU_HELP 2 - Return to reinterview</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>
Fill Instructions	
Skip Instructions	<p>1-Return to HU_HELP 2-Return to question (GOTO originating screen)</p>
Special Instructions	

Variable Name	HU_HELP3 F1c
Field Description	Help for Usual Residence
Universe	(HU_HELP = 3)
Screen Text	<p style="text-align: center;">Usual Residence</p> <p>A usual residence is defined as the place where an occupant lives and sleeps most of the time.</p> <p>Examples: A live in employee who spends 4 or more nights a week at the employer's residence should be counted as living there. The unit where he spends the other 3 nights is considered to be a "Vacant" and "For occasional use" housing unit, whether or not the employee was in occupancy there on the day of the PI.</p> <p>If a household has more than one home, their usual residence is the one in which they live and sleep the most time.</p> <p>A person's usual residence, as classified by the Census Bureau, does not always agree with what a person considers his usual residence to be. It is not necessarily their voting address, or the address on their driver's license, or any other criteria they might apply. It is the residence where they live and sleep most of the time.</p> <p>The definition of usual residence is important since it can be the factor that can make the difference in a unit being considered to be an occupied unit or a vacant unit.</p> <p>In the case of unusual addresses, such as a tent, it can be the difference between the address being considered to be an occupied housing unit and not a housing unit.</p>
Input Options	1 - Return to HU_HELP 2 - Return to reinterview <i>"Don't Know" and "Refused" are not options on this screen</i>
Fill Instructions	
Skip Instructions	1-Return to HU_HELP 2-Return to question (GOTO originating screen)
Special Instructions	

Variable Name	HU_HELP4 F1d
Field Description	Help for Mobile Homes/Trailers – Empty Site or Moved
Universe	(HU_HELP = 4)
Screen Text	<p style="text-align: center;">Mobile Homes/Trailers – Empty Site or Moved</p> <p>An empty mobile home site, or address, in a trailer park or mobile home park is not considered to be a housing unit. However, the site is reported as "Not a housing unit" and "Empty mobile home/trailer site" in the instrument.</p> <p>A location outside of a mobile home park, or trailer park, which no longer holds a mobile home, is reported as "Not a housing unit" and "Trailer moved from non-park location."</p>
Input Options	<p>1 - Return to HU_HELP 2 - Return to reinterview</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>
Fill Instructions	
Skip Instructions	<p>1-Return to HU_HELP 2-Return to question (GOTO originating screen)</p>
Special Instructions	

Variable Name	STARTA	F2
Field Description	START OF FRONT OF INSTRUMENT Case review screen. Continue or end reinterview attempt.	
Universe	(This is the first screen)	
Screen Text	<p><u>Reinterview:</u> RI Status: <fill from RI_OUTCOME for last RI attempt (numeric code and words)> RI Attempts Made: <fill from COUNT_ATTEMPTS + COUNT_ATTEMPTS1> RI To Do: <Fill 1: RI with PI sample household /RI with original proxy /RI with new proxy /PI interview with PI sample household/RI with original respondent /RI with new respondent> Contact by: <Fill 3: Telephone/Personal Visit/blank></p> <p>(All of the following information is brought forward from the original PI interview)</p> <p><u>Original Interview:</u> Date and Time: <ORIG_ENTRYDATE and ORIG_BEGINTIME> PI Address: <SAMPLE_ADDR> fill for all interview types Status of interview: <ORIOUT fill with numeric code and words> Type of Interview: <ORIG_ATTEMPT_TYPE in words> Respondent Type: <ORIG_R_TYPE in words> Proxy Respondent Address: <ORIG_PRX_LOC> only fill for proxy interviews Respondent Name: <ORIG_R_NAME> fill for all interview types Respondent Phone: <ORIG_R_PHONE> fill for all interview types - display 10 digits Best Time to contact: <ORIG_BEST_TIME in words> Language Spoken: < Fill 2: <ORIG_LANG_SPEAK> in words/Other ></p> <p>◆ Press F6 for Respondent/Attempt Type Rules.</p>	
Input Options	1 - Enter 1 to Continue 2 - Quit - Do not attempt case now <i>"Don't Know" and "Refused" are not options on this screen</i>	
Fill Instructions	For Fill 1: If RI_CATEGORY = 1 and (RI_GROUP = blank or (RI_GROUP = 1 and COMPLETE = blank)), display "RI with PI sample household " If RI_CATEGORY = 2 and (RI_GROUP = blank or RI_GROUP = 2), display "RI with original proxy"	

Variable Name	STARTA	F2
	<p>If RI_CATEGORY = 1 and RI_GROUP = 11, display "RI with new proxy"</p> <p>If RI_CATEGORY =1 and RI_GROUP = 1 and COMPLETE = 1, display "PI interview with PI sample household"</p> <p>If (RI_GROUP = 21, 51, 61, or 71) or RI_CATEGORY = 3, display "PI interview with PI sample household"</p> <p>If RI_CATEGORY = 5 and RI_GROUP = 5 and COMPLETE = 1, display "PI interview with PI sample household"</p> <p>If RI_CATEGORY = 6 and RI_GROUP = 6 and COMPLETE = 1, display "PI interview with PI sample household"</p> <p>If RI_CATEGORY = 7 and RI_GROUP = 7 and COMPLETE = 1, display "PI interview with PI sample household"</p> <p>If RI_CATEGORY = 5 and (RI_GROUP = blank or (RI_GROUP = 5 and COMPLETE = blank)) and PRX_OK=blank, display "RI with original respondent "</p> <p>If RI_CATEGORY = 5 and (RI_GROUP = blank or (RI_GROUP = 5 and COMPLETE = blank)) and PRX_OK=1, display "RI with new respondent "</p> <p>If RI_CATEGORY = 6 and (RI_GROUP = blank or (RI_GROUP = 6 and COMPLETE = blank)), display "RI with new respondent"</p> <p>If RI_CATEGORY = 7 and (RI_GROUP = blank or (RI_GROUP = 7 and COMPLETE = blank)), display "RI with new respondent"</p> <p>Fill 2: If ORIG_LANG_SPEAK ne empty, display <ORIG_LANG_SPEAK> in words If ORIG_LANG_SPEAK = empty, display "Other"</p> <p>Fill 3: If PV_TEL_FLAG = TE and RI_TODO ne 3, display "Telephone" If PV_TEL_FLAG = PV or (PV_TEL_FLAG = TE and RI_TODO = 3), display "Personal Visit" Else, leave blank.</p>	

Variable Name	STARTA	F2
Skip Instructions	<p>Set REASSIGN_FLAG = blank for all cases If PROBLEM = 4, set PROBLEM = blank {TMO moved to in script}</p> <p>If RI_GROUP = 21, 3, 51, 61, or 71, Set COMPLETE =1 Set CALLBACK = blank {TMO moved to the in script}</p> <p>If RI_GROUP = 1, 11, 2, 5, 6, or 7, Set CALLBACK = blank {TMO moved to the in script}</p> <p>If RI_CATEGORY = 1 and RI_GROUP = blank, Set RI_GROUP = 1 Set CALLBACK = blank {TMO moved to the in script}</p> <p>If RI_CATEGORY = 2 and RI_GROUP = blank, Set RI_GROUP = 2 Set CALLBACK = blank {TMO moved to the in script}</p> <p>If RI_CATEGORY = 3 and RI_GROUP = blank, Set RI_GROUP = 3 Set COMPLETE = 1 Set CALLBACK = blank {TMO moved to the in script}</p> <p>If RI_CATEGORY = 5 and RI_GROUP = blank, Set RI_GROUP = 5 Set CALLBACK = blank {TMO moved to the in script}</p> <p>If RI_CATEGORY = 6 and RI_GROUP = blank, Set RI_GROUP = 6 Set CALLBACK = blank {TMO moved to the in script}</p> <p>If RI_CATEGORY = 7 and RI_GROUP = blank, Set RI_GROUP = 7 Set CALLBACK = blank {TMO moved to the in script}</p> <p>If STARTA = 1 and RI_CATEGORY=7 and ORIG_R_TYPE = 6, Goto BYOBS</p> <p>If STARTA = 1 and ((RI_CATEGORY = 1, 2, 3, 5, or 6) or (RI_CATEGORY = 7 and ORIG_R_TYPE = DK)), Goto ATTEMPT_TYPE</p>	

Variable Name	STARTA	F2
	If STARTA = 2, Goto RI_CLOSE	
Special Instructions	<i>(Wording for RI_OUTCOME, ORIOUT, ORIG_ATTEMPT_TYPE, ORIG_R_TYPE, and ORIG_LANG_SPEAK can be found in Appendix A at the end of this specification.)</i>	

Variable Name	H_RESP_RULES	F5
Field Description	Help screen for reinterview respondent Global throughout the instrument	
Universe	(H_RESP_RULES1=1) OR (H_RESP_RULES2=1) OR (Global Function accessible through a parallel block (button) or F6) Button name: H_RESP_RULES Fly over: (F6) respondent/attempt type rules	
Screen Text	♦ Respondent /Attempt Type Rules	
Input Options	1 – Original respondent was household member 2 – Original respondent was NOT household member 3 – Return to reinterview <i>"Don't Know" and "Refused" are not options on this screen</i>	
Fill Instructions		
Skip Instructions	1: Goto H_RESP_RULES1 2: Goto H_RESP_RULES2 3 Return to previous/originating screen	
Special Instructions		

Variable Name	H_RESP_RULES1	F5a
Field Description	Help screen for reinterview respondent	
Universe	(H_RESP_RULES = 1)	
Screen Text	<p>Original Respondent Was A Household Member</p> <p>A proxy respondent should not be interviewed in place of the original household unless you have made <u>6 attempts</u> to contact the original household, or if the original household is <u>unable</u> to respond.</p> <p>After 6 attempts to contact the household, you will attempt to complete a reinterview with a proxy. After unsuccessful attempts to interview a proxy, the case will be accepted as a noninterview.</p> <p>In certain cases you will only be allowed to interview the household. In these cases, only household attempt types will be active. After 6 unsuccessful attempts (at least 3 personal visits) this case will be accepted as a noninterview.</p>	
Input Options	1 – Return to H_RESP_RULES 2 – Return to reinterview <i>"Don't Know" and "Refused" are not options on this screen</i>	
Fill Instructions		
Skip Instructions	1 – Return to H_RESP_RULES 2 – Return to question (Goto originating screen)	
Special Instructions		

Variable Name	H_RESP_RULES2	F5b
Field Description	Help screen for reinterview respondent	
Universe	(H_RESP_RULES = 2)	
Screen Text	<p>Original Respondent Was <u>Not</u> A Household Member (Proxy)</p> <p>A household respondent should not be interviewed in place of the original proxy respondent unless you have made <u>6 attempts</u> to contact the original proxy respondent or if the original respondent is <u>unwilling</u> or <u>unable</u> to respond.</p> <p>After 6 attempts to interview the proxy, you will attempt to complete a Full PI interview with the household. After unsuccessful attempts to interview the household, the case will be accepted as a noninterview.</p>	
Input Options	<p>1 – Return to H_RESP_RULES 2 – Return to reinterview</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>	
Fill Instructions		
Skip Instructions	<p>1 – Return to H_RESP_RULES 2 – Return to question (Goto originating screen)</p>	
Special Instructions		

Variable Name	BYOBS	F7
Field Description	Tells that the unit status was determined by observation	
Universe	(STARTA = 1 and RI_CATEGORY=7 and ORIG_R_TYPE = 6)	
Screen Text	The PI interviewer determined the unit status of the sample address by observation. Attempt to obtain what the unit's status was on <ORIG_ENTRYDATE> from a knowledgeable respondent.	
Input Options	1 – Enter 1 to Continue <i>"Don't Know" and "Refused" are not options on this screen</i>	
Fill Instructions		
Skip Instructions	If BYOBS = 1, Goto ATTEMPT_TYPE	
Special Instructions		

Variable Name	ATTEMPT_TYPE	F8
Field Description	Reinterviewer selects the type of reinterview to be attempted.	
Universe	(STARTA = 1 and RI_CATEGORY = 1 – 6) OR (STARTA = 1 and RI_CATEGORY = 7 and ORIG_R_TYPE = DK) OR (BYOBS = 1)	
Screen Text	<p><i>(All of the following information is brought forward from the original PI interview)</i></p> <p><u>Original Interview:</u> PI Respondent Type: <fill with ORIG_R_TYPE in words> PI Interview Type: <fill with ORIG_ATTEMPT_TYPE in words></p> <p><u>RI To Do:</u> <Fill 1: RI with PI sample household /RI with original proxy /RI with new proxy /PI interview with PI sample household/RI with original respondent /RI with new respondent></p> <p>◆ Press F6 for Respondent/Attempt Type Rules</p> <p>You are trying to:</p>	
Input Options	<p>1 –Visit the PI sample household at <SAMPLE_ADDR> 2 –Visit the original proxy respondent at <PRX_LOC_UPDATE> 3 - Telephone the PI sample household - <MASTER_PHONE> 4 – Telephone the original proxy respondent - <MASTER_PHONE> 6 –Visit a new proxy respondent 7 – Telephone a new proxy respondent 8 - Quit</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p> <p><i>If ((RI_GROUP = 1, 21, 3, 51, 61, or 71) or (RI_GROUP = 5, 6, or 7 and COMPLETE = 1)), display only choices 1, 3, 8</i></p> <p><i>If RI_GROUP = 2, display only choices 2, 4, 8</i></p> <p><i>If RI_GROUP = 11, display only choices 6, 7, 8</i></p> <p><i>If RI_GROUP = 5 and COMPLETE = blank and ORIG_R_TYPE ne 4 and PRX_OK = 1,</i></p>	

Variable Name	ATTEMPT_TYPE F8
	<p><i>display only choices 2, 4, 6, 7, 8</i></p> <p><i>If RI_GROUP = 5 and COMPLETE = blank and ORIG_R_TYPE ne 4 and PRX_OK = blank, display only choices 2, 4, 8</i></p> <p><i>If RI_GROUP = 5 and COMPLETE = blank and ORIG_R_TYPE = 4 and PRX_OK = 1, display only choices 1, 3, 6, 7, 8</i></p> <p><i>If RI_GROUP = 5 and COMPLETE = blank and ORIG_R_TYPE = 4 and PRX_OK = blank, display only choices 1, 3, 8</i></p> <p><i>If RI_GROUP = 6 or 7 and COMPLETE = blank, display only choices 1, 3, 6, 7, 8</i></p>
Fill Instructions	<p>Fill1:</p> <p>If RI_GROUP = 1 and COMPLETE = blank, display "RI with PI sample household "</p> <p>If RI_GROUP = 2, display "RI with original proxy"</p> <p>If RI_GROUP = 11, display "RI with new proxy"</p> <p>If RI_GROUP = 1 and COMPLETE = 1, display "PI interview with PI sample household"</p> <p>If RI_GROUP = 21, 3, 51, 61, or 71, display "PI interview with PI sample household"</p> <p>If RI_GROUP = 5 and COMPLETE = 1, display "PI interview with PI sample household"</p> <p>If RI_GROUP = 6 and COMPLETE = 1, display "PI interview with PI sample household"</p>

Variable Name	ATTEMPT_TYPE F8
	<p>If RI_GROUP = 7 and COMPLETE = 1, display "PI interview with PI sample household"</p> <p>If RI_GROUP = 5 and COMPLETE = blank and PRX_OK=blank, display "RI with original respondent "</p> <p>If RI_GROUP = 5 and COMPLETE = blank and PRX_OK=1, display "RI with new respondent "</p> <p>If RI_GROUP = 6 and COMPLETE = blank, display "RI with new respondent"</p> <p>If RI_GROUP = 7 and COMPLETE = blank, display "RI with new respondent"</p>
Skip Instructions	<p>If ATTEMPT_TYPE = 8, Goto RI_CLOSE</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, Goto RI_STARTB_PV</p> <p>If ATTEMPT_TYPE = 3, 4, or 7, Goto RI_STARTB_TPH</p>
Special Instructions	<p><i>(Wording for ORIG_R_TYPE and ORIG_ATTEMPT_TYPE, can be found in Appendix A at the end of this specification.)</i></p> <p>COUNT_ATTEMPTS will be initialized to 0 in the setup. PV_ATTEMPTS will be initialized to 0 in the setup. TPH_ATTEMPTS will be initialized to 0 in the setup.</p>

Variable Name	RI_STARTB_PV F9
Field Description	Attempt to contact a respondent by personal visit
Universe	(ATTEMPT_TYPE = 1, 2, or 6)
Screen Text	<p><Fill 1: PI Sample Address: <SAMPLE_ADDR> PI Proxy Respondent Address: <ORIG_PRX_LOC>/blank> PI Respondent Name: <ORIG_R_NAME> PI Respondent Type: <fill from ORIG_R_TYPE in words>></p> <p>◆ What happened when you tried to visit <Fill 4: the PI sample household at <SAMPLE_ADDR>/ the original proxy respondent at <PRX_LOC_UPDATE>/ a new proxy respondent?></p>
Input Options	<p>1 - Someone answers <Fill 2: at <SAMPLE_ADDR> / at <PRX_LOC_UPDATE> /blank > 2 - No one answers 3 – <Fill 3: <SAMPLE_ADDR> is /<PRX_LOC_UPDATE> is > vacant or not a housing unit 4 - Unable to locate <Fill 5: <SAMPLE_ADDR>/ <PRX_LOC_UPDATE>></p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p> <p><i>If (RI_GROUP = 11 or (RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 6)), answer categories 3 and 4 are not valid and are grayed out.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If (RI_GROUP = 1 or (RI_GROUP = 5 and ATTEMPT_TYPE = 1)), display "PI Sample Address: <SAMPLE_ADDR> PI Respondent Name: <ORIG_R_NAME> PI Respondent Type: <fill from ORIG_R_TYPE in words>"</p> <p>If (RI_GROUP = 2 or (RI_GROUP = 5 and ATTEMPT_TYPE = 2)), display "PI Proxy Respondent Address: <PRX_LOC_UPDATE> PI Respondent Name: <ORIG_R_NAME> PI Respondent Type: <fill from ORIG_R_TYPE in words>"</p> <p>If ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP = 6 or 7 and ATTEMPT_TYPE = 1)), display "PI Sample address: <SAMPLE_ADDR>"</p> <p>Else If (RI_GROUP = 11 or</p>

Variable Name	RI_STARTB_PV	F9
	<p>(RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 6)), Leave blank</p> <p>Fill 2:</p> <p>If ((RI_GROUP = 1, 21, 3, 51, 61, or 71) or (RI_GROUP = 5, 6 or 7 and ATTEMPT_TYPE = 1)), display "at <SAMPLE_ADDR>"</p> <p>If (RI_GROUP = 2 or (RI_GROUP = 5 and ATTEMPT_TYPE = 2)), display "at <PRX_LOC_UPDATE>"</p> <p>If (RI_GROUP = 11 or (RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 6)), leave blank</p> <p>Fill 3:</p> <p>If ((RI_GROUP = 1, 21, 3, 51, 61, or 71) or (RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 1)), display "<SAMPLE_ADDR> is "</p> <p>If (RI_GROUP = 2 or (RI_GROUP = 5 and ATTEMPT_TYPE = 2)), display "<PRX_LOC_UPDATE> is "</p> <p>Fill 4:</p> <p>If ATTEMPT_TYPE = 1, display "the PI sample household at <SAMPLE_ADDR>"</p> <p>If ATTEMPT_TYPE = 2, display "the original proxy respondent at <PRX_LOC_UPDATE>"</p> <p>If ATTEMPT_TYPE = 6, display "a new proxy respondent"</p> <p>Fill 5:</p> <p>If ((RI_GROUP = 1, 21, 3, 51, 61, or 71) or (RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 1)), display "<SAMPLE_ADDR>"</p> <p>If (RI_GROUP = 2 or (RI_GROUP = 5 and ATTEMPT_TYPE = 2)),</p>	

Variable Name	RI_STARTB_PV F9
	display "< PRX_LOC_UPDATE >"
Skip Instructions	<p>If RI_STARTB_PV = 1 and GATE_TROSTER ne 1 and (RI_GROUP = 21, 3, 51, 61, or 71), Goto INTRO_FULL</p> <p>If RI_STARTB_PV = 1 and GATE_TROSTER ne 1 and (RI_GROUP = 1, 5, 6, or 7) and COMPLETE = 1, {Skip applies to ATTEMPT_TYPE = 1 only} Goto INTRO_FULL</p> <p>If RI_STARTB_PV = 1 and GATE_TROSTER = 1 and (RI_GROUP = 21, 3, 51, 61, or 71), Goto VER_RESP</p> <p>If RI_STARTB_PV = 1 and GATE_TROSTER = 1 and (RI_GROUP = 1, 5, 6, or 7) and COMPLETE = 1, {Skip applies to ATTEMPT_TYPE = 1 only} Goto VER_RESP</p> <p>If RI_STARTB_PV = 1 and COMPLETE = blank and ((RI_GROUP = 11, 6, or 7) or (RI_GROUP = 5 and PRX_OK = 1)), Goto INTRO3</p> <p>If RI_STARTB_PV = 1 and COMPLETE = blank and ((RI_GROUP = 1 or 2) or (RI_GROUP = 5 and PRX_OK = blank)), Goto INTRO1</p> <p>If RI_STARTB_PV = 2 and (RI_GROUP = 11 or (RI_GROUP = 6 or 7 and COMPLETE = blank)), Goto CALLBACK</p> <p>If RI_STARTB_PV = 2 and ((RI_GROUP = 1, 2, 21, 3, 5, 51, 61, or 71) or (RI_GROUP = 6 or 7 and COMPLETE = 1 {<i>applies to ATTEMPT_TYPE = 1 only</i>})) and COUNT_ATTEMPTS < 5, Goto CALLBACK</p>

Variable Name	RI_STARTB_PV	F9
	<p>If RI_STARTB_PV = 2 and ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1)) and COUNT_ATTEMPTS = 5, {Skip applies to ATTEMPT_TYPE = 1 only} Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If RI_STARTB_PV = 2 and (RI_GROUP = 1 or 5) and COMPLETE = blank and COUNT_ATTEMPTS = 5, Set PRX_OK = 1 {TMO moved to the out script} Goto KNOWL_AVAIL</p> <p>If RI_STARTB_PV = 2 and RI_GROUP = 2 and COUNT_ATTEMPTS = 5, Goto INTERVIEW_HH</p> <p>If RI_STARTB_PV = 3 or 4 and (RI_GROUP = 1 or 5) and COMPLETE = blank, Set PRX_OK = 1 {TMO moved to the out script} Goto KNOWL_AVAIL</p> <p>If RI_STARTB_PV = 3 or 4 and RI_GROUP = 2, Goto INTERVIEW_HH</p> <p>If RI_STARTB_PV = 3 or 4 and ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1)) and COUNT_ATTEMPTS = 5, {Skip applies to ATTEMPT_TYPE = 1 only} Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If RI_STARTB_PV = 3 or 4 and ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1)) and COUNT_ATTEMPTS < 5, {Skip applies to ATTEMPT_TYPE = 1 only} Goto CALLBACK</p> <p>If RI_STARTB_PV = 3 or 4 and ((RI_GROUP = 11) or (RI_GROUP = 6 or 7 and COMPLETE = blank)),</p>	

Variable Name	RI_STARTB_PV	F9
	Goto CALLBACK	
Special Instructions		

Variable Name	RI_STARTB_TPH	F10
Field Description	Attempt to contact a respondent by telephone	
Universe	(ATTEMPT_TYPE = 3, 4, or 7)	
Screen Text	<p><Fill 1: PI Respondent telephone number: <ORIG_R_PHONE> PI Respondent name: <ORIG_R_NAME> PI Respondent type: <ORIG_R_TYPE in words> /blank > <Fill 2: Callback number: <MASTER_PHONE> /blank ></p> <p>◆ What happened when you tried to telephone <Fill 3: the PI sample household - <MASTER_PHONE>/ the original proxy respondent - <MASTER_PHONE>/ a new proxy respondent >?</p>	
Input Options	<p>1 - Someone answers 2 - Answering machine/voice mail 3 - Busy signal 4 - Ring no answer 5 - Number disconnected or out of service – (If you misdialed, enter 4 and try again.) 6 - Number changed</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>	
Fill Instructions	<p>Fill 1: If (RI_GROUP = 1, 2, or 5), display "PI Respondent telephone number: <ORIG_R_PHONE> PI Respondent name: <ORIG_R_NAME> PI Respondent type: <ORIG_R_TYPE in words>" Else, leave blank.</p> <p>Fill 2: If MASTER_PHONE valid, display "Callback Number: <MASTER_PHONE>" Else, leave blank.</p> <p>Fill 3: If ATTEMPT_TYPE = 3, display " the PI sample household - <MASTER_PHONE>"</p> <p>If ATTEMPT_TYPE = 4, display " the original proxy. respondent - <MASTER_PHONE>"</p> <p>If ATTEMPT_TYPE = 7, display</p>	

Variable Name	RI_STARTB_TPH	F10
	" a new proxy respondent"	
Skip Instructions	<p>If RI_STARTB_TPH = 1 and Gate_TROSTER ne 1 and (RI_GROUP = 21, 3, 51, 61 or 71), Goto INTRO_FULL</p> <p>If RI_STARTB_TPH = 1 and Gate_TROSTER ne 1) and (RI_GROUP = 1, 5, 6, or 7) and COMPLETE = 1, {Skip applies to ATTEMPT_TYPE = 3 only} Goto INTRO_FULL</p> <p>If RI_STARTB_TPH = 1 and Gate_TROSTER = 1 and (RI_GROUP = 21, 3, 51, 61 or 71), Goto VER_RESP</p> <p>If RI_STARTB_TPH = 1 and Gate_TROSTER = 1 and (RI_GROUP = 1, 5, 6, or 7) and COMPLETE = 1, {Skip applies to ATTEMPT_TYPE = 3 only} Goto VER_RESP</p> <p>If RI_STARTB_TPH = 1 and COMPLETE = blank and ((RI_GROUP = 11, 6, or 7) or (RI_GROUP = 5 and PRX_OK = 1)), Goto INTRO3</p> <p>If RI_STARTB_TPH = 1 and COMPLETE = blank and ((RI_GROUP = 1 or 2) or (RI_GROUP = 5 and PRX_OK = blank)), Goto INTRO1</p> <p>If (RI_STARTB_TPH = 2, 3, or 4) and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS < 2, Goto CALLBACK</p> <p>If (RI_STARTB_TPH = 2, 3, or 4) and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS >= 2 and RI_GROUP = 2 and</p>	

Variable Name	RI_STARTB_TPH F10
	<p>PRX_LOC_UPDATE = blank, Goto CALLBACK</p> <p>If (RI_STARTB_TPH = 2, 3, or 4) and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS >= 2 and (RI_GROUP ne 2 or (RI_GROUP = 2 and PRX_LOC_UPDATE ne blank)), Set PV_TEL_FLAG = PV Goto MAKE_PV</p> <p>If (RI_STARTB_TPH = 2, 3, or 4) and ((RI_GROUP = 11) or (RI_GROUP=6 or 7 and COMPLETE = blank)) and COUNT_ATTEMPTS = 5, Goto CALLBACK</p> <p>If (RI_STARTB_TPH = 2, 3, or 4) and ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP=1, 5, 6, or 7 and COMPLETE = 1)) and COUNT_ATTEMPTS = 5, {Skip applies to ATTEMPT_TYPE = 3 only} Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If (RI_STARTB_TPH = 2, 3, or 4) and (RI_GROUP = 1 or 5) and COMPLETE = blank and COUNT_ATTEMPTS = 5, Set PRX_OK = 1 {TMO moved to the out script} Goto CALLBACK</p> <p>If (RI_STARTB_TPH = 2, 3, or 4) and RI_GROUP = 2 and COUNT_ATTEMPTS = 5, Goto INTERVIEW_HH</p> <p>If (RI_STARTB_TPH = 5 or 6), Set PV_TEL_FLAG = PV Then If (RI_GROUP = 1 or 5) and COUNT_ATTEMPTS < 5, Goto MAKE_PV</p> <p> If (RI_GROUP = 1 or 5) and COMPLETE = blank and COUNT_ATTEMPTS = 5,</p>

Variable Name	RI_STARTB_TPH	F10
	<p>Set PRX_OK = 1 {TMO moved to the out script} Goto CALLBACK</p> <p>If RI_GROUP = 2 and COUNT_ATTEMPTS < 5, Goto MAKE_PV</p> <p>If RI_GROUP = 2 and COUNT_ATTEMPTS = 5, Goto INTERVIEW_HH</p> <p>If ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP = 6, or 7 and COMPLETE = 1)) and COUNT_ATTEMPTS < 5, {Skip applies to Goto MAKE_PV ATTEMPT_TYPE = 3 only}</p> <p>If ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1)) and {Skip applies to COUNT_ATTEMPTS = 5, ATTEMPT_TYPE = 3 only} Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If ((RI_GROUP = 11) or (RI_GROUP = 6 or 7 and COMPLETE = blank, Goto MAKE_PV</p>	
Special Instructions		

Variable Name	VER_RESP F10a
Field Description	Attempt to contact same respondent for cases open for Full PI where the roster is locked
Universe	(GATE_TROSTER = 1 and RI_STARTB_PV = 1 and RI_GROUP = 21, 3, 51, 61, or 71) OR (GATE_TROSTER = 1 and RI_STARTB_PV = 1 and RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) OR (GATE_TROSTER = 1 and RI_STARTB_TPH = 1 and RI_GROUP = 21, 3, 51, 61, or 71) OR (GATE_TROSTER = 1 and RI_STARTB_TPH = 1 and RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1)
Screen Text	<p>◆ A Full PI was started for this case. You will continue where the interview left off after your introduction.</p> <p>◆ Previous Respondent's Name: <R_NAME></p> <p>◆ If above name is valid, read:</p> <p>Hello, I'm (Your Name) from the Census Bureau. <Fill 1: (◆Show ID)/blank> May I speak with <R_NAME>?</p> <p style="text-align: center;">***OR***</p> <p>◆ If above name is NOT valid, read:</p> <p>Hello, I'm (Your Name) from the Census Bureau. <Fill 1: (◆Show ID)/blank> We started an interview with someone previously. May I speak to that person again?</p>
Input Options	<p>1 – Yes, continue interview with [<R_NAME>/ the previous respondent]</p> <p>2 – No, make appointment to continue interview with [<R_NAME>/the previous respondent]</p> <p>RF – Refused</p> <p><i>"Don't Know" is not an option on this screen.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, display "(◆Show ID)"</p> <p>Else, leave blank</p>
Skip Instructions	If VER_RESP = 1, Goto INTRO_COMP

Variable Name	VER_RESP F10a
	<p>If VER_RESP = 2, Goto CALLBACK_MONTH</p> <p>If VER_RESP = RF and COUNT_ATTEMPTS < 5, Goto CALLBACK</p> <p>If VER_RESP = RF and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>
Special Instructions	

Variable Name	INTRO1 F11
Field Description	To introduce the reinterviewer to the respondent and to verify that the reinterviewer has reached the correct address or phone number for RI_GROUP = 1, 2, or 5
Universe	(RISTARTB_PV = 1 and RI_GROUP = 1 and COMPLETE = blank) OR (RISTARTB_PV = 1 and RI_GROUP = 2) OR (RISTARTB_PV = 1 and RI_GROUP = 5 and COMPLETE = blank and PRX_OK = blank) OR (RISTARTB_TPH = 1 and RI_GROUP = 1 and COMPLETE = blank) OR (RISTARTB_TPH = 1 and RI_GROUP = 2) OR (RISTARTB_TPH = 1 and RI_GROUP = 5 and COMPLETE = blank and PRX_OK = blank) OR (INTRO1 = 3 and LANG_SPEAK_Q = 52)
Screen Text	Hello, I'm (Your Name) from the Census Bureau. <Fill 1: (♦ Show ID) Is this <SAMPLE_ADDR>? / (♦ Show ID) Is this <PRX_LOC_UPDATE>? / Is this <MASTER_PHONE>? / (♦ Show ID) >
Input Options	1 - <Fill 2: Enter 1 to Continue/Yes> 2 - No 3 - Language problem DK – Don't Know RF - Refused <i>If ATTEMPT_TYPE = 2 and <PRX_LOC_UPDATE> = blank, answer categories 2 and "Don't Know" are not valid and are grayed out.</i>
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display "(♦ Show ID) Is this <SAMPLE_ADDR>? " If ATTEMPT_TYPE = 2 and <PRX_LOC_UPDATE> ne blank, display "(♦ Show ID) Is this <PRX_LOC_UPDATE>? " If ATTEMPT_TYPE = 3 or 4, display " Is this <MASTER_PHONE>? " Else, display "(♦ Show ID)" Fill 2: If ATTEMPT_TYPE = 2 and <PRX_LOC_UPDATE> = blank, display "Enter 1 to Continue" Else, display "Yes"

Variable Name	INTRO1	F11
Skip Instructions	<p>If INTRO1 = 1 and ORIG_R_NAME is valid (not equal to blank, "Don't Know" or "Refused"), Goto INTRO2</p> <p>If INTRO1 = 1 and ORIG_R_NAME is not valid (Equal to blank, "Don't Know" or "Refused"), Goto INTRO_INT</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 5 and ATTEMPT_TYPE = 1 or 2 and COUNT_ATTEMPTS < 5, Goto CALLBACK</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 5 and ATTEMPT_TYPE = 1 or 2 and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 5 and ATTEMPT_TYPE = 3 or 4 and COUNT_ATTEMPTS < 5, Goto MAKE_PV</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 5 and ATTEMPT_TYPE = 3 or 4 and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 1 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 1, Goto CALLBACK</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 1 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3, Goto MAKE_PV</p>	

Variable Name	INTRO1 F11
	<p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 1 and COUNT_ATTEMPTS = 5, Goto KNOWL_AVAIL</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 4, Goto MAKE_PV</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 2, Goto CALLBACK</p> <p>If (INTRO1 = 2, DK, or RF) and RI_GROUP = 2 and COUNT_ATTEMPTS = 5, Goto INTERVIEW_HH</p> <p>If INTRO1 = 3, Goto LANG_SPEAK_Q</p>
Special Instructions	

Variable Name	LANG_SPEAK_Q	F12																																																						
Field Description	To determine what language the respondent speaks when the reinterviewer doesn't understand the respondent's language																																																							
Universe	(INTRO1 = 3) OR (INTRO2 = 4 and COUNT_ATTEMPTS < 5) OR (INTRO_FULL = 3 and COUNT_ATTEMPTS < 5)																																																							
Screen Text	<p><Fill 1: ♦ Show Flashcard /blank></p> <p>What language <Fill 2: do you/does the household at <SAMPLE_ADDR>> speak?</p> <p>♦ Select language number from flashcard ♦ Enter 52 if the household doesn't have a language problem and return to the previous screen</p> <p>••</p>																																																							
Input Options	<p>01-52</p> <table border="0"> <tr> <td>1-English</td> <td>19-French</td> <td>37-Polish</td> </tr> <tr> <td>2-Spanish</td> <td>20-German</td> <td>38-Portuguese</td> </tr> <tr> <td>3-Albanian</td> <td>21-Greek</td> <td>39-Romanian</td> </tr> <tr> <td>4-Amharic</td> <td>22-Haitian Creole</td> <td>40-Russian</td> </tr> <tr> <td>5-Arabic</td> <td>23-Hebrew</td> <td>41-Serbian</td> </tr> <tr> <td>6-Armenian</td> <td>24-Hindi</td> <td>42-Somali</td> </tr> <tr> <td>7-Bengali</td> <td>25-Hmong</td> <td>43-Swahili</td> </tr> <tr> <td>8-Bulgarian</td> <td>26-Hungarian</td> <td>44-Tagalog</td> </tr> <tr> <td>9-Burmese</td> <td>27-Ilocano</td> <td>45-Thai</td> </tr> <tr> <td>10-Cambodian</td> <td>28-Italian</td> <td>46-Tigrinya</td> </tr> <tr> <td>11- Chinese, Simplified</td> <td>29-Japanese</td> <td>47-Turkish</td> </tr> <tr> <td>12- Chinese, Traditional</td> <td>30-Korean</td> <td>48-Ukranian</td> </tr> <tr> <td>13-Croatian</td> <td>31-Laotian</td> <td>49-Urdu</td> </tr> <tr> <td>14-Czech</td> <td>32-Lithuanian</td> <td>50-Vietnamese</td> </tr> <tr> <td>15-Dari</td> <td>33-Malayalam</td> <td>51-Yiddish</td> </tr> <tr> <td>16-Dinka</td> <td>34-Navajo</td> <td>52-No language problem - Return to previous screen</td> </tr> <tr> <td>17-Dutch</td> <td>35-Nepali</td> <td></td> </tr> <tr> <td>18-Farsi</td> <td>36-Panjabi</td> <td></td> </tr> </table> <p>DK - Don't know or doesn't understand RF - Refused</p> <p><i>Blank is not an option on this screen.</i></p>		1-English	19-French	37-Polish	2-Spanish	20-German	38-Portuguese	3-Albanian	21-Greek	39-Romanian	4-Amharic	22-Haitian Creole	40-Russian	5-Arabic	23-Hebrew	41-Serbian	6-Armenian	24-Hindi	42-Somali	7-Bengali	25-Hmong	43-Swahili	8-Bulgarian	26-Hungarian	44-Tagalog	9-Burmese	27-Ilocano	45-Thai	10-Cambodian	28-Italian	46-Tigrinya	11- Chinese, Simplified	29-Japanese	47-Turkish	12- Chinese, Traditional	30-Korean	48-Ukranian	13-Croatian	31-Laotian	49-Urdu	14-Czech	32-Lithuanian	50-Vietnamese	15-Dari	33-Malayalam	51-Yiddish	16-Dinka	34-Navajo	52-No language problem - Return to previous screen	17-Dutch	35-Nepali		18-Farsi	36-Panjabi	
1-English	19-French	37-Polish																																																						
2-Spanish	20-German	38-Portuguese																																																						
3-Albanian	21-Greek	39-Romanian																																																						
4-Amharic	22-Haitian Creole	40-Russian																																																						
5-Arabic	23-Hebrew	41-Serbian																																																						
6-Armenian	24-Hindi	42-Somali																																																						
7-Bengali	25-Hmong	43-Swahili																																																						
8-Bulgarian	26-Hungarian	44-Tagalog																																																						
9-Burmese	27-Ilocano	45-Thai																																																						
10-Cambodian	28-Italian	46-Tigrinya																																																						
11- Chinese, Simplified	29-Japanese	47-Turkish																																																						
12- Chinese, Traditional	30-Korean	48-Ukranian																																																						
13-Croatian	31-Laotian	49-Urdu																																																						
14-Czech	32-Lithuanian	50-Vietnamese																																																						
15-Dari	33-Malayalam	51-Yiddish																																																						
16-Dinka	34-Navajo	52-No language problem - Return to previous screen																																																						
17-Dutch	35-Nepali																																																							
18-Farsi	36-Panjabi																																																							
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, display "♦Show Flashcard"</p>																																																							

Variable Name	LANG_SPEAK_Q F12
	<p>Else, leave blank.</p> <p>Fill 2:</p> <p>If ATTEMPT_TYPE = 1 or 3, display "do you"</p> <p>If ATTEMPT_TYPE = 2, 4, 6, or 7, display "does the household at <SAMPLE_ADDR>"</p>
Skip Instructions	<p>If LANG_SPEAK_Q = 52 (Return to previous question)</p> <p>If (LANG_SPEAK_Q = 01 – 51, DK, or RF) Set PROBLEM = 4 {TMO moved to the out script} Set LANG_SPEAK = LANG_SPEAK_Q {TMO moved to the out script} Then</p> <p style="padding-left: 40px;">If COUNT_ATTEMPTS < 5, Goto RI_CLOSE</p> <p style="padding-left: 40px;">If (RI_GROUP = 11, 21, 3, 5, 51, 6, 61, 7. or 71) and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p style="padding-left: 40px;">If RI_GROUP = 2 and COUNT_ATTEMPTS = 5, Goto INTERVIEW_HH</p> <p style="padding-left: 40px;">If RI_GROUP = 1 and COMPLETE = blank and COUNT_ATTEMPTS = 5, Set PRX_OK = 1 {TMO moved to the out script} Goto RI_CLOSE</p> <p style="padding-left: 40px;">If RI_GROUP = 1 and COMPLETE = 1 and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>
Special Instructions	The variable LANG_SPEAK is saved and travels with the case. It may be updated by LANG_SPEAK_Q , but never blanked when the case is reopened.

Variable Name	INTRO2 F13
Field Description	Ask to speak to the original respondent for RI_GROUP= 1, 2, or 5
Universe	(INTRO1 = 1 and ORIG_R_NAME valid) OR (INTRO2 = 4 and COUNT_ATTEMPTS < 5 and LANG_SPEAK_Q = 52)
Screen Text	May I please speak with <ORIG_R_NAME>?
Input Options	1 -Yes 2 - No – not at home <Fill 1:, comeback/, callback> 3 - No – Person unknown 4 - Language Problem 5 - No – Not available to be interviewed by October 7, 2010 RF - Refused <i>"Don't Know" is not an option on this screen</i>
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1 or 2 and COUNT_ATTEMPTS < 5, display ", comeback" If ATTEMPT_TYPE = 3 or 4 and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS < 2, display ", callback" Else, leave blank.
Skip Instructions	If INTRO2 = 1, Set H_RESP = blank Goto INTRO_INT If INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 1 or 2, Goto CALLBACK_MONTH If INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3 or 4 and TPH_ATTEMPTS < 2, Goto CALLBACK_MONTH If INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3 or 4 and TPH_ATTEMPTS >= 2, Goto MAKE_PV If INTRO2 = 2 and

Variable Name	INTRO2	F13
	<p>COUNT_ATTEMPTS = 5 and (RI_GROUP = 1 or (RI_GROUP = 5 and ATTEMPT_TYPE = 1 or 3)), Set H_RESP = 1 Goto INTRO_INT</p> <p>If INTRO2 = 2 and COUNT_ATTEMPTS = 5 and (RI_GROUP = 2 or (RI_GROUP = 5 and ATTEMPT_TYPE = 2 or 4)), Set H_RESP = 2 Goto INTRO_INT</p> <p>If INTRO2 = 5 and (RI_GROUP = 1 or (RI_GROUP = 5 and ATTEMPT_TYPE = 1 or 3)), Set H_RESP = 1 Goto INTRO_INT</p> <p>If INTRO2 = 5 and RI_GROUP = 5 and ATTEMPT_TYPE = 2 or 4, Set H_RESP = 2 Goto INTRO_INT</p> <p>If INTRO2 = 5 and RI_GROUP = 2, Set H_RESP = 2 Goto INTRO_INT</p> <p>If INTRO2 = 5 and RI_GROUP = 2 and (JICINT ne blank or INTRO_INT ne blank), Goto INTERVIEW_HH</p> <p>If INTRO2 = RF and RI_GROUP = 1 and COUNT_ATTEMPTS = 5 and JICINT = blank and INTRO_INT = blank, Goto JICINT</p> <p>If INTRO2 = RF and RI_GROUP = 1 and COUNT_ATTEMPTS = 5 and</p>	<p>{NA skip}</p> <p>{NA skip}</p>

Variable Name	INTRO2	F13
	<p>(JICINT ne blank or INTRO_INT ne blank); Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If INTRO2 = RF and RI_GROUP = 1 and COUNT_ATTEMPTS < 5 and JICINT = blank and INTRO_INT = blank, Goto JICINT</p> <p>If INTRO2 = RF and RI_GROUP = 1 and COUNT_ATTEMPTS < 5 and {NA skip} (JICINT ne blank or INTRO_INT ne blank); Goto CALLBACK</p> <p>If INTRO2 = RF and RI_GROUP = 2 and JICINT = blank and INTRO_INT = blank, Goto JICINT</p> <p>If INTRO2 = RF and RI_GROUP = 2 and (JICINT ne blank or {NA skip} INTRO_INT ne blank); Goto INTERVIEW_HH</p> <p>If INTRO2 = RF and RI_GROUP = 5 and COUNT_ATTEMPTS = 5 and JICINT = blank and INTRO_INT = blank, Goto JICINT</p> <p>If INTRO2 = RF and RI_GROUP = 5 and COUNT_ATTEMPTS = 5 and {NA skip} (JICINT ne blank or INTRO_INT ne blank); Set PRX_OK = 1 {TMO moved to the out script} Goto KNOWL_AVAIL</p>	

Variable Name	INTRO2	F13
	<p>If INTRO2 = RF and RI_GROUP = 5 and COUNT_ATTEMPTS < 5 and JICINT = blank and INTRO_INT = blank, Goto JICINT</p> <p>If INTRO2 = RF and RI_GROUP = 5 and COUNT_ATTEMPTS < 5 and (JICINT ne blank or INTRO_INT ne blank), Goto CALLBACK</p> <p>If INTRO2 = 3 Then</p> <p style="padding-left: 40px;">If RI_GROUP = 2, Goto INTERVIEW_HH</p> <p style="padding-left: 40px;">If RI_GROUP = 5 and JICINT = blank, Goto JICINT</p> <p style="padding-left: 40px;">If RI_GROUP = 5 and JICINT ne blank, Set PRX_OK = 1 Goto KNOWL_AVAIL {NA skip} {TMO moved to the out script}</p> <p style="padding-left: 40px;">If RI_GROUP = 1 and ATTEMPT_TYPE = 1, Set COMPLETE = 1 {TMO moved to the out script} Goto INTRO_FULL2</p> <p style="padding-left: 40px;">If RI_GROUP = 1 and ATTEMPT_TYPE = 3, Set COMPLETE = 1 {TMO moved to the out script} Goto VER_ADD</p> <p>If INTRO2 = 4 and COUNT_ATTEMPTS < 5, Goto LANG_SPEAK_Q</p> <p>If INTRO2 = 4 and RI_GROUP = 1 or 5 and COUNT_ATTEMPTS = 5, Set PRX_OK = 1 {TMO moved to the out script}</p>	

Variable Name	INTRO2 F13
	Goto KNOWL_AVAIL If INTRO2 = 4 and RI_GROUP = 2 and COUNT_ATTEMPTS = 5, Goto INTERVIEW_HH
Special Instructions	

Variable Name	INTRO_FULL F14
Field Description	To introduce the reinterviewer to the respondent at sample address and to verify that the reinterviewer has reached the correct address. This screen is similar to INTRO1 for Full PI cases.
Universe	(RI_STARTB_PV = 1 and GATE_TROSTER ne 1 and RI_GROUP = 21, 3, 51, 61, or 71) OR (RI_STARTB_PV = 1 and GATE_TROSTER ne 1 and RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) OR (RI_STARTB_TPH = 1 and GATE_TROSTER ne 1 and RI_GROUP = 21, 3, 51, 61, or 71) OR (RI_STARTB_TPH = 1 and GATE_TROSTER ne 1 and RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) OR (INTRO_FULL = 3 and COUNT_ATTEMPTS < 5 and LANG_SPEAK_Q = 52)
Screen Text	Hello, I'm (Your Name) from the Census Bureau. <Fill 1: (♦ Show ID) Is this <SAMPLE_ADDR> / Is this <MASTER_PHONE>>?
Input Options	1 – Yes 2 - No 3 - Language problem DK - Don't Know RF - Refused
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display "(♦ Show ID) Is this <SAMPLE_ADDR>?" If ATTEMPT_TYPE = 3, display "Is this <MASTER_PHONE>?"
Skip Instructions	If INTRO_FULL = 1 and ATTEMPT_TYPE = 1, Goto INTRO_1B If INTRO_FULL = 1 and ATTEMPT_TYPE = 3, Goto VER_ADD If (INTRO_FULL = 2, DK or RF) and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3, Goto MAKE_PV

Variable Name	INTRO_FULL F14
	<p>If (INTRO_FULL = 2, DK or RF) and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 1, Goto CALLBACK</p> <p>If (INTRO_FULL = 2, DK or RF) and COUNT_ATTEMPTS = 5, Set CALLBACK =2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If INTRO_FULL = 3 and COUNT_ATTEMPTS < 5, Goto LANG_SPEAK_Q</p> <p>If INTRO_FULL = 3 and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>
Special Instructions	

Variable Name	VER_ADD F14a
Field Description	Verify address if the interview is done by telephone and either (the person is unknown for RI_GROUP=1) OR (RI_GROUP=21, 3, 51, 61, or 71). There is a possibility you are talking to the wrong household.
Universe	(INTRO2=3 and RI_GROUP=1 and ATTEMPT_TYPE=3) OR (INTRO_FULL=1 and ATTEMPT_TYPE = 3)
Screen Text	Is this <SAMPLE_ADDR>?
Input Options	1 – Yes, address is correct 2 – No, address is incorrect RF – Refused <i>"Don't Know" is not option on this screen.</i>
Fill Instructions	
Skip Instructions	If VERADD = 1, Goto INTRO1B If VER_ADD = 2 or RF, Goto MAKE_PV
Special Instructions	

Variable Name	INTRO1B F15
Field Description	To verify the respondent lives at sample address for telephone cases where COMPLETE=1
Universe	(INTRO_FULLL=1 and ATTEMPT_TYPE=1) OR (VER_ADD=1)
Screen Text	Do you live at <SAMPLE_ADDR>?
Input Options	1 - Yes 2 - No RF - Household refusal <i>"Don't Know" is not an option on this screen.</i>
Fill Instructions	
Skip Instructions	If INTRO1B = 1, Goto INTRO_FULLL2 If INTRO1B = 2, Goto INTRO1C If INTRO1B = RF, Goto INTRO1C
Special Instructions	

Variable Name	INTRO1C F16
Field Description	Asks to speak to a respondent who lives at the sample address for telephone cases where COMPLETE=1
Universe	(INTRO1B = 2 or RF)
Screen Text	May I speak with someone who lives at <SAMPLE_ADDR>?
Input Options	1 - Yes 2 - No RF - Household refusal <i>"Don't Know" is not an option on this screen</i>
Fill Instructions	
Skip Instructions	<p>If INTRO1C = 1, Goto INTRO_FULL2</p> <p>If (INTRO1C = 2 or RF) and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or {NA skip} ROSTER1B = 1, 2, or 3); Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If (INTRO1C = 2 or RF) and JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If (INTRO1C = 2 or RF) and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or {NA skip} ROSTER1B = 1, 2, or 3); Goto CALLBACK</p>
Special Instructions	

Variable Name	INTRO_FULL2 F17
Field Description	To introduce the survey to the reinterview respondent. Similar to INTRO3 for cases where COMPLETE=1 and the PI interview was not done with the household.
Universe	(INTRO_FULL = 1 and ATTEMPT_TYPE = 1) OR (INTRO2 = 3 and ATTEMPT_TYPE=1 and RI_GROUP = 1) OR (INTRO1B = 1) OR (INTRO1C = 1) OR (INTRO_INT = 2 or DK and RI_GROUP = 1)
Screen Text	<p>◆ Repeat if necessary: Hello, I'm (Your Name) from the Census Bureau.</p> <p>In preparation for the next census, we conducted a census test in this area. I'm doing a routine check on the quality of our work. <i><Fill 1: (◆ Hand respondent Introductory Letter and Information Sheet)</i> This notice explains that your answers are confidential./ Your response to this test census is required by law under Title 13 of the United States Code. This is the same law that protects your privacy. No one outside the Census Bureau will see your answers. > The interview will take about 10 to 20 minutes.</p> <p>I have some questions about <SAMPLE_ADDR>.</p>
Input Options	1 - Enter 1 to Continue RF - Refused <i>"Don't Know" is not an option on this screen</i>
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display " (◆ Hand respondent Introductory Letter and Information Sheet) This notice explains that your answers are confidential. " If ATTEMPT_TYPE = 3, display " Your response to this test census is required by law under Title 13 of the United States Code. This is the same law that protects your privacy. No one outside the Census Bureau will see your answers. "
Skip Instructions	If INTRO_FULL2 = 1 and PRFLAG = 0 and ((HOUSENO = blank or STREETNM = blank) and (RURALADDRESS = blank)), Goto ADDRESS_DESCRIP If INTRO_FULL2 = 1 and

Variable Name	INTRO_FULL2	F17
	<p>PRFLAG = 1 and (PRHNO = blank or PRURBNZ = blank) and (PRURBNZ = blank or PRUNITDES = blank) and ((PRHNO = blank and KM/HM = blank) or PRSTREETNM = blank) and ((PRHNO = blank and KM/HM = blank) or RAMAL = blank) and (RURALADDRESS = blank), Goto ADDRESS_DESCRIP</p> <p>If INTRO_FULL2 = 1 and PRFLAG = 0 and ((HOUSENO ne blank and STREETNM ne blank) or (RURALADDRESS ne blank)), Goto INTRO2B</p> <p>If INTRO_FULL2 = 1 and PRFLAG = 1 and ((PRHNO ne blank and PRURBNZ ne blank) or (PRURBNZ ne blank and PRUNITDES ne blank) or ((PRHNO ne blank or KM/HM ne blank) and PRSTREETNM ne blank) or ((PRHNO ne blank or KM/HM ne blank) and RAMAL ne blank) or (RURALADDRESS ne blank)), Goto INTRO2B</p> <p>If INTRO_FULL2 = RF and COUNT_ATTEMPTS = 5 and {Statement no longer needed} JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If INTRO_FULL2 = RF and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or {NA skip} ROSTER1B = 1, 2, or 3), Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If INTRO_FULL2 = RF and COUNT_ATTEMPTS < 5 and JICPOP = blank and {Unneeded skip – combined with above} ROSTER1B = blank, Goto JICPOP</p> <p>If INTRO_FULL2 = RF and</p>	

Variable Name	INTRO_FULL2	F17
	COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3); Goto CALLBACK	{NA skip}
Special Instructions		

Variable Name	INTRO_INT F18
Field Description	To try to find out if the original PI interview was conducted
Universe	(INTRO1 = 1 and ORIG_R_NAME not valid) OR (INTRO2 = 1) OR (INTRO2 = 2 and COUNT_ATTEMPTS = 5) OR (INTRO2 = 5 and RI_GROUP = 1 or 5) OR (INTRO2 = 5 and RI_GROUP = 2) OR
Screen Text	<p>♦ Find out if the original PI interview was conducted.</p> <p><Fill 1: Were you, or someone in your household/Was someone in your household> recently interviewed by the Census Bureau about <SAMPLE_ADDR> on or about <ORIG_ENTRYDATE>? <Fill 2: The interviewer would have used a laptop computer to record the answers. /The interview would have been done over the phone. ></p> <p><i>(All of the following information is brought forward from the <u>original PI interview</u>)</i> <u>Original Interview Respondent</u> Respondent Type: <ORIG_R_TYPE in words> Proxy Respondent Address: <ORIG_PRX_LOC> only filled for proxy interviews Respondent Name: <ORIG_R_NAME> filled for all interview types Respondent Phone: <ORIG_R_PHONE> filled for all interview types - display 10 digits. Respondent characteristics: <Fill 3: <ORIG_AGE@1>, <ORIG_SEX@1 in word>, <Fill 4: <ORIG_RELATION1@1 in words>/ <ORIG_RELATION2@1 in words>> /blank></p> <p>Date and Time: <ORIG_ENTRYDATE and ORIG_BEGINTIME of original interview final attempt> Status of interview: <ORIOUT in words></p>
Input Options	1 -Yes or "I think so" 2 - No DK - Don't Know RF - Refused
Fill Instructions	Fill 1: If H_RESP =blank, display "Were you, or someone in your household" If H_RESP = 1 or 2, display "Was someone in your household"

Variable Name	INTRO_INT	F18
	<p>Fill 2:</p> <p>If ORIG_ATTEMPT_TYPE = 1 or 2, display "The interviewer would have used a laptop computer to record the answers."</p> <p>If ORIG_ATTEMPT_TYPE = 3 or 4, display "The interview would have been done over the phone."</p> <p>Fill 3:</p> <p>If ORIG_R_TYPE = 4, display "ORIG_AGE@1, ORIG_SEX@1 in words, <Fill 4:< ORIG_RELATION1@1 in words / ORIG_RELATION2@1 in words"> ></p> <p>If ORIG_R_TYPE ne 4, Leave both (Fill 3 and Fill 4) blank</p> <p>Fill 4:</p> <p>If ORIG_ATTEMPT_TYPE = 1, display "ORIG_RELATION1@1 in words"</p> <p>If ORIG_ATTEMPT_TYPE = 3, display "ORIG_RELATION2@1 in words"</p>	
Skip Instructions	<p>If INTRO_INT = 1, Set COMPLETE = blank {TMO moved to the out script} Goto INTRO3</p> <p>If (INTRO_INT = 2 or DK) and RI_GROUP = 5, Set COMPLETE = blank {TMO moved to the out script} Set PRX_OK = 1 {TMO moved to the out script} Goto INTRO3</p> <p>If INTRO_INT = RF and RI_GROUP = 5, Set COMPLETE = blank {TMO moved to the out script} Set PRX_OK = 1 {TMO moved to the out script} Goto KNOWL_AVAIL</p> <p>If (INTRO_INT = 2, DK, or RF) and</p>	

Variable Name	INTRO_INT F18
	<p>RI_GROUP = 2, Goto INTERVIEW_HH</p> <p>If (INTRO_INT = 2 or DK) and RI_GROUP = 1, Set COMPLETE = 1 {TMO moved to the out script} Goto INTRO_FULL2</p> <p>If INTRO_INT = RF and RI_GROUP = 1 and JICPOP = blank and ROSTER1B = blank, Set COMPLETE = blank {TMO moved to the out script} Goto JICPOP</p> <p>If INTRO_INT = RF and RI_GROUP = 1 and (JICPOP = blank or ROSTER1B = 1, 2, or 3), {NA skip} Set COMPLETE = blank {TMO moved to the out script} Set CALLBACK=2 {TMO moved to the out script} Goto RI_CLOSE</p>
Special Instructions	<p>INTRO_INT_FLAG when set in the RI_CLOSE is always saved and travels with the case.</p> <p><i>(Wording for ORIG_R_TYPE, ORIG_SEX, ORIG_RELATION1, ORIG_RELATION2, and ORIOUT can be found in Appendix A at the end of this specification.).</i></p>

Variable Name	KNOWL_AVAIL F19
Field Description	Reinterviewer decides whether to obtain information now from a knowledgeable person since a proxy interview is permitted
Universe	(RI_STARTB_PV = 2 and RI_GROUP = 1 or 5 and COMPLETE = blank and COUNT_ATTEMPTS = 5) OR (RI_STARTB_PV = 3 or 4 and RI_GROUP = 1 or 5 and COMPLETE = blank) OR (INTRO1 = 2, DK, or RF and RI_GROUP = 1 and COUNT_ATTEMPTS = 5) OR {NA univ} (INTRO2 = RF and RI_GROUP = 5 and COUNT_ATTEMPTS = 5 and (JICINT ne blank or INTRO_INT ne blank)) OR {NA univ} (INTRO2 = 3 and RI_GROUP = 5 and JICINT ne blank) OR (INTRO2 = 4 and RI_GROUP = 1 or 5 and COUNT_ATTEMPTS = 5) OR (INTRO_INT = RF and RI_GROUP = 5) OR (If INTRO3 = RF and RI_GROUP = 5) OR (JICINT = 1, 2, DK or RF and RI_GROUP = 5) OR (If VACANT_CHK = DK) OR (VACANT_CHK = RF and COUNT_ATTEMPTS < 5)
Screen Text	<p>◆ You may interview a knowledgeable person about the status of <SAMPLE_ADDR> on <ORIG_ENTRYDATE>.</p> <p>◆ Is a knowledgeable person available at this time?</p>
Input Options	1 - Yes, found knowledgeable person 2 - No, Can't find a knowledgeable person at this time <i>"Don't Know" and "Refused" are not options on this screen</i>
Fill Instructions	
Skip Instructions	If KNOWL_AVAIL = 1 and RI_GROUP = 1 and ATTEMPT_TYPE = 1, 2, or 6, Set RI_GROUP = 11 Set COUNT_ATTEMPTS1 = COUNT_ATTEMPTS Reset COUNT_ATTEMPTS = 0 Reset TPH_ATTEMPTS = 0 Reset PV_ATTEMPTS = 0 Set ATTEMPT_TYPE = 6 Goto NEW_PROXY If KNOWL_AVAIL = 1 and RI_GROUP = 1 and ATTEMPT_TYPE = 3, 4, or 7, Set RI_GROUP = 11 Set COUNT_ATTEMPTS1 = COUNT_ATTEMPTS Reset COUNT_ATTEMPTS = 0

Variable Name	KNOWL_AVAIL	F19
	<p>Reset TPH_ATTEMPTS = 0 Reset PV_ATTEMPTS = 0 Set ATTEMPT_TYPE = 7 Goto NEW_PROXY</p> <p>If KNOWL_AVAIL = 1 and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 4 or 7, Set ATTEMPT_TYPE = 7 Goto NEW_PROXY</p> <p>If KNOWL_AVAIL = 1 and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 3, Goto NEW_PROXY</p> <p>If KNOWL_AVAIL = 1 and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 2 or 6, Set ATTEMPT_TYPE = 6 Goto NEW_PROXY</p> <p>If KNOWL_AVAIL = 1 and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 1, Goto NEW_PROXY</p> <p>If KNOWL_AVAIL = 2 and RI_GROUP = 1, Set RI_GROUP = 11 {TMO moved to out script} Set COUNT_ATTEMPTS1 = COUNT_ATTEMPTS {TMO moved to the out script} Reset COUNT_ATTEMPTS = 0 {TMO moved to out script} Reset TPH_ATTEMPTS = 0 {TMO moved to the in script} Reset PV_ATTEMPTS = 0 {TMO moved to the in script} Set MASTER_PHONE = blank Set APPTDATE = blank Set CP1TYPE = blank Set CP1NAME = blank Set CP1PHON = blank Set CP1ADD1 = blank Set CP1ADD2 = blank Set CP1PO = blank Set CP1ST = blank Set CP1ZP5 = blank</p>	

Variable Name	KNOWL_AVAIL F19
	Goto CALLBACK If KNOWL_AVAIL = 2 and RI_GROUP = 11, 5, 6, or 7, Goto CALLBACK
Special Instructions	

Variable Name	NEW_PROXY F19a
Field Description	Reinterviewer decides whether to obtain information now from a knowledgeable person since a proxy interview is permitted
Universe	(KNOWL_AVAIL=1)
Screen Text	◆ You will now continue the interview with the new proxy respondent.
Input Options	1 - Enter 1 to Continue <i>"Don't Know" and "Refused" are not options on this screen</i>
Fill Instructions	
Skip Instructions	If NEW_PROXY = 1 Reset NEW_PROXY = blank Reset INTRO3 = blank Reset KNOWL_AVAIL = blank Set NEW_PRX_OK = 1 Goto INTRO3
Special Instructions	

Variable Name	INTRO3 F20
Field Description	To introduce the survey to the reinterview respondent for RI_GROUP=1, 11, 2, 5, 6, and 7
Universe	(NEW_PRX_OK = 1) OR (INTRO_INT = 1) OR (RI_STARTB_PV = 1 and RI_GROUP = 11) OR (RI_STARTB_PV = 1 and RI_GROUP = 6 or 7 and COMPLETE = blank) OR (RI_STARTB_PV = 1 and RI_GROUP = 5 and COMPLETE = blank and PRX_OK = 1) OR (RI_STARTB_TPH = 1 and RI_GROUP = 11) OR (RI_STARTB_TPH = 1 and RI_GROUP = 6 or 7 and COMPLETE = blank) OR (RI_STARTB_TPH = 1 and RI_GROUP = 5 and COMPLETE = blank and PRX_OK = 1) OR (INTRO_INT = 2 or DK and RI_GROUP = 5)
Screen Text	<p>◆ Repeat if necessary: Hello, I'm (Your Name) from the Census Bureau. <Fill 1: (◆ Show ID) / blank></p> <p>As part of the Census test that we conducted in this area, we contacted a sample of households to make sure we counted everyone correctly. I'm doing a routine check on the quality of our work. <Fill 2: This notice (◆Hand respondent Introductory Letter and Information Sheet) explains that your answers are confidential. /Your response to this test census is required by law under Title 13 of the United States Code. This is the same law that protects your privacy. No one outside the Census Bureau will see your answers.> The interview will take about 5 minutes.</p> <p><Fill 3: I am going to ask you a few of the same questions the original interviewer asked about <SAMPLE_ADDR>. /I have some questions about <SAMPLE_ADDR>. ></p>
Input Options	1- Enter 1 to Continue RF - Refused <i>"Don't Know" is not an option on this screen</i>
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, 2, or 6, display "(◆ Show ID)" If ATTEMPT_TYPE = 3, 4, or 7, leave blank.

Variable Name	INTRO3	F20
	<p>Fill 2:</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, display "This notice (♦ Hand respondent Introductory Letter and Information Sheet) explains that your answers are confidential."</p> <p>If ATTEMPT_TYPE = 3, 4, or 7, display "Your response to this test census is required by law under Title 13 of the United States Code. This is the same law that protects your privacy. No one outside the Census Bureau will see your answers."</p> <p>Fill 3:</p> <p>If RI_GROUP = 1, 2, or 5, display "I am going to ask you a few of the same questions the original interviewer asked about <SAMPLE_ADDR>."</p> <p>If RI_GROUP = 11, 6, or 7, display "I have some questions about <SAMPLE_ADDR>."</p>	
Skip Instructions	<p>If INTRO3 = 1 and PRFLAG = 0 and ((HOUSENO = blank or STREETNM = blank) and (RURALADDRESS = blank)), Goto ADDRESS_DESCRIP</p> <p>If INTRO3 = 1 and PRFLAG = 1 and (PRHNO = blank or PRURBNZ = blank) and (PRURBNZ = blank or PRUNITDES = blank) and ((PRHNO = blank and KM/HM = blank) or PRSTREETNM = blank) and ((PRHNO = blank and KM/HM = blank) or RAMAL = blank) and (RURALADDRESS = blank), Goto ADDRESS_DESCRIP</p> <p>((If INTRO3 = 1 and PRFLAG = 0 and ((HOUSENO ne blank and STREETNM ne blank) or (RURALADDRESS ne blank))) OR (If INTRO3 = 1 and PRFLAG = 1 and ((PRHNO ne blank and PRURBNZ ne blank) or (PRURBNZ ne blank and PRUNITDES ne blank) or ((PRHNO ne blank or KM/HM ne blank) and PRSTREETNM ne blank) or</p>	

Variable Name	INTRO3	F20
	<p>If INTRO3 = RF and RI_GROUP = 1, and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3), Goto CALLBACK</p> <p>If INTRO3 = RF and RI_GROUP = 2 and (JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If INTRO3 = RF and RI_GROUP = 2 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3), Goto INTERVIEW_HH</p> <p>If INTRO3 = RF and RI_GROUP = 5, Set PRX_OK = 1 {TMO moved to the out script} Goto KNOWL_AVAIL</p>	<p>{NA skip}</p> <p>{NA skip}</p>
Special Instructions		

Variable Name	ADDRESS_DESCRIP	F20a
Field Description	Collect another way to refer to the sample address to be used in future questions when we only have a physical description	
Universe	(INTRO_FULLL2 = 1 and PRFLAG = 0 and (HOUSENO = blank or STREETNM = blank) and (RURALADDRESS = blank)) OR (INTRO3 = 1 and PRFLAG = 0 and (HOUSENO = blank or STREETNM = blank) and (RURALADDRESS = blank)) OR (INTRO_FULLL2 = 1 and PRFLAG = 1 and (PRHNO = blank or PRURBNZ = blank) and (PRURBNZ = blank or PRUNITDES = blank) and ((PRHNO = blank and KM/HM = blank) or PRSTREETNM = blank) and ((PRHNO = blank and KM/HM = blank) or RAMAL = blank) and (RURALADDRESS = blank)) OR (INTRO3 = 1 and PRFLAG = 1 and (PRHNO = blank or PRURBNZ = blank) and (PRURBNZ = blank or PRUNITDES = blank) and ((PRHNO = blank and KM/HM = blank) or PRSTREETNM = blank) and ((PRHNO = blank and KM/HM = blank) or RAMAL = blank) and (RURALADDRESS = blank))	
Screen Text	<p>◆ Ask if necessary</p> <p>I need to refer to <SAMPLE_ADDR> during the interview. How would you like me to refer to it? Ex: Jones' Atlanta house, Maryfield Farm</p> <p>Current Description: <SAMPLE_ADDR></p> <p>◆ Press Enter if description is correct</p>	
Input Options	Text box fill (<i>allow 250 characters</i>), Enter	
	<i>Blank, "Don't Know", and "Refused" are not options on this screen</i>	
Fill Instructions	Prefill <SAMPLE_ADDR> in three locations.	
Skip Instructions	If INTRO_FULLL2 = 1 , Goto INTRO2B If INTRO3 = 1 and (RI_GROUP = 11, 5, 6, or 7) , Goto VACANT_CHK If INTRO3 = 1 and RI_GROUP = 1 and {NA for RI_GROUP= 2} (RI_STARTB_PV = 3 or 4) ,	

Variable Name	ADDRESS_DESCRIP	F20a
	<p>Goto VACANT_CHK</p> <p>If INTRO3 = 1 and (RI_GROUP = 1 or 2) and (RI_STARTB_PV ne 3 or 4) and INTRO_INT = 1, Goto SURVEY_Q</p> <p>If INTRO3 = 1 and RI_GROUP = 1 and (RI_STARTB_PV ne 3 or 4) and {NA for RI_GROUP= 2} INTRO_INT ne 1, Goto ROSTER1B</p>	
Special Instructions	<p>Prefill text box with <SAMPLE_ADDR>.</p> <p>If ADDRESS_DESCRIP is not empty, use ADDRESS_DESCRIP throughout the instrument when the Sample Address is used in fills.</p>	

Variable Name	INTRO2B F21
Field Description	Asks the respondent if he/she lived at the sample address on the PI date
Universe	(INTRO_FULLL2 = 1 and PRFLAG = 0 and ((HOUSENO ne blank and STREETNM ne blank) or (RURALADDRESS ne blank))) OR (ADDRESS_DESCRIP = ne blank and INTRO_FULLL2 = 1) OR (INTRO_FULLL2 = 1 and PRFLAG = 1 and ((PRHNO ne blank and PRURBNZ ne blank) or (PRURBNZ ne blank and PRUNITDES ne blank) or ((PRHNO ne blank or KM/HM ne blank) and PRSTREETNM ne blank) or ((PRHNO ne blank or KM/HM ne blank) and RAMAL ne blank) or (RURALADDRESS ne blank)))
Screen Text	Did you live at <SAMPLE_ADDR> on <ORIG_ENTRYDATE>?
Input Options	1 – Yes 2 - No 3 - This address was not a housing unit on <ORIG_ENTRYDATE> 4 - This address was vacant on <ORIG_ENTRYDATE> 5 - Make appointment to contact later RF - Household refused <i>"Don't Know" is not an option on this screen</i>
Fill Instructions	
Skip Instructions	If INTRO2B = 1, Set RI_CURSTAT = 1 (Occupied) Goto USUAL_RES If INTRO2B = 2, Set INMOVER = 1 Goto INTRO2B_HH If INTRO2B = 4, Set INMOVER = 1 Set RI_CURSTAT = 2 Goto HU_STATUS1 If INTRO2B = 3, Set INMOVER = 1 Set RI_CURSTAT = 3 Goto HU_STATUS2 If INTRO2B = 5 and COUNT_ATTEMPTS < 5 and JICPOP = blank and ROSTER1B = blank,

Variable Name	INTRO2B F21
	<p>Goto JICPOP</p> <p>If INTRO2B = 5 and COUNT_ATTEMPTS < 5 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3); Goto CALLBACK_MONTH</p> <p>If INTRO2B = 5 and COUNT_ATTEMPTS = 5 and (RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71) and JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If INTRO2B = 5 and COUNT_ATTEMPTS = 5 and {NA skip} (RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71) and (JICPOP ne blank or ROSTER1B = 1, 2, or 3); Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If INTRO2B = RF and JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If INTRO2B = RF and COUNT_ATTEMPTS < 5 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3); Goto CALLBACK</p> <p>If INTRO2B = RF and COUNT_ATTEMPTS = 5 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3); Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>
Special Instructions	

Variable Name	INTRO2B_HH F21a
Field Description	Asks the respondent if anyone in the household lived at the sample address on the PI date
Universe	(INTRO2B = 2)
Screen Text	Did anyone in the household live at <SAMPLE_ADDR> on <ORIG_ENTRYDATE>?
Input Options	1 – Yes 2 - No 3 - This address was not a housing unit on <ORIG_ENTRYDATE> 4 - This address was vacant on <ORIG_ENTRYDATE> 5 - Make appointment to contact later RF - Household refused <i>"Don't Know" is not an option on this screen</i>
Fill Instructions	
Skip Instructions	If INTRO2B_HH = 1, Set RI_CURSTAT = 1 (Occupied) Goto USUAL_RES If INTRO2B_HH = 2, Set INMOVER = 1 Goto OCC_PI_DATE If INTRO2B_HH = 4, Set INMOVER = 1 Set RI_CURSTAT = 2 Goto HU_STATUS1 If INTRO2B_HH = 3, Set INMOVER = 1 Set RI_CURSTAT = 3 Goto HU_STATUS2 If INTRO2B_HH = 5 and COUNT_ATTEMPTS < 5 and JICPOP = blank and ROSTER1B = blank, Goto JICPOP If INTRO2B_HH = 5 and COUNT_ATTEMPTS < 5 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3), Goto CALLBACK_MONTH

Variable Name	INTRO2B_HH F21a
	<p>If INTRO2B_HH = 5 and COUNT_ATTEMPTS = 5 and (RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71) and JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If INTRO2B_HH = 5 and COUNT_ATTEMPTS = 5 and {NA skip} (RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71) and (JICPOP ne blank or ROSTER1B = 1, 2, or 3), Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If INTRO2B_HH = RF and JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If INTRO2B_HH = RF and COUNT_ATTEMPTS < 5 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3), Goto CALLBACK</p> <p>If INTRO2B_HH = RF and COUNT_ATTEMPTS = 5 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3), Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>
Special Instructions	

Variable Name	OCC_PI_DATE	F22
	COUNT_ATTEMPTS = 5 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3), Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE	
Special Instructions		

Variable Name	USUAL_RES F23
Field Description	Ask the occupant if the address was the household's or someone in the household's usual residence
Universe	(INTRO2B = 1) OR (INTRO2B_HH = 1) OR (OCC_PI_DATE = 2)
Screen Text	<Fill 1: Is this (house/apartment/mobile home) /Is <SAMPLE_ADDR> /On <ORIG_ENTRYDATE> was <SAMPLE_ADDR> > a vacation or seasonal home, [pause] or <Fill 2: does/did > someone usually live <Fill 3: there/here >?
Input Options	1 - Vacation, seasonal, or occasional use 2 - Someone usually lives here DK - Don't Know RF - Refused
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1 and OCC_PI_DATE ne 2, display " Is this (house/apartment/mobile home) " If ATTEMPT_TYPE = 3 and OCC_PI_DATE ne 2, display " Is <SAMPLE_ADDR> " If ATTEMPT_TYPE = 2 or 4 or OCC_PI_DATE = 2, display " On <ORIG_ENTRYDATE> was <SAMPLE_ADDR> " Fill 2: If ATTEMPT_TYPE = 1 or 3 and OCC_PI_DATE ne 2, display " does " If ATTEMPT_TYPE = 2 or 4 or OCC_PI_DATE = 2, display " did " Fill 3: If ATTEMPT_TYPE = 2, 3 or 4, display " there " If ATTEMPT_TYPE = 1, display " here "
Skip Instructions	If USUAL_RES = 1, Set RI_CURSTAT = 4 Goto SEASONAL_OCCUPIED

Variable Name	USUAL_RES	F23
	<p>If USUAL_RES = 2, Set RI_CURSTAT = 1 Goto HUTYPE1</p> <p>If (USUAL_RES = DK or RF) and COUNT_ATTEMPTS < 5 and {Statement no longer needed} JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If (USUAL_RES = DK or RF) and COUNT_ATTEMPTS < 5 and {NA skip} -(JICPOP ne blank or ROSTER1B = 1, 2, or 3), Goto CALLBACK</p> <p>If (USUAL_RES = DK or RF) and COUNT_ATTEMPTS = 5 and JICPOP = blank and {Unneeded skip – combined with above} ROSTER1B = blank, Goto JICPOP</p> <p>If (USUAL_RES = DK or RF) and COUNT_ATTEMPTS = 5 and {NA skip} -(JICPOP ne blank or ROSTER1B = 1, 2, or 3), Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>	
Special Instructions		

Variable Name	JICINT F24
Field Description	Find out if the original interview was conducted before possibly ending the reinterview for RI_GROUP = 1, 2, or 5
Universe	(INTRO2 = RF and RI_GROUP = 1 and JICINT = blank and INTRO_INT = blank) OR (INTRO2 = RF and RI_GROUP = 2 and JICINT = blank and INTRO_INT = blank) OR (INTRO2 = RF and RI_GROUP = 5 and JICINT = blank and INTRO_INT = blank) OR (INTRO2 = 3 and RI_GROUP = 5 and JICINT = blank)
Screen Text	<p>◆ Try to find out if the original PI interview was conducted before ending the reinterview.</p> <p>Can you tell me if <Fill 1: you, or someone in your household /someone in your household> was interviewed recently by the Census Bureau about <SAMPLE_ADDR> on or about <ORIG_ENTRYDATE>? <Fill 2: The interviewer would have used a laptop computer to record the answers. /The interview would have been done over the phone. ></p>
Input Options	1 -Yes 2 - No DK - Don't Know RF - Refused
Fill Instructions	Fill 1: If H_RESP ne 2, display " you, or someone in your household " If H_RESP = 2, display " someone in your household " Fill 2: If ORIG_ATTEMPT_TYPE = 1 or 2, display " The interviewer would have used a laptop computer to record the answers. " IF ORIG_ATTEMPT_TYPE = 3 or 4, " The interview would have been done over the phone. "
Skip Instructions	If JICINT = 1, 2, DK, or RF and RI_GROUP = 5, Set PRX_OK = 1 {TMO moved to the out script} Goto KNOWL_AVAIL

Variable Name	JICINT F24
	<p>If JICINT = 1, 2, DK, or RF and (RI_GROUP = 1 or 2) and JICPOP = blank and ROSTER1B = blank, Goto JICPOP</p> <p>If JICINT = 1, 2, DK, or RF and RI_GROUP = 1 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3) and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If JICINT = 1, 2, DK, or RF and RI_GROUP = 1 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3) and COUNT_ATTEMPTS < 5, Goto CALLBACK</p> <p>If JICINT = 1, 2, DK, or RF and RI_GROUP = 2 and {NA skip} (JICPOP ne blank or ROSTER1B = 1, 2, or 3); Goto INTERVIEW_IH</p>
Special Instructions	

Variable Name	JICPOP	F25
Field Description	Attempt to obtain the number of persons living at the sample address on the day the PI was conducted.	
Universe	<p>(INTRO1C = 2 or RF and JICPOP = blank and ROSTER1B = blank) OR (INTRO_FULLL2 = RF and JICPOP = blank and ROSTER1B = blank) OR (INTRO_INT = RF and RI_GROUP = 1 and JICPOP = blank and ROSTER1B = blank) OR (INTRO3 = RF and RI_GROUP = 1 and JICPOP = blank and ROSTER1B = blank) OR (INTRO3 = RF and RI_GROUP = 2 and JICPOP = blank and ROSTER1B = blank) OR (INTRO2B = 5 and COUNT_ATTEMPTS < 5 and JICPOP = blank and ROSTER1B = blank) OR (INTRO2B = 5 and COUNT_ATTEMPTS = 5 and (RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71) and JICPOP = blank and ROSTER1B = blank) OR (INTRO2B = RF and JICPOP = blank and ROSTER1B = blank) OR (INTRO2B_HH = 5 and COUNT_ATTEMPTS < 5 and JICPOP = blank and ROSTER1B = blank) OR (INTRO2B_HH = 5 and COUNT_ATTEMPTS = 5 and (RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71) and JICPOP = blank and ROSTER1B = blank) OR (INTRO2B_HH = RF and JICPOP = blank and ROSTER1B = blank) OR (USUAL_RES = DK or RF and JICPOP = blank and ROSTER1B = blank) OR (OCC_PI_DATE = DK or RF) and JICPOP = blank and ROSTER1B = blank) OR (JICINT = 1, 2, DK or RF and RI_GROUP = 1 or 2 and JICPOP = blank and ROSTER1B = blank) OR</p>	
Screen Text	<p>♦ Try to get the PI count before ending the reinterview.</p> <p>Can you tell me how many people were living or staying at <SAMPLE_ADDR> on <ORIG_ENTRYDATE>?</p> <p>••</p> <p>♦ Enter number of people (01 - 49) ♦ Enter 66 if Vacant on <ORIG_ENTRYDATE> ♦ Enter 77 if Not a housing unit on <ORIG_ENTRYDATE></p>	
Input Options	01 - 49 (actual count) 66 - Vacant 77 - Not HU PI date DK - Don't Know RF – Refused	
Fill Instructions		
Skip Instructions	If JICPOP = 66, Set RI_CURSTAT = 2 Goto HU_STATUS1	

Variable Name	JICPOP	F25
	<p>If JICPOP = 77, Set RI_CURSTAT = 3 Goto HU_STATUS2</p> <p>If JICPOP = 01 - 49, DK or RF, Set RI_CURSTAT = 1 Then</p> <p style="padding-left: 40px;">If (INTRO_INT = 1 or (JICINT = 1 and H_RESP = blank)), Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p style="padding-left: 40px;">If (INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2)) and RI_GROUP = 2, Goto INTERVIEW_HH</p> <p style="padding-left: 40px;">If (INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2)) and RI_GROUP ne 2 and (INTRO2B = 5 or INTRO2B_HH = 5) and COUNT_ATTEMPTS < 5, Goto CALLBACK_MONTH</p> <p style="padding-left: 40px;">If (INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2)) and RI_GROUP ne 2 and (INTRO2B = 5 or INTRO2B_HH = 5) and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p style="padding-left: 40px;">If (INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2)) and RI_GROUP ne 2 and (INTRO2B ne 5 and INTRO2B_HH ne 5) and COUNT_ATTEMPTS < 5, Goto CALLBACK</p> <p style="padding-left: 40px;">If (INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2)) and RI_GROUP ne 2 and (INTRO2B ne 5 and INTRO2B_HH ne 5) and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>	
Special Instructions		

Variable Name	VACANT_CHK	F26
Field Description	Asked to double check that a unit was Vacant or was not a HU on the PI date.	
Universe	<p>(INTRO3 = 1 and PRFLAG = 0 and RI_GROUP = 11, 5, 6, or 7 and ((HOUSENO ne blank and STREETNM ne blank) or (RURALADDRESS ne blank))) OR</p> <p>(INTRO3 = 1 and PRFLAG = 0 and RI_GROUP = 1 and RI_START_PV = 3 or 4 and ((HOUSENO ne blank and STREETNM ne blank) or (RURALADDRESS ne blank))) OR</p> <p>(ADDRESS_DESCRIP = ne blank and INTRO3 = 1 and RI_GROUP = 11, 5, 6, or 7) OR</p> <p>(ADDRESS_DESCRIP = ne blank and INTRO3 = 1 and RI_GROUP = 1 and RI_START_PV = 3 or 4) OR</p> <p>(INTRO3 = 1 and PRFLAG = 1 and RI_GROUP = 11, 5, 6, or 7 and ((PRHNO ne blank and PRURBNZ ne blank) or (PRURBNZ ne blank and PRUNITDES ne blank) or ((PRHNO ne blank or KM/HM ne blank) and PRSTREETNM ne blank) or ((PRHNO ne blank or KM/HM ne blank) and RAMAL ne blank) or (RURALADDRESS ne blank))) OR</p> <p>(INTRO3 = 1 and PRFLAG = 1 and RI_GROUP = 1 and RI_START_PV = 3 or 4 and ((PRHNO ne blank and PRURBNZ ne blank) or (PRURBNZ ne blank and PRUNITDES ne blank) or ((PRHNO ne blank or KM/HM ne blank) and PRSTREETNM ne blank) or ((PRHNO ne blank or KM/HM ne blank) and RAMAL ne blank) or (RURALADDRESS ne blank)))</p>	
Screen Text	<p>◆ If talking to a proxy, describe the PI sample unit/location, if needed.</p> <p>I'd like to double check the occupancy status of <SAMPLE_ADDR>.</p> <p>Which category best describes <Fill 1: this/that> unit on <ORIG_ENTRYDATE>?</p> <p>◆ Read answer categories until respondent answers.</p>	
Input Options	<p>1 – Vacant</p> <p>2 – Seasonal Vacant</p> <p>3 – Occupied only for vacation, seasonal, recreational, or occasional use</p> <p>4 – Did not exist or was not a housing unit on <ORIG_ENTRYDATE></p> <p>5 – Occupied – Address was occupied by persons with no other usual residence</p> <p>DK - Don't Know</p> <p>RF - Refused</p>	
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1 or 3, display</p>	

Variable Name	VACANT_CHK	F26
	<p>"this"</p> <p>If ATTEMPT_TYPE = 2, 4, 6, or 7, display "that"</p>	
Skip Instructions	<p>If VACANT_CHK = 1, Set RI_CURSTAT = 2 Goto HU_STATUS1</p> <p>If VACANT_CHK = 2, Set RI_CURSTAT = 5 Goto R_TYPE</p> <p>If VACANT_CHK = 3, Set RI_CURSTAT = 4 Goto SEASONAL_OCCUPIED</p> <p>If VACANT_CHK = 4, Set RI_CURSTAT = 3 Goto HU_STATUS2</p> <p>If VACANT_CHK = 5 and (RI_GROUP = 5, 6, or 7) and (ATTEMPT_TYPE = 1 or 3), Set RI_CURSTAT = 1 Set COMPLETE = 1 {TMO moved to the out script} Goto HUTYPE1</p> <p>If VACANT_CHK = 5 and (RI_GROUP = 5, 6, or 7) and (ATTEMPT_TYPE = 2, 4, 6, or 7), Set RI_CURSTAT = 1 Goto INTERVIEW_HH</p> <p>If VACANT_CHK = 5 and (RI_GROUP ne 5, 6, or 7), (<i>ie RI_GROUP = 1 or 11</i>) Set RI_CURSTAT = 1 Goto ROSTER1B</p> <p>If VACANT_CHK = DK Goto KNOWL_AVAIL</p> <p>If VACANT_CHK = RF and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p>	

Variable Name	VACANT_CHK	F26
	If VACANT_CHK = RF and COUNT_ATTEMPTS < 5, Set PRX_OK = 1 {TMO moved to the out script} Goto KNOWL_AVAIL	
Special Instructions		

Variable Name	HU_STATUS1	F27
Field Description	Asked to determine the vacancy category of a unit that was Vacant on the day the PI was conducted	
Universe	(VACANT_CHK = 1) OR (INTRO2B = 4) OR (INTRO2B_HH = 4) OR (OCC_PI_DATE = 1) OR (JICPOP =66)	
Screen Text	<p>◆ Ask if unsure.</p> <p>Which category best describes this vacant unit as of <ORIG_ENTRYDATE>?</p> <p>◆ Read answer categories until respondent answers</p>	
Input Options	<p>1 - For rent</p> <p>2 - For sale only</p> <p>3 - Rented, not occupied</p> <p>4 - Sold, not occupied</p> <p>5 - For vacation, seasonal, recreational, or occasional use</p> <p>6 - For migrant workers</p> <p>7 - Other vacant (explain in NOTES)</p> <p>DK - Don't Know</p> <p>RF – Refused</p>	
Fill Instructions		
Skip Instructions	Goto R_TYPE	
Special Instructions		

Variable Name	HU_STATUS2	F28
Field Description	Indicates status of a unit that was not a housing unit on the day the PI was conducted	
Universe	(VACANT_CHK = 4) OR (INTRO2B = 3) OR (INTRO2B_HH = 3) OR (OCC_PI_DATE = 3) OR (JICPOP = 77)	
Screen Text	<p>◆ Ask if unsure.</p> <p>Which category further describes this unit on <ORIG_ENTRYDATE>?</p> <p>◆ Read answer categories until respondent answers</p>	
Input Options	<p>1 - Demolished</p> <p>2 - Burned out</p> <p>3 - Business (store, office, warehouse, etc.)</p> <p>4 - Other (open to the elements, condemned, under construction, etc.)</p> <p>5 - Trailer moved from this location (does <u>not</u> include empty sites in mobile home/trailer parks)</p> <p>6 - Empty mobile home/trailer site in mobile home/trailer park</p> <p>7 - Group Quarters</p> <p>DK - Don't Know</p> <p>RF - Refused</p>	
Fill Instructions		
Skip Instructions	Goto R_TYPE	
Special Instructions		

Variable Name	SEASONAL_OCCUPIED	F29
Field Description	Determine how long residents are staying at a seasonal unit.	
Universe	(VACANT_CHK = 3) OR (USUAL_RES) = 1)	
Screen Text	Was there anyone <Fill 1: here /at <SAMPLE_ADDR>> on <ORIG_ENTRYDATE> whose stay will last for more than 2 months?	
Input Options	1 – Yes 2 – No DK – Don't Know RF - Refused	
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display "here" If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "at <SAMPLE_ADDR>"	
Skip Instructions	If SEASONAL_OCCUPIED = 1, DK or RF and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 1 or 3, Set COMPLETE = 1 {TMO moved to the out script} Goto HUTYPE1 If (SEASONAL_OCCUPIED = 1, DK, or RF) and (RI_GROUP) = 5, 6, or 7) and (ATTEMPT_TYPE = 2, 4, 6, or 7), Goto INTERVIEW_HH If (SEASONAL_OCCUPIED = 1, DK or RF) and (RI_GROUP ne 5, 6, or 7), Goto HUTYPE1 If SEASONAL_OCCUPIED = 2, Set RI_CURSTAT = 5 Goto R_TYPE	
Special Instructions		

Variable Name	SURVEY_Q F30
Field Description	To try to find out if the interviewer asked the alternate address questions, if respondent confirms being contacted
	(INTRO3=1 and PRFLAG = 0 and ((HOUSENO ne blank and STREETNM ne blank) or (RURALADDRESS ne blank)) and RI_GROUP = 1 or 2 and RI_STARTB_PV ne 3 or 4 and INTRO_INT = 1) OR (ADDRESS_DESCRIP = ne blank and INTRO3 = 1 and RI_GROUP = 1 or 2 and RI_STARTB_PV ne 3 or 4 and INTRO_INT = 1) OR (INTRO3 = 1 and PRFLAG = 1 and ((PRHNO ne blank and PRURBNZ ne blank) or (PRURBNZ ne blank and PRUNITDES ne blank) or ((PRHNO ne blank or KM/HM ne blank) and PRSTREETNM ne blank) or ((PRHNO ne blank or KM/HM ne blank) and RAMAL ne blank) or (RURALADDRESS ne blank)) and RI_GROUP = 1 or 2 and RI_STARTB_PV ne 3 or 4 and INTRO_INT = 1)
Screen Text	For each person at <Fill 1: this address /<SAMPLE_ADDR>>, did the interviewer ask questions about other places that person may have lived or stayed during March or April, 2010?
Input Options	1 – Yes or "I think so" 2 – No DK – Don't Know RF - Refused
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display "this address" If ATTEMPT_TYPE = 2, 3, or 4, display < SAMPLE_ADDR >
Skip Instructions	Goto ROSTER1B
Special Instructions	

Variable Name	HUTYPE1	F31
Field Description	Determine the type of housing unit at the sample address to be used in fills throughout the Full PI interview	
Universe	(VACANT_CHK = 5 and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 1 or 3) OR (SEASONAL_OCCUPIED = 1, DK, or RF and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 1 or 3) OR (USUAL_RES = 2) OR (SEASONAL_OCCUPIED = 1, DK or RF and RI_GROUP ne 5, 6, or 7)	
Screen Text	<Fill 1: ♦ Select the type of housing unit at < SAMPLE_ADDR > from the following list. /Is <SAMPLE_ADDR> a house, townhouse, condominium, apartment, mobile home, or another type of place?>	
Input Options	1 - House, townhouse, condominium 2 - Apartment 3 - Mobile home 4 - Other DK - Don't Know RF - Refused	
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, 2, or 6, display "♦ Select the type of housing unit at <SAMPLE_ADDR> from the following list." If ATTEMPT_TYPE = 3, 4, or 7, display "Is <SAMPLE_ADDR> a house, townhouse, condominium, apartment, mobile home, or another type of place?"	
Skip Instructions	If HUTYPE1 = 1, set HUTYPE = "house" If HUTYPE1 = 2, set HUTYPE = "apartment" If HUTYPE1 = 3, set HUTYPE = "mobile home" If HUTYPE1 = DK or RF, set HUTYPE = "unit" Goto ROSTER1B If HUTYPE1 = 4, Goto HUTYPE2	
Special Instructions	HUTYPE – 50 characters, alpha	

Variable Name	HUTYPE2	F32
Field Description	Determine the type of housing unit at the sample address to be used in fills throughout the Full PI interview	
Universe	(HUTYPE1 = 4)	
Question Text	<Fill 1: ♦ Select the type of housing unit at <SAMPLE_ADDR> from the following list. /Is <SAMPLE_ADDR> a RV, tent in a RV park or campground, boat, room in a hotel or motel, racetrack living quarters, carnival living quarters, or another type of place?>	
Input Options	1 - RV/tent in RV park or campground 2 - Boat 3 - Room in a hotel or motel 4 - Racetrack living quarters 5 - Carnival living quarters 6 - Other DK - Don't Know RF - Refused	
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, 2, or 6, display "♦ Select the type of housing unit at <SAMPLE_ADDR> from the following list." If ATTEMPT_TYPE = 3, 4, or 7, display " Is <SAMPLE_ADDR> a RV, tent in a RV park or campground, boat, room in a hotel or motel, racetrack living quarters, carnival living quarters, or another type of place? "	
Skip Instructions	If HUTYPE2 = 1, set HUTYPE = "RV/Tent" If HUTYPE2 = 2, set HUTYPE = "boat" If HUTYPE2 = 3, set HUTYPE = "room" If HUTYPE2 = 4, 5, 6, DK, or RF, set HUTYPE = "unit" Goto ROSTER1B	
Special Instructions		

Variable Name	ROSTER1B	F33
Field Description	Indicates if the respondent will be able to provide the name or description of each person in the household on the PI date	
Universe	<p>(SURVEY_Q = 1, 2, DK, or RF) OR (HUTYPE1 = 1, 2, 3, DK, or RF) OR (HUTYPE2 = 1–6, DK, or RF) OR (VACANT_CHK = 5 and RI_GROUP ne 5, 6, or 7) OR (INTRO3=1 and RI_GROUP = 1 and RI_START_PV ne 3 or 4 and INTRO_INT ne 1 and PRFLAG = 0 and ((HOUSENO ne blank and STREETNM ne blank) or (RURALADDRESS ne blank))) OR (ADDRESS_DESCRIP = ne blank and INTRO3=1 and RI_GROUP = 1 and RI_START_PV ne 3 or 4 and INTRO_INT ne 1) OR (INTRO3=1 and RI_GROUP = 1 and RI_START_PV ne 3 or 4 and INTRO_INT ne 1 and PRFLAG = 1 and ((PRHNO ne blank and PRURBNZ ne blank) or (PRURBNZ ne blank and PRUNITDES ne blank) or ((PRHNO ne blank or KM/HM ne blank) and PRSTREETNM ne blank) or ((PRHNO ne blank or KM/HM ne blank) and RAMAL ne blank) or (RURALADDRESS ne blank)))</p>	
Screen Text	<p>We need to make a list of everyone who lived or stayed <Fill 1: here /there /at <SAMPLE_ADDR>>on <ORIG_ENTRYDATE>.</p> <p><Fill 2: Can you provide this information?/blank></p>	
Input Options	<p>1 – Continue – respondent can provide list 2 – Respondent does not know makeup of household 3 – Respondent refuses to provide list 4 – Respondent requests a personal visit – make appointment</p> <p><i>"Don't Know" and "Refused" are not options on the screen. If ATTEMPT_TYPE = 1, 2, or 6, answer category 4 is not valid and is grayed out.</i></p>	
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, display "here"</p> <p>If ATTEMPT_TYPE = 3, display "there"</p> <p>If ATTEMPT_TYPE = 2, 4, 6, or 7, display "at <SAMPLE_ADDR></p> <p>Fill 2:</p>	

Variable Name	ROSTER1B F33
	<p>If RI_GROUP = 11 or (RI_GROUP = 2 and INTRO2 = 5), display "Can you provide this information?"</p> <p>Else, leave blank.</p>
Skip Instructions	<p>If ROSTER1B = 1, Goto FNAME</p> <p>If ROSTER1B = 2 or 3 and RI_GROUP = 2, Goto INTERVIEW_HH</p> <p>If ROSTER1B = 2 or 3 and RI_GROUP ne 2, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If ROSTER1B = 4 and RI_GROUP = 2 and {ROSTER1B = 4 NA for COUNT_ATTEMPTS = 5 and ATTEMPT_TYPE = 1, 2, or 6} ATTEMPT_TYPE = 4, {and ATTEMPT_TYPE = 3 or 7 Goto INTERVIEW_HH NA for RI_GROUP = 2}</p> <p>If ROSTER1B = 4 and (RI_GROUP ne 2 or (RI_GROUP = 2 and COUNT_ATTEMPTS < 5)) and ATTEMPT_TYPE = 3, 4, or 7, {ROSTER1B = 4 NA for Goto MAKE_PV ATTEMPT_TYPE = 1, 2, or 6}</p>
Special Instructions	

Variable Name	FNAME (this is the first middle screen) M9a
Field Description	Asks for the first name of each person in the household on the PI date
Universe	(ROSTER1B=1) OR (from LNAME[X] and FNAME[X] ne blank, DK, or RF and PERS[X]<49) OR (from DES[X] and PERS[X] < 49) OR (NAME_OFTEN = 1) OR (NAME_FIND = 1) OR (NAME_BABY = 1) OR (NAME_REL) = 1) OR (from FNAME[X] and ROSTER_POPUP = Close or Goto)
Screen Text	We need to make a list of everyone who lived or stayed <Fill 1: here /there /at <SAMPLE_ADDR>>on <ORIG_ENTRYDATE>. <Fill 2: Let's start with you, what is your first name? Middle initial? Last name?/ What is the name of a person who lived or stayed <Fill 3: here/there > on <ORIG_ENTRYDATE>? > <Fill 4: Anyone else? (What is that person's first name? Middle initial? Last name?)> <Fill 5: What is that person's first name? Middle initial? Last name?> <Fill 6: What is that child's first name? Middle initial? Last name?> <Fill 7: Any other children? (What is that child's first name? Middle initial? Last name?)> ♦ Enter First name, Middle initial, Last name ♦ If there are no additional people to list, type 999 in "First Name" and press Enter
Input Options	Grid of 49 lines, each line contains text boxes for FNAME, MINIT, LNAME, and DES Text box fill (allow 20 characters), Enter Store as FNAME[X] <i>Blank, "Don't Know" and "Refused" are options in the first name field and are stored as blank.</i>
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display

Variable Name	FNAME (this is the first middle screen)	M9a
	<p>"here"</p> <p>If ATTEMPT_TYPE = 3, display "there"</p> <p>If ATTEMPT_TYPE = 2, 4, 6, or 7, display "at <SAMPLE_ADDR>"</p> <p>Fill 2: (Use only when filling the first line of roster, else leave blank)</p> <p>If (COMPLETE = 1 and INMOVER ne 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER ne 1), display "Let's start with you, what is your first name? Middle initial? Last name?"</p> <p>If (COMPLETE = 1 and INMOVER = 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER = 1) or (RI_GROUP = 2 or 11), display "What is the name of a person who lived or stayed <Fill 3: here/there> on <ORIG_ENTRYDATE>?"</p> <p>Fill 3: (Use only when filling the first line of roster, else leave blank)</p> <p>If ATTEMPT_TYPE = 1 display "here"</p> <p>If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "there"</p> <p>Fill 4: (Use only when coming from (LNAME or DES) and ROSFLG = 2, 3, 4, or 6 for the last person collected, else leave blank)</p> <p>Fill 5: (Use only when filling the first person after coming from NAME_OFTEN = 1 or NAME_FIND = 1 or NAME_REL = 1, else leave blank)</p> <p>Fill 6: (Use only when filling the first person after coming from NAME_BABY = 1, else leave blank)</p> <p>Fill 7: (Use only when coming from (LNAME or DES) and ROSFLG = 5 for last person collected, else leave blank)</p>	
Skip	Set PERS[X] consecutively for each person collected, starting with X=1.	

Variable Name	FNAME (this is the first middle screen) M9a
Instructions	<p>Set ROSFLG = 2 for each person collected here from ROSTER1B=1 Set ROSFLG = 3 for each person collected here from NAME_OFTEN=1 Set ROSFLG = 4 for each person collected here from NAME_FIND=1 Set ROSFLG = 5 for each person collected here from NAME_BABY=1 Set ROSFLG = 6 for each person collected here from NAME_REL=1</p> <p>If FNAME[X] ne 999 and PERS[X] < 49, Goto MINIT</p> <p>If (FNAME[X] ne 999, blank, DK or RF) and PERS[X] = 49, Goto ROSTER_POPUP (active signal)</p> <p>If FNAME[X] = blank, DK or RF and PERS[X] = 49, Goto MINIT</p> <p>If FNAME[X] = 999 and ROSFLG = 2 for the last person collected, Goto NAME_OFTEN</p> <p>If FNAME[X] = 999 and ROSFLG = 3 for the last person collected, Goto NAME_FIND</p> <p>If FNAME[X] = 999 and ROSFLG = 4 for the last person collected, Goto NAME_BABY</p> <p>If FNAME[X] = 999 and ROSFLG = 5 for the last person collected, Goto NAME_REL</p> <p>If FNAME[X] = 999 and ROSFLG = 6 for the last person collected and ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED = 1 or ROSFLG = 3 for someone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_ADDR1 screen for PI and continue with PI specification to the end of module L*</p>

Variable Name	FNAME (this is the first middle screen) M9a
	<p>If FNAME[X] = 999 and ROSFLG = 6 for the last person collected and ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED ne 1 and ROSFLG ne 3 for anyone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_REV screen for PI and continue with PI specification to the end of module L*</p> <p>If FNAME[X] = 999 and ROSFLG = 6 for the last person collected and ((RI_GROUP = 1, 5, 6, or 7 {code not needed} and COMPLETE = blank) or (RI_GROUP = 11 or 2)), Goto ROSTER_REV (RI screen M24 in this spec)</p>
Special Instructions	

Variable Name	MINIT M9b
Field Description	Asks for the middle initial of each person in the household on the PI date
Universe	(from FNAME[X] and FNAME[X] ne 999 and PERS[X] < 49) OR (from ROSTER_POPUP and ROSTER_POPUP = Suppress and FNAME[X] ne blank, DK, or RF for PERS[X] = 49) OR (from FNAME[X] and FNAME[X] = DK, RF, or blank for PERS[X] = 49)
Screen Text	<p>We need to make a list of everyone who lived or stayed <Fill 1: here /there /at <SAMPLE_ADDR>>on <ORIG_ENTRYDATE>.</p> <p><Fill 2: Let's start with you, what is your first name? Middle initial? Last name? /What is the name of a person who lived or stayed <Fill 3: here/there> on <ORIG_ENTRYDATE>?></p> <p><Fill 4: Anyone else? (What is that person's first name? Middle initial? Last name?)></p> <p><Fill 5: What is that person's first name? Middle initial? Last name?></p> <p><Fill 6: What is that child's first name? Middle initial? Last name?></p> <p><Fill 7: Any other children? (What is that child's first name? Middle initial? Last name?)></p> <p>◆ Enter first name, Middle initial, Last name</p>
Input Options	<p>Grid of 49 lines, each line contains text boxes for FNAME, MINIT, LNAME, and DES</p> <p>Text box fill (<i>allow 1 character</i>), Enter</p> <p>Store as MINIT[X]</p> <p><i>Blank, "Don't Know" and "Refused" are options in the middle initial field and are stored as blank.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, display "here"</p> <p>If ATTEMPT_TYPE = 3, display "there"</p> <p>If ATTEMPT_TYPE = 2, 4, 6, or 7, display "at <SAMPLE_ADDR>"</p>

Variable Name	MINIT M9b
	<p>Fill 2: (Use only when filling the first line of roster, else leave blank)</p> <p>If (COMPLETE = 1 and INMOVER ne 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER ne 1), display "Let's start with you, what is your first name? Middle initial? Last name?"</p> <p>If (COMPLETE = 1 and INMOVER = 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER = 1) or (RI_GROUP = 2 or 11), display "What is the name of a person who lived or stayed <Fill 3: here/there> on <ORIG_ENTRYDATE>?"</p> <p>Fill 3: (Use only when filling the first line of roster, else leave blank)</p> <p>If ATTEMPT_TYPE = 1 display "here"</p> <p>If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "there"</p> <p>Fill 4: (Use only when coming from FNAME of current person collecting and and ((ROSFLG = 2, for last person collected and NAME_OFTEN = blank) or (ROSFLG = 3 for last person collected and NAME_FIND = blank) or (ROSFLG = 4 for last person collected and NAME_BABY = blank) or (ROSFLG = 6 for last person collected and ROSTER_REV = blank)), else leave blank)</p> <p>Fill 5: (Use only when filling the first person after NAME_OFTEN = 1 or NAME_FIND = 1 or NAME_REL = 1, else leave blank)</p> <p>Fill 6: (Use only when filling the first person after coming from NAME_BABY = 1, else leave blank)</p> <p>Fill 7: (Use only when coming from FNAME of the current person collecting and ROSFLG = 5 for last person collected and NAME_REL = blank, else leave blank)</p>
Skip Instructions	Goto LNAME
Special Instructions	

Variable Name	LNAME M9c
Field Description	Asks for the last name of each person in the household on the PI date
Universe	(from MINIT)
Screen Text	<p>We need to make a list of everyone who lived or stayed <Fill 1: here /there /at <SAMPLE_ADDR>>on <ORIG_ENTRYDATE>.</p> <p><Fill 2: Let's start with you, what is your first name? Middle initial? Last name? /What is the name of a person who lived or stayed <Fill 3: here/there> on <ORIG_ENTRYDATE>?></p> <p><Fill 4: Anyone else? (What is that person's first name? Middle initial? Last name?)</p> <p><Fill 5: What is that person's first name? Middle initial? Last name?></p> <p><Fill 6: What is that child's first name? Middle initial? Last name?></p> <p><Fill 7: Any other children? (What is that child's first name? Middle initial? Last name?)></p> <p>◆ Enter first name, Middle initial, Last name and suffix</p>
Input Options	<p>Grid of 49 lines, each line contains text boxes for FNAME, MINIT, LNAME, and DES</p> <p>Text box fill (<i>allow 20 characters</i>), Enter</p> <p>Store as LNAME[X]</p> <p><i>Blank, "Don't Know" and "Refused" are options in the last name field and are stored as blank.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, display "here"</p> <p>If ATTEMPT_TYPE = 3, display "there"</p> <p>If ATTEMPT_TYPE = 2, 4, 6, or 7, display "at <SAMPLE_ADDR>"</p> <p>Fill 2: (Use only when filling the first line of roster, else leave blank)</p>

Variable Name	LNAME	M9c
	<p>If (COMPLETE = 1 and INMOVER ne 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER ne 1), display "Let's start with you, what is your first name? Middle initial? Last name?"</p> <p>If (COMPLETE = 1 and INMOVER = 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER = 1) or (RI_GROUP = 2 or 11), display "What is the name of a person who lived or stayed <Fill 3: here/there> on <ORIG_ENTRYDATE>?"</p> <p>Fill 3: (Use only when filling the first line of roster, else leave blank)</p> <p>If ATTEMPT_TYPE = 1 display "here"</p> <p>If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "there"</p> <p>Fill 4: (Use only when coming from MINIT of current person collecting and ((ROSFLG = 2 for the last person collected and NAME_OFTEN = blank) or (ROSFLG = 3 for last person collected and NAME_FIND = blank) or (ROSFLG = 4 for last person collected and NAME_BABY = blank) or (ROSFLG = 6 for last person collected and ROSTER_REV = blank)), else leave blank)</p> <p>Fill 5: (Use only when filling the first person after NAME_OFTEN = 1 or NAME_FIND = 1 or NAME_REL = 1, else leave blank)</p> <p>Fill 6: (Use only when filling the first person after coming from NAME_BABY = 1, else leave blank)</p> <p>Fill 7: (Use only when coming from MINIT of the current person collecting and ROSFLG = 5 for last person collected and NAME_REL = blank, else leave blank)</p>	
Skip Instructions	<p>If FNAME[X] = blank, DK, or RF, Goto DES</p> <p>If FNAME[X] ne blank, DK, or RF, Then</p>	

Variable Name	LNAME M9c
	<p>Set WNAME[X] = FNAME[X] MINIT[X] LNAME[X] concatenated</p> <p>If (PERS[X] = 1 and ((COMPLETE = 1 and INMOVER ne 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER ne 1)), Set RESPONDENT[1] = 1 Set RESPONDENT_FLAG = 1 {TMO sets RESPONDENT_FLAG for pathing} Set R_NAME = WNAME[1] Set R_TYPE = 4 [TMO moved to the outscript]</p> <p>If PERS[X] < 49, Goto FNAME</p> <p>If PERS[X] = 49, Then If ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED = 1 or ROSFLG = 3 for someone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_ADDR1 screen for PI and continue with PI specification to the end of module L*</p> <p>If ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED ne 1 and ROSFLG ne 3 for anyone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_REV screen for PI and continue with PI specification to the end of module L*</p> <p>If ((RI_GROUP = 1, 5, 6, or 7 {code not needed} and COMPLETE = blank) or (RI_GROUP = 11 or 2)), Goto ROSTER_REV (RI screen M24 in this spec)</p>
Special Instructions	WNAME[X] should be used in name fills throughout the instrument.

Variable Name	DES	M10
Field Description	Asks for a description of person when first name is missing	
Universe	(from LNAME[X] and FNAME[X] = blank, DK, or RF) OR (from DES[X] and ROSTER_POPUP = Close or Goto)	
Screen Text	<p>◆ If respondent REFUSES to give name, remind respondent of confidentiality, if appropriate.</p> <p>◆ If respondent refuses or doesn't know the name, enter a description of the person, for example, wife, father, daughter, oldest son, first born, etc.</p>	
Input Options	<p>Grid of 49 lines, each line contains text boxes for FNAME, MINIT, LNAME, and DES</p> <p>Text box fill (<i>allow 20 characters</i>), Enter</p> <p>Store as DESCRIPTION[X]</p> <p><i>Blank, "Don't Know" and "Refused" are not options on this screen.</i></p>	
Fill Instructions		
Skip Instructions	<p>Set WNAME[X] = DESCRIPTION[X] LNAME[X] concatenated</p> <p>If (PERS[X] = 1 and ((COMPLETE = 1 and INMOVER ne 1) or (COMPLETE ne 1 and {code not needed} RI_GROUP = 1 and INMOVER ne 1)), Set RESPONDENT[1] = 1 Set RESPONDENT_FLAG = 1 {TMO sets RESPONDENT_FLAG for pathing} Set R_NAME = WNAME[1] Set R_TYPE = 4 {TMO moved to the out script}</p> <p>If PERS[X] < 49, Goto FNAME</p> <p>If PERS[X] = 49, Goto ROSTER_POPUP</p>	
Special Instructions	WNAME[X] should be used in name fills throughout the instrument.	

Variable Name	NAME_OFTEN M11
Field Description	Asks if there is anyone else who stays at the sample address often and had another place to live on the PI date
Universe	(FNAME[X] = 999 and ROSFLG = 2 for the last person collected)
Screen Text	<p>Is there anyone else who had another place to live on <ORIG_ENTRYDATE>, but who stays <Fill 1: here/at <SAMPLE_ADDR>> often?</p> <p>Include people who</p> <ul style="list-style-type: none"> - Stay here overnight more than anywhere else, - Stay here overnight half of the time, or - Have no place where they stay overnight most of the time
Input Options	<p>1 - Yes 2 - No DK - Don't Know RF - Refused</p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, display "here"</p> <p>If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "at <SAMPLE_ADDR>"</p>
Skip Instructions	<p>If NAME_OFTEN = 1, Goto FNAME</p> <p>If NAME_OFTEN = 2, DK, or RF, Goto NAME_FIND</p>
Special Instructions	

Variable Name	NAME_FIND	M14
Field Description	Asks if there was anyone else staying at the sample address on the PI date until they find another place to live	
Universe	(NAME_OFTEN = 2, DK or RF) OR (FNAME[X] = 999 and ROSFLG = 3 for the last person collected)	
Screen Text	Is there anyone else who was staying <Fill 1: here / at <SAMPLE_ADDR >> on <ORIG_ENTRYDATE> until they find a place to live?	
Input Options	1 - Yes 2 - No DK – Don't Know RF - Refused	
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display "here" If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "at <SAMPLE_ADDR>"	
Skip Instructions	If NAME_FIND = 1, Goto FNAME If NAME_FIND = 2, DK, or RF, Goto NAME_BABY	
Special Instructions		

Variable Name	NAME_BABY	M17
Field Description	Asks if there is any baby or child who is not listed on the roster who lived or stayed at the sample address on the PI date	
Universe	(NAME_FIND = 2, DK or RF) OR (FNAME[X] = 999 and ROSFLG = 4 for the last person collected)	
Screen Text	Were there any babies, foster children, or other children who lived or stayed <Fill 1: here /at <SAMPLE_ADDR>> on <ORIG_ENTRYDATE> that you didn't mention yet?	
Input Options	1 - Yes 2 - No DK - Don't Know RF - Refused	
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display "here" If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "at <SAMPLE_ADDR>"	
Skip Instructions	If NAME_BABY = 1, Goto FNAME If NAME_BABY = 2, DK, or RF, Goto NAME_REL	
Special Instructions		

Variable Name	NAME_REL M20
Field Description	Asks if any relative/non-relative who lived or stayed at the sample address on the PI date is missing on the roster
Universe	(NAME_BABY = 2, DK or RF) OR (FNAME[X] = 999 and ROSFLG = 5 for the last person collected)
Screen Text	Have I missed any relatives or unrelated people who lived or stayed <Fill 1: here/ at <SAMPLE_ADDR>> on <ORIG_ENTRYDATE>?
Input Options	1 – Yes 2 – No DK - Don't Know RF - Refused
Fill Instructions	Fill 1: If ATTEMPT_TYPE = 1, display "here" If ATTEMPT_TYPE = 2, 3, 4, 6, or 7, display "at <SAMPLE_ADDR>"
Skip Instructions	If NAME_REL = 1, Goto FNAME If NAME_REL = 2, DK, or RF and ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED = 1 or ROSFLG = 3 for someone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_ADDR1 screen for PI and continue with PI specification to the end of module L* If NAME_REL = 2, DK, or RF and ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED ne 1 and ROSFLG ne 3 for anyone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_REV screen for PI and continue with PI specification to the end of module L* If NAME_REL = 2, DK, or RF and ((RI_GROUP = 1, 5, 6, or 7 {code not needed} and COMPLETE = blank) or (RI_GROUP = 11 or 2)), Goto ROSTER_REV (RI screen M24 in this spec)
Special Instructions	

Variable Name	ROSTER_POPUP (Active Signal) M23
Field Description	Pop up text on roster screens when PERS[X] = 49 for last person entered.
Universe	(from FNAME[X] and before ROSTER_REV and FNAME[X] ne 999, blank, DK, or RF for PERS[X] = 49) OR (from DES[X] and before ROSTER_REV and FNAME[X] = blank, DK, or RF for PERS[X] = 49)
Screen Text	This is the last person you can enter for this household. Press "Suppress" to finish entering this person's name. Do NOT enter any other names. Instead, continue with the rest of the interview.
Input Options	Press one of the buttons at the bottom of the Active Signal box
Fill Instructions	
Skip Instructions	<p>If ROSTER_POPUP = Close or Goto, Goto previous screen (FNAME or DES)</p> <p>If ROSTER_POPUP = Suppress and FNAME[X] ne blank, DK or RF for PERS[X] = 49, Goto MINIT</p> <p>If ROSTER_POPUP = Suppress and DES[X] ne blank for PERS[X] = 49, Then</p> <p style="padding-left: 40px;">If ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED = 1 or ROSFLG = 3 for someone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_ADDR1 screen for PI and continue with PI specification to end*</p> <p style="padding-left: 40px;">If ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1) or (RI_GROUP = 21, 3, 51, 61, or 71)) and (SEASONAL_OCCUPIED ne 1 and ROSFLG ne 3 for anyone on the roster), Set CURSTAT = RI_CURSTAT Set PI_SCREEN = 1 *Goto ROSTER_REV screen for PI and continue with PI specification to end*</p> <p style="padding-left: 40px;">If ((RI_GROUP = 1, 5, 6, or 7 {code not needed} and COMPLETE = blank) or (RI_GROUP = 11 or 2)), Goto ROSTER_REV (RI screen M24 in this spec)</p>

Variable Name	ROSTER_POPUP (Active Signal)	M23
Special Instructions		

Variable Name	ROSTER_REV M24
Field Description	The specs denoted here are for regular reinterview cases, that is, PI_SCREEN = blank. Allows the reinterviewer to make corrections to the list of people recorded for the sample address. This screen will not be on path if RI_GROUP = 5, 6, or 7 and COMPLETE = blank.
Universe	(ROSTER_POPUP = Suppress and DES[X] ne blank for PERS[X] = 49 and (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = blank)) OR (ROSTER_POPUP = Suppress and DES[X] ne blank for PERS[X] = 49 and RI_GROUP = 11 or 2) OR (NAME_REL = 2, DK or RF and (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = blank)) OR (NAME_REL = 2, DK or RF and RI_GROUP = 11 or 2) OR (FNAME[X] = 999 and ROSFLG = 6 for last person collected and ((RI_GROUP = 1, 5, 6, or 7 and COMPLETE = blank) or (RI_GROUP = 11 or 2))) OR (from LNAME[X] and FNAME[X] ne blank, DK, or RF for PERS[X] = 49 and (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = blank)) OR (from LNAME[X] and FNAME[X] ne blank, DK, or RF for PERS[X] = 49 and (RI_GROUP = 11 or 2))
Screen Text	<Fill 1: I am going show you the list of people I recorded./I am going to read you the list of people I recorded.> Is everything spelled correctly? Is the list complete? ♦ Every person must have an action to move from this screen. To add a person, go to the last row and enter 4 ♦ NO MORE CHANGES WILL BE ALLOWED TO THE ROSTER AFTER THIS SCREEN. YOU CAN NOT RETURN TO THIS SCREEN.
Input Options	Grid of completed roster, with each line containing box for action and filled boxes for entries for FNAME , MINIT , LNAME , and DES For PERS[X] = 1 through N 1 – No Change 2 – Edit Name 3 – Delete Person (if DELETE[X] = 0 for PERS[X]) For Last Row (non-person row where FNAME is filled with 999)

Variable Name	ROSTER_REV M24
	<p>4 – Add Member 5 – Table Now Correct – Continue reinterview</p> <p><i>Blank, "Don't Know" and "Refused" are not options on this screen</i></p>
Fill Instructions	<p>Fill 1: If ATTEMPT_TYPE = 1, 2, or 6, display "I am going to show you the list of people I recorded."</p> <p>If ATTEMPT_TYPE = 3, 4, or 7, display "I am going to read you the list of people I recorded."</p>
Skip Instructions	<p>If ROSTER_REV[X] = 1 for PERS[X], Set DELETE[X] = 0</p> <p>If ROSTER_REV[X] = 2 for PERS[X], Set DELETE[X] = 0 Allow edit of FNAME[X], MINIT[X], LNAME[X], and DES[X] (if appropriate) for PERS[X] If FNAME[X] = blank, DK or RF, Set WNAME[X] = DESCRIPTION[X] LNAME[X] concatenated Else, set WNAME[X] = FNAME[X] MINIT[X] LNAME[X] concatenated If RESPONDENT[1] = 1 for PERS[X] = 1, Set RESPONDENT_FLAG = 1 {TMO sets RESPONDENT_FLAG for pathing} Set R_NAME = WNAME[1]</p> <p>If ROSTER_REV[X] = 3 for PERS[X], Set DELETE[X] = 1,</p> <p>If ROSTER_REV[X] = 4, Set PERS[X] = the last person number assigned + 1 Allow entry of FNAME[X], MINIT[X], LNAME[X], and DES[X] (if appropriate) for new name to be added. Set ROSFLG = 7 for each person collected here from ROSTER_REV = 4 If FNAME[X] = blank, DK or RF, Set WNAME[X] = DESCRIPTION[X] LNAME[X] concatenated Else, set WNAME[X] = FNAME[X] MINIT[X] LNAME[X] concatenated If PERS[X] < 49, create a new row directly below the last person collected on the roster</p> <p>If ROSTER_REV[X] = 1, 2, 3, or 4</p>

Variable Name	ROSTER_REV M24
	<p>and PERS[X] < 49, Goto next line of the roster</p> <p>If ROSTER_REV[X] = 5 or (ROSTER_REV[X] = 1, 2, 3, or 4 and PERS[X]=49), Then Set RI_PERCOUNT = PERS[X] for last person collected minus number of persons with DELETE[X] = 1 Set GATE_TROSTER = 1</p> <p>If RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 3 and END_NOW = blank, Set R_PHONE = MASTER_PHONE Goto BEST_TIME</p> <p>If RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 1 and END_NOW = blank, Goto R_PHONE</p> <p>If RESPONDENT_FLAG = blank and END_NOW = blank, Goto R_TYPE</p>
Special Instructions	Store updated roster information back into the original roster table.

Variable Name	INTERVIEW_HH	B1
Field Description	Advises reinterviewer to interview sample address household.	
Universe	<p>(VACANT_CHK = 5 and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 2, 4, 6, or 7) OR (SEASONAL_OCCUPIED = 1, DK or RF and RI_GROUP = 5, 6, or 7 and ATTEMPT_TYPE = 2, 4, 6, or 7) OR {NA univ} (JICINT = 1, 2, DK, or RF and RI_GROUP = 2 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR (JICPOP = 1 – 49, DK or RF and INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2) and RI_GROUP = 2) OR (RI_STARTB_PV = 2 and RI_GROUP = 2 and COUNT_ATTEMPTS = 5) OR (RI_STARTB_PV = 3 or 4 and RI_GROUP = 2) OR (RI_STARTB_TPH = 2, 3, 4, 5, or 6 and RI_GROUP = 2 and COUNT_ATTEMPTS = 5) OR (INTRO1 = 2, DK, or RF and RI_GROUP = 2 and COUNT_ATTEMPTS = 5) OR (LANG_SPEAK_Q = 1 – 51, DK, or RF and RI_GROUP = 2 and COUNT_ATTEMPTS = 5) OR {NA univ} (INTRO2 = 5 and RI_GROUP = 2 and (JICINT ne blank or INTRO_INT ne blank)) OR {NA univ} (INTRO2 = RF and RI_GROUP = 2 and (JICINT ne blank or INTRO_INT ne blank)) OR (INTRO2 = 3 and RI_GROUP = 2) OR (INTRO2 = 4 and RI_GROUP = 2 and COUNT_ATTEMPTS = 5) OR (INTRO_INT = 2, DK, RF and RI_GROUP = 2) OR {NA univ } (INTRO3 = RF and RI_GROUP = 2 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR (ROSTER1B = 2 or 3 and RI_GROUP = 2) OR (ROSTER1B=4 and RI_GROUP=2 and ATTEMPT_TYPE = 4 and COUNT_ATTEMPTS = 5)</p>	
Screen Text	<p>◆ Attempt to conduct an interview with the occupants of <SAMPLE_ADDR>.</p>	
Input Options	<p>1 – Enter 1 to Continue</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>	
Fill Instructions		
Skip Instructions	Goto MAKE_PV	
Special Instructions		

Variable Name	MAKE_PV	B2
Field Description	Advises reinterviewer to make a personal visit.	
Universe	<p>(INTERVIEW_HH = 1) OR (RI_STARTB_TPH = 2, 3, or 4 and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS >= 2 and RI_GROUP ne 2) OR (RI_STARTB_TPH = 2, 3, or 4 and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS >= 2 and RI_GROUP = 2 and PRX_LOC_UPDATE ne blank) OR (RI_STARTB_TPH = 5 or 6 and ((RI_GROUP = 1, 2, 21, 3, 5, 51, 61, or 71) or (RI_GROUP = 6, or 7 and COMPLETE = 1)) and COUNT_ATTEMPTS < 5) OR (RI_STARTB_TPH = 5 or 6 and ((RI_GROUP = 11) or (RI_GROUP = 6 or 7 and COMPLETE = blank))) OR (INTRO1 = 2, DK or RF and ATTEMPT_TYPE = 3 or 4 and COUNT_ATTEMPTS < 5) OR (INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3 or 4 and TPH_ATTEMPTS >= 2) OR (INTRO_FULL = 2, DK, or RF and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3) OR (VER_ADD = 2 or RF) OR (ROSTER1B = 4 and ATTEMPT_TYPE = 3, 4, or 7 and (RI_GROUP ne 2 or (RI_GROUP = 2 and COUNT_ATTEMPTS < 5)))</p>	
Screen Text	<p>◆ This case requires a personal visit <Fill 1: to <PRX_LOC_UPDATE> / to <SAMPLE_ADDR> / to a new RI proxy respondent /. There is no address for the original proxy. Collect address on the CALLBACK screens>.</p>	
Input Options	<p>1 - This address is in my assignment area and I will make a personal visit. 2 - This case needs to be reassigned, it is not in my area. 3 - I will not make personal visit due to another problem/reason (Explain in NOTES)</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>	
Fill Instructions	<p>Fill 1:</p> <p>If RI_GROUP = 1, 21, 3, 51, 61, or 71 or (RI_GROUP = 2, 5, 6, or 7 and COMPLETE = 1), display "to <SAMPLE_ADDR>"</p> <p>Elseif RI_GROUP = 11 or (RI_GROUP = 6, or 7 and COMPLETE = blank {code not needed}), display "to a new RI proxy respondent."</p>	

Variable Name	MAKE_PV B2
	<p>Elseif RI_GROUP = 2 or 5 and ORIG_PRX_LOC ne blank and COMPLETE = blank {code not needed}, display "to <PRX_LOC_UPDATE>"</p> <p>Elseif RI_GROUP = 2 or 5 and COMPLETE = blank {code not needed} and <PRX_LOC_UPDATE> = blank, display ". There is no address for the original proxy. Collect address on the CALLBACK screens"</p>
Skip Instructions	<p>If MAKE_PV = 2 or 3, Set PV_TEL_FLAG = PV Set REASSIGN_FLAG = 1 Goto RI_CLOSE</p> <p>If MAKE_PV = 1 and ROSTER1B ne 4, Set PV_TEL_FLAG = PV Then If INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3 or 4 and TPH_ATTEMPTS >= 2, Goto CALLBACK_MONTH</p> <p> If INTRO2 ne 2 or COUNT_ATTEMPTS >= 5 or ATTEMPT_TYPE ne 3 or 4 or TPH_ATTEMPTS < 2, Goto RI_CLOSE</p> <p>If MAKE_PV = 1 and ROSTER1B = 4, Set PV_TEL_FLAG = PV Then If COUNT_ATTEMPTS < 5, Goto CALLBACK_MONTH</p> <p> If COUNT_ATTEMPTS >= 5, Goto RI_CLOSE</p>
Special Instructions	

Variable Name	END_NOW B3
Field Description	Allows reinterviewer to tell why (s)he ended the interview and to handle unusual situations (refusals, appointments to contact later)
Universe	Global Function (Exit/F10) that may only be accessed if the following conditions are true: (ROSTER1B = 1 and COMPLETE = 1)
Screen Text	◆ Why are you ending the interview?
Input Options	1 - Refusal by household member 2 - End interview — Another reason (explain in NOTES) 3 - Make appointment to contact later <i>"Don't Know" and "Refused" are not options on this screen.</i> <i>Suppress and disable option 2 for the 2010 Census. Therefore, skips and universes for option 2 presently do not apply and have been struckthrough in the spec.</i>
Fill Instructions	
Skip Instructions	If END_NOW = 1 or 2, Then If RI_PERCOUNT = 1 – 49, Then If RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 3, Goto THANK_YOU_TPH If RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 1, Goto THANK_YOU If RESPONDENT_FLAG = blank, Goto R_TYPE If RI_PERCOUNT ne 1 – 49 and JICPOP = blank, Goto JICPOP2 If END_NOW = 3, Then If RI_PERCOUNT = 1 – 49 and

Variable Name	END_NOW B3
	<p>COUNT_ATTEMPTS < 5, Goto CALLBACK_MONTH</p> <p>If RI_PERCOUNT = 1 – 49 and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p>If RI_PERCOUNT ne 1 – 49 and JICPOP = blank, Goto JICPOP2</p>
Special Instructions	

Variable Name	JICPOP2 B3a
Field Description	Attempt to obtain the number of persons living at the sample address on the day the PI was conducted.
Universe	(END_NOW = 1,2, or 3 and RI_PERCOUNT ne 1 – 49 and JICPOP = blank)
Screen Text	<p>♦ Try to get the PI count before ending the reinterview.</p> <p>Can you tell me how many people were living or staying at <SAMPLE_ADDR> on <ORIG_ENTRYDATE>?</p> <p>••</p> <p>♦ Enter number of people (01 - 49)</p> <p>♦ Enter 66 if Vacant on <ORIG_ENTRYDATE></p> <p>♦ Enter 77 if Not a housing unit on <ORIG_ENTRYDATE></p>
Input Options	01 - 49 (actual count) 66 - Vacant 77 - Not HU PI date DK - Don't Know RF – Refused
Fill Instructions	
Skip Instructions	<p>If JICPOP2 = 66, Set RI_CURSTAT = 2 Goto R_TYPE</p> <p>If JICPOP2 = 77, Set RI_CURSTAT = 3 Goto R_TYPE</p> <p>If JICPOP2 = 01 - 49, DK or RF, Then If END_NOW = 3 and COUNT_ATTEMPTS < 5, Goto CALLBACK_MONTH</p> <p> If END_NOW = 3 and COUNT_ATTEMPTS = 5, Set CALLBACK = 2 {TMO moved to the out script} Goto RI_CLOSE</p> <p> If END_NOW = 2 and COUNT_ATTEMPTS < 5, {NA skip} Goto CALLBACK</p> <p> If END_NOW = 2 and COUNT_ATTEMPTS = 5, {NA skip}</p>

Variable Name	JICPOP2 B3a
	<p>Set CALLBACK = 2 {TMO moved to the out script}</p> <p>Goto RI_CLOSE</p> <p>If END_NOW = 1,</p> <p>Set CALLBACK = 2 {TMO moved to the out script}</p> <p>Goto RI_CLOSE</p>
Special Instructions	

Variable Name	R_TYPE	B4
Field Description	Identifies what type of respondent was interviewed	
Universe	(END_NOW = 1 or 2 and RI_PERCOUNT = 1 – 49 and RESPONDENT_FLAG = blank) OR (VACANT_CHK = 2) OR (HU_STATUS1 = 1 – 7, DK or RF) OR (HU_STATUS2 = 1 – 7, DK or RF) OR (SEASONAL_OCCUPIED = 2) OR {For both Full PI and Regular PI cases} ((ROSTER_REV = 5 or (ROSTER_REV=1, 2, 3, or 4 and PERS[X]=49)) and RESPONDENT_FLAG = blank and END_NOW=blank) OR (JICPOP2 = 66 or 77)	
Screen Text	<p>◆ Describe the Respondent:</p>	
Input Options	1 - Landlord (Superintendent, Rental Office, Owner, etc.) 2 - Neighbor 3 - Relative/caregiver to occupant 4 - Current occupant 5 - Former occupant - prior to PI 6 - Reinterviewer (explain in NOTES) 7 - Other – (Specify in NOTES) DK - Don't Know <i>Blank and Refused are not options on this screen</i>	
Fill Instructions		
Skip Instructions	If R_TYPE = 1 – 5, or 7 and RESPONDENT_FLAG = blank and (END_NOW = blank or JICPOP2 = 66 or 77) , Goto R_NAME If R_TYPE = 1 – 5, or 7, and END_NOW = 1 or 2 and ATTEMPT_TYPE = 3 , Goto THANK_YOU_TPH If R_TYPE = 1 – 5, or 7, and END_NOW = 1 or 2 and ATTEMPT_TYPE = 1 , Goto THANK_YOU If R_TYPE = 6, Goto RI_CLOSE If R_TYPE = DK,	

Variable Name	R_TYPE	B4
	Goto LANG_WHICH	
Special Instructions		

Variable Name	R_NAME	B5
Field Description	Collects respondent name	
Universe	(R_TYPE = 1 – 5, or 7 and RESPONDENT_FLAG = blank and (END_NOW = blank or JICPOP2 = 66 or 77))	
Screen Text	What is your name?	
Input Options	Text box fill (<i>allow 42 characters</i>), Enter DK – Don't Know RF – Refused	
Fill Instructions		
Skip Instructions	<p>If ATTEMPT_TYPE = 1, 2, or 6, Goto R_PHONE</p> <p>If ATTEMPT_TYPE = 3 or 4, Set R_PHONE = MASTER_PHONE Goto BEST_TIME</p> <p>If ATTEMPT_TYPE = 7, Set R_PHONE = MASTER_PHONE Goto PRX_LOC_ADD1</p>	
Special Instructions		

Variable Name	R_PHONE	B6
Field Description	Collects the respondent's phone number	
Universe	(from R_NAME and ATTEMPT_TYPE = 1, 2, or 6) OR {For both Full PI and Regular PI cases} ((ROSTER_REV = 5 or (ROSTER_REV= 1, 2, 3, or 4 and PERS[X] = 49)) and RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 1 and END_NOW=blank)	
Screen Text	<p>In case we need to contact you again may I please have your telephone number?</p> <p>◆ You may verify the number if it is already filled in below.</p> <p style="text-align: center;"><Fill 1: <MASTER_PHONE> /blank></p> <p>◆ Enter N for No Phone</p>	
Input Options	<p><i>Prefill Phone Number: (area code first) (Allow 3) Allow 3-Allow 4 using the fill instructions below:</i></p> <p><i>10 digit numeric (when a phone number is provided, check that all 10 digits are filled)</i></p> <p>N – No phone DK – Don't Know RF – Refused</p>	
Fill Instructions	<p>Fill 1:</p> <p>If MASTER_PHONE valid, display "<MASTER_PHONE>" and allow changes</p> <p>Else, leave blank.</p>	
Skip Instructions	<p>If R_PHONE valid, update MASTER_PHONE</p> <p>If ATTEMPT_TYPE = 1, 2, 3, or 4, Goto BEST_TIME</p> <p>If ATTEMPT_TYPE = 6 or 7, Goto PRX_LOC_ADD1</p>	
Special Instructions		

Variable Name	PRX_LOC_ADD1 B7a
Field Description	Get street address of new proxy
Universe	(from R_NAME and ATTEMPT_TYPE = 7) OR (from R_PHONE and ATTEMPT_TYPE = 6 or 7)
Screen Text	What is your address? Street Address (line 1)? _____ Street Address (line2)? City? <Fill 1: <State?/blank> ZIP Code?
Input Options	Text box fill (<i>allow 54 characters</i>), Enter DK – Don't Know RF – Refused <i>"Don't Know" and "Refused" are options and are stored as blank.</i>
Fill Instructions	Fill 1: If PRFLAG = 0, display "State?" If PRFLAG = 1, leave blank
Skip Instructions	Goto PRX_LOC_ADD2
Special Instructions	<i>Store as CP1ADD1.</i> First of five duplicate screens.

Variable Name	PRX_LOC_ADD2	B7b
Field Description	Get line 2 of street address of new proxy	
Universe	(from PRX_LOC_ADD1)	
Screen Text	What is your address? Street Address (line 1): <CP1ADD1> Street Address (line2)? _____ City? <Fill 1: State?/ blank> ZIP Code?	
Input Options	Text box fill (<i>allow 54 characters</i>), Enter DK – Don't Know RF – Refused <i>Blank is an option on this screen</i> <i>"Don't Know" and "Refused" are options and are stored as blank.</i>	
Fill Instructions	Fill 1: If PRFLAG = 0, display "State?" If PRFLAG = 1, leave blank	
Skip Instructions	Goto PRX_LOC_PO	
Special Instructions	Store as CP1ADD2 . Second of five duplicate screens.	

Variable Name	PRX_LOC_PO	B7c
Field Description	Get city of new proxy's address	
Universe	(from PRX_LOC_ADD2)	
Screen Text	What is your address? Street Address (line 1): <CP1ADD1> Street Address (line2): <CP1ADD2> City? _____ <Fill 1: State?/ blank> ZIP Code?	
Input Options	Text box fill (<i>allow 28 characters</i>), Enter DK – Don't Know RF – Refused <i>"Don't Know" and "Refused" are options and are stored as blank.</i>	
Fill Instructions	Fill 1: If PRFLAG = 0, display "State?" If PRFLAG = 1, leave blank	
Skip Instructions	If PRFLAG = 0, Goto PRX_LOC_ST If PRFLAG = 1, Goto PRX_LOC_ZP5	
Special Instructions	Store as CP1PO . Third of five duplicate screens.	

Variable Name	PRX_LOC_ST	B7d
Field Description	Get state of new proxy's address	
Universe	(from PRX_LOC_PO and PRFLAG = 0)	
Screen Text	What is your address? Street Address (line 1): <CP1ADD1> Street Address (line2): <CP1ADD2> City: <CP1PO> <Fill 1: State? _____ / blank> ZIP Code?	
Input Options	Text box fill (<i>Use State Lookup Table, with layout example "VA-Virginia," and store as alpha abbreviation</i>), Enter DK – Don't Know RF – Refused <i>"Don't Know" and "Refused" are options and are stored as blank.</i>	
Fill Instructions	Fill 1: If PRFLAG = 0, display " State? " If PRFLAG = 1, leave blank	
Skip Instructions	Goto PRX_LOC_ZP5	
Special Instructions	Store as 2 character abbreviation in CP1ST . Fourth of five duplicate screens.	

Variable Name	PRX_LOC_ZP5	B7e
Field Description	Get ZIP Code of new proxy's address	
Universe	(from PRX_LOC_PO and PRFLAG = 1) OR (from PRX_LOC_ST)	
Screen Text	What is your address? Street Address (line 1): <CP1ADD1> Street Address (line2): <CP1ADD2> City: <CP1PO> <Fill 1: State: <CP1ST>/ blank> ZIP Code? _____	
Input Options	Numeric box fill (<i>allow 5 digits</i>), Enter DK – Don't Know RF – Refused <i>"Don't Know" and "Refused"are options and are stored as blank.</i>	
Fill Instructions	Fill 1: If PRFLAG = 0 or blank, display "State: <CP1ST>" If PRFLAG = 1, leave blank	
Skip Instructions	Goto BEST_TIME	
Special Instructions	Store as CP1ZP5 . Fifth of five duplicate screens.	

Variable Name	BEST_TIME	B8
Field Description	Determine best time to recontact respondent.	
Universe	(from PRX_LOC_ZP5) OR (from R_NAME and ATTEMPT_TYPE = 3 or 4) OR (from R_PHONE and ATTEMPT_TYPE = 1, 2, 3, or 4) OR {For both Full PI and Regular PI cases} ((ROSTER_REV = 5 or (ROSTER_REV = 1, 2, 3, or 4 and PERS[X] = 49)) and RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 3 and END_NOW=blank)	
Screen Text	In case we need to contact you again, what is the best time to reach you?	
Input Options	1 - Day 2 - Evening 3 - Either DK - Don't Know RF - Refused	
Fill Instructions		
Skip Instructions	If BEST_TIME = 1, 2, 3, DK or RF and ATTEMPT_TYPE = 1, 2, or 6, Goto THANK_YOU If BEST_TIME = 1, 2, 3, DK or RF and ATTEMPT_TYPE = 3, 4, or 7, Goto THANK_YOU_TPH	
Special Instructions		

Variable Name	THANK_YOU	B9
Field Description	Thanks personal visit respondent	
Universe	(END_NOW = 1 or 2 and RI_PERCOUNT = 1 – 49 and RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 1) OR (R_TYPE = 1 –5, or 7 and END_NOW = 1 or 2 and ATTEMPT_TYPE = 1) OR (BEST_TIME = 1, 2, 3, DK, or RF and ATTEMPT_TYPE = 1, 2, or 6)	
Screen Text	This concludes our interview. Thank you very much for your cooperation.	
Input Options	1 – Enter 1 to Continue <i>"Don't Know", and "Refused" are not options on this screen.</i>	
Fill Instructions		
Skip Instructions	If THANK YOU = 1, Goto LANG_WHICH	
Special Instructions		

Variable Name	THANK_YOU_TPH	B10
Field Description	Thanks telephone respondent	
Universe	(END_NOW = 1 or 2 and RI_PERCOUNT = 1 – 49 and RESPONDENT_FLAG = 1 and ATTEMPT_TYPE = 3) OR (R_TYPE = 1 –5, or 7 and END_NOW = 1 or 2 and ATTEMPT_TYPE = 3) OR (BEST_TIME = 1, 2, 3, DK, or RF and ATTEMPT_TYPE = 3, 4, or 7)	
Screen Text	This concludes our interview. Thank you very much for your cooperation. This survey has been approved by the Office of Management and Budget and given the approval number xxxx-xxxx. This approval number enables us to conduct the interview and to collect the information. If you have any questions or comments about this census, including suggestions for reducing its length, I have an address you can write to for information. Would you like that address?	
Input Options	1 - Yes 2 - No <i>"Don't Know" and "Refused" are not options on this screen.</i>	
Fill Instructions		
Skip Instructions	If THANK_YOU_TPH = 1, Goto OMB If THANK_YOU_TPH = 2, Goto LANG_WHICH	
Special Instructions		

Variable Name	OMB B11
Field Description	Gives additional information from the privacy act form to a telephone respondent who has requested it.
Universe	(THANK_YOU_TPH = 1)
Screen Text	<p>The address is</p> <p>Paperwork Project xxxx-xxxx U.S. Census Bureau 4600 Silver Hill Road, AMSD-3K138 Washington, DC 20233</p> <p>You may e-mail comments to Paperwork@census.gov Use Paperwork Project xxxx-xxxx as the subject.</p>
Input Options	<p>1- Enter 1 to Continue</p> <p><i>"Don't Know" and "Refused" are not options on this screen</i></p>
Fill Instructions	
Skip Instructions	If OMB = 1, Goto LANG_WHICH
Special Instructions	

Variable Name	CALLBACK B12
Field Description	Asks the reinterviewer if another visit would result in an interview or a better interview.
Universe	<p>(RI_STARTB_PV = 2, 3, or 4 and ((RI_GROUP = 11 and NEW_PRX_OK ne 1) or (RI_GROUP=6 or 7 and COMPLETE=blank))) OR</p> <p>(RI_STARTB_PV = 2 and ((RI_GROUP = 1, 2, 21, 3, 5, 51, 61, or 71) or (RI_GROUP = 6 or 7 and COMPLETE=1)) and COUNT_ATTEMPTS < 5) OR</p> <p>(RI_STARTB_PV = 3 or 4 and ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP=1, 5, 6, or 7 and COMPLETE=1)) and COUNT_ATTEMPTS < 5) OR</p> <p>(RI_STARTB_TPH = 2, 3, or 4 and ((RI_GROUP = 11) or (RI_GROUP=6 or 7 and COMPLETE=blank)) and COUNT_ATTEMPTS = 5) OR</p> <p>(RI_STARTB_TPH = 2, 3, or 4 and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS < 2) OR</p> <p>(INTRO1 = 2, DK, or RF and RI_GROUP = 5 and ATTEMPT_TYPE = 1 or 2 and COUNT_ATTEMPTS < 5) OR</p> <p>(INTRO1 = 2, DK, or RF and RI_GROUP = 1 or 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 1 or 2) OR</p> <p>{NA univ} (INTRO2 = RF and RI_GROUP = 1 or 5 and COUNT_ATTEMPTS < 5 and (JICINT ne blank or INTRO_INT ne blank)) OR</p> <p>(INTRO_FULL = 2, DK, or RF and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 1) OR</p> <p>{NA univ} (INTRO1C = 2 or RF and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ} (INTRO_FULL2 = RF and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>(KNOWL_AVAIL = 2 and RI_GROUP = 1, 11, 5, 6, or 7) OR</p> <p>(INTRO3 = RF and RI_GROUP = 11, 6, or 7) OR</p> <p>{NA univ} (INTRO3 = RF and RI_GROUP = 1, and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ} (INTRO2B = RF and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ} (INTRO2B_HH = RF and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ} (USUAL_RES = DK or RF and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ} (OCC_PI_DATE = DK or RF and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ} (JICINT = 1, 2, DK, or RF and RI_GROUP = 1 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3) and</p>

Variable Name	CALLBACK B12
	<p style="text-align: center;">COUNT_ATTEMPTS < 5) OR (JICPOP = 1 – 49, DK, or RF and INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2) and RI_GROUP ne 2 and (INTRO2B ne 5 and INTRO2B_HH ne 5) and COUNT_ATTEMPTS < 5) OR (RI_STARTB_TPH = 2, 3, 4, 5, or 6 and RI_GROUP = 1 or 5 and COMPLETE = blank and COUNT_ATTEMPTS = 5) OR {NA univ} (JICPOP2 = 01-49, DK or RF and END_NOW = 2 and COUNT_ATTEMPTS < 5) OR (RI_STARTB_TPH = 2, 3, or 4 and COUNT_ATTEMPTS < 5 and TPH_ATTEMPTS >= 2 and RI_GROUP = 2 and PRX_LOC_UPDATE = blank) OR (VER_RESP = RF and COUNT_ATTEMPTS < 5)</p>
Screen Text	<p>STATUS: This case is missing information.</p> <p>◆ Do you think another visit or call to the <Fill 1: original household respondent /original proxy respondent /new respondent /<SAMPLE_ADDR>>, could result in a complete interview about <SAMPLE_ADDR>?</p>
Input Options	<p>1 - Yes, I will try again. 2 - No, I don't think I can get any more information.</p> <p><i>"Don't Know", and "Refused" are not options on this screen.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If RI_GROUP = 1 or (RI_GROUP = 5 and ATTEMPT_TYPE = 1 or 3), display "original household respondent"</p> <p>If RI_GROUP = 2 or (RI_GROUP = 5 and ATTEMPT_TYPE = 2 or 4), display "original proxy respondent"</p> <p>If RI_GROUP = 11, 6, or 7 or (RI_GROUP = 5 and ATTEMPT_TYPE = 6 or 7), display "new respondent"</p> <p>If RI_GROUP = 21, 3, 51, 61, or 71, display "<SAMPLE_ADDR>"</p>
Skip Instructions	<p>If CALLBACK = 1, Goto CALLBACK_MONTH</p> <p>If CALLBACK = 2 and R_TYPE = 6, Goto RI_CLOSE</p> <p>If CALLBACK = 2 and R_TYPE ne 6,</p>

Variable Name	CALLBACK	B12
	Goto LANG_WHICH	
Special Instructions		

Variable Name	CALLBACK_MONTH B13a
Field Description	Indicates month the reinterviewer intends to make a callback to complete the interview
Universe	<p>(INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 1 or 2) OR</p> <p>(INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3 or 4 and TPH_ATTEMPTS < 2) OR</p> <p>{NA univ} (INTRO2B=5 and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B=1, 2, or 3)) OR</p> <p>{NA univ} (INTRO2B_HH=5 and COUNT_ATTEMPTS < 5 and (JICPOP ne blank or ROSTER1B=1, 2, or 3)) OR</p> <p>(MAKE_PV = 1 and ROSTER1B ne 4 and INTRO2 = 2 and COUNT_ATTEMPTS < 5 and ATTEMPT_TYPE = 3 or 4 and TPH_ATTEMPT >= 2) OR</p> <p>(END_NOW = 3 and RI_PERCOUNT=1-49 and COUNT_ATTEMPTS < 5) OR</p> <p>(JICPOP = 01-49, DK, or RF and INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2) and RI_GROUP ne 2 and (INTRO2B = 5 or INTRO2B_HH = 5) and COUNT_ATTEMPTS < 5) OR</p> <p>(CALLBACK = 1) OR</p> <p>(JICPOP2 = 01-49, DK, or RF and END_NOW = 3 and COUNT_ATTEMPTS < 5) OR</p> <p>(VER_RESP = 2) OR</p> <p>(MAKE_PV = 1 and ROSTER1B = 4 and COUNT_ATTEMPTS < 5)</p>
Screen Text	<p>◆ ASK OR ESTIMATE:</p> <p>What would be a good date and time for me to <Fill 1: return/call/visit> to complete an interview?</p> <p>Current Date: <SYSTEMDATE></p> <p>Month? Day? Hour? Minutes? AM/PM?</p>
Input Options	<p><i>Allow 2 digits 04, 05, or 06) Enter</i></p> <p>Store in appropriate portion of APPTDATE to be displayed in LCM.</p> <p><i>Blank and "Don't Know" are options and are stored as blank.</i></p> <p><i>"Refused" is not an option on this screen.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, display</p>

Variable Name	CALLBACK_MONTH B13a
	<p>"return"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B ne 4, display "call"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B = 4, display "visit"</p> <p>Display previous entries for callback date and time</p>
Skip Instructions	Goto CALLBACK_DAY
Special Instructions	<p>Allow reinterviewer to correct the filled month entry or to collect a new entry for month.</p> <p>First of five duplicate screens.</p>

Variable Name	CALLBACK_DAY B13b
Field Description	Indicates day the reinterviewer intends to make a callback to complete the interview
Universe	(from CALLBACK_MONTH)
Screen Text	<p>◆ ASK OR ESTIMATE:</p> <p>What would be a good date and time for me to <Fill 1: return/call/visit> to complete an interview? Current Date: <SYSTEMDATE></p> <p>Month: Day? Hour? Minutes? AM/PM?</p>
Input Options	<p><i>Allow 2 digits (1-31), Enter</i></p> <p>Store in appropriate portion of APPTDATE to be displayed in LCM. <i>Blank and "Don't Know" are options and are stored as blank.</i></p> <p><i>"Refused" is not an option on this screen.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, display "return"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B ne 4, display "call"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B = 4, display "visit"</p> <p>Display previous entries for callback date and time</p>
Skip Instructions	Goto CALLBACK_HOUR
Special Instructions	<p>Allow reinterviewer to correct the filled day entry or to collect a new entry for day.</p> <p>Second of five duplicate screens.</p>

Variable Name	CALLBACK_HOUR B13c
Field Description	Indicates hour the reinterviewer intends to make a callback to complete the interview
Universe	(from CALLBACK_DAY)
Screen Text	<p>◆ ASK OR ESTIMATE:</p> <p>What would be a good date and time for me to <Fill 1: return/call/visit> to complete an interview? Current Date: <SYSTEMDATE></p> <p>Month: Day: Hour? Minutes? AM/PM?</p>
Input Options	<p><i>Allow 2 digits (1-12), Enter</i></p> <p>Store in appropriate portion of APPTDATE to be displayed in LCM. <i>Blank and "Don't Know" are options and are stored as blank.</i></p> <p><i>"Refused" is not an option on this screen.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, display "return"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B ne 4, display "call"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B = 4, display "visit"</p> <p>Display previous entries for callback date and time</p>
Skip Instructions	Goto CALLBACK_MINUTE
Special Instructions	<p>Allow reinterviewer to correct the filled hour entry or to collect a new entry for hour.</p> <p>Third of five duplicate screens.</p>

Variable Name	CALLBACK_MINUTE B13d
Field Description	Indicates minutes the reinterviewer intends to make a callback to complete the interview
Universe	(from CALLBACK_HOUR)
Screen Text	<p>◆ ASK OR ESTIMATE:</p> <p>What would be a good date and time for me to <Fill 1: return/call/visit> to complete an interview? Current Date: <SYSTEMDATE></p> <p>Month: Day?: Hour: Minutes? AM/PM?</p>
Input Options	<p><i>Allow 2 digits (0-59), Enter</i></p> <p>Store in appropriate portion of APPTDATE to be displayed in LCM. <i>Blank and "Don't Know" are options and are stored as blank.</i></p> <p><i>"Refused" is not an option on this screen.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, display "return"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B ne 4, display "call"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B = 4, display "visit"</p> <p>Display previous entries for callback date and time</p>
Skip Instructions	Goto CALLBACK_AM_PM
Special Instructions	<p>Allow reinterviewer to correct the filled minutes entry or to collect a new entry for minutes.</p> <p>Fourth of five duplicate screens.</p>

Variable Name	CALLBACK_AM_PM B13e
Field Description	Indicates AM/PM the reinterviewer intends to make a callback to complete the interview
Universe	(from CALLBACK_MINUTE)
Screen Text	<p>◆ ASK OR ESTIMATE:</p> <p>What would be a good date and time for me to <Fill 1: return/call/visit> to complete an interview? Current Date: <SYSTEMDATE></p> <p>Month: Day: Hour: Minutes: AM/PM?</p>
Input Options	<p>AM, Enter PM, Enter</p> <p>Store in appropriate portion of APPTDATE to be displayed in LCM. <i>Blank and "Don't Know" are options and are stored as blank.</i></p> <p><i>"Refused" is not an option on this screen.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, display "return"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B ne 4, display "call"</p> <p>If ATTEMPT_TYPE = 3, 4, or 7 and ROSTER1B = 4, display "visit"</p> <p>Display previous entries for callback date and time</p>
Skip Instructions	<p>If END_NOW = 2 or 3 or INTRO2B = 5 or INTRO2B_HH = 5 or ROSTER1B = 4, Goto R_TYPE2</p> <p>If END_NOW ne 2 or 3 and INTRO2B ne 5 and INTRO2B_HH ne 5 and ROSTER1B ne 4,</p>

	Goto RI_CLOSE
Special Instructions	Allow reinterviewer to correct the filled AM/PM entry or to collect a new entry for AM/PM. Fifth of five duplicate screens.

Variable Name	R_TYPE2	B14
Field Description	Identifies what type of respondent was interviewed	
Universe	(from CALLBACK_AM_PM and (END_NOW = 2 or 3 or INTRO2B=5 or INTRO2B_HH = 5 or ROSTER1B = 4))	
Screen Text	♦ Describe the Respondent:	
Input Options	1 - Landlord (Superintendent, Rental Office, Owner, etc.) 2 - Neighbor 3 - Relative/caregiver to occupant 4 - Current occupant 5 - Former occupant - prior to PI 6 - No respondent 7 - Other - (Specify in NOTES) DK - Don't Know <i>Blank and "Refused" are not options on this screen</i>	
Fill Instructions		
Skip Instructions	If R_TYPE2 = 4, Goto CALLBACK_HH_NAME If R_TYPE2 =6 Goto RI_CLOSE If R_TYPE2 = 1, 2, 3, 5, 7, or DK, Goto CALLBACK_PRX_NAME	
Special Instructions	<i>Store as CP1TYPE.</i>	

Variable Name	CALLBACK_HH_NAME B14a
Field Description	Collects callback name at PI sample household address
Universe	(R_TYPE2 = 4)
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>PI Sample Household:</p> <p style="text-align: center;">Household Name? <CP1NAME> Household Phone Number?</p>
Input Options	<p>Text box fill, (<i>allow 42 characters</i>), Enter DK – Don't Know RF – Refused</p> <p><i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i></p>
Fill Instructions	Display previous entry for CP1NAME field and allow edit.
Skip Instructions	Goto CALLBACK_HH_TEL
Special Instructions	<p>Store as CP1NAME.</p> <p>Allow reinterviewer to correct previous entry or to collect new entry.</p> <p>First of two duplicate screens.</p>

Variable Name	CALLBACK_HH_TEL B14b
Field Description	Collects PI sample household callback phone number
Universe	(from CALLBACK_HH_NAME)
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>PI Sample Household:</p> <p style="padding-left: 40px;">Household Name: <CP1NAME></p> <p style="padding-left: 40px;">Household Phone Number? <MASTER_PHONE> <i>if valid</i></p>
Input Options	<p>Numeric fill in phone number format [(allow 3) allow 3-allow4], Enter DK – Don't Know RF – Refused</p> <p><i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i></p>
Fill Instructions	Display previous entry for MASTER_PHONE if valid and allow edit.
Skip Instructions	Goto LANG_WHICH
Special Instructions	<p><i>If phone number valid, store as CP1PHON and update MASTER_PHONE.</i></p> <p>Allow reinterviewer to correct previous entry or to collect new entry.</p> <p>Second of two duplicate screens.</p>

Variable Name	CALLBACK_PRX_NAME	B14c
Field Description	Collects proxy name for callback	
Universe	(R_TYPE=1, 2, 3, 5, 7, or DK)	
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>(Potential) Proxy:</p> <p>Proxy name or Type (mailman for example)? <CP1NAME> Proxy street address (line1)? Proxy street address (line2)? Proxy city? <Fill 1: Proxy state?/blank> Proxy ZIP Code? Proxy Phone Number?</p>	
Input Options	Text box fill, (<i>allow 42 characters</i>), Enter DK – Don't Know RF – Refused <i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i>	
Fill Instructions	Fill 1: If PRFLAG = 0, display "Proxy state?" If PRFLAG = 1, leave blank Display previous entry for CP1NAME field and allow edit.	
Skip Instructions	Goto CALLBACK_PRX_ADD1	
Special Instructions	<i>If valid (not DK or RF), store as CP1NAME.</i> Allow reinterviewer to correct previous entry or to collect new entry. First of seven duplicate screens.	

Variable Name	CALLBACK_PRX_ADD1	B14d
Field Description	Collects proxy street address (line1) for callback	
Universe	(from CALLBACK_PRX_NAME)	
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>(Potential) Proxy:</p> <p>Proxy name or Type (mailman for example): <CP1NAME> Proxy street address (line1)? <CP1ADD1> Proxy street address (line2)? Proxy city? <Fill 1: Proxy state?/blank> Proxy ZIP Code? Proxy Phone Number?</p>	
Input Options	Text box fill (<i>allow 54 characters</i>), Enter DK – Don't Know RF – Refused <i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i>	
Fill Instructions	Fill 1: If PRFLAG = 0, display "Proxy state?" If PRFLAG = 1, leave blank Display previous entry for CP1ADD1 field and allow edit.	
Skip Instructions	Goto CALLBACK_PRX_ADD2	
Special Instructions	Store as CP1ADD1 . Allow reinterviewer to correct previous entry or to collect a new entry. Second of seven duplicate screens.	

Variable Name	CALLBACK_PRX_ADD2	B14e
Field Description	Collects proxy street address (line2) for callback	
Universe	(from CALLBACK_PRX_ADD1)	
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>(Potential) Proxy:</p> <p>Proxy name or Type (mailman for example): <CP1NAME> Proxy street address (line1): <CP1ADD1> Proxy street address (line2)? <CP1ADD2> Proxy city? <Fill 1: Proxy state?/blank> Proxy ZIP Code? Proxy Phone Number?</p>	
Input Options	Text box fill (<i>allow 54 characters</i>), Enter DK – Don't Know RF – Refused <i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i>	
Fill Instructions	Fill 1: If PRFLAG = 0, display "Proxy state?" If PRFLAG = 1, leave blank Display previous entry for CP1ADD2 field and allow edit.	
Skip Instructions	Goto CALLBACK_PRX_PO	
Special Instructions	Store as CP1ADD2 . Allow reinterviewer to correct previous entry or to collect a new entry. Third of seven duplicate screens.	

Variable Name	CALLBACK_PRX_PO B14f
Field Description	Collects proxy city for callback
Universe	(from CALLBACK_PRX_ADD2)
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>(Potential) Proxy:</p> <p style="padding-left: 40px;">Proxy name or Type (mailman for example): <CP1NAME> Proxy street address (line1): <CP1ADD1> Proxy street address (line2): <CP1ADD2> Proxy city? <CP1PO> <i><Fill 1: Proxy state?/blank></i> Proxy ZIP Code? Proxy Phone Number?</p>
Input Options	Text box fill (<i>allow 28 characters</i>), Enter DK – Don't Know RF – Refused <i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i>
Fill Instructions	Fill 1: If PRFLAG = 0, display "Proxy state?" If PRFLAG = 1, leave blank Display previous entry for CP1PO field and allow edit.
Skip Instructions	If PRFLAG = 0, Goto CALLBACK_PRX_ST If PRFLAG = 1, Goto CALLBACK_PRX_ZP5
Special Instructions	Store as CP1PO . Allow reinterviewer to correct previous entry or to collect a new entry. Fourth of seven duplicate screens.

Variable Name	CALLBACK_PRX_ST B14g
Field Description	Collects proxy state for callback
Universe	(from CALLBACK_PRX_PO and PRFLAG = 0)
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>(Potential) Proxy</p> <p>Proxy name or Type (mailman for example): <CP1NAME> Proxy street address (line1): <CP1ADD1> Proxy street address (line2): <CP1ADD2> Proxy city: <CP1PO> <i><Fill 1: Proxy state? <CP1ST>/blank></i> Proxy ZIP Code? Proxy Phone Number?</p>
Input Options	<p>Text box fill (<i>Use State Lookup Table, with layout example VA-Virginia, and store as alpha abbreviation</i>), Enter DK – Don't Know RF – Refused</p> <p><i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If PRFLAG = 0, display "Proxy state? <CP1ST>"</p> <p>If PRFLAG = 1, leave blank</p> <p>Display previous entry for CP1ST field and allow edit.</p>
Skip Instructions	Goto CALLBACK_PRX_ZP5
Special Instructions	<p><i>Store as CP1ST.</i></p> <p>Allow reinterviewer to correct previous entry or to collect a new entry.</p> <p>Fifth of seven duplicate screens.</p>

Variable Name	CALLBACK_PRX_ZP5 B14h
Field Description	Collects proxy ZIP Code for callback
Universe	(from CALLBACK_PRX_PO and PRFLAG = 1) OR (from CALLBACK_PRX_ST)
Screen Text	CALLBACK INFORMATION if available: (Potential) Proxy: Proxy name or Type (mailman for example): <CP1NAME> Proxy street address (line1): <CP1ADD1> Proxy street address (line2): <CP1ADD2> Proxy city: <CP1PO> <Fill 1: Proxy state: <CP1ST>/blank> Proxy ZIP Code? <CP1ZP5> Proxy Phone Number?
Input Options	Numeric box fill (<i>allow 5 digits</i>), Enter DK – Don't Know RF – Refused <i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i>
Fill Instructions	Fill 1: If PRFLAG = 0, display " Proxy state?" If PRFLAG = 1, leave blank Display previous entry for CP1ZP5 field and allow edit.
Skip Instructions	Goto CALLBACK_PRX_TEL
Special Instructions	<i>Store as CP1ZP5.</i> Allow reinterviewer to correct previous entry or to collect a new entry. Sixth of seven duplicate screens.

Variable Name	CALLBACK_PRX_TEL B14i
Field Description	Collects proxy phone number for callback
Universe	(from CALLBACK_PRX_ZP5)
Screen Text	<p>CALLBACK INFORMATION if available:</p> <p>(Potential) Proxy:</p> <p>Proxy name or Type (mailman for example): <CP1NAME> Proxy street address (line1): <CP1ADD1> Proxy street address (line2): <CP1ADD2> Proxy city: <CP1PO> <Fill 1: Proxy state: <CP1ST>/blank> Proxy ZIP Code: <CP1ZP5> Proxy Phone Number? <MASTER_PHONE> if valid</p>
Input Options	<p>Numeric fill in phone number format [(allow 3) allow 3-allow4], Enter DK – Don't Know RF – Refused</p> <p><i>Blank, "Don't Know", and "Refused" are options on this screen and stored as blank.</i></p>
Fill Instructions	<p>Fill 1:</p> <p>If PRFLAG = 0, display " Proxy state?"</p> <p>If PRFLAG = 1, leave blank</p> <p>Display previous entry for MASTER_PHONE if valid and allow edit.</p>
Skip Instructions	Goto LANG_WHICH
Special Instructions	<p><i>If phone number valid, store as CP1PHON and update MASTER_PHONE.</i></p> <p>Allow reinterviewer to correct previous entry or to collect a new entry.</p> <p>Seventh of seven duplicate screens.</p>

Variable Name	LANG_WHICH	B15
Field Description	Asks the reinterviewer which language the majority of the interview was conducted in.	
Universe	(R_TYPE = DK) OR (THANK_YOU = 1) OR (THANK_YOU_TPH = 2) OR (OMB = 1) OR (CALLBACK = 2 and R_TYPE ne 6) OR (from CALLBACK_PRX_TEL) OR (from CALLBACK_HH_TEL)	
Screen Text	♦ What language was the majority of the reinterview conducted in?	
Input Options	1 - English 2 - Spanish 3 - Another language 4 – Did not speak with anyone <i>"Don't Know" and "Refused" are not options on this screen</i>	
Fill Instructions		
Skip Instructions	If LANG_WHICH = 1, 2, 3, or 4, Goto RI_CLOSE	
Special Instructions		

Variable Name	RI_CLOSE	B17
Field Description	Wrapup screen for every case.	
Universe	<p>ALL PATHS LEAD HERE</p> <p>-----</p> <p>(R_TYPE = 6) OR</p> <p>(R_TYPE2 = 6) OR</p> <p>(STARTA = 2) OR</p> <p>(ATTEMPT_TYPE = 8) OR</p> <p>(RI_STARTB_PV = 2, 3 or 4 and ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP=1, 5, 6, or 7 and COMPLETE=1)) and COUNT_ATTEMPTS = 5) OR</p> <p>(RI_STARTB_TPH = 2, 3, 4, 5 or 6 and ((RI_GROUP = 21, 3, 51, 61, or 71) or (RI_GROUP = 1, 5, 6, or 7 and COMPLETE = 1)) and COUNT_ATTEMPTS = 5) OR</p> <p>(INTRO1 = 2, DK, or RF and RI_GROUP = 5 and ATTEMPT_TYPE = 1, 2, 3, or 4 and COUNT_ATTEMPTS = 5) OR</p> <p>(LANG_SPEAK_Q = 01 – 51, DK, or RF and COUNT_ATTEMPTS < 5) OR</p> <p>(LANG_SPEAK_Q = 01–51, DK, or RF and RI_GROUP = 1, 11, 21, 3, 5, 51, 6, 61, 7, or 71 and COUNT_ATTEMPTS = 5) OR</p> <p>{NA univ}{INTRO2 = RF and RI_GROUP = 1 and COUNT_ATTEMPTS = 5 and (JICINT ne blank or INTRO_INT ne blank)) OR</p> <p>(INTRO_FULL = 2, 3, DK, or RF and COUNT_ATTEMPTS = 5) OR</p> <p>{NA univ}{INTRO1C = 2 or RF and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{INTRO_FULL2 = RF and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{INTRO_INT = RF and RI_GROUP = 1 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{INTRO3 = RF and RI_GROUP = 1 and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{INTRO2B = 5 and COUNT_ATTEMPTS = 5 and RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{INTRO2B = RF and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{INTRO2B_HH = 5 and COUNT_ATTEMPTS = 5 and RI_GROUP = 1, 21, 3, 5, 51, 6, 61, 7 or 71 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{INTRO2B_HH = RF and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR</p> <p>{NA univ}{USUAL_RES = DK or RF and COUNT_ATTEMPTS = 5 and</p>	

Variable Name	RI_CLOSE	B17
	<p>(JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR {NA univ}(OCC_PI_DATE = DK or RF and COUNT_ATTEMPTS = 5 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3)) OR {NA univ}(JICINT = 1, 2, DK, or RF and RI_GROUP = 1 and (JICPOP ne blank or ROSTER1B = 1, 2, or 3) and COUNT_ATTEMPTS = 5) OR (JICPOP = 1 – 49, DK or RF and (INTRO_INT = 1 or (JICINT = 1 and H_RESP = blank))) OR (JICPOP = 1 – 49, DK, or RF and INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2) and RI_GROUP ne 2 and (INTRO2B ne 5 and INTRO2B_HH ne 5) and COUNT_ATTEMPTS = 5) OR (VACANT_CHK = RF and COUNT_ATTEMPTS = 5) OR (CALLBACK = 2 and R_TYPE = 6) OR (LANG_WHICH = 1, 2, 3, or 4) OR (ROSTER1B = 2 or 3 and RI_GROUP ne 2) OR (MAKE_PV = 1 and (INTRO2 ne 2 or COUNT_ATTEMPTS >= 5 or ATTEMPT_TYPE ne 3 or 4 or TPH_ATTEMPTS < 2)) OR (MAKE_PV=2 or 3) OR (JICPOP = 01 – 49, DK or RF and INTRO_INT ne 1 and (JICINT ne 1 or H_RESP = 1 or 2) and RI_GROUP ne 2 and (INTRO2B = 5 or INTRO2B_HH = 5) and COUNT_ATTEMPTS = 5) OR (END_NOW = 3 and RI_PERCOUNT = 1 – 49 and COUNT_ATTEMPTS = 5) OR (JICPOP2 = 01-49, DK, or RF and END_NOW = 2 or 3 and COUNT_ATTEMPTS = 5) OR (JICPOP2 = 01-49, DK, or RF and END_NOW = 1) OR (from CALLBACK_AM_PM and (END_NOW ne 2 or 3 and INTRO2B ne 5 and INTRO2B_HH ne 5 and ROSTER1B ne 4)) OR (INTRO_COMP = RF)</p>	
Screen Text	<p><Fill 1: ♦ If appropriate, thank respondent for his/her time. / blank></p> <p>This case will now close.</p> <p>♦ Enter reinterview notes about this case when NOTES opens.</p>	
Input Options	<p>1 – Close case</p> <p>"Don't Know" and "Refused" are not options on this screen</p>	
Fill Instructions	<p>Fill 1:</p> <p>If THANK_YOU = blank and THANK_YOU_TPH = blank, display "♦ If appropriate, thank respondent for his/her time."</p> <p>If THANK_YOU = 1 or THANK_YOU_TPH = 1 or 2,</p>	

Variable Name	RI_CLOSE	B17
	Leave blank	
Skip Instructions	<p>If RI_PERCOUNT = blank and 0 < JICPOP <= 99, {TMO moved to the out script} Set RI_PERCOUNT = JICPOP</p> <p>If RI_PERCOUNT = blank and 0 < JICPOP2 <= 99, {TMO moved to the out script} Set RI_PERCOUNT = JICPOP2</p> <p>If RI_PERCOUNT = blank and TROSTER.PERCOUNT ne blank, Set RI_PERCOUNT = TROSTER.PERCOUNT</p> <p>If INTRO_INT = blank and (JICINT = 1 or (JICINT = 2 and H_RESP = blank), Set INTRO_INT = JICINT</p> <p>If INTRO_INT = 1, 2, DK or RF, Set INTRO_INT_FLAG = INTRO_INT</p> <p>If INTRO_INT=blank and INTRO_INT_FLAG=1, 2, DK, or RF, Set INTRO_INT = INTRO_INT_FLAG</p> <p>If R_TYPE = 1, 2, 3, 4, 5, 6, 7 or DK, Set CP1TYPE = R_TYPE</p> <p>If R_NAME is filled and R_TYPE = 1, 2, 3, 4, 5, or 7, Set CP1NAME = R_NAME</p> <p>If R_PHONE is valid and R_TYPE = 1, 2, 3, 4, 5, or 7, Set CP1PHON = R_PHONE {TMO moved to the out script}</p> <p>If INTERVIEW_HH = 1, Set RI_HH_OK = 1 {TMO moved to the out script} Set COMPLETE = 1 {TMO moved to the out script}</p> <p>If ATTEMPT_TYPE = 1, 2, or 6, Increase COUNT_ATTEMPTS by 1 {TMO moved to the out script} Increase PV_ATTEMPTS by 1 {TMO moved to the out script}</p> <p>If ATTEMPT_TYPE = 3, 4, or 7, Increase COUNT_ATTEMPTS by 1 {TMO moved to the out script} Increase TPH_ATTEMPTS by 1 {TMO moved to the out script}</p>	

Variable Name	RI_CLOSE	B17
	<p>If NEW_PRX_OK ne blank, Set PRX_OK = NEW_PRX_OK {TMO moved to the out script} Set NEW_PRX_OK = blank {TMO moved to the out script}</p> <p>-----</p> <p><u>RI cases with unit status of PI sample HU on PI date verified as vacant (RI_CURSTAT=2), seasonal vacant (RI_CURSTAT=5), or did not exist or not a HU (RI_CURSTAT=3)</u></p> <p>If RI_CURSTAT = 2 or 5, Then</p> <p> If R_TYPE = 1 – 5 or blank, Set PI_OUTCOME= 326 {TMO moved to the out script} Set RI_OUTCOME = 201 {TMO moved to the out script} Close case.* Transmit to HQ processing</p> <p> If R_TYPE = 6, 7 or DK, Set PI_OUTCOME = 327 {TMO moved to the out script} Set RI_OUTCOME = 201 {TMO moved to the out script} Close case.* Transmit to HQ processing</p> <p>If RI_CURSTAT = 3, Then</p> <p> If R_TYPE = 1 – 5 or blank, Set PI_OUTCOME = 333 {TMO moved to the out script} Set RI_OUTCOME = 201 {TMO moved to the out script} Close case.* Transmit to HQ processing</p> <p> If R_TYPE = 6, 7 or DK, Set PI_OUTCOME = 334 {TMO moved to the out script} Set RI_OUTCOME = 201 {TMO moved to the out script} Close case.* Transmit to HQ processing</p> <p>-----</p> <p><u>RI cases requiring a Full PI (COMPLETE = 1) and pathed to the PI instrument screens (PI_SCREEN = 1)</u></p> <p>If COMPLETE = 1 and PI_SCREEN = 1, Set PI_OUTCOME in this section only according to the coding of OUTCOME in the PI Instrument Specification Then</p> <p> If PI_OUTCOME = 201, Set RI_OUTCOME = 201 Close case.* Transmit to HQ processing</p> <p> If PI_OUTCOME = 208,</p>	

Variable Name	RI_CLOSE	B17
	<p>Set RI_OUTCOME = 201 <i>Close case.* Transmit to HQ processing</i></p> <p>If PI_OUTCOME = 203, Set RI_OUTCOME = 201 <i>Close case.* Transmit to HQ processing</i></p> <p>If PI_OUTCOME = 209, Set RI_OUTCOME = 201 <i>Close case.* Transmit to HQ processing</i></p> <p>If PI_OUTCOME = 202 or 219 and COUNT_ATTEMPTS = 6, Set RI_OUTCOME = 203 <i>Close case.* Transmit to HQ processing</i></p> <p>If PI_OUTCOME = 202 or 219 and COUNT_ATTEMPTS < 6 and (CALLBACK = 2 or END_NOW = 1 or 2), Set RI_OUTCOME = 203 <i>Close case.* Transmit to HQ processing</i></p> <p>If PI_OUTCOME = 202 and COUNT_ATTEMPTS < 6 and (CALLBACK ne 2 and END_NOW ne 1 or 2), Set RI_OUTCOME = 302 Set RI_TODO = 3 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <hr/> <p><u>RI cases requiring a Full PI (COMPLETE = 1) and did not path to the PI instrument screens (PI SCREENS = blank)</u></p> <p>If INTERVIEW_HH = 1 and PI_SCREENS = blank and RI_GROUP = 2, 5, 6, or 7, (If RI_CATEGORY = 2, set RI_GROUP = 21, OR {TMO If RI_CATEGORY = 5, set RI_GROUP = 51, OR moved If RI_CATEGORY = 6, set RI_GROUP = 61, OR to the if RI_CATEGORY = 7, set RI_GROUP = 71,) out script} Set RI_TODO = 3 {TMO moved to the out script} Set COUNT_ATTEMPTS1 = COUNT_ATTEMPTS {TMO moved to the out script} Reset COUNT_ATTEMPTS = 0 {TMO moved to the out script} Reset TPH_ATTEMPTS = 0 {TMO moved to the in script} Reset PV_ATTEMPTS = 0 {TMO moved to the in script}</p>	

Variable Name	RI_CLOSE	B17
	<p>Set MASTER_PHONE = blank Set APPTDATE = blank Set CP1TYPE = blank Set CP1NAME = blank Set CP1PHON = blank Set CP1ADD1 = blank Set CP1ADD2 = blank Set CP1PO = blank Set CP1ST = blank Set CP1ZP5 = blank Then</p> <p style="padding-left: 40px;">If REASSIGN_FLAG = 1 Set RI_OUTCOME = 214 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p style="padding-left: 40px;">If REASSIGN_FLAG = blank Set RI_OUTCOME = 302 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COMPLETE = 1 and PI_SCREEN = blank and RI_CURSTAT = 1 or 4 and 0 < RI_PERCOUNT < 50 and COUNT_ATTEMPTS = 6, Then</p> <p style="padding-left: 40px;">If (END_NOW = 1 or 2 or CALLBACK = 2), Set PI_OUTCOME = 219 {TMO moved to the out script} Set RI_OUTCOME = 203 {TMO moved to the out script} <i>Close case.* Transmit to HQ processing</i></p> <p style="padding-left: 40px;">If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set PI_OUTCOME = 202 {TMO moved to the out script} Set RI_OUTCOME = 203 {TMO moved to the out script} <i>Close case.* Transmit to HQ processing</i></p> <p>If COMPLETE = 1 and PI_SCREEN = blank and RI_CURSTAT = 1 or 4 and 0 < RI_PERCOUNT < 50 and COUNT_ATTEMPTS < 6, Then</p> <p style="padding-left: 40px;">If (END_NOW = 1 or 2 or CALLBACK = 2), Set PI_OUTCOME = 219 {TMO moved to the out script} Set RI_OUTCOME = 203 {TMO moved to the out script} <i>Close case.* Transmit to HQ processing</i></p>	

Variable Name	RI_CLOSE B17
	<p>If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set RI_OUTCOME = 302 {TMO moved to the out script} Set RI_TODO = 3 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COMPLETE = 1 and PI_SCREENs = blank and RI_CURSTAT = 1, 4 or blank and RI_PERCOUNT = blank, 98, or 99 and RI_HH_OK = blank and COUNT_ATTEMPTS < 6, Then If PROBLEM = 4, Set RI_OUTCOME = 213 {TMO moved to the out script} Set RI_TODO = 3 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If REASSIGN_FLAG=1, Set RI_OUTCOME = 214 {TMO moved to the out script} Set RI_TODO = 3 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If PROBLEM ne 4 and REASSIGN_FLAG = blank and (END_NOW ne 1 or 2 and CALLBACK ne 2), Set RI_OUTCOME = 302 {TMO moved to the out script} Set RI_TODO = 3 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COMPLETE = 1 and PI_SCREENs = blank and RI_PERCOUNT = blank, 98, or 99 and RI_HH_OK = blank and (COUNT_ATTEMPTS = 6 or (COUNT_ATTEMPTS < 6 and (END_NOW = 1 or 2 or CALLBACK = 2))), Then If RI_GROUP = 1 and RI_CURSTAT = 1, 4 or blank and (INTRO_INT = 1 or JICINT = 1 or (INTRO_INT = 2 and H_RESP = blank)), Set RI_OUTCOME = 203 {TMO moved to the out script} Then If (END_NOW = 1 or 2 or CALLBACK = 2),</p>

Variable Name	RI_CLOSE	B17
	<p>Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to HQ for processing</i></p> <p>If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to HQ for processing</i></p> <p>If RI_GROUP = 1 and RI_CURSTAT = 1, 4 or blank and (INTRO_INT ne 1 and JICINT ne 1 and (INTRO_INT ne 2 or H_RESP = 1 or 2)), Set RI_OUTCOME = 219 {TMO moved to the out script} Then If (END_NOW = 1 or 2 or CALLBACK = 2), Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If RI_GROUP = 21 or 3 and RI_CURSTAT = 1, 4 or blank, Set RI_OUTCOME = 219 {TMO moved to the out script} Then If (END_NOW = 1 or 2 or CALLBACK = 2), Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If RI_GROUP = 5, 6, 7, 51, 61, or 71 and RI_CURSTAT = 1 or 4 and R_TYPE = 4, Set RI_OUTCOME = 203 {TMO moved to the out script} Then If (END_NOW = 1 or 2 or CALLBACK = 2), Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to HQ processing</i></p> <p>If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to HQ processing</i></p>	

Variable Name	RI_CLOSE	B17
	<p>If RI_GROUP = 5, 6, 7, 51, 61, or 71 and RI_CURSTAT = 1 or 4 and R_TYPE ne 4, Set RI_OUTCOME = 219 {TMO moved to the out script} Then If (END_NOW = 1 or 2 or CALLBACK = 2), Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If RI_GROUP = 5, 6, 7, 51, 61, or 71 and RI_CURSTAT = blank, Set RI_OUTCOME = 219 {TMO moved to the out script} Then If (END_NOW = 1 or 2 or CALLBACK = 2), Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If (END_NOW ne 1 or 2 and CALLBACK ne 2), Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <hr/> <p><u>RI cases not requiring a Full PI (COMPLETE = blank)</u></p> <p>If RI_GROUP = 1, 2 or 11 and COMPLETE = blank and ROSTER1B = 1 and RI_CURSTAT = blank, Set RI_CURSTAT = ORIG_CURSTAT {TMO moved to the out script}</p> <p>If COMPLETE = blank and RI_CURSTAT = 1 or 4 and ROSTER1B = 1, Set PI_OUTCOME = 202 {TMO moved to the out script} Set RI_OUTCOME = 201 {TMO moved to the out script} <i>Close case.* Transmit to HQ processing</i></p> <p>If COMPLETE = blank and RI_CURSTAT = 1, 4, or blank and ROSTER1B = 2, 3, 4, or blank and RI_GROUP = 11,</p>	

Variable Name	RI_CLOSE	B17
	<p>Then</p> <p>If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG=1, Set RI_OUTCOME = 214 {TMO moved to the out script} Set RI_TODO = 4 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG=blank, Set RI_OUTCOME = 202 {TMO moved to the out script} Set RI_TODO = 4 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COUNT_ATTEMPTS = 6, Set PI_OUTCOME = 202 {TMO moved to the out script} Set RI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If COMPLETE = blank and RI_CURSTAT = 1, 4, or blank and ROSTER1B = 2, 3, 4, or blank and RI_GROUP = 2, Then</p> <p>If REASSIGN_FLAG = 1, Set RI_OUTCOME = 214 {TMO moved to the out script} Set RI_TODO = 2 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If PROBLEM = 4, Set RI_OUTCOME = 213 {TMO moved to the out script} Set RI_TODO = 2 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If REASSIGN_FLAG = blank and PROBLEM ne 4, Set RI_OUTCOME = 202 {TMO moved to the out script} Set RI_TODO = 2 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COMPLETE = blank and RI_CURSTAT = blank and RI_GROUP = 6 or 7, Then</p> <p>If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG = 1,</p>	

Variable Name	RI_CLOSE	B17
	<p>Set RI_OUTCOME = 214 {TMO moved to the out script} Set RI_TODO = 6 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG = blank, Set RI_OUTCOME = 202 {TMO moved to the out script} Set RI_TODO = 6 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COUNT_ATTEMPTS = 6, Set PI_OUTCOME = 202 {TMO moved to the out script} Set RI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If COMPLETE = blank and RI_CURSTAT = 1, 4, or blank and ROSTER1B = 2, 3, 4, or blank and RI_GROUP = 1, Then If COUNT_ATTEMPTS = 6 and (INTRO_INT = 1 or JICINT = 1 or (INTRO_INT = 2 and H_RESP = blank)) Set RI_OUTCOME = 203 {TMO moved to the out script} Then If CALLBACK = 2, Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to HQ for processing</i></p> <p>If CALLBACK ne 2, Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to HQ for processing</i></p> <p>If COUNT_ATTEMPTS = 6 and (INTRO_INT ne 1 and JICINT ne 1 and (INTRO_INT ne 2 or H_RESP = 1 or 2)) and PRX_OK = 1, Set RI_GROUP = 11 {TMO moved to the out script} Set COUNT_ATTEMPTS1 = COUNT_ATTEMPTS{TMO moved to the out script} Reset COUNT_ATTEMPTS = 0 {TMO moved to the out script} Reset TPH_ATTEMPTS = 0 {TMO moved to the in script} Reset PV_ATTEMPTS = 0 {TMO moved to the in script} Set MASTER_PHONE = blank Set APPTDATE = blank</p>	

Variable Name	RI_CLOSE	B17
	<p>Set CP1TYPE = blank Set CP1NAME = blank Set CP1PHON = blank Set CP1ADD1 = blank Set CP1ADD2 = blank Set CP1PO = blank Set CP1ST = blank Set CP1ZP5 = blank Set RI_OUTCOME = 202 {TMO moved to the out script} Set RI_TODO = 4 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COUNT_ATTEMPTS = 6 and (INTRO_INT ne 1 and JICINT ne 1 and (INTRO_INT ne 2 or H_RESP = 1 or 2)) and PRX_OK = blank, Set RI_OUTCOME = 219 {TMO moved to the out script} Then If CALLBACK = 2, Set PI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p> If CALLBACK ne 2, Set PI_OUTCOME = 202 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG = 1, Set RI_OUTCOME = 214 {TMO moved to the out script} Set RI_TODO = 1 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If COUNT_ATTEMPTS < 6 and PROBLEM = 4, Set RI_OUTCOME = 213 {TMO moved to the out script} Set RI_TODO = 1 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p>If COUNT_ATTEMPTS < 6 and CALLBACK = 1 or blank and REASSIGN_FLAG = blank and PROBLEM ne 4, Set RI_OUTCOME = 202 {TMO moved to the out script} Set RI_TODO = 1 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p>	

Variable Name	RI_CLOSE	B17
	<p>If COUNT_ATTEMPTS < 6 and CALLBACK = 2 and (INTRO_INT = 1 or JICINT = 1 or (INTRO_INT = 2 and H_RESP = blank)), Set PI_OUTCOME = 219 {TMO moved to the out script} Set RI_OUTCOME = 203 {TMO moved to the out script} <i>Close case.* Transmit to HQ for processing</i></p> <p>If COUNT_ATTEMPTS < 6 and CALLBACK = 2 and (INTRO_INT ne 1 and JICINT ne 1 and (INTRO_INT ne 2 or H_RESP = 1 or 2)) and Set PI_OUTCOME = 219 {TMO moved to the out script} Set RI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>If COMPLETE = blank and RI_CURSTAT = blank and RI_GROUP = 5, Then</p> <p> If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG = 1, Set RI_OUTCOME = 214 {TMO moved to the out script} Set RI_TODO = 5 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p> If COUNT_ATTEMPTS < 6 and PROBLEM = 4, Set RI_OUTCOME = 213 {TMO moved to the out script} Set RI_TODO = 5 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review for reassignment</i></p> <p> If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG = blank and PROBLEM ne 4 and PRX_OK = blank, Set RI_OUTCOME = 202 {TMO moved to the out script} Set RI_TODO = 5 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p> If COUNT_ATTEMPTS < 6 and REASSIGN_FLAG = blank and PROBLEM ne 4 and PRX_OK = 1,</p>	

Variable Name	RI_CLOSE B17
	<p>Set RI_OUTCOME = 202 {TMO moved to the out script} Set RI_TODO = 6 {TMO moved to the out script} <i>Close case.* Keep on laptop</i></p> <p>If COUNT_ATTEMPTS = 6 and (INTRO_INT = 1 or JICINT = 1 or (INTRO_INT = 2 and H_RESP = blank)), Set PI_OUTCOME = 202 {TMO moved to the out script} Set RI_OUTCOME = 203 {TMO moved to the out script} <i>Close case.* Transmit to HQ for processing</i></p> <p>If COUNT_ATTEMPTS = 6 and (INTRO_INT ne 1 and JICINT ne 1 and (INTRO_INT ne 2 or H_RESP = 1 or 2)), Set PI_OUTCOME = 202 {TMO moved to the out script} Set RI_OUTCOME = 219 {TMO moved to the out script} <i>Close case.* Transmit to supervisory review</i></p> <p>-----</p> <p>If LANG_SPEAK = blank and LANG_WHICH = 1, set LANG_SPEAK = 1 {TMO moved to the end of the out script} If LANG_SPEAK = blank and LANG_WHICH = 2, set LANG_SPEAK = 2 {TMO moved to the end of the out script}</p> <p>Open NOTES</p>
Special Instructions	<p>Refer to Appendix B for the list of PI RI outcome codes (RI_OUTCOME).</p> <p>RI_CATEGORY, and the updated values of COUNT_ATTEMPTS, PV_ATTEMPTS, TPH_ATTEMPTS, COUNT_ATTEMPTS1, RI_GROUP, COMPLETE, RI_TODO, PV_TEL_FLAG, MASTER_PHONE, and RI_OUTCOME, must travel with the case every time it is closed and reopened.</p> <p>In addition, contact person information (name, phone number, and address) and respondent information (name, phone number, and address) must travel with the case every time it is closed and reopened.</p>

Word Fills for Variables

The following list of fills are to be used throughout the instrument where indicated to fill a variable in words.

ORIOUT (*outcome of original PI interview*)

- 201 - Occupied - Complete interview with household member
- 208 - Occupied - Complete interview with proxy respondent
- 203 - Occupied - Partial interview with household member
- 209 - Occupied - Partial interview with proxy respondent
- 326 - Vacant - Determined by Landlord, Neighbor, etc.
- 327 - Vacant - Determined by observation or "Other" respondent type
- 333 - Housing unit does not exist or not a housing unit - Determined by Landlord, Neighbor, etc.
- 334 - Housing unit does not exist or not a housing unit - Determined by observation or Don't Know or "Other" respondent type
- 213 - Noninterview - Language problem
- 218 - Noninterview - Refusal
- 216 - Noninterview - No knowledgeable respondent
- 219 - Noninterview - Other

ORIG_ATTEMPT_TYPE (*method for conducting the original PI interview*)

- 1 - Personal visit with PI household member
- 2 - Personal visit with proxy respondent
- 3 - Telephone interview with PI household member
- 4 - Telephone interview with proxy respondent
- 5- Confirm PI Sample Address vacant or not HU
- 6- Quit

ORIG_R_TYPE (*type of original PI respondent*)

- 1 - Landlord (superintendent, rental office, owner, etc.)
- 2 - Neighbor
- 3 - Relative/Caregiver to occupants
- 4 - Current occupant
- 5 - Former occupant
- 6 - Enumerator observation or personal knowledge
- 7 - Other
- 9 - Don't Know

Word Fills for Variables (cont)

ORIG_LANG_SPEAK (*language spoken during the original PI interview*)

1-English	19-French	37-Polish
2-Spanish	20-German	38-Portuguese
3-Albanian	21-Greek	39-Romanian
4-Amharic	22-Haitian Creole	40-Russian
5-Arabic	23-Hebrew	41-Serbian
6-Armenian	24-Hindi	42-Somali
7-Bengali	25-Hmong	43-Swahili
8-Bulgarian	26-Hungarian	44-Tagalog
9-Burmese	27-Ilocano	45-Thai
10-Cambodian	28-Italian	46-Tigrinya
11- Chinese, Simplified	29-Japanese	47-Turkish
12- Chinese, Traditional	30-Korean	48-Ukrainian
13-Croatian	31-Laotian	49-Urdu
14-Czech	32-Lithuanian	50-Vietnamese
15-Dari	33-Malayalam	51-Yiddish
16-Dinka	34-Navajo	52-No language problem - Return to previous screen
17-Dutch	35-Nepali	99 - Don't Know
18-Farsi	36-Panjabi	98 - Refused

ORIG_SEX (*sex of the original PI household respondent*)

- 1 - Male
- 2 - Female
- 9 - Don't Know
- 8 - Refused

ORIG_BEST_TIME (*best time to contact original respondent*)

- 1 – Day
- 2 – Evening
- 3- Either
- 9 - Don't Know
- 8 - Refused

Word Fills for Variables (cont)

ORIG_RELATION1 (*relationship of original respondent to the first person listed on the roster in a multi person household during a personal visit PI interview*)

- 1-Husband or wife
- 2-Biological son or daughter
- 3- Adopted son or daughter
- 4- Stepson or stepdaughter
- 5-Brother or sister
- 6-Father or mother
- 7-Grandchild
- 8-Parent-in-law
- 9-Son-in-law or daughter-in-law
- 10-Other relative
- 11-Roomer or boarder
- 12-Housemate or roommate
- 13-Unmarried partner
- 14-Other nonrelative
- 99 - Don't Know
- 98 - Refused

ORIG_RELATION2 (*relationship of original respondent to the first person listed on the roster in a multi person household during a telephone PI interview*)

- 1-Husband or wife
- 2-Son or daughter
- 3- Brother or sister
- 4- Father or mother
- 5-Grandchild
- 6-Parent-in-law
- 7-Son-in-law or daughter-in-law
- 8-Other relative
- 9-Roomer or boarder
- 10-Housemate or roommate
- 11-Unmarried partner
- 12-Other nonrelative
- 99 - Don't Know
- 98 - Refused

Word Fills for Variables (cont)

RI_OUTCOME (*outcome of reinterview attempts*)

302- Open case for Full Person Interview

201 - Complete Reinterview

203 - Sufficient Partial Reinterview

213 - Type A - Language Problem - Reassign

214 - Reinterview Noninterview to Reassign for Personal Visit

219 - Type A - Reinterview Noninterview

202 - Open Case for Reinterview

200 - Unopened Case

PI RI Frequently Asked Questions

1. How long will this take?
2. Why are you calling me again?
3. Are you calling everyone, or am I just lucky?
4. Don't you have anything better to do with my tax dollars?
5. I'm too busy to answer your questions again.
6. Are you checking up on me? I told you the truth the first time you were here.
7. Return to reinterview

(RI_FAQ1) (*How long will this take?*)

These interviews average about 5-10 minutes.

(RI_FAQ2) (*Why are you calling me again?*)

We're interested in maintaining the quality of our product, so we reinterview a few households who are in the survey to make sure we're collecting data efficiently and accurately.

(RI_FAQ3) (*Are you calling everyone, or am I just lucky?*)

We can get a reliable measure of data quality by reinterviewing only a small percentage of the total households interviewed in the survey.

(RI_FAQ4) (*Don't you have anything better to do with my tax dollars?*)

Actually, it could save money. By law, we have to conduct a census every ten years. What we learn from the 2010 Census will help us improve the coverage of subsequent censuses.

(RI_FAQ5) (*I'm too busy to answer your questions.*)

The questions I have today are different, and I hope not to take up very much time. We really appreciate your help.

(RI_FAQ6) (*Are you checking up on me? I told you the truth the first time you were here.*)

The purpose of reinterview is not to check up on respondents. To make sure we are collecting data efficiently and accurately, we reinterview a few households who are in the survey.

The response options for each Reinterview FAQ answer are:

1. Return to reinterview
2. Return to FAQs_RI

PI RI Outcome Codes – RI OUTCOME

302 - Open case for Full PI

Case stays on laptop unless reassigned.

201 - Completed RI

Case transmitted and checked in

203 – Sufficient Partial

Case transmitted and checked in

214 – Type A - Reassign to PV

Case transmitted to supervisory review.

219 – Type A - RI Noninterview

Case transmitted to supervisory review.

202 - Open Case for RI

Case stays on laptop unless reassigned.

200 - New Case, not started

Case stays on laptop unless reassigned

213 – Type A – Language Problem - Reassign

Case transmitted to supervisory review.