

## CY 2011 Formulary File Record Layout

**Required File Format = ASCII File - Tab Delimited**

**Do not include a header record**

**Filename extension should be “.TXT”**

<b>Field Name</b>	<b>Field Type</b>	<b>Field Length</b>	<b>Field Description</b>	<b>Sample Field Value(s)</b>
RxCUI	NUMBER Always Required	Maximum of 8 digits	RxNorm concept unique identifier from the active Formulary Reference File.	210597
Tier_Level	CHAR Always Required	2	Defines the Cost Share Tier Level Associated with the drug. Assumption is that the drug is assigned to only one tier value. These values are consistent with the selection of tier level options available to data entry users in the Plan Benefit Package software.	1 = Tier Level 1 2 = Tier Level 2 3 = Tier Level 3 4 = Tier Level 4 5 = Tier Level 5 6 = Tier Level 6
Drug_Type_Label	CHAR Always Required	1	Defines the Drug Type Label for the drug. Enter the label value for the Drug Type from the defined list of labels.	1 = Generic 2 = Preferred Generic 3 = Non-Preferred Generic 4 = Brand 5 = Preferred Brand 6 = Non-Preferred Brand
Quantity_Limit_YN	CHAR Always Required	1	Does the drug have a quantity limit restriction?	0 = No Quantity Limits 1 = Quantity Limits Apply
Quantity_Limit_Amount	NUM Sometimes Required	7	If Quantity_Limit_YN = 1 (Limits Apply), enter the quantity limit unit amount for a given prescription or time period. The units for this amount must be defined by a unit of measure e.g. number of tablets, milliliters, grams, etc.  If the Quantity_Limit_YN = 0 (No Limits), leave this field blank.  The maximum number of decimal points that will be accepted is 5., i.e., “9.99999.”  The maximum number that will be accepted is “9999.99.”	9
Quantity_Limit_Days	NUM	3	Enter the number of days associated with the quantity	60 (e.g. 9 pills every 60 days)

## CY 2011 Formulary File Record Layout

Field Name	Field Type	Field Length	Field Description	Sample Field Value(s)
	Sometimes Required		limit.  If the Quantity_Limit_YN field is 0 (No), then leave this field blank.  The maximum number that will be accepted is "999".	(e.g. 9 injections every 60 days)
Prior_Authorization_Type	CHAR Always Required	1	Is prior authorization required for the drug?	0 = No Prior Authorization 1 = Prior Authorization Applies 2 = Prior Authorization Applies to New Starts Only 3 = Part D vs. Part B Prior Authorization Only
Prior_Authorization_Group_Desc	CHAR Sometimes Required	100	Description of the drug's prior authorization group as it will appear on the submitted prior authorization attachment. The group name may represent a drug category or class or may simply be the name of the drug if no other grouping structure applies.  If Prior_Authorization_Type is 0 (No) <u>or 3 (Part D. vs. Part B Authorization Only)</u> , then leave this field blank.	Antiemetics
Limited_Access_YN	CHAR Always Required	1	Is access to this drug limited to certain pharmacies?	0 = No 1 = Yes
Therapeutic_Category_Name	CHAR Always Required	100	Enter the name of the category for the drug.	Analgesics
Therapeutic_Class_Name	CHAR Always Required	100	Enter the name of the class for the drug.	Opioid Analgesics
Step_Therapy_Type	CHAR Always Required	1	Does step therapy apply to this drug?	0 = No Step Therapy Applies 1 = Step Therapy Applies 2 = Step Therapy Applies to New Starts Only
Step_Therapy_Total_Groups	NUM Sometimes Required	2	Enter the total number of step therapy drug treatment groups in which the drug is included.  If response to Step_Therapy_Type = 0 (No), then leave this field blank.  The maximum number that will be accepted is "99."	3

## CY 2011 Formulary File Record Layout

<p><b>The remaining two fields described below should be repeated as a group or unit in the file.</b>  <b>For example, for a given drug used in multiple Step Therapy programs, the values for Step_Therapy_Group_Desc = “CHF Therapy” and Step_Therapy_Step_Value = 4 should be included in adjacent columns in the file. Likewise, the values for Step_Therapy_Group_Desc = “Angina Therapy” and Step_Therapy_Step_Value = 1 should be included in additional adjacent columns in the file. Likewise, the values for Step_Therapy_Group_Desc = “CVD Therapy” and Step_Therapy_Step_Value = 5 should be included in additional adjacent columns in the file.</b></p>				
Step_Therapy_Group_Desc	CHAR Sometimes Required	100	<p>Description of step therapy drug treatment group. Field should be repeated in the record based upon number of groups declared in Step_Therapy_Total_Groups.</p> <p>If response to Step_Therapy_Type = 0 (No), then leave this field blank.</p> <p>Note: For a given Rx CUI, each Group Description must be unique.</p> <p>Note: For each Step Therapy Group Description, there must be a Rx CUI with a Step Therapy Value equal to 1.</p>	<p>Step_Therapy_Group_Desc = “CHF Therapy”  Step_Therapy_Group_Desc = “Angina Therapy”  Step_Therapy_Group_Desc = “CVD Therapy”</p>
Step_Therapy_Step_Value	NUM Sometimes Required	2	<p>Identifies the step number or level within the sequence for the Step Therapy Group. Field should be repeated in the record based upon the number of groups declared in Step_Therapy_Total_Groups  AND  in the same order as Step_Therapy_Group_Desc</p> <p>If response to Step_Therapy_Type = 0 (No), then leave this field blank.</p> <p>The range of valid accepted values is 1 to 99.</p> <p>Note: For each Step Therapy Group Description, there must be a Rx CUI with a Step Therapy Value equal to 1.</p>	<p>Step_Therapy_Step_Value = 4  (e.g. Step 4 of 6)  Step_Therapy_Step_Value = 1  (e.g. Step 1 of 3)  Step_Therapy_Step_Value = 5  (e.g. Step 5 of 5)</p>

**Please Note: Certain characters are restricted from HPMS. The submitted file will be rejected if any of the following characters are included in any field: 1) greater than sign (>), 2) less than sign (<), 3) semi-colon (;), and 4) ampersand (&).**