

Irrigation Partner Annual Reporting

ction I: General Information me:			
nail:	Telephone:	Fax:	
nat type of irrigation work do ye	ou do? (check all that apply)		
	rigation System Installation/Maintenance	e ☐ Irrigation System Auditing	J
Commercial Residences	☐ Inactive (e.g., academic, manufactu	ırer)	
Other (Please describe):			
ction II: Water Efficient Practic	e		
stems in 2010.	ey measures you took in the design, insta	allation, maintenance, or audit of	irrig
stems in 2010. stem Design/Installation			
stems in 2010. stem Design/Installation Installed a rain sensor shut-off of	device to prevent watering during and after r	ain.	
stems in 2010. stem Design/Installation Installed a rain sensor shut-off of Specified or installed a WaterSe	device to prevent watering during and after reense labeled a weather- or sensor-based irri	ain. [gation controller. [
stems in 2010. stem Design/Installation Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrig	levice to prevent watering during and after rense labeled a weather- or sensor-based irrigation emitters.	ain. [gation controller. [
stems in 2010. stem Design/Installation Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrig Used matched precipitation noz	device to prevent watering during and after reense labeled a weather- or sensor-based irrigation emitters.	ain. [gation controller. [
stems in 2010. stem Design/Installation Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrig Used matched precipitation noze Ensured overlapping, head-to-head-t	device to prevent watering during and after reense labeled a weather- or sensor-based irrigation emitters. zling. ead coverage for efficient and uniform water	ain. gation controller. [trick distribution. [[trick distribution. [[trick distribution. [trick distribution.	
stems in 2010. stem Design/Installation Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrig Used matched precipitation noze Ensured overlapping, head-to-her Planned zones according to plant	device to prevent watering during and after received a weather- or sensor-based irrigation emitters. It is a coverage for efficient and uniform water int type and their water needs.	ain. gation controller. [r distribution. [
Installed a rain sensor shut-off of Specified or installed a WaterSe Installed drip or low volume irrig Used matched precipitation noz. Ensured overlapping, head-to-he Planned zones according to plan Installed sprinkler heads accord	device to prevent watering during and after reense labeled a weather- or sensor-based irrigation emitters. Illing. ead coverage for efficient and uniform water int type and their water needs. ing to the plant type and size and shape of the sensor interests.	ain. gation controller.	
Installed a rain sensor shut-off of Specified or installed a WaterSe Installed drip or low volume irrig Used matched precipitation noze Ensured overlapping, head-to-he Planned zones according to plan Installed low angle nozzles in with the precipitation of the precipitation of the precipitation of the planned zones according to plan Installed low angle nozzles in with the precipitation of the precipitatio	device to prevent watering during and after receives labeled a weather- or sensor-based irrigation emitters. Izling. ead coverage for efficient and uniform water type and their water needs. ing to the plant type and size and shape of the indy areas to lessen water loss.	ain. gation controller. [r distribution. [the landscape. [
Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrigued matched precipitation noze Ensured overlapping, head-to-head precipitation splant Installed sprinkler heads according to plant Installed low angle nozzles in with Used the proper pipe sizing to expect the stems of the proper pipe sizing to expect the proper pipe sizing the proper p	device to prevent watering during and after relation emitters. zling. ead coverage for efficient and uniform water type and their water needs. ing to the plant type and size and shape of the indy areas to lessen water loss.	ain. gation controller. f distribution. the landscape. water application.	
Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrigulated overlapping, head-to-head precipitation noze Ensured overlapping, head-to-head precipitation to plan Installed sprinkler heads accord Installed low angle nozzles in with Used the proper pipe sizing to each Installed check valves to preventions.	device to prevent watering during and after rease labeled a weather- or sensor-based irrigation emitters. It is action emitte	ain. gation controller. r distribution. the landscape. water application.	
Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrigulated a Watched precipitation noze Ensured overlapping, head-to-head precipitation saccord Installed sprinkler heads accord Installed low angle nozzles in with Used the proper pipe sizing to each Installed check valves to prevent Installed a flow sensor to autom	device to prevent watering during and after rease labeled a weather- or sensor-based irrigation emitters. It is action emitte	ain. gation controller. [Interpolation controller. [Int	
Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrigulated a Watched precipitation noze Ensured overlapping, head-to-head precipitation saccord Installed sprinkler heads accord Installed low angle nozzles in with Used the proper pipe sizing to each Installed check valves to prevent Installed a flow sensor to autom	device to prevent watering during and after representation emitters. It is ation emitters. It is ation emitters. It is at a coverage for efficient and uniform water and their water needs. In type and their water needs. In the plant type and size and shape of the indy areas to lessen water loss. In sure uniform operating pressure and even at low head drainage in sloped areas. It is atically shut off a system in the event of a brow rates are applied to avoid misting or foggore.	ain. gation controller. [Interpolation controller. [Int	
Installed a rain sensor shut-off of Specified or installed a WaterSet Installed drip or low volume irrigued watched precipitation noze Ensured overlapping, head-to-head precipitation sensor dripping installed sprinkler heads accord Installed low angle nozzles in with Used the proper pipe sizing to each Installed check valves to prevent Installed a flow sensor to autom Ensured correct pressure and floregulating devices when applications.	device to prevent watering during and after representation emitters. It is ation emitters. It is ation emitters. It is at a coverage for efficient and uniform water and their water needs. In type and their water needs. In the plant type and size and shape of the indy areas to lessen water loss. In sure uniform operating pressure and even at low head drainage in sloped areas. It is atically shut off a system in the event of a brow rates are applied to avoid misting or foggore.	ain. gation controller. gation controller. f distribution. the landscape. water application. geak. ging, using pressure	

_	4				
• 1	/ctam	NASI	nta	nanı	20
ωı	/stem	ıvıaı	IIIC	Halk	-6

Routinely checked sites for damaged sprinkler heads, inadequate coverage, clogged nozzles, and leaks.	
Ensured that the application rates were adjusted to avoid runoff.	
Adjusted sprinkler heads as needed to avoid overspray.	
Set the schedule to irrigate using short cycles to allow water to soak in to avoid runoff.	
Developed written operation and maintenance instructions for customers including watering schedule, seasonal adjustments, winterizing, and spring reactivation.	
Performed audits of customer sites to ensure efficient operation.	
Recommended upgrade to systems to make them more water efficient (e.g., drip irrigation, installation by WaterSense labeled controllers)	
Other (Please describe):	
System Audits If you perform irrigation audits, what types of properties did you audit in 2010?	
iection III: Control Technologies Do you specify or install weather- or sensor-based irrigation control technologies?	′es □ No
Section IV: Water Savings Data 1. Do you track water savings data from water efficiency measures? If yes, approximately how many gallons of water did you save in 2010 through efficient system design maintenance practices, or audit recommendations?	∕es □ No n,
Additional Explanation:	
Section V: WaterSense Program Feedback (Optional)	
n the interest of serving you better, EPA would like to learn more about your opinions regarding the Wat program and information needs. Please complete the following section to provide feedback to EPA.	erSense
. On a scale of 1 to 5 (5 = most valuable), how valuable do you find the WaterSense program? Value:	
How has WaterSense added value?	
2. On a scale of 1 to 5 (5 = most valuable), how valuable did you find the materials from the tool kit? Value:	

3. Please provide suggestions for improving the WaterSense program (e.g., tools/materials, communications,	
Helpline, Web site, etc):	
· · · · · · · · · · · · · · · · · · ·	

Please submit to the WaterSense Helpline by March 1, 2011.

Fax: (703) 841-1440

Mail: 2300 Wilson Blvd., Ste. 350, Arlington, VA 22201

Electronically: If you have Adobe Acrobat Standard or Professional, you can complete the form electronically and e-mail it to watersense@epa.gov. Acrobat Reader users must print forms after completing and fax or mail them. Contact the WaterSense Helpline at (866) 987-7367 if you have any questions about how to complete this form or submission instructions.

EPA Form Number 6100-XX

The public reporting and record keeping burden for this collection of information is estimated to average 18 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed annual data form to this address.