

Retailer/Distributor Annual Reporting

EPA WaterSense® Program Partners: Please complete and submit to EPA contractor, Eastern Research Group (ERG) by March 2, 2009.

Note on confidentiality of data: Sensitive busine security plan in place to protect confidential business			
Section I: General Information			
Retailer/Distributor Name ¹ :			
Contact Name (for questions regarding this form)			
Name:	Telephone:	E-mail:	
Section II: Product Information			
A. Tank-Type Toilets			
Provide the following information for all toilets sol WaterSense labeled toilets, please leave this sect		uary 1, 2008 and December 31, 2008. If you	do not sell or distribute
All Tank-Type Toilets	U.S. Total	Average Price	Confidential?
Total number of toilets sold?			☐ Yes ☐ No
Total number of toilets with an effective flush volume of 1.28 gallons per flush (gpf) or less sold?			☐ Yes ☐ No
Total number of WaterSense labeled toilets sold?			☐ Yes ☐ No
B. Bathroom Sink Faucets Provide the following information for all bathroom section any data for lavatory faucet accessories ² (not sell or distribute WaterSense labeled faucets,	(e.g., faucet flow restrictors, flow reg		
All Lavatory Faucets	U.S. Total	Average Price	Confidential?
Total number lavatory faucets sold?			☐ Yes ☐ No
Total number of lavatory faucets sold with a certified flow rate between 1.0 and 1.5 gallons per minute (gpm)?			☐ Yes ☐ No
Total number of WaterSense labeled bathroom sink			☐ Yes ☐ No

¹ Please use the same name used on your partnership agreement. If you do not yet have a partnership agreement, please contact the WaterSense program to complete one.

² Accessory, as defined in ASME 112.18.1/CSA B125.1, means a component that can, at the discretion of the user, be readily added, removed, or replaced, and that, when removed, will not prevent the fitting from fulfilling its primary function. For the purpose of this specification, an accessory can include, but is not limited to, lavatory faucet flow restrictors, flow regulators, aerator devices, and laminar devices.

C. Lavatory Faucet Accessories

Provide the following information for **all lavatory faucet accessories**² (e.g., faucet flow restrictors, flow regulators, aerator devices, and laminar devices) **sold** between January 1, 2008 and December 31, 2008. Please **do not** include any data on lavatory faucets here (see Question B). If you do not sell or distribute WaterSense labeled faucet accessories, please leave this section blank.

All Lavatory Faucet Accessories	U.S. Total	Average Price	Confidential?
Total number of lavatory faucet accessories sold?			☐ Yes ☐ No
Total number of lavatory faucet accessories sold with a certified flow rate between 1.0 and 1.5 gpm?			☐ Yes ☐ No
Total number of WaterSense labeled lavatory faucet accessories sold?			☐ Yes ☐ No

Section III: WaterSense Labeled Product Availability

Information on WaterSense's impact on the marketplace is vital to the continued success of the program. Please provide data on product availability and promotion.

1. a.	Are you promoting the WaterSense labeled products you sell to consumers or other stakeholders?
	□ Yes □ No
b.	If yes, please estimate the number of consumers reached:
C.	If yes, please indicate how you are promoting WaterSense labeled products (please provide samples):
	☐ In-store promotions, such as displays and other signage
	☐ Ads and circulars
	☐ Brochures, other marketing materials
	☐ Rebate programs (usually in conjunction with local utilities)
	□ Web site
	□ Other:

- d. If yes, are you working with other types of WaterSense partners (e.g., utilities or manufacturers) to promote WaterSense labeled products to consumers?
- 2. In which of your facilities can consumers find WaterSense labeled products? Please list markets (e.g., Los Angeles, Denver).

EPA Form Number 6100-09

² Accessory, as defined in ASME 112.18.1/CSA B125.1, means a component that can, at the discretion of the user, be readily added, removed, or replaced, and that, when removed, will not prevent the fitting from fulfilling its primary function. For the purpose of this specification, an accessory can include, but is not limited to, lavatory faucet flow restrictors, flow regulators, aerator devices, and laminar devices.

The public reporting and record keeping burden for this collection of information is estimated to average 18 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed annual data form to this address.

Section IV: WaterSense Program Feedback

In the interest of serving you better, EPA would like to learn more about your opinions regarding the WaterSense program and information needs. Please complete the following section to provide feedback to EPA.

1.	On a scale of 1 to 5 (5 = most valuable), how valuable do you find the WaterSense program? Value:
	How had WaterSense added value?

2. Please provide suggestions for improving the WaterSense program (e.g., general tools/materials, communications, Helpline, Web site, etc):

Please Submit by March 2, 2009

Mail: EPA WaterSense Annual Reporting c/o ERG 14555 Avion Parkway, Suite 200 Chantilly, VA 20151

Contact the WaterSense Helpline at (866) 987-7367 if you have any questions about how to complete this form or submission instructions.

EPA Form Number 6100-09

The public reporting and record keeping burden for this collection of information is estimated to average 18 hours per response. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed annual data form to this address.