## **Appendix F.1: ADI-R**

ADI-R: OMB Coversheet

Form Approved OMB NO. \_\_\_\_\_ Exp. Date \_\_\_\_\_

## **Public Reporting Burden Statement**

Public reporting burden of this collection of information is estimated to average 2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-XXXX)



•

٠

.

## **Diagnostic Algorithm**

	•		A: Qualitative Abnormalities in Reciprocal Social Intera Score "Most Abnormal 4.0-5.0" codes for all items in A1 to A4	
			(except 31, 58, and 65).	
Name of Subject			A1: Failure to use nonverbal behaviors to regulate social interaction	SCORI
			Direct Gaze	
Date of Birth	Date of Interview	FFFFFFFFFF	M r	
			Range of Facial Expressions Used to Communicate	
ame of Respo	ondent		Total A1	
			A2: Failure to develop peer relationships	
Relation to Subject			Imaginative Play With Peers	
			Interest in Children	
linician Name			Response to Approaches of Other Children (63)	
			Group Play With Peers (score if 4.0 to 9.11 years)	
ichool/Clinic			OR (score either 64 or 65, depending on age of subject)	
			Friendships <i>(score if 10.0 years or older)</i> "Most Abnormal 10.0-15.0"	
			Total A2	
		Code to ore Conversion	A3:Lack of shared enjoyment	
	CODE	SCORE	Showing and Directing Attention	
	0	0	Offering to Share	
	1	1	Seeking to Share Enjoyment With Others (54)	
	2	2	Total A3	
		2		
	3	-	A4.1 ack of socioemotional reciprocity	
	7	0	A4: Lack of socioemotional reciprocity	
	7	0	Use of Other's Body to Communicate (31)	
	7			
	7	0	Use of Other's Body to Communicate (31)	
	7 8 9	0 0	Use of Other's Body to Communicate (31)	
	7 8 9 Publ	0 0 lished by N PSYCHOLOGICAL SERVICES	Use of Other's Body to Communicate (31) Offering Comfort	EVER
	7 8 9 9 WPS western Publishe Copyright © 2003 by WES	O O	Use of Other's Body to Communicate       (31)         Offering Comfort       (55)         Quality of Social Overtures       (56)         Inappropriate Facial Expressions       (58)	EVER

<b>B: Qualitative Abnormalities in Communication</b> Score "Most Abnormal 4.0-5.0" for all items in B1 and B4.	C: Restricted, Repetitive, and Stereotyped Patterns of Behavior Score "Ever" for all items in C1 to C4.	
Score B2(V) and B3(V) only for verbal subjects (Item $30 = 0$ ), using "Ever" scores. Score only B1 and B4 for nonverbal subjects (Item $30 = 1$ or 2).	CODE SCORE	
<u>CODE</u> <u>SCORE</u>	C1: Encompassing preoccupation or circumscribed pattern of interest	
B1: Lack of, or delay in, spoken language and failure to compensate through gesture	Unusual Preoccupations	
Pointing to Express Interest	Circumscribed Interests	
Nodding	Total C1	
Head Shaking	C2: Apparently compulsive adherence to nonfunctional routines or rituals	
Conventional/Instrumental Gestures (45)	Verbal Rituals <i>(score only if Item 30 = 0)</i> (39)	
Total B1	Compulsions/Rituals	
B4:Lack of varied spontaneous make-believe or social imitative play	Total C2	
Spontaneous Imitation of Actions (47)	C3: Stereotyped and repetitive motor mannerisms	
Imaginative Play	Hand and Finger Mannerisms (77)	
Imitative Social Play	OR (Record the higher of the two scores)	
	Other Complex Mannerisms or Stereotyped Body Movements (78)	
Total B4 Verbal Subjects Only:		
verbut bubjetts only.	Total C3	
B2(V): Relative failure to initiate or sustain conversational interchange	C4: Preoccupations with part of objects or nonfunctional elements of material	
Social Verbalization/Chat	Repetitive Use of Objects or Interest in Parts of Objects	
Reciprocal Conversation	OR (Record the higher of the two scores)	
	Unusual Sensory Interests	
Total B2(V)	Total C4	
B3(V): Stereotyped, repetitive, or idiosyncratic speech		
Stereotyped Utterances and Delayed Echolalia	C Total = C1 + C2 + C3 + C4 C Total (cutoff = 3)	
Inappropriate Questions or		
Statements	D: Abnormality of Development Evident at or Before 36 Months	
Pronominal Reversal	Age Parents First Noticed         (if <36 months, score 1)	
Neologisms/Idiosyncratic Language(38) ever	• Age of First Single Words (if >24 months, score 1)	
Total B3(V)		
lotat 55(V)	Age of First Phrases (if >33 months, score 1)	
	Age When Abnormality First Evident         (if coded 3 or 4, score 1)	
Verbal Total = B1 + B2(V) + B3(V) + B4 B(V) Total (cutoff = 8)	Interviewer's Judgment on Age When Abnormalities First Manifest (if < 36 months, score 1)	
Nonverbal Total = B1 + B4 B(NV) Total (cutoff = 7)	D Total (cutoff = 1)	