

**Section #** 08

**Section Name** Earnings

**Section Universe** [(QUEST = 25) OR [((WK=1) OR (ABS=1)) AND (PUIO1COW does not equal 7, 8) AND ((IODP1 = 2, D, R or blank) OR (IODP2 = 1) OR (IODP3 = 1, D, or R) OR (8500.PUMLR = 3-7) OR (8500.PRWERNAL = 1))] OR (AGERNG = 2-4 AND QUEST = 21, 22, or 28)] AND NOCONTACT = 0

**Parallel Block Name**

**Specification Date** 11/29/06

**Specification Writer**

**Specification Version** 2007.1

**Other Information**

1. Section Label: Earnings
2. Output Block Name:

**Form Panes**

Introduction [ ] earnings [ ]	# hours per week [ ]	Usual weekly
earnings [ ] Wages [ ]	Estimated hours per week [ ]	Total weekly
Specify [ ] earnings [ ]	Calculated weekly earnings [ ]	Usual
Receive overtime [ ] earnings [ ]		Estimate of
Hourly rate of pay [ ] earnings [ ]	Verify information [ ]	Confirm
Est hourly rate of pay [ ] correction [ ]	Edit hourly rate [ ]	Earnings
# hours per wekk [ ] per year [ ]	Edit hours per week [ ] Edit overtime, tips, comm [ ]	Weeks paid
Rate of overtime pay [ ] [ ]	Edit hourly earnings [ ]	Earning rate
Amt overtime pay [ ] ]	Edit hours per week [ ]	Hourly rate [ ]
Estimated weekly overtime [ ]		

Enrolled in school [ ]

Type of school [ ]

Full/part-time enrollment [ ]

**Universe** (QUEST = 25) AND ((IO1INC = 1, BLANK) AND (BUS1 ne 1) AND ((8500.IO1COW neq 7, 8 or 11) OR (IODP1 ne 1))) AND ((IODP2 ne 2) OR (8500.PRWERNAL = 1))

**>Question Text**

This month I have a few questions about earnings.

1. Enter 1 to Continue

**>Spanish Translation**

Este mes tengo algunas preguntas sobre ingresos.

1. Enter 1 to Continue

<b>&gt;Variable Name</b> ERNP	<b>Description</b>	Introduction
-------------------------------	--------------------	--------------

**>Value/Skip Instructions**

<1> [goto ERNPR]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** ERNP = 1

**>Question Text**

For your [fill: MAIN] job, what is the easiest way for you to report your total earnings BEFORE taxes or other deductions: hourly, weekly, annually, or on some other basis?

[fill: \* Read if necessary: We use this information to compare the amount that people earn in different types of jobs.]

1. Hourly
2. Weekly
3. Bi-weekly
4. Twice monthly
5. Monthly
6. Annually
7. Other (specify)

**>Spanish Translation**

Con respecto a su trabajo [fill: PRINCIPAL], ¿cómo le resulta más fácil darnos el total de sus ingresos SIN DESCONTAR impuestos u otras deducciones? ¿Por hora, por semana, por año, o de qué otra manera?

[fill: \* Read if necessary: Usamos esta información para comparar cuánto ganan las personas que trabajan en diferentes tipos de empleos.]

1. Por hora
2. Por semana
3. Cada dos semanas
4. Dos veces al mes
5. Por mes
6. Por año
7. Otra manera (specify)

<b>&gt;Variable Name</b>	ERNPR	<b>Description</b>	Wages
--------------------------	-------	--------------------	-------

**>Value/Skip Instructions**

- <1-6,D> [goto ERNUOT]
- <7> [goto ERNPRS]
- <R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If MJ=1, then fill "\* Read if necessary: We use this information to compare the amount that people earn in different types of jobs. " and "MAIN'.

**>Spanish Fill Instructions**

1. If MJ=1, then fill "\* Read if necessary: Usamos esta información para comparar cuánto ganan las personas que trabajan en diferentes tipos de empleos. " and " PRINCIPAL ."

**>Special Instructions**

1. Store ERNPR in ERNPER.

**Universe** ERNPR = 7

**>Question Text**

\* Enter Verbatim Response

**>Spanish Translation**

<b>&gt;Variable Name</b>		<b>Description</b>	<b>Specify</b>
--------------------------	--	--------------------	----------------

**>Value/Skip Instructions**

<30 characters, D, R>	[goto ERNUOT]
-----------------------	---------------

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** (ERNPR = 1-6, D) OR (Entry in ERNPRS)

**>Question Text**

Do you usually receive overtime pay, tips, or commissions [fill: at your MAIN job]?

1. Yes
2. No

**>Spanish Translation**

¿Generalmente le pagan horas extras, le dan propinas, o comisiones [fill: en su trabajo PRINCIPAL]?

1. Sí
2. No

<b>&gt;Variable Name</b> ERNUOT	<b>Description</b>	Receive overtime
---------------------------------	--------------------	------------------

**>Value/Skip Instructions**

<1,2,D,R> [If ERNPR = 1, goto ERNHRT]  
 [If ERNPR= 2-7, or D, goto ERNWK2]

**>Fill Instructions**

1. If MJ=1, then fill "at your MAIN job"

**>Spanish Fill Instructions**

1. If MJ = 1, then fill "en su trabajo PRINCIPAL"

**>Special Instructions**

**Universe** ERNPR = 1

**>Question Text**

[fill: What /EXCLUDING overtime pay, tips and commissions, what] is your hourly rate of pay on [fill: this /your MAIN] job?

**>Spanish Translation**

[fill: ¿Cuánto / SIN CONTAR horas extras, propinas y comisiones, ¿cuánto] le pagan por hora en [fill: ese trabajo/ su trabajo PRINCIPAL]?

<b>&gt;Variable Name</b>	ERNHRT	<b>Description</b>	Hourly rate of pay
--------------------------	--------	--------------------	--------------------

**>Value/Skip Instructions**

<0.00-99.99>	[goto ERNHR]
<D>	[goto ERNHRE]
<R>	[If AGERNG eq 2-4, D, R goto SCHENR] [Else goto ENDMID]

**>Fill Instructions**

1. If ERNUOT =1, fill "EXCLUDING overtime pay, tips and commissions, what" else fill "What"
2. If MJ=1, fill "your MAIN", else fill " this".

**>Spanish Fill Instructions**

1. If ERNUOT =1, fill " SIN CONTAR horas extras, propinas y comisiones, ¿cuánto " else fill " Cuánto "
2. If MJ=1, fill " su trabajo PRINCIPAL ", else fill " ese trabajo ".

**>Special Instructions**

1. If ERNHRT lt 001.00 or gt 030.00, display ERNRG1.
2. Display a \$ in the entry field
3. Store ENRHRT in ERNH1O
4. If ERNHRT is R then store R in ERNX1

**Universe** ERNHRT = D

**>Question Text**

What is your best estimate of your hourly rate of pay?

**>Spanish Translation**

¿Cuánto calcula usted que gana por hora, aproximadamente?

<b>&gt;Variable Name</b>	ERNHRE	<b>Description</b>	Est. hourly rate of pay
--------------------------	--------	--------------------	-------------------------

**>Value/Skip Instructions**

<0.00-99.99>	[goto ERNHR]
<D,R>	[If AGERNG eq 2-4, D, R goto SCENR] [Else goto ENDMID]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

1. If ERNHRE lt 001.00 or gt 030.00, display ERNRG1.
2. Display \$ in the entry field
3. Store ERNHRE in ERNH1O
4. If ERNHRE is D or R then store ERNHRE in ERNX1



**Universe** ERNHRT or ERNHRE is lt 001.00 or gt 030.00

**>Question Text**

Soft Edit

\* Hourly earnings recorded as: [fill: \$ERNHRT/ERNHRE] hourly.

Is this entry correct?

**>Spanish Translation**

Soft Edit

\* Ganancias por hora anotadas como: [fill: \$ERNHRT/ERNHRE] por hora.

¿Es correcta esta anotación?

<b>&gt;Variable Name</b>	ERNRG1	<b>Description</b>	Soft edit
--------------------------	--------	--------------------	-----------

**>Value/Skip Instructions**

<Suppressed >	[goto ERNHR]
<Goto, Close>	[go back to ERNHRE/ERNHRT]

**>Fill Instructions**

1. If from ERNHRT, fill the amount entered in ERNHRT.  
Else, fill the amount entered in ERNHRE.

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** ERNHRT = 0.00 - 99.99 OR ERNHRE = 0.00 - 99.99

**>Question Text**

How many hours do you usually work per week at this rate?

**>Spanish Translation**

Normalmente, ¿cuántas horas a la semana trabaja a ese salario por hora?

<b>&gt;Variable Name</b>	ERNHR	<b>Description</b>	# hours per week
--------------------------	-------	--------------------	------------------

**>Value/Skip Instructions**

<01-99>	[If ERNUOT = 1, then goto ERNOTP. Else goto ERNVR1]
<D,R>	[If HRUSL1 is D, V, or R, then goto ERNWK2]
	[Else, if ERNUOT =1, goto ERNOTP]
	[Else, goto ERNVR1]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

1. If ERNHR is other than D or R then store ERNHR in ERNHRO  
 If ERNHR is D or R AND HRUSL1 is D or V then store D in ERNHRO  
 If ERNHR is D or R AND HRUSL1 is R then store R in ERNHRO  
 If ERNHR is D or R AND HRUSL1 is not D, R, V then store HRUSL1 in ERNHRO

**Universe** ERNUOT = 1 AND (HRUSL1=1-99 and ERNHR=1-99)

**>Question Text**

[fill: How/At your MAIN job, how] much do you usually receive JUST in overtime pay, tips or commissions, before taxes or other deductions?

\*Enter periodicity first.

1. Per hour
2. Per day
3. Per week
4. Per month
5. Per year
6. Other

**>Spanish Translation**

Generalmente, [fill: ¿cuánto/en su trabajo PRINCIPAL, ¿cuánto] le pagan SOLAMENTE por horas extras, propinas o comisiones, antes de los impuestos y otras deducciones?

\*Enter periodicity first.

1. Por hora
2. Por día
3. Por semana
4. Por mes
5. Por año
6. Otro período

<b>&gt;Variable Name</b>	ERNOTP	<b>Description</b>	Rate of overtime pay
--------------------------	--------	--------------------	----------------------

**>Value/Skip Instructions**

- <1-5> [goto ERNOTA]
- <6,D> [goto ERNOTE]
- <R> [If AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If MJ is 1, then fill " At your MAIN job, how" , else fill " How".

**>Spanish Fill Instructions**

1. If MJ is 1, then fill “en su trabajo PRINCIPAL, ¿cuánto”, else fill “cuánto”.

**>Special Instructions**

**Universe** ERNOTP = 1 - 5

**>Question Text**

\* Enter Dollar Amount

**>Spanish Translation**

<b>&gt;Variable Name</b>	ERNOTA	<b>Description</b>	Amt overtime pay
--------------------------	--------	--------------------	------------------

**>Value/Skip Instructions**

<0.00-99999.99> [if ERNOTP is 1 goto ERNOH]  
 [if ERNOTP is 2 goto ERNOTE]  
 [if ERNOTP is 3, 4, 5 goto ERNVR1]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

1. If ERNOTA is lt 1 or gt 30 and ERNOTP is 1, goto ERNRG2  
 If ERNOTA is lt 1 or gt 240 and ERNOTP is 2 , goto ERNRG2  
 If ERNOTA is lt 1 or gt 1500 and ERNOTP is 3, goto ERNRG2  
 If ERNOTA is lt 1 or gt 6000 and ERNOTP is 4 , goto ERNRG2  
 If ERNOTA is lt 1 or gt 72000 and ERNOTP is 5 , goto ERNRG2
2. Store ERNOTA in ERNOTO

**Universe** ERNOTP = 6 or D OR (Entry in ERNOTA and ERNOTP = 2)

**>Question Text**

What is your best estimate of how much you usually earn weekly, JUST in overtime pay, tips, or commissions, before taxes or other deductions?

**>Spanish Translation**

¿Cuánto calcula usted que gana normalmente POR SEMANA, SOLAMENTE por horas extras, propinas, o comisiones, sin descontar impuestos u otras deducciones?

ENTER DOLLAR AMOUNT

<b>&gt;Variable Name</b>	ERNOTE	<b>Description</b>	Estimated weekly overtime
--------------------------	--------	--------------------	---------------------------

**>Value/Skip Instructions**

<0-9999>	[goto ERNVR1]
<D,R>	[If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

1. If ERNOTE is lt 1 or gt 1500, goto ERNRG2
2. Store ERNOTE in ERNOTO
3. Display a \$ and comma in the entry field

**Universe** (ERNOTP = 1 and ERNOTA not eq 1-30) OR (ERNOTP=2 and ERNOTA not eq 1-240) OR (ERNOTP=3 and ERNOTA not eq 1-1500) OR (ERNOTP=4 and ERNOTA not eq 1-6000) OR (ERNOTP=5 and ERNOTA not eq 1-72000) OR ERNOTE not eq 1-1500

**>Question Text**

Soft Edit

-----  
 Usual [fill: rate] earnings in overtime pay, tips or commissions recorded as:  
 [fill: ERNOTA /ERNOTE]

Is this entry correct?

**>Spanish Translation**

Soft Edit

-----  
 Ganancias habituales de [fill: rate] como pago por horas extras, propinas o comisiones anotadas como:

[fill: ERNOTA /ERNOTE]  
 ¿Es correcta esta anotación?

**>Variable Name** ERNRG2                      **Description**                      Soft edit

**>Value/Skip Instructions**

<Suppressed >                      [goto ERNVR1]  
 <Goto, Close>                      [go back to ERNOTE/ERNOTA]

**>Fill Instructions**

1. If ERNOTP is 3 and there is an entry in ERNOTE, fill "weekly" and ERNOTE.  
     if ERNOTP is 2 , fill " daily"  
     if ERNOTP is 4, fill "monthly"  
     if ERNOTP is 5, fill "yearly"  
     if ERNOTP is 6 and entry in ERNOTE, fill "weekly"
2. If from ERNOTE, fill ERNOTE. Else fill ERNOTA
3. If ERNOTP neq 5 and ERNOTA > 9999 then display hard edit "Not a Valid Entry"

**>Spanish Fill Instructions**

Spanish Fills

1. If ERNOTP is 3 and there is an entry in ERNOTE, fill "por semana" and ERNOTE.  
     if ERNOTP is 2 , fill " por día"  
     if ERNOTP is 4, fill "por mes"  
     if ERNOTP is 5, fill "por año"  
     if ERNOTP is 6 and entry in ERNOTE, fill "por semana"

**>Special Instructions**

**Universe** ERNOTP = 1 AND Entry in ERNOTA

**>Question Text**

How many hours do you usually work per week at this rate?

**>Spanish Translation**

Normalmente, ¿cuántas horas trabaja por semana a ese salario por hora?

ENTER NUMBER OF HOURS

<b>&gt;Variable Name</b>	<b>ERNOH</b>	<b>Description</b>	<b># Hours per week</b>
--------------------------	--------------	--------------------	-------------------------

**>Value/Skip Instructions**

<00-99> [goto ERNVR1]

<D> [goto ERNOHE]

<R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** ERNOH = D

**>Question Text**

What is your best estimate of the number of hours per week you usually work at this rate?

**>Spanish Translation**

¿Cuántas horas por semana calcula usted que trabaja a ese salario por hora?

ENTER NUMBER OF HOURS

<b>&gt;Variable Name</b>	ERNOHE	<b>Description</b>	Estimated hours per week
--------------------------	--------	--------------------	--------------------------

**>Value/Skip Instructions**

<00-99> [goto ERNVR1]

<D,R> [If AGERNG eq 2-4, D, R goto SCENR] [goto ENDMID]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**



**Universe** (ERNHR = 01-99 AND ERNUOT is not 1) OR (ERNHR = D, R AND HRUSL1 is not D, R, V AND ERNUOT is not 1) OR (ERNOTP = 3-5 AND Entry in ERNOTA) OR (ERNOTE = 0-9999) OR (ERNOH = 00-99) OR (ERNOHE = 00-99)

**>Question Text**

I have estimated your usual WEEKLY earnings [fill: for your main job] as [fill: \$ HWKRN] before taxes or other deductions.  
Does that sound correct?

1. Yes
2. No

**>Spanish Translation**

Al calcular sus ingresos habituales POR SEMANA [fill: en su trabajo principal] obtengo como resultado [fill: \$ HWKRN] antes de descontar impuestos u otras deducciones.  
¿Le parece que ésa es la cantidad correcta?

ENTER NUMBER OF HOURS

<b>&gt;Variable Name</b>	ERNVR1	<b>Description</b>	Calculated weekly earnings
--------------------------	--------	--------------------	----------------------------

**>Value/Skip Instructions**

<1,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]  
<2,D> [goto ERNVR2]

**>Fill Instructions**

1. If MJ = 1, fill "for your main job".

**>Spanish Fill Instructions**

1. If MJ = 1, fill "en su trabajo principal".

**>Special Instructions**

1. Set HWKRN  
If (any onpath entry other than D or R in ERNHRO) AND (Onpath entry other than D or R in ERNH1O) then multiply ERNHRO by ERNH1O and store in HWKRN
2. Set ERNX1 and ERN
  - a. If Entry other than D or R in ERNOTO then if onpath entry other than D or R in ERNOTE then  
store ERNOTO in ERN; add ERN to HWKRN and store HWKRN in ERNX1  
ELSE If onpath entry of 1 in ERNOTP then  
  
If onpath entry other than D or R in ERNOH then multiply ERNOH by ERNOTO and store in ERN; add ERN to HWKRN; store HWKRN in ERNX1  
  
ELSE if onpath entry other than D or R in ERNOHE then multiply ERNOHE by ERNOTO and store in ERN; add ERN to HWKRN; store HWKRN in ERNX1  
END

ELSE If onpath entry of 3 in ERNOTP then store ERNOTO in ERN; add ERN to HWKRN;  
store HWKRN in ERNX1

ELSE If onpath entry of 4 in ERNOTP then divide ERNOTO by 4 and store in ERN; add ERN  
to HWKRN; store HWKRN in ERNX1.

ELSE if onpath entry of 5 in ERNOTP then divide ERNOTO by 52 and store in ERN; add  
ERN to HWKRN; store HWKRN in ERNX1

END

END

b. If NO entry in ERNOTO then, store HWKRN in ERNX1 {D or R in ERNOTO would not get  
here}

**Universe** ERNVR1 = 2, D

**>Question Text**

I have recorded:

2. [fill: ERNH1O] as your hourly rate of pay.
3. [fill: ERNHRO] as the number of hours you usually worked at this rate.
4. [fill: ERNOTO] as the amount you usually earned [Fill: hourly/monthly/annually/weekly] in overtime pay, tips + commissions.
5. [fill: ERNOH] as the number of hours per week you usually work at this rate.

Which piece of information does not seem to be correct?

\* Enter number(s) corresponding to line(s) requiring correction

1. All information correct and any other choice is not a valid entry
2. Hourly rate
3. Number of hours usually worked

[fill: 4. Amount of overtime pay ]

[fill: 5. Number of overtime hours per week at this rate ]

**>Spanish Translation**

He anotado:

2. [fill: ERNH1O] como su salario por hora.
3. [fill: ERNHRO] como el número de horas que trabajaba generalmente a ese salario por hora.
4. [fill: ERNOTO] como la cantidad que ganaba normalmente [Fill: por hora/por mes/por año/por semana] por horas extra, propinas + comisiones.
5. [fill: ERNOH] como el número de horas que trabaja normalmente por semana a ese salario por hora.

¿Qué parte de la información no parece ser correcta?

\* Enter number(s) corresponding to line(s) requiring correction

1. Toda la información es correcta
2. Salario por hora
3. Número de horas que trabaja normalmente

[fill: 4. Cantidad de pago por horas extras ]

[fill: 5. Número de horas extra por semana a este salario ]

<b>&gt;Variable Name</b>	ERNVR2	<b>Description</b>	Verify information
--------------------------	--------	--------------------	--------------------

**>Value/Skip Instructions**

- <2-5> [If a 2 was selected goto ERNH1C]  
 [if a 3 was selected goto ERNHC]  
 [If a 4 was selected and ERNOTP is not 1 goto ERNOTC]  
 [if a 4 was selected and ERNOTP is 1 goto ERNOHC]  
 [If a 5 was selected, goto ERNH2C]  
 <1,D> [goto ERNWK1]  
 <R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If ERNOTA offpath AND ERNOTE offpath AND then do not fill precode 4
2. If ERNOH or ERNOHE = 00 - 99 fill precode 5
3. If ERNOTP = 1 fill "hourly".  
    ERNOTP = 4, fill "monthly"  
    ERNOTP = 5, fill "annually"  
    ELSE fill "weekly"

**>Spanish Fill Instructions**

3. If ERNOTP = 1 fill "por hora"  
    ERNOTP = 4, fill "por mes"  
    ERNOTP = 5, fill "por año"  
    ELSE fill "por semana"

**>Special Instructions**

1. If ERNOTA offpath AND ERNOTE offpath AND then do not allow precode 4 to be selected.  
    Hard edit message "\*" Not a Valid Entry"
2. If ERNVR2 has 1 selected then do not allow 2, 3, 4, or 5 to be selected.  
    Hard edit message "\*"All information correct and any other choice is not a valid entry."

**Universe** If 2 selected in ERNVR2

**>Question Text**

What is your hourly rate of pay on this job, excluding overtime pay, tips or commissions?

ENTER DOLLAR AMOUNT\$

**>Spanish Translation**

¿Cuánto gana por hora en ese empleo, sin contar horas extras, propinas o comisiones?

ENTER DOLLAR AMOUNT\$

<b>&gt;Variable Name</b>	ERNH1C	<b>Description</b>	Edit hourly rate
--------------------------	--------	--------------------	------------------

**>Value/Skip Instructions**

<0.00-99.99>	[if 3 selected in ERNVR2 then goto ERNHC] [if 4 selected in ERNVR2 AND ERNOTP is not 1, then goto ERNOTC] [If 4 selected in ERNVR2 AND ERNOTP is 1, goto ERNOHC] [if 5 selected in ERNVR2, then goto ERNH2C] [Else, goto ERNVR3]
<D, R>	[if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

1. Display a \$ in the entry field

**Universe** If 3 selected in ERNVR2

**>Question Text**

How many hours do you usually work per week at the rate of [fill: ERNH1C/ERNH1O]?

ENTER HOURS  
01-99

**>Spanish Translation**

Normalmente, ¿cuántas horas trabaja por semana a [fill: ERNH1C/ERNH1O] por hora?

ENTER HOURS  
01-99

<b>&gt;Variable Name</b>	ERNHC	<b>Description</b>	Edit hours per week
--------------------------	-------	--------------------	---------------------

**>Value/Skip Instructions**

<1-99> [if 4 selected in ERNVR2 AND ERNOTP is not 1, then goto ERNOTC]  
 [If 4 selected in ERNVR2 AND ERNOTP is 1, goto ERNOHC]  
 [if 5 selected in ERNVR2, then goto ERNH2C]  
 [Else, goto ERNVR3]

<D, R> [if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

If ERNH1C is not empty then fill ERNH1C  
 Else fill ERNH1O

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** If 4 selected in ERNVR2 AND ERNOTP is not 1

**>Question Text**

How much do you usually earn [fill: weekly/monthly/annually] just in overtime pay, tips or commissions?

**>Spanish Translation**

Normalmente, ¿cuánto gana [fill: por semana/por mes/por año] solamente en horas extras, propinas o comisiones?

ENTER DOLLAR AMOUNT \$

<b>&gt;Variable Name</b>	ERNOTC	<b>Description</b>	Edit overtime, tips, comm
--------------------------	--------	--------------------	---------------------------

**>Value/Skip Instructions**

<0.00-99999.99> [Goto ERNVR3]

<D, R> [if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If ERNOTP is 4, fill "monthly"  
     ERNOTP is 5, fill "annually"  
     Else fill "weekly"

**>Spanish Fill Instructions**

1. If ERNOTP is 4, fill "por mes"  
     ERNOTP is 5, fill " por año "  
     Else fill "por semana"

**>Special Instructions**

1. Display \$ and comma in the entry field

**Universe** ERNVR2 = 4 AND ERNOTP = 1

**>Question Text**

How much do you usually earn hourly just in overtime pay, tips or commissions?

ENTER DOLLAR AMOUNT\$

**>Spanish Translation**

Normalmente, ¿cuánto gana por hora solamente por horas extras, propinas o comisiones?

ENTER DOLLAR AMOUNT\$

<b>&gt;Variable Name</b>	ERNOHC	<b>Description</b>	Edit hourly earnings
--------------------------	--------	--------------------	----------------------

**>Value/Skip Instructions**

<00.00 - 99.99>	[If ERNVR2 = 5 goto ERNH2C] [Else goto ERNVR3]
-----------------	---

<D, R>	[if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]
--------	---

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

1. Display a \$ in the entry field



**Universe** If 5 selected in ERNVR2

**>Question Text**

How many hours do you usually work per week at the rate of [fill: ERNOHC/ERNOTO]?

**>Spanish Translation**

Generalmente, ¿cuántas horas trabaja por semana a [fill: ERNH1C/ERNH1O] por hora?

ENTER HOURS  
00-99

<b>&gt;Variable Name</b>	ERNH2C	<b>Description</b>	Edit hours per week
--------------------------	--------	--------------------	---------------------

**>Value/Skip Instructions**

<0-99> [goto, ERNVR3]

<D, R> [if AGERNG = 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

If ERNOHC is empty then fill ERNOTO  
ELSE fill ERNOHC

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** ERNVR2 = D or 1

**>Question Text**

Then, including overtime pay, tips and commissions, what are your usual WEEKLY earnings on [fill: this/your main] job, before taxes or other deductions?

**>Spanish Translation**

Entonces, incluyendo horas extras, propinas y comisiones, ¿cuánto gana normalmente POR SEMANA en [fill: ese trabajo/su trabajo principal], sin descontar impuestos u otras deducciones?

CORRECT ENTRY IS: \$

<b>&gt;Variable Name</b>	ERNWK1	<b>Description</b>	Usual weekly earnings
--------------------------	--------	--------------------	-----------------------

**>Value/Skip Instructions**

<0-9999> [goto ERNVR3]

<D,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If MJ = 1 fill "you main" Else fill "this"

**>Spanish Fill Instructions**

1. If MJ = 1 fill "su trabajo principal" Else fill "ese trabajo"

**>Special Instructions**

1. Display a \$ and comma in the entry field



- If (onpath entry of 1 in ERNOTP) AND (onpath entry other than D or R in ERNH2C) then

store (ERNOHC x ERNH2C) in ERN2; add ERN to HWKRN2;  
store HWKRN2 in ERNX2

- Else If (onpath entry of 1 in ERNOTP) AND (no onpath entry in ERNH2C) then

If onpath entry other than D, R or blank in ERNOH then  
store (ERNOHC x ERNOH) in ERN2; Add ERN2 to HWKRN2;  
store HWKRN2 in ERNX2

Else If (onpath entry other than D, R or blank in ERNOHE) then  
(ERNOHC x ERNOHE) in ERN2; Add ERN2 to HWKRN2  
Store HWKRN2 in ERNX2

End

- Else If (onpath entry or 2 or 3 in ERNOTP) then

Store ERNOTC in ERN2; Add ERN2 to HWKRN2; Store HWKRN2 in ERNX2

- Else If (onpath entry of 4 in ERNOTP) then

Store ERNOTC / 4 in ERN2; Add ERN2 to HWKRN2; Store HWKRN2 in ERNX2

- Else If (onpath entry of 5 in ERNOTP) then

Store ERNOTC / 52 in ERN2; Add ERN2 to HWKRN2; Store HWKRN2 in ERNX2

End

END

- b. If (onpath entry other than D or R in ERNOTC) AND (no onpath entry in ERNOTP) then  
store ERNOTC in ERN2; Store ERN2 in HWKRN2; Add HWKRN2 to ERNX2
- c. If (onpath entry other than D or R in ERNOHC) and (no onpath entry in ERNOTP) then  
store ERNOHC in ERN2; Store ERN2 in HWKRN2; Add HWKRN2 to ERNX2
- d. If (no onpath entry in ERNOHC) AND (onpath entry of 1 in ERNOTP) AND (onpath entry  
other than D or R in ERNH2C) AND (ERNOTO is not D, R or blank) then  
store (ERNOTO x ERNH2C) in ERN2; Add ERN2 to HWKRN2;  
Store HWKRN2 in ERNX2
- e.. If no entry of 3 or 4 in ERNVR2(1-4) then  
store ERN in ERN2; store (ERN2 + HWKRN2) in ERNX2
- f. If onpath entry of 2 in ERNUOT then store HWKRN2 in ERNX2
- g. If onpath entry other than D or R in ERNWK1 then store ERNWK1 in ERNX2

**Universe** (ERNUOT = 1,2,D, or R AND ERNPR = 2,3,4,5,6,7 or D) OR  
(ERNHR= D or R AND HRUSL1 = D,R or V)

**>Question Text**

[fill: Including overtime pay, tips and commissions, what], What] are your usual  
[fill: weekly/monthly/annual/bi-weekly] earnings on [fill: this/your MAIN] job, before taxes  
or other deductions?

**>Spanish Translation**

[fill: Incluyendo horas extras, propinas y comisiones, ¿cuánto], ¿Cuánto] gana normalmente [fill: por  
semana/por mes/por año/cada dos semanas] en [fill: ese trabajo/su trabajo PRINCIPAL], sin descontar  
impuestos u otras deducciones?

<b>&gt;Variable Name</b>	ERNWK2	<b>Description</b>	Usual earnings
--------------------------	--------	--------------------	----------------

**>Value/Skip Instructions**

<0-999999>	[goto ERNVR4]
<D>	[goto ERNDKP]
<R>	[If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If ERNUOT is 1, fill "Including overtime"
2. If MJ is 1, fill "this" . Else fill "your MAIN"
3. If ERNPR is 1,2,7, or D, fill "weekly"  
If ERNPR is 4 or 5, fill "monthly"  
If ERNPR is 6, fill "annual"  
If ERNPR is 3, fill "bi-weekly"

**>Spanish Fill Instructions**

1. If ERNUOT is 1, fill " Incluyendo horas extras propinas y comisiones, ¿ cuanto"
2. If MJ is 1, fill " ese trabajo " . Else fill " su trabajo PRINCIPAL "
3. If ERNPR is 1,2,7, or D, fill " por semana "  
If ERNPR is 4 or 5, fill " por mes "  
If ERNPR is 6, fill " por año "  
If ERNPR is 3, fill " cada dos semanas "

**>Special Instructions**

1. If ERNPR is 1,2,7, or D and ERNWK2 is lt 1 or gt 1500, goto ERNRG3  
If ERNPR is 4 or 5, and ERNWK2 is lt 1 or gt 6000, goto ERNRG3  
If ERNPR is 6, and ERNWK2 is lt 1 or gt 72000, goto ERNRG3  
If ERNPR is 3, and ERNWK2 is lt 1 or gt 3000, goto ERNRG3
2. If ERNPR is 1,2,7, or D, store value in ERNWK

If ERNPR is 4 or 5, store value in ERNMON  
If ERNPR is 6, store value in ERNANN  
If ERNPR is 3, store value in ERNBWK

3. Store ERNWK2 in ERNAMT
4. If ERNPR not eq 6, do not allow a value gt 9999. Hard edit message "\*" Not a Valid Entry"
5. Display a \$ and comma in the entry field

**Universe** ERNWK2 = D

**>Question Text**

What is your best estimate of your usual [fill: weekly/monthly/annual/bi-weekly] earnings before taxes or other deductions?

**>Spanish Translation**

¿Cuánto calcula usted que gana normalmente [fill: por semana/por mes/por año/cada dos semanas], sin descontar impuestos u otras deducciones?

ENTER DOLLAR AMOUNT

\$

<b>&gt;Variable Name</b>	ERNDKP	<b>Description</b>	Estimate of earnings
--------------------------	--------	--------------------	----------------------

**>Value/Skip Instructions**

<0-999999>	[goto ERNVR4]
<D,R>	[If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If ERNPR is 1,2,7, or D, fill "weekly"  
     If ERNPR is 4 or 5, fill "monthly"  
     If ERNPR is 6, fill "annual"  
     If ERNPR is 3, fill "bi-weekly"

**>Spanish Fill Instructions**

1. If ERNPR is 1,2,7, or D, fill "por semana"  
     If ERNPR is 4 or 5, fill "por mes"  
     If ERNPR is 6, fill " por año"  
     If ERNPR is 3, fill "cada dos semanas"

**>Special Instructions**

1. If ERNPR is 1,2,7, or D and ERNDKP is lt 1 or gt 1500, goto ERNRG3  
     If ERNPR is 4 or 5, and ERNDKP is lt 1 or gt 6000, goto ERNRG3  
     If ERNPR is 6, and ERNDKP is gt 72000, goto ERNRG3  
     If ERNPR is 3, and ERNDKP is lt 1 or gt 3000, goto ERNRG3
2. If ERNPR is 1,2,7, or D, store value in ERNWK  
     If ERNPR is 4 or 5, store value in ERNMON  
     If ERNPR is 6, store value in ERNANN  
     If ERNPR is 3, store value in ERNBWK
3. Store ERNDKP in ERNAMT
4. Display "\$" and " , " in the entry field
5. If ERNPR neq 6 then ERNDKP should not equal more than 9999. Display hard edit "invalid entry".

**Universe** (ERNPR = 1, 2, 7, or D and ERNWK2 or ERNDKP is lt 1 or gt 1500) OR  
 (ERNPR = 4 or 5, and ERNWK2 or ERNDKP is lt 1 or gt 6000), OR  
 (ERNPR = 6 and ERNWK2 or ERNDKP is gt 72000) OR  
 (ERNPR = 3 and ERNWK2 or ERNDKP is lt 1 or gt 3000)

**>Question Text**

Soft edit

-----

\* [fill: Weekly/Monthly/Annual/Bi-weekly] earnings recorded as: [fill: ERNWK2/ERNDKP ] [fill: weekly/monthly/annual/bi-weekly] is this entry correct?

**>Spanish Translation**

Soft edit

-----

\*Ganancias [fill: por hora/por mes/por año/cada dos semanas] anotadas como:  
 [fill: ERNWK2/ERNDKP ] [fill: por semana/por mes/por año/cada dos semanas] ¿Es correcta esta anotación?

<b>&gt;Variable Name</b>	ERNRG3	<b>Description</b>	Soft Edit
--------------------------	--------	--------------------	-----------

**>Value/Skip Instructions**

<Suppressed>	[goto ERNVR4]
<Goto, Close>	[go back to ERNWK2/ERNDKP]

**>Fill Instructions**

1. If ERNPR is 1,2,7, or D, fill "Weekly"  
 If ERNPR is 4 or 5, fill "Monthly"  
 If ERNPR is 6, fill "Annually"  
 If ERNPR is 3, fill "Bi-weekly"
2. If ERNPR is 1,2,7, or D, fill "weekly"  
 If ERNPR is 4 or 5, fill "monthly"  
 If ERNPR is 6, fill "annually"  
 If ERNPR is 3, fill "bi-weekly"

**>Spanish Fill Instructions**

1. If ERNPR is 1,2,7, or D, fill "semanal"  
 If ERNPR is 4 or 5, fill "mensual"  
 If ERNPR is 6, fill "anualmente"  
 If ERNPR is 3, fill "cada dos semanas"
2. If ERNPR is 1,2,7, or D, fill "semanal"  
 If ERNPR is 4 or 5, fill "mensual"  
 If ERNPR is 6, fill "anualmente"  
 If ERNPR is 3, fill "cada dos semanas"

**>Special Instructions**



**Universe** ERNWK2 = 0-999999 OR ERNDKP = 0-999999

**>Question Text**

I have recorded your total earnings [fill: for your main job] as \$ [fill: ERNAMT] [fill: weekly/monthly/annually/bi-weekly] before taxes or other deductions. Is that correct?

1. Yes
2. No

**>Spanish Translation**

He anotado que el total de sus ingresos [fill: de su trabajo principal] son \$ [fill ERNAMT] [fill: por semana/por mes/por año/cada dos semanas] sin descontar impuestos u otras deducciones. ¿Le parece que ésa es la cantidad correcta?

1. Sí
2. No

<b>&gt;Variable Name</b> ERNVR4	<b>Description</b>	Confirm earnings
---------------------------------	--------------------	------------------

**>Value/Skip Instructions**

<1,D,R> [If ERNPR is 1 and AGERNG eq 2-4, D, R goto SCHENR]  
 [If ERNPR is 1 AND AGERNG not eq 2-4 goto ENDMID]  
 [If ERNPR = 6 goto ERNWKP]  
 [Else, goto ERNRT]  
 <2> [goto ERNCOR]

**>Fill Instructions**

1. If ERNPR is 1,2,7, or D, fill "weekly"  
 If ERNPR is 4 or 5, fill "monthly"  
 If ERNPR is 6, fill "annually"  
 If ERNPR is 3, fill "bi-weekly"
2. If MJ = 1, fill "for your main job"

**>Spanish Fill Instructions**

1. If ERNPR is 1,2,7, or D, fill " por semana "  
 If ERNPR is 4 or 5, fill " por mes"  
 If ERNPR is 6, fill " por año"  
 If ERNPR is 3, fill " cada dos semanas"
2. If MJ = 1, fill "de su trabajo principal"

**>Special Instructions**

**Universe** ERNVR4 = 2

**>Question Text**

[fill: What /INCLUDING overtime pay, tips and commissions, what] are your usual [fill: weekly/monthly/annual/bi-weekly] earnings on [fill: this/your main] job, before taxes or other deductions?

**>Spanish Translation**

[fill: ¿Cuánto/INCLUYENDO horas extras, propinas y comisiones, ¿cuánto] gana normalmente [fill: por semana/por mes/por año/cada dos semanas] en [fill: ese trabajo/su trabajo principal], sin descontar impuestos u otras deducciones?

ENTER DOLLAR AMOUNT

\$

<b>&gt;Variable Name</b>	ERNCOR	<b>Description</b>	Earnings correction
--------------------------	--------	--------------------	---------------------

**>Value/Skip Instructions**

<0-999999>	[If ERNPR is 1 and AGERNG eq 2-4, D, R goto SCHENR] [If ERNPR is 1 AND AGERNG not eq 2-4 goto ENDMID] [if ERNPR is 6, goto ERNWKP] [Else, goto ERNRT]
<D,R>	[If ERNPR = 1 AND AGERNG = 2-4, D, R goto SCHENR] [If ERNPR = 1 AND AGERNG is not 2-4 goto ENDMID] [goto ERNRT]

**>Fill Instructions**

1. If ERNUOT is 1, then fill "INCLUDING overtime pay" ELSE fill "What"
2. If MJ is 1, then fill "your main". Else, fill "this".
3. If ERNPR is 1,2,7, or D, fill "weekly"  
If ERNPR is 4 or 5, fill "monthly"  
If ERNPR is 6, fill "annual"  
If ERNPR is 3, fill "bi-weekly"

**>Spanish Fill Instructions**

1. If ERNUOT is 1, then fill " INCLUYENDO horas extras propinas y comisiones, ¿ cuánto?" ELSE fill " Cuánto "
2. If MJ is 1, then fill " su trabajo principal ". Else, fill " ese trabajo ".
3. If ERNPR is 1,2,7, or D, fill " por semana"  
If ERNPR is 4 or 5, fill " por mes"  
If ERNPR is 6, fill " por año"  
If ERNPR is 3, fill " cada dos semanas"

**>Special Instructions**

1. If ERNPR = 1,2, 7, D AND ERNCOR lt 1 or gt 1500 display soft edit message  
if ERNPR = 3 AND ERNCOR lt 1 or gt 3000 display soft edit message  
If ERNPR = 4, 5 AND ERNCOR lt 1 or gt 6000 display soft edit message  
If ERNPR = 6 and ERNCOR lt 1 or gt 72000 display soft edit message

soft edit message

"\* [fill: weekly/monthly/annual/bi-weekly] earnings recorded as [fill: ERNAMT].  
Is this entry correct?

1. If entry other than D, R in ERNCOR then Store amount in ERNAMT
2. Display a \$ and comma in the entry field

**Universe** ERNPR = 6 AND (ERNVR4 = 1, D, R OR ERNCOR is not D, R)

**>Question Text**

How many weeks a year do you get paid?

**>Spanish Translation**

¿Por cuántas semanas al año le pagan?

NUMBER OF WEEKS

<b>&gt;Variable Name</b>	ERNWKP	<b>Description</b>	Weeks paid per year
--------------------------	--------	--------------------	---------------------

**>Value/Skip Instructions**

<1-52,D,R> [goto ERNRT]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** (ERNVR4 = 1, D, R AND ERNPR is not 1, 6) OR (ERNCOR is not D, R AND ERNPR is not 1, 6) OR (ERNCOR = D, R AND ERNPR is not 1) OR (Entry in ERNWKP)

**>Question Text**

[fill: Are/Even though you told me it is easier to report your earnings [fill: weekly/bi-weekly/monthly/annually], are] you PAID AT AN HOURLY RATE on [fill: this/your MAIN] job?

1. Yes
2. No

**>Spanish Translation**

[fill: ¿Le PAGAN/Aunque usted me dijo que le resulta más fácil decirnos sus ingresos [fill: por semana/cada dos semanas/por mes/por año, ¿le PAGAN] POR HORA en [fill: ese trabajo/su trabajo PRINCIPAL]?

1. Sí
2. No

<b>&gt;Variable Name</b>	ERNRT	<b>Description</b>	Earnings rate
--------------------------	-------	--------------------	---------------

**>Value/Skip Instructions**

<1> [goto ERNH2]  
 <2,D,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If ERNPR is D, 7, fill "Are". Else fill "Even though you told me".
2. If MJ is 1, fill "you MAIN". Else fill "this"
3. If ERNPR is 3, fill "bi-weekly"  
 ERNPR is 4, 5, fill "monthly"  
 ERNPR is 6, fill "annually"  
 Else fill "weekly"

**>Spanish Fill Instructions**

1. If ERNPR is D, 7, fill " Le PAGAN ". Else fill " Aunque usted me dijo que le resulta más fácil decirnos sus ingresos [fill: por semana/cada dos semanas/por mes/por año, ¿le PAGAN] POR HORA en [fill: ese trabajo/su trabajo PRINCIPAL]?".
2. If MJ is 1, fill " su trabajo PRINCIPAL ". Else fill "": ese trabajo "
3. If ERNPR is 3, fill " cada dos semanas"  
 ERNPR is 4, 5, fill " por mes"  
 ERNPR is 6, fill " por año"  
 Else fill " por semana"

**>Special Instructions**

**Universe** ERNRT = 1

**>Question Text**

[fill: What/EXCLUDING overtime pay, tips and commissions, what] is your hourly rate of pay on [fill: this/your MAIN] job?

**>Spanish Translation**

[fill: ¿Cuánto/EXCLUYENDO horas extras, propinas y comisiones, ¿cuánto] le pagan por hora en [fill: ese trabajo/su trabajo PRINCIPAL]?

<b>&gt;Variable Name</b>	ERNH2	<b>Description</b>	Hourly rate
--------------------------	-------	--------------------	-------------

**>Value/Skip Instructions**

<0.00-99.99,D,R> [If AGERNG eq 2-4, D, R goto SCHENR] [goto ENDMID]

**>Fill Instructions**

1. If ERNUOT IS 1, fill "EXCLUDING overtime pay". Else, fill "What"
2. If MJ is 1, fill "your MAIN". Else, fill "this".

**>Spanish Fill Instructions**

1. If ERNUOT IS 1, fill " EXCLUYENDO horas extras, propinas y comisiones, ¿cuánto] le pagan por hora en [fill: ese trabajo/su trabajo PRINCIPAL]?"  
". Else, fill " Cuánto
2. If MJ is 1, fill " su trabajo PRINCIPAL ". Else, fill " ese trabajo ".

**>Special Instructions**

1. If ERNH2 is lt 1 or gt 30, display soft edit message  
"\* Hourly earnings recorded as [fill: ERNH2] hourly.  
Is this entry correct?
2. Display \$ and comma in the entry field

**Universe** (AGERNG = 2-4, 8, 9)

**>Question Text**

In the last seven days, were you enrolled in a high school, college, or university?

\* Enter "1" if currently on holiday or spring break  
 Enter "2" for summer vacation from school

- 1. Yes
- 2. No

**>Spanish Translation**

Tengo unas pocas preguntas más.  
 ¿Está matriculado(a) o inscrito(a) en un "high school", "college" o universidad?

\* Enter "1" if currently on holiday or seasonal vacation.  
 \* Enter "2" for summer vacation.

- 1. Sí
- 2. No

<b>&gt;Variable Name</b> SCHENR	<b>Description</b>	Enrolled in School
---------------------------------	--------------------	--------------------

**>Value/Skip Instructions**

<1> [goto SCHLVL]  
 <2,D,R> [goto ENDMID]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**           SCHENR = 1

**>Question Text**

\* Ask only if necessary

Would that be high school, college, or university?

1. High school
2. College or university

**>Spanish Translation**

ASK ONLY IF NECESSARY

¿En cuál de las dos, en un “high school”, o en un “college” o universidad?

1. High school
2. College o Universidad

<b>&gt;Variable Name</b>	SCHLVL	<b>Description</b>	Type of school
--------------------------	--------	--------------------	----------------

**>Value/Skip Instructions**

<1,2,D,R>           [goto SCHFT]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**



**Universe** SCHLVL = 1, 2, D or R

**>Question Text**

Are you enrolled in school as a full-time or part-time student?

1. Full-time
2. Part-time

**>Spanish Translation**

¿Está matriculado(a) o inscrito(a) como estudiante de tiempo completo o de tiempo parcial?

1. De tiempo completo
2. De tiempo parcial

<b>&gt;Variable Name</b> SCHFT	<b>Description</b>	Full/Part-time enrollment
--------------------------------	--------------------	---------------------------

**>Value/Skip Instructions**

<1,2,D,R> [goto ENDMID]

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe** All

**>Question Text**

\*\*CHECK ITEM\*\*

**>Spanish Translation**

<b>&gt;Variable Name</b>	S8_END	<b>Description</b>	Section 8 end flag
--------------------------	--------	--------------------	--------------------

**>Value/Skip Instructions**

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

1. Set section complete flag (Store "yes" in sectcomp (8)). As follows:
2. If ERNPR = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
3. If ERNHRT = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
4. If ERNHRE = D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
5. If ERNOTP = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
6. If ERNOTE = D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
7. If ERNOH = R and AND AGERNG neq 2-4, 8, 9 set section complete flag.
8. If ERNOHE = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
9. If ERNVR1 = 1 or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
10. If ERNVR2 = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
11. If ERNH1C = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
12. If ERNHC = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
13. If ERNOHC = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
14. If ERNOTC = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
15. If ERNH2C = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
16. If ERNWK1 = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
17. If ERNVR3 = 1, or 2 AND AGERNG neq 2-4, 8, 9 set section complete flag.
18. If ERNWK2 = R AND AGERNG neq 2-4, 8, 9 set section complete flag.
19. If ERNDKP = D or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
20. If ERNVR4 = 1, D, or R AND (ERNPR is 1 AND AGERNG neq 2-4, 8, 9) set section complete flag.
21. If ERNCOR = 0-999999 AND (ERNPR is 1 AND AGERNG neq 2-4, 8, 9) set section complete flag.
22. If ERNCOR = D, or R AND (ERNPR = 1 AND AGERNG is neq 2-4, 8, 9) set section complete flag.

23. If ERNRT = 1 AND (ERNWK2 is R OR ERNDKP is D, R) AND AGERNG neq 2-4, 8, 9 set section complete flag.
24. If ERNRT = 2, D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
25. If ERNH2 = 0.00-99.99, D, or R AND AGERNG neq 2-4, 8, 9 set section complete flag.
26. If SCHENR = 2, D, or R set section complete flag.
27. If SCHFT = 1, 2, D, or R set section complete flag.
- 28: If [(IO1INC = 1 AND MLR = 3-7) or (IODP2 = 2 AND MLR = 1,2)] AND AGERNG neq 2-4, 8, 9 then set section complete flag.
29. If AGERNG neq 2-4, 8, 9 AND (BUS or BUS1 = 2) AND IO1INT = 4 AND IO1INC = 2 then set section complete flag.
30. If AGERNG neq 2-4,8 9 AND BUS1=1 AND IODP1=1 AND IODP2=1 AND IO1OCC neq blank then set section complete flag.

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNPER

**Description**

**>Value/Skip Instructions**

<1-6, D, R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNH10

**Description**

**>Value/Skip Instructions**

<0.00-99.99, D, R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

**\*\* OUT VARIABLE \*\***

**>Spanish Translation**

**>Variable Name** ERNX1

**Description**

**>Value/Skip Instructions**

<0.00 - 999999.99>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNHRO

**Description**

**>Value/Skip Instructions**

<01-99, D, R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNOTO

**Description**

**>Value/Skip Instructions**

<0.00 - 99999.99, D, R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**



**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** HWKRN

**Description**

**>Value/Skip Instructions**

<0.00 - 999999.99>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERN

**Description**

**>Value/Skip Instructions**

<0.00 - 999999.99>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNX2

**Description**

**>Value/Skip Instructions**

<0.00 - 999999.99>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

If (onpath entry other than D, R or Blank in ERNH1C) and (onpath entry other than D or R in ERNHC) then multiply ERNH1C by ERNHC and store in HWKRN2

ELSE If (no onpath entry in ERNH1C) and (no onpath entry in ERNHC) then store HWKRN in HWKRN2

ELSE If (onpath entry other D, R or blank in ERNH1C) and (no onpath entry in ERNHC) then multiply ERNH1C by ERNHRO and store in HWKRN2

ELSE If (no onpath entry in ERNH1C) and (onpath entry other than D or R in ERNHC) AND (ERNH1O is not D, R or Blank) then multiply ERNH1O by ERNHC and store in HWKRN2

END

If (onpath entry other then D or R in ERNOTC) OR (onpath entry other then D or R in ERNOHC) then

If (onpath entry of 1 in ERNOTP) and (onpath entry other than D or R in ERNH2C) then multiply ERNOHC by ERNH2C and store in ERN2; Add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 1 in ERNOTP) and (no onpath entry in ERNH2C) then  
If onpath entry other than D, R or Blank in EROH then multiply ERNOHC by ERNOH and store in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If onpath entry other than D, R or blank in EROHE then multiply ERNOHC by ERNOHE and store in ERN2;  
add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 2 or 3 in ERNOTP) then store ERNOTC in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 4 in ERNOTP) AND (ERNOTC is not D, R or Blank) then divide ERNOTC by 4 and store in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If (onpath entry of 5 in ERNOTP) AND (ERNOTC is not D, R or blank) then divide ERNOTC by 52 and store in ERN2; ADD ERN2 to HWKRN2 and store in ERNX2.

If (onpath entry other than D or R in ERNOTC) and (no onpath entry in ERNOTP) then store ERNOTC in ERN2; store ERN2 in ERNX2; Add HWKRN2 to ERNX2

If (onpath entry other than D or R in ERNOHC) and (no onpath entry in ERNOTP) then store ERNOHC in ERN2; store ERN2 in ERNX2; Add HWKRN2 to ERNX2

If (no onpath entry in ERNOHC) and (onpath entry of 1 in ERNOTP) and (onpath entry other than D or R in ERNH2C) AND (ERNOTO is not D, R or blank) then multiply ERNOTO by ERNH2C and store in ERN2; add ERN2 to HWKRN2 and store in ERNX2

If a 3 or 4 is not entered in any of ERNVR2(1-4) then store ERN in ERN2 and store (HWKRN + ERN2) in ERNX2

If onpath entry of 2 in ERNUOT then store HWKRN2 in ERNX2

If onpath entry other than D or R in ERNWK1 then store ERNWK1 in ERNX2.

**Universe**

**> Question Text**

\*\* OUT VARIABLE \*\*

**> Spanish Translation**

**> Variable Name** ERN2

**Description**

**> Value/Skip Instructions**

<0.00 - 999999.99>

**> Fill Instructions**

**> Spanish Fill Instructions**

**> Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** HWKRN2

**Description**

**>Value/Skip Instructions**

<0.00 - 999999.99>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNWK

**Description**

**>Value/Skip Instructions**

<0-999.99, D, R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNMON

**Description**

**>Value/Skip Instructions**

<0-9999.99, D,R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**



**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNANN

**Description**

**>Value/Skip Instructions**

<0.00 - 999999.99, D, R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNBWK

**Description**

**>Value/Skip Instructions**

<0-9999.99, D,R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**

**Universe**

**>Question Text**

\*\* OUT VARIABLE \*\*

**>Spanish Translation**

**>Variable Name** ERNAMT

**Description**

**>Value/Skip Instructions**

<0-9999.99, D,R>

**>Fill Instructions**

**>Spanish Fill Instructions**

**>Special Instructions**