| Manufacturer: | | | | | | | | |
|---|---|---------------------------------|------------------------|-------------------------|----|--|--|--|
| | | | | | | | | |
| | Type manufa | acturer name in the box ab | oove | | | | | |
| If Applicable: Third Party Represen | itative | | | | | | | |
| | lf a | applicable, enter the name of t | he third party represe | entative in the box abo | ve | | | |
| | ompliance Statemen | nt - (Appendix A to Subpart F o | of 10 CFR Part 430) | | | | | |
| the Energy Policy and Conservation Act, as a certification reports comply with the applicabl testing on which the certification reports are be reported in the certification report(s) is true, a | his compliance statement and all certification reports submitted are in accordance with 10 CFR Part 430 (Energy or Water Conservation Program for Consumer Products) and the Energy Policy and Conservation Act, as amended. The compliance statement is signed by a responsible official of the above named company. The basic model(s) listed in pertification reports comply with the applicable energy conservation standard or water (in the case of faucets, showerheads, water closets, and urinals) conservation standard. All string on which the certification reports are based was conducted in conformance with applicable test requirements prescribed in 10 CFR Part 430 subpart B. All information proted in the certification report(s) is true, accurate, and complete. The company is aware of the penalties associated with violations of the Act, the regulations thereunder, and also aware of the provisions contained in 18 U.S.C. 1001, which prohibits knowingly making false statements to the Federal Government. | | | | | | | |
| | Type your full name i | n the box to signify compliance | | | | | | |
| | | | Mus | st enter name | | | | |
| 4 Enter your email address | | | Must enter ei | mail address | | | | |

SCertification Report

Please enter your data in the columns shaded in gray below, using a separate line for each model.
 Click on the column heading or any cell for instructions on how to complete that cell.
 Cells highlighted in yellow indicate an "Error." "Error" means that information is missing or there is an issue with the entry.
 If the "Status" for a row is "Error," you can see an

explanation in the columns to the right of the Status column.
• Reports submitted with errors cannot be processed and will be returned for resubmission.

• To review the effective dates of current standards for consumer products and certain commercial and industrial equipment

click here

| | view the encouve dates | To content standards for | consumer products and | T certain commercial and | i muusutai equipment | | <u>click here</u> |
|-------------|------------------------|--------------------------|-----------------------|--------------------------|---------------------------------------|---|-------------------|
| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
| 1 | | | | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |
| 7 | | | | | | | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |
| 11 | | | | | | | |
| 12 | | | | | | | |
| 13 | | | | | | | |
| 14 | | | | | | | |
| 15 | | | | | | | |
| 16 | | | | | | | |
| 17 | | | | | | | |
| 18 | | | | | | | |
| 19 | | | | | | | |
| 20 | | | | | | | |
| 21 | | | | | | | |
| 22 | | | | | | | |
| 23 | | | | | | | |
| 24 | | | | | | | |
| 25 | | | | | | | |
| 26 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 27 | | | | | | | |
| 28 | | | | | | | |
| 29 | | | | | | | |
| 30 | | | | | | | |
| 31 | | | | | | | |
| 32 | | | | | | | |
| 33 | | | | | | | |
| 34 | | | | | | | |
| 35 | | | | | | | |
| 36 | | | | | | | |
| 37 | | | | | | | |
| 38 | | | | | | | |
| 39 | | | | | | | |
| 40 | | | | | | | |
| 41 | | | | | | | |
| 42 | | | | | | | |
| 43 | | | | | | | |
| 44 | | | | | | | |
| 45 | | | | | | | |
| 46 | | | | | | | |
| 47 | | | | | | | |
| 48 | | | | | | | |
| 49 | | | | | | | |
| 50 | | | | | | | |
| 51 | | | | | | | |
| 52 | | | | | | | |
| 53 | | | | | | | |
| 54 | | | | | | | |
| 55 | | | | | | | |
| 56 | | | | | | | |
| 57 | | | | | | | |
| 58 | | | | | | | |
| 59 | | | | | | | |
| 60 | | | | | | | |
| 61 | | | | | | | |
| 62 | | | | | | | |
| 63 | | | | | | | |
| 64 | | | | | | | |
| 65 | | | | | | | |
| 66 | | | | | | | |
| 67 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 68 | | | | | | | |
| 69 | | | | | | | |
| 70 | | | | | | | |
| 71 | | | | | | | |
| 72 | | | | | | | |
| 73 | | | | | | | |
| 74 | | | | | | | |
| 75 | | | | | | | |
| 76 | | | | | | | |
| 77 | | | | | | | |
| 78 | | | | | | | |
| 79 | | | | | | | |
| 80 | | | | | | | |
| 81 | | | | | | | |
| 82 | | | | | | | |
| 83 | | | | | | | |
| 84 | | | | | | | |
| 85 | | | | | | | |
| 86 | | | | | | | |
| 87 | | | | | | | |
| 88 | | | | | | | |
| 89 | | | | | | | |
| 90 | | | | | | | |
| 91 | | | | | | | |
| 92 | | | | | | | |
| 93 | | | | | | | |
| 94 | | | | | | | |
| 95 | | | | | | | |
| 96 | | | | | | | |
| 97 | | | | | | | |
| 98 | | | | | | | |
| 99 | | | | | | | |
| 100 | | | | | | | |
| 101 | | | | | | | |
| 102 | | | | | | | |
| 103 | | | | | | | |
| 104 | | | | | | | |
| 105 | | | | | | | |
| 106 | | | | | | | |
| 107 | | | | | | | |
| 108 | | | | | | | |
| 108 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 109 | | | | | | | |
| 110 | | | | | | | |
| 111 | | | | | | | |
| 112 | | | | | | | |
| 113 | | | | | | | |
| 114 | | | | | | | |
| 115 | | | | | | | |
| 116 | | | | | | | |
| 117 | | | | | | | |
| 118 | | | | | | | |
| 119 | | | | | | | |
| 120 | | | | | | | |
| 121 | | | | | | | |
| 122 | | | | | | | |
| 123 | | | | | | | |
| 124 | | | | | | | |
| 125 | | | | | | | |
| 126 | | | | | | | |
| 127 | | | | | | | |
| 128 | | | | | | | |
| 129 | | | | | | | |
| 130 | | | | | | | |
| 131 | | | | | | | |
| 132 | | | | | | | |
| 133 | | | | | | | |
| 134 | | | | | | | |
| 135 | | | | | | | |
| 136 | | | | | | | |
| 137 | | | | | | | |
| 138 | | | | | | | |
| 139 | | | | | | | |
| 140 | | | | | | | |
| 141 | | | | | | | |
| 142 | | | | | | | |
| 143 | | | | | | | |
| 144 | | | | | | | |
| 145 | | | | | | | |
| 146 | | | | | | | |
| 147 | | | | | | | |
| 148 | | | | | | | |
| 149 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 150 | | | | | | | |
| 151 | | | | | | | |
| 152 | | | | | | | |
| 153 | | | | | | | |
| 154 | | | | | | | |
| 155 | | | | | | | |
| 156 | | | | | | | |
| 157 | | | | | | | |
| 158 | | | | | | | |
| 159 | | | | | | | |
| 160 | | | | | | | |
| 161 | | | | | | | |
| 162 | | | | | | | |
| 163 | | | | | | | |
| 164 | | | | | | | |
| 165 | | | | | | | |
| 166 | | | | | | | |
| 167 | | | | | | | |
| 168 | | | | | | | |
| 169 | | | | | | | |
| 170 | | | | | | | |
| 171 | | | | | | | |
| 172 | | | | | | | |
| 173 | | | | | | | |
| 174 | | | | | | | |
| 175 | | | | | | | |
| 176 | | | | | | | |
| 177 | | | | | | | |
| 178 | | | | | | | |
| 179 | | | | | | | |
| 180 | | | | | | | |
| 181 | | | | | | | |
| 182 | | | | | | | |
| 183 | | | | | | | |
| 184 | | | | | | | |
| 185 | | | | | | | |
| 186 | | | | | | | |
| 187 | | | | | | | |
| 188 | | | | | | | |
| 189 | | | | | | | |
| 190 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 191 | | | | | | | |
| 192 | | | | | | | |
| 193 | | | | | | | |
| 194 | | | | | | | |
| 195 | | | | | | | |
| 196 | | | | | | | |
| 197 | | | | | | | |
| 198 | | | | | | | |
| 199 | | | | | | | |
| 200 | | | | | | | |
| 201 | | | | | | | |
| 202 | | | | | | | |
| 203 | | | | | | | |
| 204 | | | | | | | |
| 205 | | | | | | | |
| 206 | | | | | | | |
| 207 | | | | | | | |
| 208 | | | | | | | |
| 209 | | | | | | | |
| 210 | | | | | | | |
| 211 | | | | | | | |
| 212 | | | | | | | |
| 213 | | | | | | | |
| 214 | | | | | | | |
| 215 | | | | | | | |
| 216 | | | | | | | |
| 217 | | | | | | | |
| 218 | | | | | | | |
| 219 | | | | | | | |
| 220 | | | | | | | |
| 221 | | | | | | | |
| 222 | | | | | | | |
| 223 | | | | | | | |
| 224 | | | | | | | |
| 225 | | | | | | | |
| 226 | | | | | | | |
| 227 | | | | | | | |
| 228 | | | | | | | |
| 229 | | | | | | | |
| 230 | | | | | | | |
| 231 | | | | | | | |
| 231 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 232 | | | | | | | |
| 233 | | | | | | | |
| 234 | | | | | | | |
| 235 | | | | | | | |
| 236 | | | | | | | |
| 237 | | | | | | | |
| 238 | | | | | | | |
| 239 | | | | | | | |
| 240 | | | | | | | |
| 241 | | | | | | | |
| 242 | | | | | | | |
| 243 | | | | | | | |
| 244 | | | | | | | |
| 245 | | | | | | | |
| 246 | | | | | | | |
| 247 | | | | | | | |
| 248 | | | | | | | |
| 249 | | | | | | | |
| 250 | | | | | | | |
| 251 | | | | | | | |
| 252 | | | | | | | |
| 253 | | | | | | | |
| 254 | | | | | | | |
| 255 | | | | | | | |
| 256 | | | | | | | |
| 257 | | | | | | | |
| 258 | | | | | | | |
| 259 | | | | | | | |
| 260 | | | | | | | |
| 261 | | | | | | | |
| 262 | | | | | | | |
| 263 | | | | | | | |
| 264 | | | | | | | |
| 265 | | | | | | | |
| 266 | | | | | | | |
| 267 | | | | | | | |
| 268 | | | | | | | |
| 269 | | | | | | | |
| 270 | | | | | | | |
| 271 | | | | | | | |
| 272 | | | | | | | |
| | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 273 | | | | | | | |
| 274 | | | | | | | |
| 275 | | | | | | | |
| 276 | | | | | | | |
| 277 | | | | | | | |
| 278 | | | | | | | |
| 279 | | | | | | | |
| 280 | | | | | | | |
| 281 | | | | | | | |
| 282 | | | | | | | |
| 283 | | | | | | | |
| 284 | | | | | | | |
| 285 | | | | | | | |
| 286 | | | | | | | |
| 287 | | | | | | | |
| 288 | | | | | | | |
| 289 | | | | | | | |
| 290 | | | | | | | |
| 291 | | | | | | | |
| 292 | | | | | | | |
| 293 | | | | | | | |
| 294 | | | | | | | |
| 295 | | | | | | | |
| 296 | | | | | | | |
| 297 | | | | | | | |
| 298 | | | | | | | |
| 299 | | | | | | | |
| 300 | | | | | | | |
| 301 | | | | | | | |
| 302 | | | | | | | |
| 303 | | | | | | | |
| 304 | | | | | | | |
| 305 | | | | | | | |
| 306 | | | | | | | |
| 307 | | | | | | | |
| 308 | | | | | | | |
| 309 | | | | | | | |
| 310 | | | | | | | |
| 311 | | | | | | | |
| 312 | | | | | | | |
| 313 | | | | | | | |
| | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 314 | | | | | | | |
| 315 | | | | | | | |
| 316 | | | | | | | |
| 317 | | | | | | | |
| 318 | | | | | | | |
| 319 | | | | | | | |
| 320 | | | | | | | |
| 321 | | | | | | | |
| 322 | | | | | | | |
| 323 | | | | | | | |
| 324 | | | | | | | |
| 325 | | | | | | | |
| 326 | | | | | | | |
| 327 | | | | | | | |
| 328 | | | | | | | |
| 329 | | | | | | | |
| 330 | | | | | | | |
| 331 | | | | | | | |
| 332 | | | | | | | |
| 333 | | | | | | | |
| 334 | | | | | | | |
| 335 | | | | | | | |
| 336 | | | | | | | |
| 337 | | | | | | | |
| 338 | | | | | | | |
| 339 | | | | | | | |
| 340 | | | | | | | |
| 341 | | | | | | | |
| 342 | | | | | | | |
| 343 | | | | | | | |
| 344 | | | | | | | |
| 345 | | | | | | | |
| 346 | | | | | | | |
| 347 | | | | | | | |
| 348 | | | | | | | |
| 349 | | | | | | | |
| 350 | | | | | | | |
| 351 | | | | | | | |
| 352 | | | | | | | |
| 353 | | | | | | | |
| 354 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 355 | | | | | | | |
| 356 | | | | | | | |
| 357 | | | | | | | |
| 358 | | | | | | | |
| 359 | | | | | | | |
| 360 | | | | | | | |
| 361 | | | | | | | |
| 362 | | | | | | | |
| 363 | | | | | | | |
| 364 | | | | | | | |
| 365 | | | | | | | |
| 366 | | | | | | | |
| 367 | | | | | | | |
| 368 | | | | | | | |
| 369 | | | | | | | |
| 370 | | | | | | | |
| 371 | | | | | | | |
| 372 | | | | | | | |
| 373 | | | | | | | |
| 374 | | | | | | | |
| 375 | | | | | | | |
| 376 | | | | | | | |
| 377 | | | | | | | |
| 378 | | | | | | | |
| 379 | | | | | | | |
| 380 | | | | | | | |
| 381 | | | | | | | |
| 382 | | | | | | | |
| 383 | | | | | | | |
| 384 | | | | | | | |
| 385 | | | | | | | |
| 386 | | | | | | | |
| 387 | | | | | | | |
| 388 | | | | | | | |
| 389 | | | | | | | |
| 390 | | | | | | | |
| 391 | | | | | | | |
| 392 | | | | | | | |
| 393 | | | | | | | |
| 394 | | | | | | | |
| 395 | | | | | | | |
| | | | | | | | |


| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 396 | | | | | | | |
| 397 | | | | | | | |
| 398 | | | | | | | |
| 399 | | | | | | | |
| 400 | | | | | | | |
| 401 | | | | | | | |
| 402 | | | | | | | |
| 403 | | | | | | | |
| 404 | | | | | | | |
| 405 | | | | | | | |
| 406 | | | | | | | |
| 407 | | | | | | | |
| 408 | | | | | | | |
| 409 | | | | | | | |
| 410 | | | | | | | |
| 411 | | | | | | | |
| 412 | | | | | | | |
| 413 | | | | | | | |
| 414 | | | | | | | |
| 415 | | | | | | | |
| 416 | | | | | | | |
| 417 | | | | | | | |
| 418 | | | | | | | |
| 419 | | | | | | | |
| 420 | | | | | | | |
| 421 | | | | | | | |
| 422 | | | | | | | |
| 423 | | | | | | | |
| 424 | | | | | | | |
| 425 | | | | | | | |
| 426 | | | | | | | |
| 427 | | | | | | | |
| 428 | | | | | | | |
| 429 | | | | | | | |
| 430 | | | | | | | |
| 431 | | | | | | | |
| 432 | | | | | | | |
| 433 | | | | | | | |
| 434 | | | | | | | |
| 435 | | | | | | | |
| 436 | | | | | | | |

| Line No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | Maximum Flow Rate (liters/minute) Optional | Status |
|-------------|--------------|-------|-------|--------|---------------------------------------|---|--------|
| 437 | | | | | | | |
| 438 | | | | | | | |
| 439 | | | | | | | |
| 440 | | | | | | | |
| 441 | | | | | | | |
| 442 | | | | | | | |
| 443 | | | | | | | |
| 444 | | | | | | | |
| 445 | | | | | | | |
| 446 | | | | | | | |
| 447 | | | | | | | |
| 448 | | | | | | | |
| 449 | | | | | | | |
| 450 | | | | | | | |
| 451 | | | | | | | |
| 452 | | | | | | | |
| 453 | | | | | | | |
| 454 | | | | | | | |
| 455 | | | | | | | |
| 456 | | | | | | | |
| 457 | | | | | | | |
| 458 | | | | | | | |
| 459 | | | | | | | |
| 460 | | | | | | | |
| 461 | | | | | | | |
| 462 | | | | | | | |
| 463 | | | | | | | |
| 464 | | | | | | | |
| 465 | | | | | | | |
| 466 | | | | | | | |
| 467 | | | | | | | |
| 468 | | | | | | | |
| 469 | | | | | | | |
| 470 | | | | | | | |
| 471 | | | | | | | |
| 472 | | | | | | | |
| 473 | | | | | | | |
| 474 | | | | | | | |
| 475 | | | | | | | |
| 476 | | | | | | | |
| 477 | | | | | | | |

| Line | | | | | Maximum Flow Rate | Maximum Flow Rate | |
|------|--------------|-------|-------|--------|---------------------------------------|--------------------------|--------|
| No. | Manufacturer | Brand | Model | Action | Maximum Flow Rate (gallons/minute) | (liters/minute) Optional | Status |
| 478 | | | | | | | |
| 479 | | | | | | | |
| 480 | | | | | | | |
| 481 | | | | | | | |
| 482 | | | | | | | |
| 483 | | | | | | | |
| 484 | | | | | | | |
| 485 | | | | | | | |
| 486 | | | | | | | |
| 487 | | | | | | | |
| 488 | | | | | | | |
| 489 | | | | | | | |
| 490 | | | | | | | |
| 491 | | | | | | | |
| 492 | | | | | | | |
| 493 | | | | | | | |
| 494 | | | | | | | |
| 495 | | | | | | | |
| 496 | | | | | | | |
| 497 | | | | | | | |
| 498 | | | | | | | |
| 499 | | | | | | | |
| 500 | | | | | | | |

Instructions for CCMS Reporting Templates

Use your mouse, the "Tab" key and arrows on your keyboard to navigate through the fillable fields in the template. If all fields have been completed correctly the "Overall Status" indicator on the top right corner of the template will show "ok." If this indicator reads "Error," look for incomplete/incorrect field entry explanations by comparing the mirrored cells on the right of your template screen with your report entries. Call 505-663-1302 ext 101 for additional assistance.



Step 2 Enter the full name of the third party representative if "applicable" in the cell above "If applicable, enter the name of the third party representative in the box above"

If Applicable: Third Party Representative

If applicable, enter the name of the third party representative in the box above

Step 3 Enter your full name in the cell above "Must enter name." Be certain that your are aware of the provisions contained in 18 U.S.C. 1001 before entering your name.

8

2

Type your full name in the box to signify compliance

Must enter name

knowingly making false

Awareness Statement



I am aware of the provisions contained in 18 U.S.C. 1001, which prohibits statements to the Federal Government.

Step 4 Enter your contact email address to the left of "Must enter email address." Must enter email address Enter your email address

Starting on line No. 1, begin entering applicable data in each field. When you have chosen a field, an instruction box will display. Each template has different product type standards. Although all product template instructions are similar, your product template may display different data entry fields from the examples below. If the status at the end of the line reads "Error," review your data to verify entries and check the explanation table to the right of the data entry table for an error description. Lines with an "ok" status have been completed correctly.

Explanation of Energy Factor Line Product 'Other' Product (cycle/kVh) No. Manufacturer Brand Model Action Class Class Status ABC XYZ 123 N 0.62 1 1 ok 2 ABC XZZ 334 2 0.47 Error



