Produ	ict Type:	Water Clo	osets		Version 3.0		<b>Overall Status</b>	No Data	ı
Manut	facturer:		Type ma	anufactu	irer name i	in the box abov	e	]	
lf Ann	licable: Third	Party Repre					-		
n ripp		in any nopro-	contaire	If appl	licable, ente	r the name of the	third party repres	sentative in the box	k above
		Со	mpliance Sta	atement -	(Appendix A	A to Subpart F of 1	.0 CFR Part 430)		
Product The bas closets, prescrib penaltie	ts) and the Energy sic model(s) listed , and urinals) cons bed in 10 CFR Pa	/ Policy and Con in certification re servation standar rt 430 subpart B. violations of the to the Federal G	servation Act, as eports comply wi d. All testing on All information Act, the regulat overnment.	s amended. ith the applic n which the c reported in ions thereur	The complianc cable energy co certification report the certification nder, and is also	e statement is signed b onservation standard or orts are based was con report(s) is true, accur o aware of the provision	by a responsible official water (in the case of iducted in conformance ate, and complete.	servation Program for Co al of the above named co faucets, showerheads, v ze with applicable test re he company is aware of S.C. 1001, which prohibi	ompany. water quirements the
		E	Type your fu	ull name ir	n the box to s	ignify compliance	Mu	st enter name	
4 Er	nter your email	address						email address	
				<b>.</b>	ertificatio	n Penort			1
		Click on the	e column headi	ng or any c	ell for instruct	ions on how to comp			
the "St be retu	rned for resubm	s "Error," you ca		anation in th	ne columns to	the right of the Status	s column. submitted with erro	at information is missi ors cannot be processe ment	• If
Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
1									
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									
15									
16									
17									
18									
19									
20									
21									
22									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
23									
24									
25									
26									
27									
28									
29									
30									
31									
32									
33									
34									
35									
36									
37									
38									
39									
40									
41									
42									
43									
44									
45									
46									
47									
48									
49									
50									
51									
52									
53									
54									
55									
56									
57									
58									
59									
60									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
61									
62									
63									
64									
65									
66									
67									
68									
69									
70									
71									
72									
73									
74									
75									
76									
77									
78									
79									
80									
81									
82									
83									
84									
85									
86									
87									
88									
89									
90									
91									
92									
93									
94									
95									
96									
97									
98									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
99									
100									
101									
102									
103									
104									
105									
106									
107									
108									
109									
110									
111									
112									
113									
114									
115									
116									
117									
118									
119									
120									
121									
122									
123									
124									
125									
126									
127									
128									
129									
130									
131									
132									
133									
134									
135									
136									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
137									
138									
139									
140									
141									
142									
143									
144									
145									
146									
147									
148									
149									
150									
151									
152									
153									
154									
155									
156									
157									
158									
159									
160									
161									
162									
163									
164									
165									
166									
167									
168									
169									
170									
171									
172									
173									
174									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
175									
176									
177									
178									
179									
180									
181									
182									
183									
184									
185									
186									
187									
188									
189									
190									
191									
192									
193									
194									
195									
196									
197									
198									
199									
200									
201									
202									
203									
204									
205									
206									
207									
208									
209									
210									
211									
212									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
213									
214									
215									
216									
217									
218									
219									
220									
221									
222									
223									
224									
225									
226									
227									
228									
229									
230									
231									
232									
233									
234									
235									
236									
237									
238									
239									
240									
241									
242									
243									
244									
245									
246									
247									
248									
249									
250									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
251									
252									
253									
254									
255									
256									
257									
258									
259									
260									
261									
262									
263									
264									
265									
266									
267									
268									
269									
270									
271									
272									
273									
274									
275									
276									
277									
278									
279									
280									
281									
282									
283									
284									
285									
286									
287									
288									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
289									
290									
291									
292									
293									
294									
295									
296									
297									
298									
299									
300									
301									
302									
303									
304									
305									
306									
307									
308									
309									
310									
311									
312									
313									
314									
315									
316									
317									
318									
319									
320									
321									
322									
323									
324									
325									
326									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
327									
328									
329									
330									
331									
332									
333									
334									
335									
336									
337									
338									
339									
340									
341									
342									
343									
344									
345									
346									
347									
348									
349									
350									
351									
352									
353									
354									
355									
356									
357									
358									
359									
360									
361									
362									
363									
364									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
365									
366									
367									
368									
369									
370									
371									
372									
373									
374									
375									
376									
377									
378									
379									
380									
381									
382									
383									
384									
385									
386									
387									
388									
389									
390									
391									
392									
393									
394									
395									
396									
397									
398									
399									
400									
401									
402									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
403									
404									
405									
406									
407									
408									
409									
410									
411									
412									
413									
414									
415									
416									
417									
418									
419									
420									
421									
422									
423									
424									
425									
426									
427									
428									
429									
430									
431									
432									
433									
434									
435									
436									
437									
438									
439									
440									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
441									
442									
443									
444									
445									
446									
447									
448									
449									
450									
451									
452									
453									
454									
455									
456									
457									
458									
459									
460									
461									
462									
463									
464									
465									
466									
467									
468									
469									
470									
471									
472									
473									
474									
475									
475									
476									
478									

Line No.	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Maximum Flush Rate (gallons/flush)	Maximum Flush Rate (liters/flush) Optional	Status
479									
480									
481									
482									
483									
484									
485									
486									
487									
488									
489									
490									
491									
492									
493									
494									
495									
496									
497									
498									
499									
500									

## The following is a description of each product class:

Product Class	Product Class Description
1	Gravity tank-type toilets
2	Flushometer tank toilets
3	Electromechanical hydraulic toilets
4	Blowout toilets
Other	Other toilets not listed above (if you enter "Other", you must provide a rationale in the 'Explanation of "Other" Product Class' column on the "Input" sheet).

## Instructions for CCMS Reporting Templates

Use your mouse, the "Tab" key and arrows on your keyboard to navigate through the fillable fields in the template. If all fields have been completed correctly the "Overall Status" indicator on the top right corner of the template will show "ok." If this indicator reads "Error," look for incomplete/incorrect field entry explanations by comparing the mirrored cells on the right of your template screen with your report entries. Call 505-663-1302 ext 101 for additional assistance.

	Step 1	Enter the manufacturer's name
0		
		Type manufacturer name in the box above

Step 2 Enter the full name of the third party representative if	"applicable" in the cell above "If applicable, enter the name of the third party representative in the box above"
If Applicable: Third Party Representative	
	If applicable, enter the name of the third party representative in the box above

	Step 3	Enter your full name in the cell above "Must enter name." Be certain that your are aware of the p	rovisions contained in 1	.8 U.S.C. 1	1001 before entering your name.
8		Type your full name in the box to signify compliance			
				Must e	nter name
		Awarene	ss Statement	-	I am aware of the provisions contained in 18 U.S.C. 1001, which prohibits knowingly making false statements to the Federal Government.

	Step 4 Enter your contact email address to the left of "Must er	nter email address."	
4	Enter your email address		Must enter email address

	fields from the examp the right of the data en					a to verify entries and check eted correctly.	the explanation table t	to
Line	Manufacturer	Brand	Model	Action	Product Class	Explanation of 'Other' Product Class	Energy Factor (cycle/k¥h)	Statu
No.			123	N	1		0.62	ok
<b>No.</b> 1	ABC	XYZ	123		-			

	5	<b>-</b>	(24				TEMPLATE_Dishw	ashers_v2 2 [Read-Only] [Cor	npatibility Mode] - Mie	crosoft E
	Ľ	Home	Insert Page Layout	Formulas Data	Review Vie	w Add-Ins	Acrobat			
		S1	▼ () f <sub>x</sub>							
4	A		С	D	E	F	G	Н		1
1		Produ	uct Type:	Dishwashers		Version 2.2		Overall Status	ок	
3	0	Manu	facturer:			ABC				
4										
6	0	lf App	licable: Third Part	y Representative						
7 If applicable, enter the name of the third party representative									ative in the box a	above
9										
								Energy or Water Conservat		
								by a responsible official of t er (in the case of faucets, s		
		urinals)	conservation standard.	All testing on which the	certification repo	orts are based w	as conducted in co	informance with applicable t	est requirements pre	scribed
	CFR Part 430 subpart B. All information reported in the certification report(s) is true, accurate, and complete. The company is aware of the penalties associal violations of the Act, the regulations thereunder, and is also aware of the provisions contained in 18 U.S.C. 1001, which prohibits knowingly making false state									
11			leral Government.	tions thereunder, and is	also aware of the	provisions com	amed in 10 0.0.0.	Too I, which promotes know	ingry making larse su	atemen
12			🕑 Туре	your full name in the	box to signify	compliance		John Smith		
13										
14		<b>4</b> E	Enter your email add	ress	jo	hn@abc.c	om			
15					<b>B</b> cc	ertification	Benort	-		
15		Disc	se enter your data in t				· ·	4-1		
			on the column headi					aeı.		
			highlighted in yellow "Status" for a row is					re is an issue with the en	try.	
16		• Repo	orts submitted with erro	ors cannot be processe	ed and will be r	returned for res	submission.			
17		<ul> <li>To re</li> </ul>	view the effective dat	es of current standard	s for consumer	products and c	certain commercia	al and industrial equipme	nt	<u>clic</u>
		Line						Explanation of 'Other'	Energy Factor	
19		No.	Manufacturer	Brand	Model	Action	Product Class	Product Class	(cycle/kWh)	Sta
		1	ABC	XYZ	123	N	1		0.62	c
20		2	ABC	XZZ	456	N	2		0.47	
20										
21		3								
20 21 22		3								