

**BOX ENSBEG**

**BOX ENSBEG**

**Page Order # : 10**

**BOX INSTRUCTIONS**

---

( ENS1015 ) GO TO ENSINTRO - ENSINT ( ENS1020 ).

**ASSIGNMENTS**

---

Enumeration Summary reviews who lived in the household at the time of the previous round interview and determines who still lives in the household in the current round. Enumeration Summary also probes for new household members in the current round.

In order to collect current round household information, a current round ENUM record is generated for each person, including SP, who lived in the household at the time of the previous round interview. If MRES.INTTYPE = 2/NewFromFacility, 3/NewFromSupplement, 5/LastRndFacSum, 6/LastRndFacBase, only create a current round ENUM for the SP. Since the SP did not have a community interview in the previous round, there will be no persons reported as living in the household in the previous round.

ENUM Key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.  
 ENUM.ENUMROST = ROST.ROSTNUM of person who lived in the household in the previous round.  
 ENUM.ENUMRND = current round.

When creating the current round ENUM records, populate the person's name, relationship to SP, gender, and date of birth from ROST.

Use the following logic to calculate the Household members's age stored on ENUM.HHPAGE:

If calculating SP's age then:

If SP is deceased, calculate AGE based on SP's date of birth, ROST.HHDOBMM, ROST.HHDOBDD, ROST.HHDOBY, and the SP's date of death, MRES.SPDIEMM, MRES.SPDIEDD, MRES.SPDIYY.

Else if SP is institutionalized, calculate AGE based on SP's date of birth, ROST.HHDOBMM, ROST.HHDOBDD, ROST.HHDOBY, and the SP's date of institution, MRES.SPINSTMM, MRES.SPINSTDD, MRES.SPINSTYY.

Else calculate SP's AGE based on their date of birth, ROST.HHDOBMM, ROST.HHDOBDD, ROST.HHDOBY, and the date of the interview.

If calculating other Household members's age then calculate AGE based on their date of birth, ROST.HHDOBMM, ROST.HHDOBDD, ROST.HHDOBY, and the date of the interview. If any part of the Household members's age is missing and AGE cannot be calculated, set current round ENUM.HHPAGE = previous round ENUM.HHPAGE.

Set other fields on ENUM as instructed below. Copy ROST variables to ENUM where ENUM.ENUMROST= person's ROST.ROSTNUM.

<b>ENUMROST</b>	Create ENUM where ENUM.ENUMROST=ENUM.ENUMROST for person who lived in the household at the time of the previous round interview.
<b>ENUMRND</b>	ENUM.ENUMRND = current round.
<b>ENUMFNAM</b>	ENUM.ENUMFNAM = ROST.ROSTFNAM.
<b>ENUMLNAM</b>	ENUM.ENUMLNAM = ROST.ROSTLNAM.
<b>HHPREL</b>	ENUM.HHPREL = ROST.ROSTREL.
<b>HHPRELOS</b>	ENUM.HHPRELOS = ROST.ROSTREOS.

**HHPSEX** If ROST.ROSTSEX = empty, set  
 ENUM.HHPSEX=DK.  
 Else if ROST.ROSTSEX = 1/Male or 2/Female, set  
 ENUM.HHPSEX = ROST.ROSTSEX.  
 Else if set ENUM.HHPSEX = previous round  
 ENUM.HHPSEX.

**EHHDOBMM** ENUM.EHHDOBMM = ROST.HHDOBMM.

**EHHDOBDD** ENUM.EHHDOBDD = ROST.HHDOBDD.

**EHHDOBY** ENUM.EHHDOBY = ROST.HHDOBY.

**HHPAGE** Calculate HHPAGE. (see instructions above).  
 If any part of person's date of birth is missing and  
 AGE cannot be calculated, set current round  
 ENUM.HHPAGE = previous round ENUM.HHPAGE.

**TECHNICAL NOTES**


---

**116 HouseholdPrevRnd** Persons who lived in the household at the time of the  
 previous round interview =  
 There is a ROST & ENUM where (ENUM.ENUMROST =  
 ROST.ROSTNUM & ENUM.ENUMRND = previous round  
 & ENUM.NOTHRSN = empty).

**DESIGN NOTES**

# ENSINTRO

Page Order # : 20

Design Screen Type: No Entry

Fields: Field 1: ENSINT

Enable Functions: HELP No  
 COMMENTS Yes  
 JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display: If MRES.INTTYPE = 2/NewFromFacility, 3/NewFromSupplement, 5/LastRndFacSum, 6/LastRndFacBase , display "ask you a few questions about [your/(SP's)] home and any other people who may live in the household". Else display "review with you who was living in the household".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text: Now I'd like to [review with you who was living in the household/ask you a few questions about [your/(SP's)] home and any other people who may live in the household.].

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:**                    **ENSINT**                    ( ENS1020 )

**Cheshire Name:**        TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:**              Enumerated

**Type Name:**             TContinueEMPTY

**Answers Allowed:**        1

**Drop Down List:**        No

**Lookup File:**            No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Continue	BOX ENS1 - (ENS1030 )
-----		
English text: CONTINUE		
-----		

Attribute	Route
Empty	BOX ENS1 - (ENS1030 )
-----	

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**116        HouseholdPrevRnd**        Persons who lived in the household at the time of the previous round interview = There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHRSN = empty).

**DESIGN NOTES**

---

**BOX ENS1**

Page Order # : 30

**BOX INSTRUCTIONS**

---

- ( ENS1030 ) IF AT LEAST ONE PERSON LIVED IN THE HOUSEHOLD WITH THE SP AT THE TIME OF THE PREVIOUS ROUND INTERVIEW, GO TO ENS1 - HHSTILL ( ENS1050 ).
- ELSE GO TO ENS3 - HHNEW ( ENS1080 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

- 116 HouseholdPrevRnd** Persons who lived in the household at the time of the previous round interview =  
There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHRSN = empty).

**DESIGN NOTES**

---

If MRES.INTTYPE = 2/NewFromFacility, 3/NewFromSupplement, 5/LastRndFacSum, 6/LastRndFacBase, there will be no one reported as living in the household in the previous round.

If SP was the only household member at the time of the previous round interview, there will only be one ENUM where ENUM.ENUMRND=previous round and that ENUM.ENUMROST will equal '01' for the SP.

If SP is the only person who lived in the HH in the previous round, or MRES.INTTYPE = 2/NewFromFacility, 3/NewFromSupplement, 5/LastRndFacSum, 6/LastRndFacBase, go to ENS3.

**ENS1**

Page Order # : 50

Design Screen Type: Yes/No

Fields: Field 1: HHSTILL

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If SP is deceased or institutionalized, display "As of (DATE OF DEATH/DATE OF INSTITUTIONALIZATION) did" in second sentence.  
Else if two or more people lived in the household with the SP at the time of the previous round interview, display "Do" in second sentence.  
Else display "Does" in second sentence.

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:**

**Report display:** Display report below question text.

Display all persons who lived in the household at the time of the previous round interview.

Do not display SP, where ENUM.ENUMROST=01.  
Display all other household members in the order that they were entered in the Person Roster.

Report Header: HOUSEHOLD MEMBERS AS OF (REFERENCE DATE)

COL 1, header = "First Name", display ENUM.ENUMFNAM.  
 COL 2, header = "Last Name", display ENUM.ENUMLNAM.

**TEXT:** -----

**Context Header:**

**Int. Instr I:**

**Question Text:** From our last interview on (REFERENCE DATE), we have listed that [(READ NAME(S) LISTED BELOW)] lived in the same household as [you/(SP)].

[As of (DATE OF DEATH/DATE OF INSTITUTIONALIZATION), did/Do/Does] [READ NAME(S) LISTED BELOW] still live in the same household as [you/(SP)]?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

**Field1:** HHSTILL ( ENS1050 )

**Cheshire Name:** HRND.HHSTILL

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	ENS3 - HHNEW ( ENS1080 )
	<b>English text:</b> YES	
2	No	ENS2 - HOUSEHOLD_NOT ( ENS1060 )
	<b>English text:</b> NO	

Attribute	Route
Don't know	ENS3 - HHNEW ( ENS1080 )
Refusal	ENS3 - HHNEW ( ENS1080 )



**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

<b>59</b>	<b>SPStatus</b>	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty  SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY  SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute  SP is Deceased = MRES.SPALIVE=3/Deceased.
<b>116</b>	<b>HouseholdPrevRnd</b>	Persons who lived in the household at the time of the previous round interview = There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHRSN = empty).

**DESIGN NOTES**

---

# ENS2

Page Order # : 60

**Design Screen Type:** Roster

**Fields:** **Field 1:** HOUSEHOLD\_NOT

**Enable Functions:**  
**HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

**Roster Name:** Household Roster

**Roster Type:** Multiple Item Select

**Roster Functions:**  
**Add Item** No  
**Edit Item** Yes Display as ' Edit a Person '  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:**

**Multi Field display:**

**Roster/Grid Instructions:** Display all persons who lived in the household at the time of the previous round interview.

Display SP on first line, where ENUM.ENUMROST=01.

If Proxy interview and Proxy lived in the household at the time of the previous round interview, display Proxy on the second line, where ENUM.ENUMROST=MRES.RROSTNUM.

Display all other household members in the order that they were entered in the Person Roster.

Display the following as protected rows:  
 1) The SP.

<b>Roster/Grid display:</b>	<b>COL #</b>	<b>HEADER</b>	<b>INSTRUCTIONS</b>
	1	First Name	Display ENUM.ENUMFNAM.
	2	Last Name	Display ENUM.ENUMLNAM.

**ENS2**

**3** Relationship to SP Display relationship:  
If ENUM.HHPREL=91/OtherRelative or  
92/OtherNon-Relative, display  
ENUM.HHPRELOS. Else display  
ENUM.HHPREL relationship.

**Report display:**

**TEXT:** -----

**Context Header:**

**Int. Instr I:** PROBE FOR AND SELECT THOSE PEOPLE WHO ARE NO  
LONGER IN THE HOUSEHOLD.

**Question Text:**

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** HOUSEHOLD\_NOT (ENS1060)

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 30  
**Type Name:** TPersPick30 **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	ENS2_IN - NAVIGATOR (ENS1061)

**BACKGROUND VARIABLE ASSIGNMENTS**

---

Roster details will be collected on ENUM:  
ENUM key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.  
ENUM.ENUMROST = ROST.ROSTNUM of person selected at ENS2.  
ENUM.ENUMRND = current round.

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

- 116**      **HouseholdPrevRnd**      Persons who lived in the household at the time of the previous round interview =  
There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHHRSN = empty).
- 4**          **Respondent**                      On MRES where MRES.MRESRND = current round:
- A Proxy interview (respondent is a proxy) =  
MRES.SPPROXY=2/Proxy.  
MRES.RROSTNUM=ROST.ROSTNUM of respondent.
- An SP interview (respondent is the SP) =  
MRES.SPPROXY=1/SP.  
MRES.RROSTNUM='01'.

**DESIGN NOTES**

---

**ENS2\_IN**

Page Order # : 61

Design Screen Type: Instance Navigaor

Fields: Field 1: NAVIGATOR

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display: Display HH members selected at ENS2 as no longer in household.  
Invoke NO TRAVEL I/N.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text:

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** NAVIGATOR ( ENS1061 )

**Cheshire Name:** N/A

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TInstanceNavigator

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	SelectItemInList	ENS2A - NOTHRSN ( ENS1062 )
<b>English text:</b> ITEM SELECTED IN INSTANCE NAVIGATOR		
2	SelectContinueInterview	ENS3 - HHNEW ( ENS1080 )
<b>English text:</b> CONTINUE INTERVIEW SELECTED		

**BACKGROUND VARIABLE ASSIGNMENTS**

Roster details will be collected on ENUM:

ENUM key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.

ENUM.ENUMROST = ROST.ROSTNUM of person selected at ENS2.

ENUM.ENUMRND = current round.

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

**DESIGN NOTES**

**ENS2A**

Page Order # : 62

Design Screen Type: Code 1

Fields:                   **Field 1:**           **NOTHRSN**  
                              **Field 2:**           **NOTHHROS**

Enable Functions:       **HELP**               No  
                              **COMMENTS**       No  
                              **JUMPBACK**       No

Roster Name:

Roster Type:

Roster Functions:       **Add Item**           No  
                              **Edit Item**           No  
                              **Delete Item**       No  
                              **Search Item**       No

Grid Functions:         **Add Line**           No  
                              **Delete Line**       No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:**     If SP is deceased or institutionalized, display "was".  
                              Else display "is".

Display name of the household member currently being asked  
 about, ENUM.ENUMFNAM + ENUM.ENUMLNAM.

If SP is deceased or institutionalized, display "as of (DATE OF  
 DEATH/INSTITUTIONALIZATION)".  
 Else do not display.

**Multi Field display:**   Vertical Alignment

**Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:** -----**Context Header:****Int. Instr I:**

**Question Text:**           Why (is/was) (HOUSEHOLD MEMBER NAME) no longer in the

household [as of (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]?

Int. Instr II:

**INPUT FIELDS / ROUTING**

**Field1:** NOTHRSN ( ENS1062 )

**Cheshire Name:** ENUM.NOTHRSN

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** Thhreasn

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	Deceased	BOX ENS2 - (ENS1064 )
	<b>English text:</b> DECEASED	
2	InstHealthCareFacility	BOX ENS2 - (ENS1064 )
	<b>English text:</b> INSTITUTIONALIZED, HEALTH CARE FACILITY	
3	InstOther	BOX ENS2 - (ENS1064 )
	<b>English text:</b> INSTITUTIONALIZED, OTHER	
4	PersonMoved	BOX ENS2 - (ENS1064 )
	<b>English text:</b> PERSON MOVED	
5	SpMoved	BOX ENS2 - (ENS1064 )
	<b>English text:</b> SP MOVED	
6	NotInHHError	BOX ENS2 - (ENS1064 )
	<b>English text:</b> PERSON NOT IN HOUSEHOLD - PREVIOUS ROUND ERROR	
91	Other	ENS2A - NOTHHROS ( ENS1063 )
	<b>English text:</b> OTHER REASON	

Attribute	Route
Don't know	BOX ENS2 - (ENS1064 )
Refusal	BOX ENS2 - (ENS1064 )



**Field2:** NOTHHROS ( ENS1063 )

**Cheshire Name:** ENUM.NOTHHROS

**Item Text display:** Display (SPECIFY) in same blue font used for interviewer instructions.

**Item Text:** OTHER REASON (SPECIFY)

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 30  
**Type Name:** TOtherSpec **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	BOX ENS2 - (ENS1064 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

Edit #1

Note: The following edit should be invoked when Proxy is being asked about at ENS2A. The edit disallows 1/Deceased, 2/InstHealthCareFacility, 3/InstOther from being selected for Proxy.

If Proxy is being asked about at ENS2A, ENS2A - NOTHHR SN = 4/PersonMoved, 5/SPMoved, 6/NotInHHErrror, 91/Other, DK or RF. If not true, display message "YOU CANNOT SELECT THIS RESPONSE FOR THE PROXY RESPONDENT. PLEASE SELECT ANOTHER RESPONSE."

**TECHNICAL NOTES**

**59 SPStatus** SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty

SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY

SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute

SP is Deceased = MRES.SPALIVE=3/Deceased.

**4 Respondent**

On MRES where MRES.MRESRND = current round:

A Proxy interview (respondent is a proxy) =  
MRES.SPPROXY=2/Proxy.  
MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =  
MRES.SPPROXY=1/SP.  
MRES.RROSTNUM='01'.

**DESIGN NOTES**

---

# BOX ENS2

Page Order # : 64

## BOX INSTRUCTIONS

( ENS1064 ) GO TO ENS2\_IN - NAVIGATOR ( ENS1061 ).

## ASSIGNMENTS

## TECHNICAL NOTES

## DESIGN NOTES

**ENS3**

Page Order # : 70

Design Screen Type: Yes/No

Fields: Field 1: HHNEW

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If SP was the only person living in the household at the time of the previous round interview, display 1st sentence.  
Else do not display 1st sentence.

Display fills for 1st sentence:  
If Proxy interview, display, "(SP) was living by (himself/herself)".  
Else display "you were living by yourself".

Display fills for 2nd and 3rd sentence:  
If SP was the only person living in the household at the time of the previous round interview, display "Besides [you/(SP)], (is/was)".  
Else display "(Is/Was)".

If SP is deceased or institutionalized, display "as of (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)".  
Else do not display.  
If SP is deceased or institutionalized, display "were".  
Else display "are".  
If SP is deceased or institutionalized, display "may have lived".  
Else display "may live".

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:**

**Report display:**

**TEXT:**

**Context Header:**

**Int. Instr I:**

**Question Text:** (At the time of the last interview, [you were living by yourself/(SP) was living by (himself/herself)]).

[Besides [you/(SP)], (is/was)/(Is/Was)] there anyone else living or staying in the household [as of (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]? Remember to include people who (are/were) temporarily absent and any children who (may live/may have lived) in the household.

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

**Field1:** HHNEW ( ENS1080 )

**Cheshire Name:** HRND.HHNEW

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	ENS4 - HOUSEHOLD_ENS ( ENS1100 )
	<b>English text: YES</b>	
2	No	BOX ENS4 - ( ENS1360 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	BOX ENS4 - ( ENS1360 )
Refusal	BOX ENS4 - ( ENS1360 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

<b>4</b>	<b>Respondent</b>	<p>On MRES where MRES.MRESRND = current round:</p> <p>A Proxy interview (respondent is a proxy) =  MRES.SPPROXY=2/Proxy.  MRES.RROSTNUM=ROST.ROSTNUM of respondent.</p> <p>An SP interview (respondent is the SP) =  MRES.SPPROXY=1/SP.  MRES.RROSTNUM='01'.</p>
<b>116</b>	<b>HouseholdPrevRnd</b>	<p>Persons who lived in the household at the time of the previous round interview =  There is a ROST &amp; ENUM where (ENUM.ENUMROST = ROST.ROSTNUM &amp; ENUM.ENUMRND = previous round &amp; ENUM.NOTHRSN = empty).</p>
<b>119</b>	<b>PersonNewInHH</b>	<p>Person is a new Household member in the current round =  Person was not a household member in the previous round and was selected at ENS4 as a household member in the current round. See T.N.s 337 and 338.</p>
<b>337</b>	<b>NotHHPrevRnd</b>	<p>Person was not in the Household in the previous round =  For this ROST, there is no ENUM where (ENUM.ENUMROST = ROST.ROSTNUM &amp; ENUM.ENUMRND = previous round &amp; ENUM.NOTHRSN = empty).</p>
<b>338</b>	<b>HHCurrentRnd</b>	<p>Person is in the household in the current round =  For this ROST, there is an ENUM where (ENUM.ENUMROST = ROST.ROSTNUM &amp; ENUM.ENUMRND = current round &amp; ENUM.NOTHRSN = empty).</p>
<b>59</b>	<b>SPStatus</b>	<p>SP is Alive and not institutionalized =  MRES.SPALIVE=1/Alive or empty</p> <p>SP is Alive =  MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY</p> <p>SP is Institutionalized =  MRES.SPALIVE=2/AliveAndInstitute</p> <p>SP is Deceased =  MRES.SPALIVE=3/Deceased.</p>

**DESIGN NOTES**

---

# ENS4

Page Order # : 90

**Design Screen Type:** Roster

**Fields:** **Field 1:** HOUSEHOLD\_ENS

**Enable Functions:**  
**HELP** No  
**COMMENTS** Yes  
**JUMPBACK** Yes

**Roster Name:** Person Roster

**Roster Type:** Multiple Item Select

**Roster Functions:**  
**Add Item** Yes Display as ' Add a Person '  
**Edit Item** Yes Display as ' Edit a Person '  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** Always display "[Who else...]" in brackets.  
  
 If SP is deceased or institutionalized, display "was".  
 Else display "is".

**Multi Field display:**

**Roster/Grid Instructions:** Display all persons from Person Roster.  
  
 Display SP on first line, where ROST.ROSTNUM=01.  
 If Proxy interview, display Proxy on second line, where ROST.ROSTNUM=MRES.RROSTNUM.  
 Display remaining persons in the order that they were entered in Person Roster.  
  
 Display the following persons as protected rows:  
 1) The SP.  
 2) All persons who have already been identified as living in the household in the current round.  
 3) All persons who have already been identified as no longer living in the household in the current round.

<b>Roster/Grid display:</b>	<b>COL #</b>	<b>HEADER</b>	<b>INSTRUCTIONS</b>
	1	First Name	Display ROST.ROSTFNAM
	2	Last Name	Display ROST.ROSTLNAM.

**ENS4**

- 3 Relationship to SP Display relationship: If ROST.ROSTREL=91/OtherRelative or 92/OtherNon-Relative, display ROST.ROSTREOS. Else display ROST.ROSTREL relationship.
- 4 In Household If there is a current round ENUM for person and ENUM.NOTHHRSN=empty, display "YES". Else If there is a current round ENUM for this person and ENUM.NOTHHRSN ^= empty, display "NO". Else if person just added, display "YES". Else do not display.

**Report display:**

**TEXT:** -----

**Context Header:**

**Int. Instr I:**

**Question Text:** [Who else (is/was) living or staying in the household?]

**Int. Instr II:** SELECT OR ADD ALL PERSONS LIVING IN THE HOUSEHOLD.

**INPUT FIELDS / ROUTING**

---

**Field1:** HOUSEHOLD\_ENS ( ENS1100 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 120  
**Type Name:** TPersPick120 **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

---

Number	Label	Route
1	[Continuous answer.]	ENS4A - HHMISS ( ENS1110 )

---

**BACKGROUND VARIABLE ASSIGNMENTS**

---

Roster details will be collected on ROST and ENUM:



## ENS4

ROST key = ROST.ROSTBASE + ROST.ROSTNUM  
ROST.ROSTNUM = Number of person selected at ENS4.

ENUM key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.  
ENUM.ENUMROST = ROST.ROSTNUM of person selected at ENS4.  
ENUM.ENUMRND = current round.

If Person added, see PERSON ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated in Person Roster:

ROST.ROSTNUM  
ROST.ROSTRNDC  
ROST.ROSTFNAM  
ROST.ROSTLNAM  
ROST.ROSTREL  
ROST.ROSTREOS

Set reason for person added to roster. See instructions below.

Create a current round ENUM for any person selected at ENS4 as a new household member. Create ENUM where ENUM.ENUMRND=current round and EUM.ENUMROST=ROST.ROSTNUM of person selected.

ENUM key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.

The household member's name and relationship to SP is copied to the current round ENUM record from ROST.

Set variables as specified below:

Copy ROST variables to ENUM where ENUM.ENUMROST= person's ROST.ROSTNUM.

<b>ENUMROST</b>	ENUM.ENUMROST = ROST.ROSTNUM.
<b>ENUMRND</b>	ENUM.ENUMRND = current round.
<b>ENUMFNAM</b>	ENUM.ENUMFNAM = ROST.ROSTFNAM.
<b>ENUMLNAM</b>	ENUM.ENUMLNAM = ROST.ROSTLNAM.
<b>HHPREL</b>	ENUM.HHPREL = ROST.ROSTREL.
<b>HHPRELOS</b>	ENUM.HHPRELOS = ROST.ROSTREOS.
<b>HHPSEX</b>	ENUM.HHPSEX = ROST.ROSTSEX.
<b>EHHDOBMM</b>	ENUM.EHHDOBMM = ROST.HHDOBMM.
<b>EHHDOBDD</b>	ENUM.EHHDOBDD = ROST.HHDOBDD.
<b>EHHDOBY</b>	ENUM.EHHDOBY = ROST.HHDOBY.
<b>ROSTREAS</b>	If person added to person Roster, set ROST.ROSTREAS = 3/InHousehold.

### SOFT EDIT CHECKS

---

### HARD EDIT CHECKS

---

Edit #1.

If there is a Person already reported in the Household in the current round where ENUM.HHPREL = 2/Spouse, then ENS4 - ROSTREL should ^= 2/Spouse for the person added at ENS4.

If not true, display message "INVALID ENTRY. MORE THAN ONE SPOUSE HAS BEEN ADDED. PLEASE REENTER RELATIONSHIP."

**TECHNICAL NOTES**

---

<b>34</b>	<b>ENHouseHold</b>	Persons already identified as living in the household in the current round = For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHRSN=empty).
<b>121</b>	<b>PersonAlreadyNotHH</b>	Persons already identified as no longer living in the household in the current round = There is a ROST & ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHRSN ^= empty).
<b>4</b>	<b>Respondent</b>	On MRES where MRES.MRESRND = current round:  A Proxy interview (respondent is a proxy) = MRES.SPPROXY=2/Proxy. MRES.RROSTNUM=ROST.ROSTNUM of respondent.  An SP interview (respondent is the SP) = MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.
<b>8</b>	<b>DeceasedInst</b>	SP deceased or institutionalized = MRES.SPALIVE=2/AliveAndInstitute or 3/Deceased on MRES where MRES.MRESRND = current round.

**DESIGN NOTES**

---

**ENS4A**

Page Order # : 92

Design Screen Type: Yes/No

Fields: Field 1: HHMISS

Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:****Question display:**

First Sentence:

If SP is deceased or institutionalized, display "lived".

Else display "lives".

If SP is deceased or institutionalized, display "as of (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)"

Else do not display.

Third Sentence:

If SP is deceased or institutionalized, display "lived or stayed" and "was".

Else display "lives or stays" and "is".

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:****Report display:**

Display report below question text.

Display all person's identified as a household member this round.

Display SP on first line, where ENUM.ENUMROST= 01.

If proxy interview and proxy lives in the household in the current

round, display the proxy on the second line, where  
ENUM.ENUMROST=MRES.RROSTNUM (Proxy's  
ROST.ROSTNUM).

Display remaining household members in the order they were  
entered in the Person Roster.

Report header: CURRENT HOUSEHOLD MEMBERS

Report layout:

Column 1, header = "First Name", display ENUM.ENUMFNAM.

Column 2, header = "Last Name", display ENUM.ENUMLNAM.

**TEXT:** -----

**Context Header:**

**Int. Instr I:**

**Question Text:**

Now I want to make sure I have everyone who (lives/lived) in the  
household [as of (DATE OF DEATH/DATE OF  
INSTITUTIONALIZATION)]. I have listed [READ NAME(S) LISTED  
BELOW].

Have I missed any lodgers, boarders, or anyone else who usually  
(lives or stays/lived or stayed) in the household but (is/was) away  
from home traveling or in the hospital?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** HHMISS (ENS1110)

**Cheshire Name:** HRND.HHMISS

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	ENS4 - HOUSEHOLD_ENS (ENS1100)
	<b>English text:</b> YES	
2	No	ENS5 - HHPSEX (ENS1160)
	<b>English text:</b> NO	

Attribute	Route
Don't know	ENS5 - HHPSEX (ENS1160)
Refusal	ENS5 - HHPSEX (ENS1160)

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

- 4 **Respondent** On MRES where MRES.MRESRND = current round:  
 A Proxy interview (respondent is a proxy) =  
 MRES.SPPROXY=2/Proxy.  
 MRES.RROSTNUM=ROST.ROSTNUM of respondent.  
 An SP interview (respondent is the SP) =  
 MRES.SPPROXY=1/SP.  
 MRES.RROSTNUM='01'.

34	<b>ENHouseHold</b>	Persons already identified as living in the household in the current round = For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHRSN=empty).
59	<b>SPStatus</b>	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty  SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY  SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute  SP is Deceased = MRES.SPALIVE=3/Deceased.

**DESIGN NOTES**

---

# ENS5

Page Order # : 100

Design Screen Type: Grid

Fields:

<b>Field 1:</b>	<b>HHPSEX</b>
<b>Field 2:</b>	<b>EHHDOBMM</b>
<b>Field 3:</b>	<b>EHHDOBDD</b>
<b>Field 4:</b>	<b>EHHDOBY</b>
<b>Field 5:</b>	<b>HHPAGE</b>

Enable Functions:

<b>HELP</b>	No
<b>COMMENTS</b>	Yes
<b>JUMPBACK</b>	Yes

Roster Name:

Roster Type:

Roster Functions:

<b>Add Item</b>	No
<b>Edit Item</b>	No
<b>Delete Item</b>	No
<b>Search Item</b>	No

Grid Functions:

<b>Add Line</b>	No
<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:** If proxy is a new household member this round, display, "[PROXY ADDED TO HOUSEHOLD.]". Always display this sentence in brackets. Else do not display.

**Question display:**

**Multi Field display:**

**Roster/Grid Instructions:** Display names of all persons who are new household members in the current round.

Display all new household members in the order that they were entered in the Person Roster.

<b>Roster/Grid display:</b>	<b>COL #</b>	<b>HEADER</b>	<b>INSTRUCTIONS</b>
	1	Name	Display ENUM.ENUMFNAM + ENUM.ENUMLNAM. Display only.

**ENS5**

2	Relationship to SP	Display relationship: If ENUM.HHPREL=91/OtherRelative or 92/OtherNon-relative, display ENUM.HHPRELOS. Else display ENUM.HHPREL relationship. Display only.
3	Gender	ENUM.HHPSEX. Input field 1.
4	Date of Birth	Display "Date of Birth" over columns 4, 5, 6. ENUM.EHHDOBMM. Input field 2.
5		ENUM.EHHDOBDD. Input field 3.
6		ENUM.EHHDOBY. Input field 4.
7	Age	ENUM.HHPAGE. Input field 5.

**Report display:**

**TEXT:** -----

**Context Header:** [PROXY ADDED TO HOUSEHOLD.]

**Int. Instr I:**

**Question Text:**

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---



**Field1:** HHPSEX ( ENS1160 )

**Cheshire Name:** ENUM.HHPSEX

**Item Text display:** GRID COLUMN #3  
 CALCULATE or ASK HHPSEX:

HHPSEX CALCULATION:  
 If household person's HHPREL = 4/Daughter, 6/Sister, 8/Mother, 10/Daughter-in-law, 12/Granddaughter, 14/Niece, code HHPSEX=2/Female and display "Female".  
 Else if HHPREL = 3/Son, 5/Brother, 7/Father, 9/Son-in-law, 11/Grandson, 13/Nephew, code HHPSEX=1/Male and display "Male".  
 Else ASK HHPSEX.

QUESTION DISPLAY:  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM.

**Item Text:** Is (HOUSEHOLD MEMBER NAME) male or female?

**Label:**  
**Label Position:**

<b>Field Type:</b>	Enumerated	<b>FieldSize:</b>
<b>Type Name:</b>	TSex	<b>Min Value:</b>
<b>Answers Allowed:</b>	1	<b>Max Value:</b>
<b>Drop Down List:</b>	Yes	<b>Mask:</b>
<b>Lookup File:</b>	No	
<b>Lookup File Name:</b>		

Number	Label	Route
1	Male	ENS5 - EHHDOBMM ( ENS1180 )
English text: MALE		
2	Female	ENS5 - EHHDOBMM ( ENS1180 )
English text: FEMALE		

Attribute	Route
Don't know	ENS5 - EHHDOBMM ( ENS1180 )
Refusal	ENS5 - EHHDOBMM ( ENS1180 )

**Field2:** EHHDOBMM ( ENS1180 )

**Cheshire Name:** ENUM.EHHDOBMM

**Item Text display:** GRID COLUMN #4

QUESTION DISPLAY:  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM + 'S.

Display "[ENTER DATE.]" in same blue font used for interviewer instructions.

**Item Text:** What is (HOUSEHOLD MEMBER NAME'S) date of birth? [ENTER DATE.]

**Label:** MM  
**Label Position:** Under

**Field Type:** Integer  
**Type Name:** TMonthInt  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:** 2  
**Min Value:** 01  
**Max Value:** 12  
**Mask:**

Number	Label	Route
1	[Continuous answer.]	ENS5 - EHHDOBDD ( ENS1190 )
<hr/>		
Attribute	Route	
Don't know	ENS5 - EHHDOBDD ( ENS1190 )	
<hr/>		
Refusal	ENS5 - EHHDOBDD ( ENS1190 )	
<hr/>		

**Field3:** EHHDOBDD (ENS1190)

**Cheshire Name:** ENUM.EHHDOBDD

**Item Text display:** GRID COLUMN #5

QUESTION DISPLAY:  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM + 'S.

Display "[ENTER DATE.]" in same blue font used for interviewer instructions.

**Item Text:** What is (HOUSEHOLD MEMBER NAME'S) date of birth? [ENTER DATE.]

**Label:** DD

**Label Position:** Under

**Field Type:** Integer **FieldSize:** 2

**Type Name:** TDayDKRF **Min Value:** 1

**Answers Allowed:** 1 **Max Value:** 31

**Drop Down List:** No **Mask:**

**Lookup File:** No

**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	ENS5 - EHHDOBY Y (ENS1200)
<hr/>		
Attribute	Route	
Don't know	ENS5 - EHHDOBY Y (ENS1200)	
<hr/>		
Refusal	ENS5 - EHHDOBY Y (ENS1200)	
<hr/>		

**Field4:** EHHDOBYY ( ENS1200 )

**Cheshire Name:** ENUM.EHHDOBYY

**Item Text display:** GRID COLUMN #6

**QUESTION DISPLAY:**  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM + 'S.

Display "[ENTER DATE.]" in same blue font used for interviewer instructions.

Allow a 2 or 4-digit year to be entered.

**Item Text:** What is (HOUSEHOLD MEMBER NAME'S) date of birth? [ENTER DATE.]

**Label:** YYYY  
**Label Position:** Under

**Field Type:** Integer **FieldSize:** 4  
**Type Name:** Tyear4DKRF **Min Value:** 1870  
**Answers Allowed:** 1 **Max Value:** 2009  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	ENS5 - HHPAGE ( ENS1205 )

Attribute	Route
Don't know	ENS5 - HHPAGE ( ENS1205 )

Refusal	ENS5 - HHPAGE ( ENS1205 )
---------	---------------------------

**Field5:** HHPAGE ( ENS1205 )

**Cheshire Name:** ENUM.HHPAGE

**Item Text display:** GRID COLUMN #7  
 CALCULATE or ASK HHPAGE:  
 If EHHDOBMM, EHHDOBDD, EHHDOBY ^= DK and EHHDOBMM, EHHDOBDD, EHHDOBY ^= RF, then  
 Calculate HHPAGE based on EHHDOBMM/EHHDOBDD/EHHDOBY and (TODAY).  
 Display HHPAGE.  
 Else ASK HHPAGE.  
 QUESTION DISPLAY:  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM.

**Item Text:** How old is (HOUSEHOLD MEMBER NAME)?

**Label:**  
**Label Position:**

**Field Type:** Integer **FieldSize:** 3  
**Type Name:** TAge **Min Value:** 0  
**Answers Allowed:** 1 **Max Value:** 121  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	BOX ENS4 - (ENS1360 )

Attribute	Route
Don't know	BOX ENS4 - (ENS1360 )
Refusal	BOX ENS4 - (ENS1360 )

**BACKGROUND VARIABLE ASSIGNMENTS**

Grid details will be collected on ENUM:  
 ENUM key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.  
 ENUM.ENUMROST = ROST.ROSTNUM of person data is being entered for at ENS5.  
 ENUM.ENUMRND = current round.

Household member's Gender, Date of Birth and Age are first collected at ENS5 into variables on the person's current round ENUM record. Gender and Date of Birth needs to be copied to the person's ROST record.

Set variables as specified below:

Copy ENUM variables to ROST where ROST.ROSTNUM = ENUM.ENUMROST.

**ROSTSEX**                    ROST.ROSTSEX = ENUM.HHPSEX.  
**HHDOBMM**                 ROST.HHDOBMM = ENUM.EHHDOBMM.  
**HHDOBDD**                 ROST.HHDOBDD = ENUM.EHHDOBDD.  
**HHDOBY**                  ROST.HHDOBY = ENUM.EHHDOBY.

**SOFT EDIT CHECKS**

---

If collecting Date of Birth for the Proxy, then ENS5 - EHHDOBY should be on or between (current year - 85) and (current year - 16).  
 If not true, display message "THE VALUE ENTERED FOR YEAR SEEMS UNLIKELY. PLEASE VERIFY."

**HARD EDIT CHECKS**

---

For each household member, ENS5 - EHHDOBY should be on or between (current year - 110) and (current year).  
 If not true, display message "BIRTH YEAR SHOULD BE ON OR BETWEEN (CURRENT YEAR - 110) AND (CURRENT YEAR). PLEASE REENTER."

If ENS5 - HHPREL = 3/Son, 5/Brother, 7/Father, 9/Son-in-law, 11/Grandson, 13/Nephew, then ENS5 - HHPSEX=1/Male.  
 If not true, display "THE VALUE ENTERED FOR GENDER IS INVALID. PLEASE REENTER."

If ENS5 - HHPREL = 4/Daughter, 6/Sister, 8/Mother, 10/Daughter-in-law, 12/Granddaughter, 14/Niece, then ENS5 - HHPSEX = 2/Female.  
 If not true, display "THE VALUE ENTERED FOR GENDER IS INVALID. PLEASE REENTER."

The calculated date of birth, based on EHHDOBMM/EHHDOBDD/EHHDOBY and (TODAY) should match ENS5 - HHPAGE.  
 If not true, display error message, "(HOUSEHOLD PERSON'S NAME'S) DATE OF BIRTH AND AGE DO NOT MATCH. PLEASE REENTER." Includes EHHDOBMM, EHHDOBDD, EHHDOBY, HHPAGE.

Display Household person's name  
 "ENUM.ENUMFNAM+ENUM.ENUMLNAM + 'S'".

**TECHNICAL NOTES**

---

<b>4</b>	<b>Respondent</b>	On MRES where MRES.MRESRND = current round:  A Proxy interview (respondent is a proxy) = MRES.SPPROXY=2/Proxy. MRES.RROSTNUM=ROST.ROSTNUM of respondent.  An SP interview (respondent is the SP) = MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.
<b>119</b>	<b>PersonNewInHH</b>	Person is a new Household member in the current round = Person was not a household member in the previous round and was selected at ENS4 as a household member in the current round. See T.N.s 337 and 338.

**ENS5**

- 337**      **NotHHPrevRnd**      Person was not in the Household in the previous round =  
For this ROST, there is no ENUM where  
(ENUM.ENUMROST = ROST.ROSTNUM &  
ENUM.ENUMRND = previous round &  
ENUM.NOTHRSN = empty).
- 338**      **HHCurrentRnd**      Person is in the household in the current round =  
For this ROST, there is an ENUM where  
(ENUM.ENUMROST = ROST.ROSTNUM &  
ENUM.ENUMRND = current round & ENUM.NOTHRSN  
= empty).
- 34**      **ENHouseHold**      Persons already identified as living in the household in  
the current round =  
For this ROST, there is an ENUM where  
(ENUM.ENUMROST=ROST.ROSTNUM and  
ENUM.ENUMRND=current round and  
ENUM.NOTHRSN=empty).

**DESIGN NOTES**

---

**BOX ENS4**

Page Order # : 150

**BOX INSTRUCTIONS**

---

- ( ENS1360 ) IF AT LEAST ONE PERSON LIVING IN THE HOUSEHOLD WITH THE SP IN THE CURRENT ROUND, WAS ALSO LIVING IN THE HOUSEHOLD AT THE TIME OF THE PREVIOUS ROUND INTERVIEW AND (WAS MISSING ANY PART OF THEIR DATE OF BIRTH IN THE PREVIOUS ROUND) AND (HAS NEVER BEEN ASKED ENS10 IN ANY PREVIOUS ROUND), GO TO ENS10 - EHHDOBMM ( ENS1375 ).
- ELSE GO TO BOX ENS4A - (ENS1380 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

- |            |                         |   |
|------------|-------------------------|---|
| <b>34</b>  | <b>ENHouseHold</b>      | Persons already identified as living in the household in the current round =<br>For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHHRSN=empty).  |
| <b>116</b> | <b>HouseholdPrevRnd</b> | Persons who lived in the household at the time of the previous round interview =<br>There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHHRSN = empty).  |
| <b>124</b> | <b>MissingDOB</b>       | Person missing any part of date of birth at the time of previous round interview =<br>For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM & ENUM.ENUMRND=prev. round & ((EHHDOBMM=DK or RF) or (EHHDOBDD=DK or RF) or (EHHDOBY = DK or RF))). |
| <b>125</b> | <b>ENS10Asked</b>       | Person has not received ENS10 =<br>For this ENUM, there is ROST where (ROST.ROSTNUM = ENUM.ENUMROST and ROST.ENSFLAG = empty).  |

**DESIGN NOTES**

---

If MRES.INTTYPE = 2/NewFromFacility, 3/NewFromSupplement, 5/LastRndFacSum, 6/LastRndFacBase, there will not be persons reported as living in the household in the previous round. Therefore, MRES.INTTYPE = 2/NewFromFacility, 3/NewFromSupplement, 5/LastRndFacSum, 6/LastRndFacBase will be routed to BOX ENS5.



# ENS10

Page Order # : 160

Design Screen Type: Grid

Fields:

<b>Field 1:</b>	<b>EHHDOBMM</b>
<b>Field 2:</b>	<b>EHHDOBDD</b>
<b>Field 3:</b>	<b>EHHDOBY</b>
<b>Field 4:</b>	<b>HHPAGE</b>

Enable Functions:

<b>HELP</b>	No
<b>COMMENTS</b>	Yes
<b>JUMPBACK</b>	Yes

Roster Name:

Roster Type:

Roster Functions:

<b>Add Item</b>	No
<b>Edit Item</b>	No
<b>Delete Item</b>	No
<b>Search Item</b>	No

Grid Functions:

<b>Add Line</b>	No
<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display:

**Roster/Grid Instructions:** Display all persons living in the household with the SP in the current round, who was also living in the household at the time of the previous round interview and was missing any part of their date of birth in the previous round.

Do not display persons who have already been asked ENS10 in any previous round, where ROST.ENSFLAG=1/Yes.

Do not display the SP, where ENUM.ENUMROST=01.

If Proxy interview and Proxy meets the criteria above, display Proxy on the first line, where ENUM.ENUMROST=MRES.RROSTNUM (Proxy's ROST.ROSTNUM).

Display all remaining household members who meet the criteria above in the order that they were entered in the Person Roster.

**Roster/Grid display:**

<b>COL #</b>	<b>HEADER</b>	<b>INSTRUCTIONS</b>
1	Name	Display ENUM.ENUMFNAM +

**ENS10**

		ENUM.ENUMLNAM. Display only.
2	Relationship to SP	Display relationship: If ENUM.HHPREL=91/OtherRelative or 92/OtherNon-Relative, display ENUM.HHPRELOS. Else display ENUM.HHPREL relationship. Display only.
3	Date of Birth	Display "Date of Birth" over columns 3, 4, 5. Display ENUM.EHHDOBMM. Input field 1 - Allow updates.
4		Display ENUM.EHHDOBDD. Input field 2 - Allow updates.
5		Display ENUM.EHHDOBY. Input field 3 - Allow updates.
6	Age	Display ENUM.HHPAGE. Input field 4 - Allow updates.

**Report display:**

**TEXT:** -----

**Context Header:**

**Int. Instr I:** ASK THE RESPONDENT TO PROVIDE INFORMATION FOR ALL  
"DK" AND "RF" ENTRIES LISTED BELOW. DO NOT CHANGE  
THE ENTRIES IF THE RESPONDENT STILL DOES NOT KNOW  
THE INFORMATION.

**Question Text:**

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** EHHDOBMM ( ENS1375 )

**Cheshire Name:** ENUM.EHHDOBMM

**Item Text display:** GRID COLUMN #3

**QUESTION DISPLAY:**  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM + 'S.

**Display "(HOUSEHOLD MEMBER NAME'S) DATE OF BIRTH. [ENTER DATE.]"** in same blue font used for interviewer instructions.

**Item Text:** (HOUSEHOLD MEMBER NAME'S) DATE OF BIRTH. [ENTER DATE.]

**Label:** MM  
**Label Position:** Under

**Field Type:** Integer **FieldSize:** 2  
**Type Name:** TMonthInt **Min Value:** 01  
**Answers Allowed:** 1 **Max Value:** 12  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	ENS10 - EHHDOBDD ( ENS1376 )

Attribute	Route
Don't know	ENS10 - EHHDOBDD ( ENS1376 )

Refusal	ENS10 - EHHDOBDD ( ENS1376 )
---------	------------------------------

**Field2:** EHHDOBDD ( ENS1376 )

**Cheshire Name:** ENUM.EHHDOBDD

**Item Text display:** GRID COLUMN #4

**QUESTION DISPLAY:**  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM + 'S.

Display "(HOUSEHOLD MEMBER NAME'S) DATE OF BIRTH. [ENTER DATE.]" in same blue font used for interviewer instructions.

**Item Text:** (HOUSEHOLD MEMBER NAME'S) DATE OF BIRTH. [ENTER DATE.]

**Label:** DD  
**Label Position:** Under

**Field Type:** Integer **FieldSize:** 2  
**Type Name:** TDayDKRF **Min Value:** 1  
**Answers Allowed:** 1 **Max Value:** 31  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	ENS10 - EHHDOBY ( ENS1377 )

Attribute	Route
Don't know	ENS10 - EHHDOBY ( ENS1377 )

Refusal	ENS10 - EHHDOBY ( ENS1377 )
---------	-----------------------------

**Field3:** EHHDOBYY (ENS1377)

**Cheshire Name:** ENUM.EHHDOBYY

**Item Text display:** GRID COLUMN #5

QUESTION DISPLAY:  
 Display household member's name: ENUM.ENUMFNAM  
 + ENUM.ENUMLNAM + 'S.

Display "(HOUSEHOLD MEMBER NAME'S) DATE OF BIRTH. [ENTER DATE.]" in same blue font used for interviewer instructions.

Allow a 2 or 4-digit year to be entered.

**Item Text:** (HOUSEHOLD MEMBER NAME'S) DATE OF BIRTH.  
 [ENTER DATE.]

**Label:** YYYY  
**Label Position:** Under

**Field Type:** Integer **FieldSize:** 4  
**Type Name:** Tyear4DKRF **Min Value:** 1870  
**Answers Allowed:** 1 **Max Value:** 2009  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	ENS10 - HHPAGE (ENS1378)
Attribute	Route	
Don't know	ENS10 - HHPAGE (ENS1378)	
Refusal	ENS10 - HHPAGE (ENS1378)	

**Field4:** HHPAGE ( ENS1378 )

**Cheshire Name:** ENUM.HHPAGE

**Item Text display:** GRID COLUMN #6  
 RECALCULATE AGE if EHHDOBMM, EHHDOBYDD, or EHHDOBYYY is updated:

If EHHDOBMM, EHHDOBDD, EHHDOBYYY ^= DK and EHHDOBMM, EHHDOBDD, EHHDOBYYY ^= RF, then

Calculate HHPAGE based on EHHDOBMM/EHHDOBDD/EHHDOBYYY and (TODAY).

Update display of HHPAGE.

**QUESTION DISPLAY:**  
 Display household member's name: ENUM.ENUMFNAM + ENUM.ENUMLNAM + 'S.'

Display "(HOUSEHOLD MEMBER NAME'S) AGE." in same blue font used for interviewer instructions.

**Item Text:** (HOUSEHOLD MEMBER NAME'S) AGE.

**Label:**  
**Label Position:**

<b>Field Type:</b>	Integer	<b>FieldSize:</b>	3
<b>Type Name:</b>	TAge	<b>Min Value:</b>	0
<b>Answers Allowed:</b>	1	<b>Max Value:</b>	121
<b>Drop Down List:</b>	No	<b>Mask:</b>	
<b>Lookup File:</b>	No		
<b>Lookup File Name:</b>			

Number	Label	Route
1	[Continuous answer.]	BOX ENS4A - (ENS1380 )

Attribute	Route
Don't know	BOX ENS4A - (ENS1380 )

Refusal	BOX ENS4A - (ENS1380 )
---------	------------------------

**BACKGROUND VARIABLE ASSIGNMENTS**

Grid details will be collected on ENUM:  
 ENUM key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.  
 ENUM.ENUMROST = ROST.ROSTNUM of person data is being entered for at ENS10.  
 ENUM.ENUMRND = current round.

Household member's Date of Birth and Age are updated at ENS10 into variables on the

## ENS10

person's current round ENUM record. If Date of Birth is changed at ENS10, copy updates to person's ROST record.

Copy ENUM variables to ROST where ROST.ROSTNUM = ENUM.ENUMROST. See detailed instructions below.

In addition, ENS10 is only asked once for any household member in any round. Set flag for each household member displayed at ENS10 indicating that ENS10 has been asked for that person. See instructions below.

**HHDOBMM** ROST.HHDOBMM = ENS10 - EHHDOBMM.  
**HHDOBDD** ROST.HHDOBDD = ENS10 - EHHDOBDD.  
**HHDOBY** ROST.HHDOBY = ENS10 - EHHDOBY.  
**ENSFLAG** ROST.ENSFLAG = 1/Yes.

### SOFT EDIT CHECKS

---

### HARD EDIT CHECKS

---

### TECHNICAL NOTES

---

<b>34</b>	<b>ENHouseHold</b>	Persons already identified as living in the household in the current round = For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHRSN=empty).
<b>116</b>	<b>HouseholdPrevRnd</b>	Persons who lived in the household at the time of the previous round interview = There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHRSN = empty).
<b>124</b>	<b>MissingDOB</b>	Person missing any part of date of birth at the time of previous round interview = For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM & ENUM.ENUMRND=prev. round & ((EHHDOBMM=DK or RF) or (EHHDOBDD=DK or RF) or (EHHDOBY = DK or RF))).
<b>125</b>	<b>ENS10Asked</b>	Person has not received ENS10 = For this ENUM, there is ROST where (ROST.ROSTNUM = ENUM.ENUMROST and ROST.ENSFLAG = empty).
<b>4</b>	<b>Respondent</b>	On MRES where MRES.MRESRND = current round:  A Proxy interview (respondent is a proxy) = MRES.SPPROXY=2/Proxy. MRES.RROSTNUM=ROST.ROSTNUM of respondent.  An SP interview (respondent is the SP) = MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.

### DESIGN NOTES

---

**BOX ENS4A**

Page Order # : 162

**BOX INSTRUCTIONS**

---

( ENS1380 ) IF (SP IS IN THE SUPPLEMENTAL SAMPLE) OR (SP'S PREVIOUS ROUND INTERVIEW WAS IN A FACILITY), GO TO BOX ENS4B - (ENS1381 ).  
ELSE GO TO BOX ENS5 - (ENS1390 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

9	<b>SuppORD</b>	SP is in the Supplemental Sample = MRES.INTTYPE=3/NewFromSupplement on MRES where MRES.MRESRND = current round.
11	<b>FacInterview</b>	Previous round was a facility interview = (MRES.INTTYPE=2/NewFromFacility or MRES.INTTYPE=5/LastRndFacSum or MRES.INTTYPE=6/LastRndFacBase) on MRES where MRES.MRESRND = current round.

**DESIGN NOTES**

---



**BOX ENS4B**

Page Order # : 163

**BOX INSTRUCTIONS**

---

( ENS1381 ) IF AT LEAST ONE PERSON LIVES IN THE HOUSEHOLD WITH THE SP, GO TO ENS10A - HOUSEHOLD\_OWNS ( ENS1383 ).

ELSE SET SP AS PERSON WHO OWNS/RENTS HOME AND GO TO BOX ENS4C - (ENS1385 ).

**ASSIGNMENTS**

---

If no one lives with the SP in the current round, set SP as person who owns home. See detailed instruction below.

**HHPOWN** If no one lives with the SP in the current round, set HRND.HHPOWN = '01'.

**TECHNICAL NOTES**

---

<b>9</b>	<b>SuppORD</b>	SP is in the Supplemental Sample = MRES.INTTYPE=3/NewFromSupplement on MRES where MRES.MRESRND = current round.
<b>377</b>	<b>PersoninHHCurrRnd</b>	At least one person lives with the SP in the current round = There is at least one ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMROST ^= '01' & ENUM.ENUMRND = current round & ENUM.NOTHRSN=empty).

**DESIGN NOTES**

---

# ENS10A

Page Order # : 164

**Design Screen Type:** Roster

**Fields:** **Field 1:** HOUSEHOLD\_OWNS

**Enable Functions:**  
**HELP** No  
**COMMENTS** No  
**JUMPBACK** No

**Roster Name:** Household Roster

**Roster Type:** Single Item Select

**Roster Functions:**  
**Add Item** No  
**Edit Item** No  
**Delete Item** No  
**Search Item** No

**Grid Functions:**  
**Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If Proxy is the respondent and Proxy does not live in the household, display "(SP's)".  
 Else display "this".

If Proxy is the respondent and Proxy does not live in the household, display "there".  
 Else display "here".

**Multi Field display:**

**Roster/Grid Instructions:** Display all persons identified as living in the household in the current round.

Display SP on first line, where ENUM.ENUMROST=01.

If proxy interview and proxy lives in the household in the current round, display the proxy on the second line, where ENUM.ENUMROST=MRES.RROSTNUM (Proxy's ROST.ROSTNUM).

Display remaining household members in the order they were entered in the Person Roster.

<b>Roster/Grid display:</b>	<b>COL #</b>	<b>HEADER</b>	<b>INSTRUCTIONS</b>
	1	First Name	Display ENUM.ENUMFNAM.
	2	Last Name	Display ENUM.ENUMLNAM.

**ENS10A**

**3** Relationship to SP Display relationship to SP:  
If ENUM.HHPREL=91/OtherRelative or  
92/OtherNon-Relative, display  
ENUM.HHPRELOS.  
Else display ENUM.HHPREL relationship.

**Report display:**

**TEXT:**

**Context Header:**

**Int. Instr I:**

**Question Text:** Who owns or rents [this/(SP's)] home? [PROBE: Of the people living (here/there) now, who is the person who is the head of the household?]

**Int. Instr II:** SELECT ONLY ONE.

**INPUT FIELDS / ROUTING**

**Field1:** HOUSEHOLD\_OWNS ( ENS1383 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** String **FieldSize:** 30  
**Type Name:** TPersPick30 **Min Value:**  
**Answers Allowed:** 1 **Max Value:**  
**Drop Down List:** No **Mask:**  
**Lookup File:** No  
**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	BOX ENS4C - (ENS1385 )

**BACKGROUND VARIABLE ASSIGNMENTS**

Set person selected at ENS10A as person who owns/rents home. See instructions below.

**HHPOWN** HRND.HHPOWN=ENUM.ENUMROST of person selected at EN6.

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

---

- 4**            **Respondent**            On MRES where MRES.MRESRND = current round:
- A Proxy interview (respondent is a proxy) =  
MRES.SPPROXY=2/Proxy.  
MRES.RROSTNUM=ROST.ROSTNUM of respondent.
- An SP interview (respondent is the SP) =  
MRES.SPPROXY=1/SP.  
MRES.RROSTNUM='01'.
- 34**           **ENHouseHold**            Persons already identified as living in the household in  
the current round =  
For this ROST, there is an ENUM where  
(ENUM.ENUMROST=ROST.ROSTNUM and  
ENUM.ENUMRND=current round and  
ENUM.NOTHRSN=empty).

**DESIGN NOTES**

---

# BOX ENS4C

**BOX INSTRUCTIONS**

---

( ENS1385 ) IF (SP IS IN THE SUPPLEMENTAL SAMPLE) AND (SP'S AGE IS 16 OR OLDER, OR AGE = DK OR RF), GO TO ENS10AA - ASKWORK ( ENS1387 ).  
  
ELSE GO TO BOX ENS5 - (ENS1390 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

- 9            **SuppORD**            SP is in the Supplemental Sample = MRES.INTTYPE=3/NewFromSupplement on MRES where MRES.MRESRND = current round.
  
- 103        **SPAge**                SP's AGE is calculated based on SP's ROST.HHDOBMM, ROST.HHDOBDD, ROST.HHDOBY and TODAY and is stored on ENUM.HHPAGE where ENUM.ENUMRND = current round and ENUM.ENUMROST = 01.

**DESIGN NOTES**

---

# ENS10AA

Page Order # : 168

Design Screen Type: Yes/No

Fields: Field 1: ASKWORK

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text: Since (REFERENCE DATE), did [you/(SP)] work at any time at a job or business?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** ASKWORK ( ENS1387 )

**Cheshire Name:** TEMP

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX ENS5 - (ENS1390 )
	<b>English text: YES</b>	
2	No	BOX ENS5 - (ENS1390 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	BOX ENS5 - (ENS1390 )
Refusal	BOX ENS5 - (ENS1390 )

**BACKGROUND VARIABLE ASSIGNMENTS**

ENUM.HHPWORK is stored based on the response to ENS10AA.

Set variable as instructed below:

Set HHPWORK on ENUM where ENUM.ENUMRND=current round and ENUM.ENUMROST = '01'.

**HHPWORK** If ENS10AA - ASKWORK = 1/Yes, set  
 ENUM.HHPWORK = 1/Works.  
 Else if ENS10AA - ASKWORK = 2/No, set  
 ENUM.HHPWORK = 2/DidNotWork.  
 Else ENUM.HHPWORK = ENS10AA - ASKWORK.

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

**ENS10AA**

- 34 ENHouseHold** Persons already identified as living in the household in the current round =  
For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHHRSN=empty).
- 105 HHMemberAge** Household member's age =  
There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = current round).  
HH Member's age = ENUM.HHPAGE.
- 4 Respondent** On MRES where MRES.MRESRND = current round:  
  
A Proxy interview (respondent is a proxy) =  
MRES.SPPROXY=2/Proxy.  
MRES.RROSTNUM=ROST.ROSTNUM of respondent.  
  
An SP interview (respondent is the SP) =  
MRES.SPPROXY=1/SP.  
MRES.RROSTNUM='01'.

**DESIGN NOTES**

---



**BOX ENS5**

Page Order # : 170

**BOX INSTRUCTIONS**

---

( ENS1390 ) IF (SP IS IN THE SUPPLEMENTAL SAMPLE AND ENS10AA - ASKWORK = 1/Yes) OR (IF SP IS NOT IN THE SUPPLEMENTAL SAMPLE AND ((IT IS A FALL ROUND) AND (SP IS ALIVE AND NOT INSTITUTIONALIZED) AND (SP'S AGE IS 16 OR OLDER, OR AGE = DK OR RF))), GO TO ENS11 - JOBSTAT ( ENS1392 ).

ELSE GO TO BOX ENS5A - (ENS1393 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>9</b>	<b>SuppORD</b>	SP is in the Supplemental Sample = MRES.INTTYPE=3/NewFromSupplement on MRES where MRES.MRESRND = current round.
<b>98</b>	<b>FallRound</b>	If the remainder of (Current round divided by 3) = 1, then it is a Fall round.
<b>59</b>	<b>SPStatus</b>	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty  SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY  SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute  SP is Deceased = MRES.SPALIVE=3/Deceased.
<b>103</b>	<b>SPAge</b>	SP's AGE is calculated based on SP's ROST.HHDOBMM, ROST.HHDOBDD, ROST.HHDOBY and TODAY and is stored on ENUM.HHPAGE where ENUM.ENUMRND = current round and ENUM.ENUMROST = 01.

**DESIGN NOTES**

---

# ENS11

Page Order # : 180

Design Screen Type: Yes/No

Fields:                      **Field 1:**                      **JOBSTAT**

Enable Functions:	<b>HELP</b>	No
	<b>COMMENTS</b>	Yes
	<b>JUMPBACK</b>	Yes

Roster Name:

Roster Type:

Roster Functions:	<b>Add Item</b>	No
	<b>Edit Item</b>	No
	<b>Delete Item</b>	No
	<b>Search Item</b>	No

Grid Functions:	<b>Add Line</b>	No
	<b>Delete Line</b>	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:                      If MRES.INTTYPE ^= 3/NewFromSupplement, display "Before I continue...".  
 Else do not display.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text:                      [Before I continue with the next set of questions, I need to collect information about [your/(SP's)] job status.] [Are you/Is (SP)] currently working at a job or business?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** JOBSTAT (ENS1392)

**Cheshire Name:** ENUM.JOBSTAT

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX ENS5A - (ENS1393 )
	<b>English text: YES</b>	
2	No	BOX ENS5A - (ENS1393 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	BOX ENS5A - (ENS1393 )
Refusal	BOX ENS5A - (ENS1393 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

**BOX ENS5A**

**Page Order # : 182**

**BOX INSTRUCTIONS**

---

- ( ENS1393 ) IF AT LEAST ONE PERSON WHO LIVES IN THE HOUSEHOLD WITH THE SP IS AGE 16 OR OLDER, OR AGE = DK OR RF AND ((THIS PERSON IS A NEW HOUSEHOLD MEMBER IN THE CURRENT ROUND) OR (IT IS A FALL ROUND)), GO TO ENS11A\_IN - NAVIGATOR ( ENS1395 ).
- ELSE GO TO BOX ENS7 - (ENS1405 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>34</b>	<b>ENHouseHold</b>	Persons already identified as living in the household in the current round = For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHRSN=empty).
<b>105</b>	<b>HHMemberAge</b>	Household member's age = There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = current round). HH Member's age = ENUM.HHPAGE.
<b>119</b>	<b>PersonNewInHH</b>	Person is a new Household member in the current round = Person was not a household member in the previous round and was selected at ENS4 as a household member in the current round. See T.N.s 337 and 338.
<b>337</b>	<b>NotHHPrevRnd</b>	Person was not in the Household in the previous round = For this ROST, there is no ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHRSN = empty).
<b>338</b>	<b>HHCurrentRnd</b>	Person is in the household in the current round = For this ROST, there is an ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = current round & ENUM.NOTHRSN = empty).
<b>98</b>	<b>FallRound</b>	If the remainder of (Current round divided by 3) = 1, then it is a Fall round.

**DESIGN NOTES**

---

ENS11A - HHJBSTAT is asked only if Household member is AGE is 16 or older, or AGE = DK, RF.

ENS11A will be asked:

- 1) If the person is a new household member in the current round
- 2) If person was in the household at the time of the previous round interview, they will get ENS11A as an annual follow-up question only in the fall round.

BEGIN LOOP: Will ask ENS11A for each household member that meets this criteria.

**BOX ENS5A**

**ENS11A\_IN**

Page Order # : 183

Design Screen Type: Instance Navigator

Fields: Field 1: NAVIGATOR

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If Fall round, display all persons who live in the household with the SP who is AGE 16 or older, or AGE = DK or RF.  
Else if not a fall round, display all persons who are new household members in the current round and who is AGE 16 or older, or AGE = DK, RF.

Invoke NO TRAVEL I/N.

**Multi Field display:****Roster/Grid Instructions:****Roster/Grid display:****Report display:****TEXT:** -----**Context Header:****Int. Instr I:****Question Text:****Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** NAVIGATOR ( ENS1395 )

**Cheshire Name:** N/A

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated

**Type Name:** TInstanceNavigator

**Answers Allowed:** 1

**Drop Down List:** No

**Lookup File:** No

**Lookup File Name:**

**FieldSize:**

**Min Value:**

**Max Value:**

**Mask:**

Number	Label	Route
1	SelectItemInList	ENS11A - HHJBSTAT ( ENS1399 )
	<b>English text:</b> ITEM SELECTED IN INSTANCE NAVIGATOR	
2	SelectContinueInterview	BOX ENS7 - (ENS1405 )
	<b>English text:</b> CONTINUE INTERVIEW SELECTED	

**BACKGROUND VARIABLE ASSIGNMENTS**

---

Details will be collected on ENUM:

ENUM key = ENUM.ENUMBASE + ENUM.ENUMROST + ENUM.ENUMRND.

ENUM.ENUMROST = ROST.ROSTNUM of person being asked about.

ENUM.ENUMRND = current round.

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

105	<b>HHMemberAge</b>	Household member's age = There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = current round). HH Member's age = ENUM.HHPAGE.
119	<b>PersonNewInHH</b>	Person is a new Household member in the current round = Person was not a household member in the previous round and was selected at ENS4 as a household member in the current round. See T.N.s 337 and 338.



**ENS11A\_IN**

**337 NotHHPrevRnd** Person was not in the Household in the previous round =  
For this ROST, there is no ENUM where  
(ENUM.ENUMROST = ROST.ROSTNUM &  
ENUM.ENUMRND = previous round &  
ENUM.NOTHRSN = empty).

**338 HHCurrentRnd** Person is in the household in the current round =  
For this ROST, there is an ENUM where  
(ENUM.ENUMROST = ROST.ROSTNUM &  
ENUM.ENUMRND = current round & ENUM.NOTHRSN  
= empty).

**DESIGN NOTES**

---

# ENS11A

Page Order # : 184

Design Screen Type: Yes/No

Fields: Field 1: HHJBSTAT

Enable Functions: HELP No  
 COMMENTS No  
 JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If ENS11 - JOBSTAT was not asked about SP this round and this is the first instance that ENS11a - HHJBSTAT is being asked this round, display the first sentence, "Before I continue...". Else do not display.

If Proxy is the respondent, and asking ENS11A about the Proxy, display "your".  
 Else display "(HOUSEHOLD MEMBER NAME'S)". Display the name of the household member currently being asked about, ENUM.ENUMFNAM + ENUM.ENUMLNAM + 'S'.

If Proxy is the respondent, and asking ENS11A about the Proxy, display "Are you".  
 Else display "Is (HOUSEHOLD MEMBER NAME)". Display the name of the household member currently being asked about, ENUM.ENUMFNAM + ENUM.ENUMLNAM.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:**

**Int. Instr I:**

**Question Text:** (Before I continue with the next set of questions, I need to update information about [your/(HOUSEHOLD MEMBER NAME'S)] job status.) [Are you/ls (HOUSEHOLD MEMBER NAME)] currently working at a job or business?

**Int. Instr II:**

**INPUT FIELDS / ROUTING**

---

**Field1:** HHJBSTAT ( ENS1399 )

**Cheshire Name:** ENUM.HHJBSTAT

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	BOX ENS6 - (ENS1400 )
English text: YES		
2	No	BOX ENS6 - (ENS1400 )
English text: NO		

Attribute	Route
Don't know	BOX ENS6 - (ENS1400 )
Refusal	BOX ENS6 - (ENS1400 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

<b>34</b>	<b>ENHouseHold</b>	Persons already identified as living in the household in the current round = For this ROST, there is an ENUM where (ENUM.ENUMROST=ROST.ROSTNUM and ENUM.ENUMRND=current round and ENUM.NOTHHRSN=empty).
<b>119</b>	<b>PersonNewInHH</b>	Person is a new Household member in the current round = Person was not a household member in the previous round and was selected at ENS4 as a household member in the current round. See T.N.s 337 and 338.
<b>337</b>	<b>NotHHPrevRnd</b>	Person was not in the Household in the previous round = For this ROST, there is no ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = previous round & ENUM.NOTHHRSN = empty).
<b>338</b>	<b>HHCurrentRnd</b>	Person is in the household in the current round = For this ROST, there is an ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = current round & ENUM.NOTHHRSN = empty).
<b>98</b>	<b>FallRound</b>	If the remainder of (Current round divided by 3) = 1, then it is a Fall round.
<b>105</b>	<b>HHMemberAge</b>	Household member's age = There is a ROST & ENUM where (ENUM.ENUMROST = ROST.ROSTNUM & ENUM.ENUMRND = current round). HH Member's age = ENUM.HHPAGE.

**DESIGN NOTES**

---

# BOX ENS6

Page Order # : 190

## BOX INSTRUCTIONS

( ENS1400 ) GO TO ENS11A\_IN - NAVIGATOR ( ENS1395 ).

## ASSIGNMENTS

## TECHNICAL NOTES

## DESIGN NOTES

**BOX ENS7**

Page Order # : 195

**BOX INSTRUCTIONS**

---

( ENS1405 ) IF ((SP IS IN THE SUPPLEMENTAL SAMPLE) OR (SP IS NEW FROM THE FACILITY)) AND SP'S AGE IS 17 OR OLDER OR AGE = DK OR RF, GO TO ENS12 - SPAFEVER ( ENS1410 ).

ELSE GO TO BOX ENSEND - (ENS1445 ).

**ASSIGNMENTS**

---

**TECHNICAL NOTES**

---

<b>9</b>	<b>SuppORD</b>	SP is in the Supplemental Sample = MRES.INTTYPE=3/NewFromSupplement on MRES where MRES.MRESRND = current round.
<b>25</b>	<b>NewFromFacility</b>	SP is new from facility (i.e. all previous round interviews were in a facility) = MRES.INTTYPE=2/NewFromFacility on MRES where MRES.MRESRND = current round.
<b>103</b>	<b>SPAge</b>	SP's AGE is calculated based on SP's ROST.HHDOBMM, ROST.HHDOBDD, ROST.HHDOBY and TODAY and is stored on ENUM.HHPAGE where ENUM.ENUMRND = current round and ENUM.ENUMROST = 01.

**DESIGN NOTES**

---

# ENS12

Page Order # : 200

Design Screen Type: Yes/No

Fields: Field 1: SPAFEVER

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text: Now we have a few questions about military service.  
 Did [you/(SP)] ever serve in the Armed Forces of the United States?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** SPAFEVER (ENS1410)

**Cheshire Name:** HOME.SPAFEVER

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	ENS13 - SPAFTIME (ENS1415)
	<b>English text: YES</b>	
2	No	ENS14 - SPNGEVER (ENS1420)
	<b>English text: NO</b>	

Attribute	Route
Don't know	ENS14 - SPNGEVER (ENS1420)
Refusal	ENS14 - SPNGEVER (ENS1420)

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---



# ENS13

Page Order # : 210

Design Screen Type: Code All

Fields: Field 1: SPAFTIME

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I: SHOW CARD ENS

Question Text: Looking at this card, in which of these time periods did [you/(SP)] serve in the Armed Forces?

Int. Instr II: CHECK ALL THAT APPLY.

**INPUT FIELDS / ROUTING**

---

**ENS13**

**Field1:** SPAFTIME ( ENS1415 )

**Cheshire Name:** NONE

REPLACES CHESHIRE VARIABLE NAMES:  
 1/VietnamEra = HOME.SPAFVIET  
 2/KoreanConflict = HOME.SPAFKORE  
 3/WW2 = HOME.SPAFWWII  
 4/WW1 = HOME.SPAFWWI  
 5/PeaceTime = HOME.SPAFPEAC  
 6/PersianGulfWar = HOME.SPAFGULF  
 7/IraqAfghanConflict = HOME.SPAFIRAF

**Item Text display:** Display response categories in the following order:  
 7, 6, 1, 2, 3, 4, 5

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TSPAFTIME  
**Answers Allowed:** 7  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	VietnamEra	ENS14 - SPNGEVER ( ENS1420 )
	<b>English text:</b> VIETNAM ERA (Aug 1964 - May 1975)	
2	KoreanConflict	ENS14 - SPNGEVER ( ENS1420 )
	<b>English text:</b> KOREAN CONFLICT (June 1950 - Jan 1955)	
3	WW2	ENS14 - SPNGEVER ( ENS1420 )
	<b>English text:</b> WORLD WAR II (Sept 1940 - July 1947)	
4	WW1	ENS14 - SPNGEVER ( ENS1420 )
	<b>English text:</b> WORLD WAR I (1917 - 1918)	
5	PeaceTime	ENS14 - SPNGEVER ( ENS1420 )
	<b>English text:</b> PEACE TIME (ALL OTHER TIMES)	
6	PersianGulfWar	ENS14 - SPNGEVER ( ENS1420 )
	<b>English text:</b> PERSIAN GULF WAR (Aug 1990 - March 1991)	
7	IraqAfghanConflict	ENS14 - SPNGEVER ( ENS1420 )
	<b>English text:</b> IRAQ OR AFGHANISTAN CONFLICT (2001-present)	
Attribute	Route	
Don't know	ENS14 - SPNGEVER ( ENS1420 )	

Refusal      ENS14 - SPNGEVER ( ENS1420 )

---

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

# ENS14

Page Order # : 220

Design Screen Type: Yes/No

Fields: Field 1: SPNGEVER

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text: [Were you/Was (SP)] ever an active member of a National Guard or military reserve unit of the United States?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** SPNGEVER ( ENS1420 )

**Cheshire Name:** HOME.SPNGEVER

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	ENS15 - SPNGALL ( ENS1430 )
	<b>English text: YES</b>	
2	No	BOX ENS14 - (ENS1425 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	BOX ENS14 - (ENS1425 )
Refusal	BOX ENS14 - (ENS1425 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

# **BOX ENS14**

**Page Order # :** 230

## **BOX INSTRUCTIONS**

---

( ENS1425 ) IF ENS12 - SPAFEVER = 1/Yes, GO TO ENS16 - SPNGDSBL ( ENS1435 ).  
ELSE GO TO BOX ENSEND - (ENS1445 ).

## **ASSIGNMENTS**

---

## **TECHNICAL NOTES**

---

## **DESIGN NOTES**

---

# ENS15

Page Order # : 240

Design Screen Type: Yes/No

Fields: Field 1: SPNGALL

Enable Functions:	HELP	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	Add Line	No
	Delete Line	No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text: Was all of [your/(SP's)] active duty related to National Guard or military reserve training?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---



**Field1:** SPNGALL ( ENS1430 )

**Cheshire Name:** HOME.SPNGALL

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	ENS16 - SPNGDSBL ( ENS1435 )
	<b>English text: YES</b>	
2	No	ENS16 - SPNGDSBL ( ENS1435 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	ENS16 - SPNGDSBL ( ENS1435 )
Refusal	ENS16 - SPNGDSBL ( ENS1435 )

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**DESIGN NOTES**

---

# ENS16

Page Order # : 250

Design Screen Type: Yes/No

Fields: Field 1: SPNGDSBL

Enable Functions: HELP No  
 COMMENTS No  
 JUMPBACK No

Roster Name:

Roster Type:

Roster Functions: Add Item No  
 Edit Item No  
 Delete Item No  
 Search Item No

Grid Functions: Add Line No  
 Delete Line No

**DISPLAY INSTRUCTIONS:**

---

Context header display:

Question display: IF MRES.SPALIVE = 2/AliveAndInstitute or 3/Deceased, display "Did (SP)".  
 Else display "Do you" or "Does (SP)".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

**TEXT:**

---

Context Header:

Int. Instr I:

Question Text: [Do you/Does (SP)/Did (SP)] have a disability related to service in the Armed Forces of the United States?

Int. Instr II:

**INPUT FIELDS / ROUTING**

---

**Field1:** SPNGDSBL ( ENS1435 )

**Cheshire Name:** HOME.SPNGDSBL

**Item Text display:**

**Item Text:**

**Label:**

**Label Position:**

**Field Type:** Enumerated  
**Type Name:** TYesNoDKRF  
**Answers Allowed:** 1  
**Drop Down List:** No  
**Lookup File:** No  
**Lookup File Name:**

**FieldSize:**  
**Min Value:**  
**Max Value:**  
**Mask:**

Number	Label	Route
1	Yes	ENS17 - SPVARATE ( ENS1440 )
	<b>English text: YES</b>	
2	No	BOX ENSEND - (ENS1445 )
	<b>English text: NO</b>	

Attribute	Route
Don't know	BOX ENSEND - (ENS1445 )
Refusal	BOX ENSEND - (ENS1445 )

**BACKGROUND VARIABLE ASSIGNMENTS**

**SOFT EDIT CHECKS**

**HARD EDIT CHECKS**

**TECHNICAL NOTES**

**59 SPStatus** SP is Alive and not institutionalized =  
MRES.SPALIVE=1/Alive or empty

SP is Alive =  
MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY

SP is Institutionalized =  
MRES.SPALIVE=2/AliveAndInstitute

SP is Deceased =

MRES.SPALIVE=3/Deceased.

**DESIGN NOTES**

---

# ENS17

Page Order # : 260

Design Screen Type: Numeric

Fields: **Field 1:** SPVARATE

Enable Functions: **HELP** No  
**COMMENTS** No  
**JUMPBACK** No

Roster Name:

Roster Type:

Roster Functions: **Add Item** No  
**Edit Item** No  
**Delete Item** No  
**Search Item** No

Grid Functions: **Add Line** No  
**Delete Line** No

**DISPLAY INSTRUCTIONS:**

---

**Context header display:**

**Question display:** If SP is deceased or institutionalized, display "was (SP's)".  
 Else display "is [your/(SP's)]".  
  
 If SP is alive and not institutionalized, display "current".  
 Else do not display.

**Multi Field display:**

**Roster/Grid Instructions:**

**Roster/Grid display:**

**Report display:**

**TEXT:**

---

**Context Header:**

**Int. Instr I:**

**Question Text:** What [is [your/(SP's)]/was (SP's)] (current) V.A. disability rating?

**Int. Instr II:** THE VA DISABILITY RATING IS A PERCENTAGE IN MULTIPLES OF 10 (I.E., 10%, 20%, ETC.). ENTER THE NUMBER AS A WHOLE NUMBER. YOU DO NOT NEED TO ENTER THE "%" SIGN.

**INPUT FIELDS / ROUTING**

---

**Field1:**                    **SPVARATE**                    ( ENS1440 )

**Cheshire Name:**            HOME.SPVARATE

**Item Text display:**

**Item Text:**

**Label:**                    RATING:

**Label Position:**        Left

**Field Type:**              Integer

**Type Name:**            TSpvarate

**FieldSize:**

**Min Value:**            0

**Answers Allowed:**      1

**Max Value:**            100

**Drop Down List:**      No

**Mask:**                  Percent

**Lookup File:**            No

**Lookup File Name:**

Number	Label	Route
1	[Continuous answer.]	BOX ENSEND - (ENS1445 )

---

Attribute	Route
Don't know	BOX ENSEND - (ENS1445 )

---

Refusal	BOX ENSEND - (ENS1445 )
---------	-------------------------

---

**BACKGROUND VARIABLE ASSIGNMENTS**

---

**SOFT EDIT CHECKS**

---

SPVARATE = 1 - 100, DK or RF.  
 If not true, display message "UNLIKELY RESPONSE. PLEASE VERIFY."

**HARD EDIT CHECKS**

---

**TECHNICAL NOTES**

---

**59            SPStatus**                    SP is Alive and not institutionalized =  
 MRES.SPALIVE=1/Alive or empty

SP is Alive =  
 MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY

SP is Institutionalized =  
 MRES.SPALIVE=2/AliveAndInstitute

SP is Deceased =  
 MRES.SPALIVE=3/Deceased.

**DESIGN NOTES**

---

# BOX ENSEND

Page Order # : 270

## BOX INSTRUCTIONS

---

( ENS1445 ) GO TO NEXT SECTION .

## ASSIGNMENTS

---

## TECHNICAL NOTES

---

## DESIGN NOTES

---