HISINTRO

HISINTRO			Page Order # :	20
Design Screen Type:	No Entry			
Fields:	Field 1:	HISINT		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:			nation that we have abo ad at the time of the las	
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

HISINTRO

Field1:	HISINT	(HIS1020)
Cheshire Name:	TEMP	
Item Text display: Item Text: Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 Continue	CONTINUE	HIS1 - HISCORR (HIS1030)
English text:	CONTINUE	
Attribute Route Empty HIS1 - H	HISCORR (HIS1030)	
BACKGROUND VARIAB		
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		
DESIGN NOTES		

HIS1 Page Order #: 30

Design Screen Type: Code 1

Field 1: HISCORR

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP was covered by any other health insurance plan that was

"current" at the time of the previous round interview in addition to Medicare, display "[You/(SP)] had Medicare coverage and (you were/he was/she was) also covered by [READ PLAN NAMES

BELOW].'

Else display statement "The only health insurance coverage

[you/(SP)] had was Medicare."

If SP was covered by a Medicare Managed Care Plan that was "current" at the time of the previous round interview, display,

"through a managed care plan."

Else do not display.

If HIS1 is displayed more than once, display "Let's see if there are any other changes we need to make to the health insurance

coverage [you/(SP)] had as of (REFERENCE DATE)."

Else do not display.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display report below question text.

Display all health insurance plans that were "current" at the time of

the previous round interview. Display these plans in the following order:

First line:

If SP was covered by a Medicare Managed care plan, display name of this Medicare Managed care plan.

Else display "MEDICARE" for the Medicare plan.

Next list Medicaid, Tricare, all Public Plans, all Private Plans and all Medicare Prescription Drug Plans. If there is more than one plan of any type, display in order of entry.

Report header: PLANS AS OF (REFERENCE DATE)

Report layout:

Column 1, header="Plan Name", display PLAN.PLNAME.

Column 2, header="Plan Type", display PLAN.PLANTYPE. If PLANTYPE=1/Medicare, display "(MCAR)". If PLANTYPE=2/Medicaid, display "(MCAD)". If PLANTYPE=3/PublicPlan, display "(PUBL)". If PLANTYPE=4/PrivatePlan, display "(PRIV)". If PLANTYPE=5/MHMO, display "(MHMO)". If PLANTYPE=6/Tricare, display "(TRIC)". If PLANTYPE=7/MPDP, display "(MPDP)".

<u>TEXT:</u>

Context Header:

Int. Instr I:

Question Text:

[Let's see if there are any other changes we need to make to the health insurance coverage [you/(SP)] had as of (REFERENCE DATE).] [(You/(SP)] had Medicare coverage (through a managed care plan) and (you were/he was/she was) also covered by [READ PLAN NAMES BELOW]./The only health insurance coverage [you/(SP)] had was Medicare (through a managed care plan)] on

(REFERENCE DATE). Is that correct?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: HISCORR (HIS1030)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: THIS Correct Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

	Yes HISCLOSE - ENDHIS (HIS3340)	
	English text: YES, ALL CORRECT A	S SHOWN
)	NoPlanMissing	HIS3 - ADDHITYPE (HIS1110)
	English text: NO, PLAN MISSING	
,	NoNameIncorrect	HIS2B - PLAN_CORRECT (HIS1065)
	English text: NO, PLAN NAME INCO	DRRECT
	NoPlanDelete	HIS2 - PLAN_DELETION (HIS1040)
	English text: NO, PLAN NEEDS DEL	ETION

Attribute	Route
Don't know	HISCLOSE - ENDHIS (HIS3340)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1:

Note: This soft edit message should be displayed if HISCORR=2/NoPlanMissing.

HISCORR = 1/Yes, 3/NoNameIncorrect, 4/NoPlanDelete, or DK. If not true, display message "VERIFY THAT THE SP WAS COVERED BY PLAN ON (REFERENCE DATE)."

Fdit #2

Note: This soft edit should be displayed if HISCORR=4/NoPlanDelete.

HISCORR = 1/Yes, 2/NoPlanMissing, 3/NoNameIncorrect, or DK. If not true, display message "VERIFY THAT THE SP WAS NOT

COVERED BY PLAN ON (REFERENCE DATE)."

HARD EDIT CHECKS

Edit #1:

Note: The following edit disallows Medicare from being deleted.

If the SP was not covered by any other plans that were "current" at the time of the previous round interview, besides Medicare, HISCORR should ^= 4/NoPlanDelete.

If not true, display message "YOU CANNOT DELETE MEDICARE. PLEASE SELECT ANOTHER RESPONSE."

Edit #2

Note: The following edits disallows a Medicare Managed Care plan that was loaded by CMS to be edited or deleted.

If the SP was covered by a Medicare Managed Care plan that was loaded from CMS, and was not covered by any other plans at the time of the previous round interview, besides Medicare and this Medicare Managed Care plan that was loaded from CMS, HISCORR should ^= 3/NoNameIncorrect and should ^= 4/NoPlanDelete. If not true, display message "YOU CANNOT EDIT OR DELETE (MEDICARE MANAGED CARE PLAN NAME). PLEASE SELECT ANOTHER RESPONSE."

Edit #3:

Note: The following edit disallows Medicare, Medicaid or Tricare from being edited.

If the SP was not covered by any other plans that were "current" at the time of the previous round interview, besides Medicare, Medicaid and/or Tricare, HISCORR should ^= 3/NoNameIncorrect.

If not true, display message "YOU CANNOT EDIT MEDICARE, MEDICAID, OR TRICARE. PLEASE SELECT ANOTHER RESPONSE."

TECHNICAL NOTES

. = •	NOAL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.HIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
53	PlanTypes	Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid. Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan. Medicare Prescription Drug: PLANTYPE=7/MPDP.
51	MHMOCurrPrevRnd	Medicare Managed Care plan "current" at time of previous round interview = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52.

d interview = There is a PLAN where PLAN.PLANTYPE=2/Medicaid and PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. 72 TricareCurrentPrevRnd Tricare "current" at the time of the previous round interview = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round and (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. 80 PublicCurrentPrevRnd Public plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=3/PublicPlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. 81 PrivateCurrentPrevRnd Private plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or COVNOW=1/Yes)).				HIS1
interview = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round and (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. 80 PublicCurrentPrevRnd Public plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=3/PublicPlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. 81 PrivateCurrentPrevRnd Private plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or COVNOW=1/Yes)).	67		interview = There is a PLAN where PLAN.PLANTYPE=2/Medicaid and PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)).	
interview = There is a PLAN where PLAN.PLANTYPE=3/PublicPlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52. PrivateCurrentPrevRnd Private plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or COVNOW=1/Yes)).	72	TricareCurrentPrevRnd	interview = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round and (COVTIME=1/WholeTime or COVNOW=1/Yes)).	
interview = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or COVNOW=1/Yes)).	80	PublicCurrentPrevRnd	interview = There is a PLAN where PLAN.PLANTYPE=3/PublicPlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)).	
Exclude Deleted Plans. See I.N. 52.	81	PrivateCurrentPrevRnd	interview = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlar & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or	n
MPDPCurrPrevRnd Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.	343	MPDPCurrPrevRnd	previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes).	
DESIGN NOTES				

HIS₂

HIS2 Page Order #: 40

Design Screen Type: Roster

Fields: Field 1: **PLAN_DELETION**

Enable Functions: HELP No

> **COMMENTS** Yes **JUMPBACK** Yes

Roster Name: Plan Roster

Roster Type: Single Item Select

Roster Functions: Add Item No

> **Edit Item** Nο **Delete Item** No No Search Item

Grid Functions: No **Add Line**

> **Delete Line** No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all health insurance plans that were "current" at the time of

the previous round interview.

Display plans in the order of entry.

Display the following "current" plans as protected rows:

Medicare

1

2

Medicare Managed Care plan, if loaded by CMS.

COL# **HEADER INSTRUCTIONS** Roster/Grid display: Plan Name

> Display PLAN.PLANTYPE: Plan Type 1/Medicare, display "(MCAR)" 2/Medicaid, display "(MCAD)" 3/PublicPlan, display "(PUBL)" 4/PrivatePlan, display "(PRIV)"

5/MHMO, display "(MHMO)" 6/Tricare, display "(TRIC)" 7/MPDP, display "(MPDP)".

Display PLAN.PLNAME.

Display PREVIOUS ROUND PLAN 3 Plan Status

STATUS.

HIS₂

Report display	:
----------------	---

Context Header:

Int. Instr I:

TEXT:

Question Text:

What is the name of the plan that needs deletion?

(HIS1040)

SELECT ONLY ONE PLAN FOR DELETION AT THIS ROSTER. Int. Instr II:

INPUT FIELDS / ROUTING

PLAN_DELETION Field1:

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String Type Name: TPlanPick8

Answers Allowed: 1 **Drop Down List:** No No

Lookup File:

FieldSize: 8

Min Value: Max Value:

Mask:

Lookup File Name:

Number Label Route

HIS2A - PLANDVB (HIS1060) [Continuous answer.]

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PLAN and PLRO:

PLAN key = PLAN.PLANBASE + PLAN.PLANNUM

PLAN.PLANNUM = Number of Provider selected at HIS2.

PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND

PLRO.PLROPLAN = PLAN.PLANNUM of Provider selected at HIS2.

PLRO.PLRORND = previous round.

Set "PLAN DELETED" flag on PLAN selected at HIS2. See detailed instructions below:

PLANDFLG Set PLAN.PLANDFLG=1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

TECHNIC	AL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
53	PlanTypes	Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid. Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan. Medicare Prescription Drug: PLANTYPE=7/MPDP.
51	MHMOCurrPrevRnd	Medicare Managed Care plan "current" at time of previous round interview = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52.
67	MedicaidCurrentPrevRn d	Medicaid "current" at the time of the previous round interview = There is a PLAN where PLAN.PLANTYPE=2/Medicaid and PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.
72	TricareCurrentPrevRnd	Tricare "current" at the time of the previous round interview = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round and (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.
80	PublicCurrentPrevRnd	Public plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=3/PublicPlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.
81	PrivateCurrentPrevRnd	Private plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.
143	MHMOLoadedCMS	Medicare Managed Care plan loaded by CMS = There is PLAN where PLAN.PLANTYPE=5/MHMO and PLAN.MHMOLRND ^= empty.

HIS₂

343 MPDPCurrPrevRnd

Medicare Prescription Drug plan "current" at time of

previous round interview=

There is a PLAN where PLAN.PLANTYPE=7/MPDP &

PLRO where (PLROPLAN=PLAN.PLANNUM &

PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

HIS2 allows only 1 plan to be selected. It does not use the DELETE function to delete plan. Instead, we set a "PLAN DELETED" flag on the plan that has been selected.

HIS2A

HIS2A			Page Order #:	60
Design Screen Type:	Verbatim Text			
Fields:	Field 1:	PLANDVB		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:				
Int. Instr II:	BRIEFLY EXPLA	IN WHY PLAN NEEDS	DELETION.	
INPUT FIELDS / ROUTING	3			

HIS2A

Field1:	PLANDVB	(HIS1060)	
Cheshire Name:	NONE		
	REPLACES VB FIELD	S IN CHESHIRE:	
	PLAN.PLANDVB1 PLAN.PLANDVB2 PLAN.PLANDVB3 PLAN.PLANDVB4		
Item Text display:			
Item Text:			
Label: Label Position:			
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File:	Open TOpen180 1 No No	FieldSize: Min Value: Max Value: Mask:	180
Lookup File Name:			
Number Label		Route	
1 [Continuous ans	swer.]	HIS1 - HISCOI	RR (HIS1030)
BACKGROUND VARIAB	LE ASSIGNMENTS		
SOFT EDIT CHECKS			
HARD EDIT CHECKS			
TECHNICAL NOTES			
DESIGN NOTES			

HIS2B

HIS2B Page Order #: 75

Design Screen Type: Roster

Fields: Field 1: PLAN_CORRECT

Enable Functions: HELP No

COMMENTS Yes **JUMPBACK** Yes

Roster Name: Plan Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item No

Edit Item Yes Display as 'Edit a Plan'

Delete Item No **Search Item** No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all health insurance plans that were "current" at the time of

the previous round interview.

Display plans in the order of entry.

Display the following "current" plans as protected rows:

Medicare

Medicare Managed Care plan, if loaded by CMS

Medicaid Tricare

SELECTION IS NOT REQUIRED ON THIS ROSTER.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Plan Name Display PLAN.PLNAME.

HIS2B

2 Plan Type Display PLAN.PLANTYPE:

1/Medicare, display "(MCAR)"
2/Medicaid, display "(MCAD)"
3/PublicPlan, display "(PUBL)"
4/PrivatePlan, display "(PRIV)"
5/MHMO, display "(MHMO)"
6/Tricare, display "(TRIC)"
7/MPDP, display "(MPDP)".

3 Plan Status Display PREVIOUS ROUND PLAN

STATÚS.

Report display:

<u>TEXT:</u>

Context Header:

Int. Instr I:

Question Text: What is the name of the plan that is incorrect?

Int. Instr II: EDIT ALL PLAN NAMES AT THIS ROSTER.

INPUT FIELDS / ROUTING

Field1: PLAN_CORRECT (HIS1065)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String Field Size: 32

Type Name: TPlanPick32 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS1 - HISCORR (HIS1030)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PLAN and PLRO: PLAN key = PLAN.PLANBASE + PLAN.PLANNUM PLAN.PLANNUM = Number of Plan selected at HIS2B.

PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND

PLRO.PLROPLAN = PLAN.PLANNUM of Plan selected at HIS2B. PLRO.PLRORND = previous round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

TECHNICA	AL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
53	PlanTypes	Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid. Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan. Medicare Prescription Drug: PLANTYPE=7/MPDP.
51	MHMOCurrPrevRnd	Medicare Managed Care plan "current" at time of previous round interview = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52.
67	MedicaidCurrentPrevRn d	Medicaid "current" at the time of the previous round interview = There is a PLAN where PLAN.PLANTYPE=2/Medicaid and PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.
72	TricareCurrentPrevRnd	Tricare "current" at the time of the previous round interview = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round and (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.
80	PublicCurrentPrevRnd	Public plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=3/PublicPlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.

		HIS2B
81	PrivateCurrentPrevRnd	Private plan "current" at the time of previous round interview = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.
143	MHMOLoadedCMS	Medicare Managed Care plan loaded by CMS = There is PLAN where PLAN.PLANTYPE=5/MHMO and PLAN.MHMOLRND ^= empty.
343	MPDPCurrPrevRnd	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

 $\mbox{HIS2B}$ should only allowing editing of Plan Names. If a PLAN is selected when the interviewer exits the roster, do not save.

HIS3			Page Order #:	80
Design Screen Type:	Code 1			
Fields:	Field 1:	ADDHITYPE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	What type of insu	ırance plan needs to be	added?	
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

Field1: ADDHITYPE (HIS1110)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TADDHITypeMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

lumber	Label	Route
1	Medicaid	BOX HIS2AA - (HIS1575)
	English text: MEDICAID/MI	EDICAID MANAGED CARE PLAN
2	PublicPlan	HIS12 - PLAN_HISPUBLIC (HIS2280)
	English text: PUBLIC PLAN	OTHER THAN MEDICAID
3	PrivatePlan	HIS20 - PLAN_HISPRIVATE(HIS2630)
	English text: PRIVATE HEA	LTH INSURANCE PLAN
4	MHMO	HISMC1 - PLAN_HISMHMO (HIS1130)
	English text: MEDICARE A	DVANTAGE PLAN
5	Tricare	BOX HIST1A - (HIS1935)
	English text: TRICARE	
6	MPDP	HIS34 - PLAN_HISMPDP(HIS3331)
	English text: MEDICARE PI	RESCRIPTION DRUG PLAN

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1:

Note: SP can only have one Medicaid plan during a round:

If SP had Medicaid anytime during the previous round, ADDHITYPE should = 2/PublicPlan, 3/PrivatePlan, 4/MHMO, 5/Tricare, or 6/MPDP.

If not true, display message: "MEDICAID ALREADY ON PLAN ROSTER FOR PREVIOUS ROUND. SELECT ANOTHER PLAN TYPE."

Edit #2:

Note: SP can only have one Tricare plan during a round:

If SP had Tricare anytime during the previous round, ADDHITYPE should = 1/Medicaid, 2/PublicPlan, 3/PrivatePlan, 4/MHMO, or 6/MPDP.

If not true, display message: "TRICARE ALREADY ON PLAN ROSTER FOR PREVIOUS ROUND. SELECT ANOTHER PLAN TYPE."

TECHNICAL NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.HIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
53	PlanTypes	Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid. Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan. Medicare Prescription Drug: PLANTYPE=7/MPDP.
150	MCaidAnyTimePrevRnd	SP covered by Medicaid anytime during previous round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVTIME^=empty). Exclude Deleted Plans. See T.N. 52.
151	TricarAnyTimePrevRnd	SP covered by Tricare anytime during the previous round = There is a PLAN where PLAN.PLANTYPE=6/Tricare & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVTIME^=empty). Exclude Deleted Plans. See T.N. 52.
DESIGN N	IOTES	

HISMC1 Page Order #: 100

Design Screen Type: Roster

Fields: Field 1: PLAN_HISMHMO

Enable Functions: HELP No

COMMENTS Yes **JUMPBACK** Yes

Roster Name: Plan Roster

Roster Type: Single Item Select

Roster Functions: Add Item Yes Display as 'Add a Plan' Edit Item Yes Display as 'Edit a Plan'

Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all health insurance plans from the Plan Roster.

Display plans in order of entry.

Display the following plans as protected rows:

Medicare plan

Medicare Managed Care plan if "current" at the time of the previous

round interview Medicaid Tricare Public Plans Private Plans

Medicare Prescription Drug Plans

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Plan Name Display PLAN.PLNAME.

2 Plan Type Display PLAN.PLANTYPE:

1/Medicare, display "(MCAR)"
2/Medicaid, display "(MCAD)"
3/PublicPlan, display "(PUBL)"
4/PrivatePlan, display "(PRIV)"
5/MHMO, display "(MHMO)"
6/Tricare, display "(TRIC)"
7/MPDP, display "(MPDP)".

Plan Status Display PREVIOUS ROUND PLAN

STATÚS.

Report	display:
--------	----------

TEXT:

Context Header:

Int. Instr I:

Question Text: What is the name of the Medicare Advantage Plan that covered

[you/(SP)]?

3

Int. Instr II: SELECT OR ADD ONLY ONE MEDICARE ADVANTAGE PLAN AT

THIS ROSTER.

INPUT FIELDS / ROUTING

Field1: PLAN_HISMHMO (HIS1130)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String Field Size: 32

Type Name: TPlanPick32 Min Value:

Type Name: 1 PlanPick32 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HISMC2 - HISMHMOCURR (HIS1140)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PLAN and PLRO: PLAN key = PLAN.PLANBASE + PLAN.PLANNUM PLAN.PLANNUM = Number of Plan selected at HIS2.

PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND PLRO.PLROPLAN = PLAN.PLANNUM of Plan selected at HIS2. PLRO.PLRORND = previous round.

If Plan added, see PLAN ROSTER POP-UP specifications for pop-up window programming instructions:

Variables populated in Plan Roster Pop-Up Window:

PLAN.PLANNUM PLAN.PLANRNDC PLAN.PLANTYPE PLAN.PLNAME

For Plan selected, create previous round PLRO where PLRO.PLROPLAN = PLAN.PLANNUM of plan selected at HISMC1 and PLRO.PLRORND = previous round. HISMC2 and remaining PLAN details will be stored on this previous round PLRO.

Previous round PLRO may already exist.

See additional instructions below:

PLANTYPE If Plan is added at HISMC1, set

PLAN.PLANTYPE=5/MHMO.

PLANRNDC If Plan is added at HISMC1, set PLAN.PLANRNDC =

current round.

PLANSUMM If Plan is added at HISMC1, set

PLAN.PLANSUMM=1/Yes.

COVANYTM PLRO.COVANYTM=1/Yes for plan selected at

HISMC1.

PLROPLAN PLROPLAN = PLAN.PLANNUM of plan

selected at HISMC1.

PLRORND PLRO.PLRORND = previous round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

53 PlanTypes Medicare: PLANTYPE=1/Medicare.

Medicaid: PLANTYPE=2/Medicaid.

Medicare Managed Care: PLANTYPE=5/MHMO.

Tricare: PLANTYPE=6/Tricare.
Public: PLANTYPE=3/PublicPlan.
Private: PLANTYPE=4/PrivatePlan.

Medicare Prescription Drug: PLANTYPE=7/MPDP.

51 MHMOCurrPrevRnd Medicare Managed Care plan "current" at time of

previous round interview =

There is a PLAN where PLAN.PLANTYPE=5/MHMO &

PLRO where (PLROPLAN=PLAN.PLANNUM &

PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

HISMC2		Page Order # :	110
Design Screen Type:	Yes/No		
Fields:	Field 1:	HISMHMOCURR	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	S:		
Context header display:			
Question display:	Display the name HISMC1, PLAN.I	e of this Medicare Managed Care Plan selecte PLNAME.	ed at
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
<u>TEXT:</u>			
Context Header:			
Int. Instr I:			
Question Text:	[Were you/Was of MANAGED CAR	(SP)] covered by or enrolled in (MEDICARE E PLAN NAME) on (REFERENCE DATE)?	
Int. Instr II:			

INPUT FIELDS / ROUTING

Field1:	HISMHMOCURR	(HIS1140)		
Cheshire Nai	me: TEMP			
Item Text dis	play:			
Label: Label Positio	n:			
Field Type: Type Name: Answers Allo Drop Down L Lookup File: Lookup File	.ist: No No	FieldSize: Min Value: Max Value: Mask:		
Number Labe	l	Route		
1 Yes		BOX HISMC1 - (HIS1150)		
Eng 2 No	glish text: YES	BOY HISMC2 (HIS1175)		
Eng	glish text: NO	BOX HISMC2 - (HIS1175)		
Attribute	Route			
Don't know	BOX HISMC2 - (HIS1175)			
	BOX HISMC2 - (HIS1175)			
BACKGROUN	D VARIABLE ASSIGNMENTS			
SOFT EDIT CH	IECKS			
HARD EDIT CH	HECKS			
TECHNICAL N	OTES			

DESIGN NOTES

BOX HISMC1

Page Order #: 120

BOX INSTRUCTIONS

(HIS1150) OTHER THAN THE PLAN SELECTED AT HISMC1, IF ANOTHER MEDICARE

MANAGED CARE PLAN WAS "CURRENT" AT THE TIME OF THE PREVIOUS ROUND INTERVIEW, GO TO HISMC3 - HISMHMOCHNG (

HIS1160).

ELSE GO TO BOX HISMC2 - (HIS1175).

ASSIGNMENTS

TECHNICAL NOTES

IECHI	TECHNICAL NOTES					
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.				
51	MHMOCurrPrevRnd	Medicare Managed Care plan "current" at time of previous round interview = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52.				

DESIGN NOTES

There is a rule that the SP can only have one "current" Medicare Managed Care plan at the time of the interview.

BOX HISMC1 is called if the MHMO selected at HISMC2 is reported as "current" at the time of the previous round interview at HISMC2 -HISMHMOCURR.

The purpose of BOX HISMC1 is determine if there is another MHMO flagged as "current" at the time of the previous round interview. Should only expect to find one "other" MHMO, if it exists.

If another MHMO is flagged as "current" at the time of the previous round interview, BOX HISMC1 is routed to HISMC3 - HISMHMOCHNG to determine if the "other" MHMO's status has changed.

HISMC3		Page Order #:	130		
Design Screen Type:	Yes/No				
Fields:	Field 1:	HISMHMOCHNG			
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes			
Roster Name:					
Roster Type:					
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No			
Grid Functions:	Add Line Delete Line	No No			
DISPLAY INSTRUCTIONS	3:				
Context header display:					
Question display:	HISMC3 is asking about the "other" MHMO that was current at the time of the previous round interview, not the MHMO selected at HISMC2.				
		e of the "other" Medicare Managed Care Plan he time of the previous round interview,	that		
Multi Field display:					
Roster/Grid Instructions:					
Roster/Grid display:					
Report display:					
<u>TEXT:</u>					
Context Header:					
Int. Instr I:					
Question Text:	I recorded previously that (PREVIOUS ROUND CURRENT MEDICARE MANAGED CARE PLAN NAME) was [your/(SP's)]				

current Medicare Advantage Plan on (REFERENCE DATE). Has

this information changed?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: HISMHMOCHNG (HIS1160)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Yes BOX HISMC2 - (HIS1175)

English text: YES

2 No BOX HISMC2 - (HIS1175)

English text: NO

Attribute Route

Don't know BOX HISMC2 - (HIS1175)

Refusal BOX HISMC2 - (HIS1175)

BACKGROUND VARIABLE ASSIGNMENTS

If HISMC3 - HISMHMOCHNG = 1/Yes, we need to correct the status of the (other) Medicare Managed Care plan that was current at the time of the previous round to "NOT CURRENT". Set on PLRO where PLRO.PLRORND=previous round and PLRO.PLROPLAN = this PLAN.PLAN.NUM.

Set variables as instructed below.

FUTURE SPEC: Log change to previous round plan on TRNS.

COVCURNT If MHISMHMOCHNG = 1/Yes, set

PLRO.COVCURNT=2/No on previous round PLRO for Medicare Managed Care plan that was current at

the time of the previous round interview.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES 52 **DeletedPlans** Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN. 51 MHMOCurrPrevRnd Medicare Managed Care plan "current" at time of previous round interview = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes)). Exclude Deleted Plans. See T.N. 52. **DESIGN NOTES**

140

BOX HISMC2

BOX INSTRUCTIONS

Page Order #:

(HIS1175)

IF THE PLAN SELECTED AT HIMC1 HAS BEEN IDENTIFIED AS THE SP'S CURRENT MEDICARE MANAGED CARE PLAN AT THE TIME OF THE PREVIOUS ROUND INTERVIEW, SET THE PREVIOUS ROUND STATUS OF THIS PLAN TO "CURRENT". OTHERWISE, SET THE PREVIOUS ROUND STATUS OF THIS PLAN TO "NOT CURRENT".

GO TO BOX HISMC2A - (HIS1177).

ASSIGNMENTS

Set status of Medicare Managed Care plan selected at HISMC1.

Set status variable, PLRO.COVCURNT, on PLRO where PLRO.PLRORND=previous round and PLRO.PLROPLAN = PLAN.PLANNUM selected at HISMC1. Set as instructed below.

COVCURNT

If (HISMHMOCURR=1/Yes and HISMHMOCHNG=2/No,DK,RF) or (HISMHMOCURR=2/No, DK or RF>), set

PLRO.COVCURNT=2/No.

Else if HISMHMOCURR=1/Yes and (HISMHMOCHNG=1/Yes or EMPTY), set

PLRO.COVCURNT=1/Yes.

TECHNICAL NOTES

DESIGN NOTES

The purpose of BOX HISMC2 is to set the status of the MHMO selected at HISMC1. Once status is set, all routes go to BOX HISMC2A.

BOX HISMC2A

145

Page Order #:

BOX HISMC2A

BOX INSTRUCTIONS

(HIS1177) IF THIS MEDICARE MANAGED CARE PLAN WAS "CURRENT" AT THE

TIME OF THE PREVIOUS ROUND INTERVIEW, GO TO HISMC4 -

MHMORX (HIS1180).

ELSE GO TO HIS1 - HISCORR (HIS1030).

ASSIGNMENTS

TECHNICAL NOTES

IECHI	NICAL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
53	PlanTypes	Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid. Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan. Medicare Prescription Drug: PLANTYPE=7/MPDP.
75	ThisMHMOCurrentPrev Rnd	This MHMO Plan was "current" at the time of the previous round interview = For this PLAN, there is a PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round &

PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

When a plan is added in HIS, it is added to the previous round data. When asking if Plan was "current" at the time of the previous round interview, we are asking whether or not the Plan just added in HIS was reported as "current" on the reference date in the current round HIS section.

HISMC4		J	Page Order # :	150
Design Screen Type:	Yes/No			
Fields:	Field 1:	MHMORX		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	: :			
Context header display:				
Question display:	Display the name HISMC1, PLAN.F	of this Medicare Manag PLNAME.	ed Care Plan selecte	d at
Maki Field displays	Display "[you/(SP)]" in BOLD in last sente	nce.	
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	DATE), did [you/(ARY REFERENCE DATE SP)] have prescribed me NAGED CARE PLAN NA	edicine coverage thro	
		sking about the type of in nally had, not what the pla		at

Int. Instr II:

ı	N	IDI	IТ	. E	DS	/ D	\sim	ITI	21
	II.	40		г	115	<i>,</i> ,	i U	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	VL3

Field1: MHMORX (HIS1180)

Cheshire Name: PLRO.MHMORX

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label	Route
--------------	-------

 1
 Yes
 HISMC5 - MHMODENT (HIS1420)

 English text: YES
 HISMC5 - MHMODENT (HIS1420)

English text: NO

Attribute Route

Don't know HISMC5 - MHMODENT (HIS1420)

Refusal HISMC5 - MHMODENT (HIS1420)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

HISMC5		Page Ore	der#:	290		
Design Screen Type:	Yes/No					
Fields:	Field 1:	MHMODENT				
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes				
Roster Name:						
Roster Type:						
Roster Functions: Grid Functions:	Add Item Edit Item Delete Item Search Item Add Line	No No No No				
Grid Functions:	Delete Line	No				
DISPLAY INSTRUCTIONS:						
Context header display:						
Question display:	Display the name of this Medicare Managed Care Plan selected at HISMC1, PLAN.PLNAME.					
Multi Field display:						
Roster/Grid Instructions:						
Roster/Grid display:						
Report display:						
<u>TEXT:</u>						
Context Header:						
Int. Instr I:						
Question Text:	Between (SUMMARY REFERENCE DATE) and (REFERENCE DATE), did [you/(SP)] have dental coverage through (MEDICARE MANAGED CARE PLAN NAME)?					
Int. Instr II:						
INPUT FIELDS / ROUTING	G					

				HISMC5
Field1:		MHMODENT	(HIS1420)	
Cheshire Na	ame:	PLRO.MHMODENT		
Item Text di	splay:			
Item Text:				
Label: Label Positi	ion:			
Field Type:		Enumerated	FieldSize:	
Type Name:		TYesNoDKRF	Min Value:	
Answers Al		1	Max Value:	
Drop Down		No	Mask:	
Lookup File		No		
Lookup File	Name:			
Number Lab	el		Route	
1 Yes			HISMC6 - MHMOEYE	(HIS1430)
Er	nglish text:			
2 No			HICMOS MILMOEVE	(HIS1430)
Er	nglish text:	NO		
Attribute	Route			
Don't know		MIMOEVE / IUC14	20.)	
Don t know	HISMIC	5 - MHMOEYE (HIS143	50)	
Refusal	HISMC	5 - MHMOEYE (HIS143	30)	
BACKGROUN	ND VARIAB	LE ASSIGNMENTS		
SOFT EDIT C	HECKS			
HARD EDIT O	CHECKS			
TECHNICAL I	NOTES			

DESIGN NOTES

HISMC6			Page Order # :	300
Design Screen Type:	Yes/No			
Fields:	Field 1:	MHMOEYE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	Display the name HISMC1, PLAN.	e of this Medicare Mana PLNAME.	aged Care Plan selecte	ed at
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Did [you/(SP)] ha MANAGED CAR lenses?	ave optical coverage the E PLAN NAME), that is	rough (MEDICARE s, for eyeglasses or co	ntact
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

		HISMC6
Field1:	MHMOEYE	(HIS1430)
Cheshire Name:	PLRO.MHMOEYE	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type:	Enumerated	FieldSize:
Type Name:	TYesNoDKRF	Min Value:
Answers Allowed:	1	Max Value:
Drop Down List:	No	Mask:
Lookup File:	No	
Lookup File Name:		
Number Label		Route
1 Yes		HISMC7 - MHMOPCAR (HIS1440)
English to	ext: YES	
2 No		HISMC7 - MHMOPCAR (HIS1440)
English te	ext: NO	
Attribute Rou		
Don't know HISI	MC7 - MHMOPCAR (HIS	51440)
Refusal HISI	MC7 - MHMOPCAR (HIS	1440)
BACKGROUND VAR	IABLE ASSIGNMENTS	
BACKOKOOND VAK	IABLE AGGIONIMENTO	
SOFT EDIT CHECKS		
HARD EDIT CHECKS	•	
HAKD EDIT CHECKS	•	
TECHNICAL NOTES		

HISMC7			Page Order # :	310
Design Screen Type:	Yes/No			
Fields:	Field 1:	MHMOPCAR		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	Display the nan HISMC1, PLAN	ne of this Medicare Mar I.PLNAME.	naged Care Plan select	ted at
Multi Field display:				
Roster/Grid Instructions:	:			
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		nave coverage for preve ls through (MEDICARE		
Int. Instr II:				
INPUT FIELDS / ROUTING	G			

				HISMC7
Field1:		MHMOPCAR	(HIS1440)	
Cheshire Na	ame:	PLRO.MHMOPCAR		
Item Text di	splay:			
Item Text:				
Label Positi	on:			
Field Type: Type Name: Answers All Drop Down Lookup File Lookup File	lowed: List: :	Enumerated TYesNoDKRF 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number Lab	el		Route	
1 Yes	-12-1-44	VEC		H (HIS1450)
2 No	nglish text:		HISMC8 - MHMON	H (HIS1450)
	nglish text:	NO	HISMC8 - MHMON	
Attribute	Route			
Don't know		B - MHMONH (HIS145	0)	
Refusal		8 - MHMONH (HIS145		
BACKGROUN	ID VARIAB	LE ASSIGNMENTS		
SOFT EDIT C				
HARD EDIT C	HEUKS			
TECHNICAL I	NOTES			

HISMC8		Page Or	der#:	320	
Design Screen Type:	Yes/No				
Fields:	Field 1:	мнмонн			
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes			
Roster Name:					
Roster Type:					
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No			
Grid Functions:	Add Line Delete Line	No No			
DISPLAY INSTRUCTIONS	S:				
Context header display:					
Question display:	Display the name of this Medicare Managed Care Plan selected at HISMC1, PLAN.PLNAME.				
Multi Field display:					
Roster/Grid Instructions:					
Roster/Grid display:					
Report display:					
<u>TEXT:</u>					
Context Header:					
Int. Instr I:					
Question Text:		MEDICARE MANAGED CARE F nursing home care over and bey y covers?)	
	pays for limited s period. In 2009,	CESSARY: Under regular fee-for killed nursing facility (SNF) care on the first 20 days are paid in full ar payment of up to \$133.50 per da	during a bene nd the next 8	efit	

Int. Instr II:

ı	N	ID	117		DS	/ D	\sim	ITI	NC
	H.	VP.	U I	IEL	הנו	<i>1</i> K	w	,,,,	17(2

Field1:	MHMONH	(HIS1450)

Cheshire Name: PLRO.MHMONH

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize: Type Name: **TYesNoDKRF** Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask: No

Lookup File:

Lookup File Name:

Number Label Route Yes HISMC9 - MHMOPAY (HIS1460) **English text:** YES No HISMC9 - MHMOPAY (HIS1460)

English text: NO

Attribute **Route** Don't know HISMC9 - MHMOPAY (HIS1460)

Refusal HISMC9 - MHMOPAY (HIS1460)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

HISMC9			Page Order # :	330
Design Screen Type:	Yes/No			
Fields:	Field 1:	MHMOPAY		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:	Display the name HISMC1, PLAN.	e of this Medicare Manag PLNAME.	ged Care Plan selecte	ed at
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	there an additior CARE PLAN NA	t of [your/(SP's)] Medicard nal cost for [your/(SP's)] (ME) coverage? Please of nay have paid as a co-pay cine.	MEDICARE MANAG do not include any an	ED nount
		CESSARY: Some mana um to cover the cost of the		charge

coinsurance for Medicare-covered services or because they provide services that are not covered by Medicare such as prescribed

medicines, routine exams, and dental, eye, or hearing. Plans that have premiums typically charge from \$50 to \$75 per month.]

Field1:	MHMOPAY	(HIS1460)
Cheshire Nar	ne: PLRO.MHMOP	AY
Item Text dis	play:	
Item Text:		
Label: Label Positio	n:	
Field Type:	Enumerated	FieldSize:
Type Name:	TYesNoDKRF	Min Value:
Answers Allo Drop Down L	•	Max Value:
Lookup File:	No	Mask:
Lookup File I	Name:	
Number Label	I	Route
1 Yes		HISMC10 - MHMOAMT (HIS1470)
Eng	glish text: YES	
2 No		HIS1 - HISCORR (HIS1030)
Eng	lish text: NO	
Attribute	Route	
Oon't know	HIS1 - HISCORR (HIS10	030)
Refusal	HIS1 - HISCORR (HIS10	030)
BACKGROUNI	VARIABLE ASSIGNMENT	TS .
SOFT EDIT CH	ECKS	
HARD EDIT CH	IECKS	
TECHNICAL N	OTES	

HISMC10			Page Order #:	340
Design Screen Type:	Quantity Unit Hybri	d		
Fields:	Field 1: Field 2: Field 3:	MHMOAMT MHMOUNIT MHMOUNOS		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:	Display the name HISMC1, PLAN.F	e of this Medicare Mana PLNAME.	ged Care Plan selecte	ed at
	Always display "[brackets.	Please do not include a	ny copayments or]"	in
	Display "addition	al" in BOLD.		
Multi Field display:	Vertical Alignmer	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				

Not including the cost of [your/(SP's)] Medicare Part B premium, what was the additional amount that [you/(SP)] paid for (your/his/her)

Question Text:

(MEDICARE MANAGED CARE PLAN NAME) coverage? [Please do not include any copayments or any amount that may be paid for anyone other than [you/(SP)].]

[PROBE IF NECESSARY: Was that per year, per month, per week, or what?]

FieldSize:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: MHMOAMT (HIS1470)

Cheshire Name: PLRO.MHMOAMT

Item Text display:

Item Text:

Label: AMOUNT: Label Position: Left

Field Type: Real

Type Name:TMippamtMin Value:0.01Answers Allowed:1Max Value:99999.99Drop Down List:NoMask:Dollars

Lookup File: No

Lookup File Name:

Number Labe	I	Route
1 [Cont	inuous answer.]	HISMC10 - MHMOUNIT (HIS1480)
Attribute	Route	
Don't know	HISMC11 - MHMOCOST (HIS1500)	
Refusal	HISMC11 - MHMOCOST (HIS1500)	

Field2: MHMOUNIT (HIS1480)

Cheshire Name: PLRO.MHMOUNIT

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size: Type Name: TMippunit Min Value: Answers Allowed: 1 Max Value: Drop Down List: No Mask: Lookup File: No

Lookup File Name:

Number	Label	Route
1	PerYear	HISMC11 - MHMOCOST (HIS1500)
	English text: PEl	R YEAR
2	Quarterly	HISMC11 - MHMOCOST (HIS1500)
	English text: QU	ARTERLY/EVERY 3 MONTHS
3	Bimonthly	HISMC11 - MHMOCOST (HIS1500)
	English text: BIN	MONTHLY/EVERY 2 MONTHS
4	PerMonth	HISMC11 - MHMOCOST (HIS1500)
	English text: PEl	R MONTH
5	PerWeek	HISMC11 - MHMOCOST (HIS1500)
	English text: PEl	R WEEK
6	SemiAnnually	HISMC11 - MHMOCOST (HIS1500)
	English text: SEI	MI-ANNUALLY/2 TIMES PER YEAR
7	SemiMonthly	HISMC11 - MHMOCOST (HIS1500)
	English text: SEI	MI-MONTHLY/2 TIMES PER MONTH
91	Other	HISMC10 - MHMOUNOS (HIS1490)
	English text: OT	HER
Attribute	Route	
Don't kno	w HISMC11 -	MHMOCOST (HIS1500)
Refusal	HISMC11 -	MHMOCOST (HIS1500)

Field3: MHMOUNOS (HIS1490)

Cheshire Name: PLRO.MHMOUNOS

Item Text display: Display "(SPECIFY)" in the same blue font used for

interviewer instructions.

Item Text: OTHER (SPECIFY)

Label:

Label Position:

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HISMC11 - MHMOCOST (HIS1500)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

If MHMOAMT ^= DK and MHMOAMT ^= RF then,

If MHMOUNIT = 1/PerYear, then MHMOAMT = \$50.00 - 10,000.00.

Else If MHMOUNIT = 2/Quarterly, then MHMOAMT = \$15.00 -

2500.00.

Else If MHMOUNIT = 3/Bimonthly, then MHMOAMT = \$10.00 -

1650.00.

Else If MHMOUNIT = 4/PerMonth, then MHMOAMT = \$5.00 -

850.00.

Else If MHMOUNIT = 5/PerWeek, then MHMOAMT = \$5.00 - 200.00.

Else If MHMOUNIT = 6/Semiannually, then MHMOAMT = \$25.00 -

5,000.00.

Else If MHMOUNIT = 7/Semimonthly, then MHMOAMT = \$2.00 -

425.00.

Else If MHMOUNIT = 91/Other, then MHMOAMT = \$5.00 - 15,000.00.

If not true, display message "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

HISMC11			Page Order # :	350
Design Screen Type:	Yes/No			
Fields:	Field 1:	MHMOCOST		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:		e of this Medicare Mana	aged Care Plan selecte	ed at
	HISMC1, PLAN.I	PLNAME.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	organization pay	such as an employer, all or some portion of the DICARE MANAGED C.	he additional cost for	I
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: **MHMOCOST** (HIS1500) **Cheshire Name:** PLRO.MHMOCOST Item Text display: **Item Text:** Label: **Label Position:** Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask: Lookup File: No **Lookup File Name:** Number Label **Route** Yes HISMC12 - MHMOWHO (HIS1510) **English text:** YES 2 No HIS1 - HISCORR (HIS1030) **English text:** NO Attribute **Route** Don't know HIS1 - HISCORR (HIS1030) Refusal HIS1 - HISCORR (HIS1030) **BACKGROUND VARIABLE ASSIGNMENTS SOFT EDIT CHECKS** HARD EDIT CHECKS **TECHNICAL NOTES**

HISMC12			Page Order # :	360
Design Screen Type:	Code 1			
Fields:	Field 1:	MHMOWHO		
	Field 2:	MHMOWHOS		
Enable Functions:	HELP COMMENTS	No Yes		
	JUMPBACK	Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS Context header display:	S:			
	-			
Question display:	Display the name HISMC1, PLAN.I	e of this Medicare Mana PLNAME.	aged Care Plan selecte	ed at
Multi Field display:	Vertical Alignme	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	Who else paid a [your/(SP's)] (ME coverage?	ll or some portion of the EDICARE MANAGED C	e additional cost for ARE PLAN NAME)	
Int. Instr II:				

INPUT FIELDS / ROUTING

(HIS1510) Field1: **MHMOWHO**

PLRO.MHMOWHO **Cheshire Name:**

[(SP's)/(MIP's)]: Display (SP's), SP's name, in response text for "1/CurrentEmployer", "2/FormerEmployer", and "3/Union". Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize: **TMhmowho** Type Name: Min Value: **Answers Allowed:** Max Value: No **Drop Down List:** Mask: No

Lookup File:

Lookup File Name:

Number	Label	Route				
1	CurrentEmployer	HIS1 - HISCORR (HIS1030)				
	English text: [(SP's)/(MIP's)] CURRENT EMPLOYER					
2	FormerEmployer	HIS1 - HISCORR (HIS1030)				
		English text: (SP's/MIP's) FORMER EMPLOYER				
3	Union	HIS1 - HISCORR (HIS1030)				
	English text: (SP's/MIP's) UNION					
4	SpousesCurrentEmployer	HIS1 - HISCORR (HIS1030)				
	English text: SPOUSE'S CURRENT EMPLOYER					
5	SpousesFormerEmployer	HIS1 - HISCORR (HIS1030)				
	English text: SPOUSE'S FORMER EMPLOYER					
6	ProfessionalOrg	HIS1 - HISCORR (HIS1030)				
	English text: PROFESSIONAL/FRATERNAL ORGANIZATION					
7	Medicaid	HIS1 - HISCORR (HIS1030)				
	English text: MEDICAID/MEDICAI	L ASSISTANCE				
91	Other	HISMC12 - MHMOWHOS (HIS1520)				
	English text: OTHER					
Attribute	e Route					
Don't kno	ow HIS1 - HISCORR (HIS1030)					
Refusal	HIS1 - HISCORR (HIS1030)					

(HIS1520) **MHMOWHOS** Field2: **Cheshire Name:** PLRO.MHMOWHOS Display "(SPECIFY)" in the same blue font used for Item Text display: interviewer instructions. Item Text: OTHER (SPECIFY) Label: **Label Position:** Field Type: String FieldSize: 30 Type Name: **TOthrspec** Min Value: **Answers Allowed:** Max Value: No **Drop Down List:** Mask: Lookup File: No **Lookup File Name:** Number Label **Route** [Continuous answer.] HIS1 - HISCORR (HIS1030) **BACKGROUND VARIABLE ASSIGNMENTS SOFT EDIT CHECKS** HARD EDIT CHECKS

TECHNICAL NOTES

BOX HIS2AA

BOX HIS2AA

Page Order #: 405

BOX INSTRUCTIONS

(HIS1575) CREATE MEDICAID PLAN IN THE PREVIOUS ROUND.

GO TO HIS6 - COVTIME (HIS1580).

ASSIGNMENTS

Medicaid details will be collected on PLAN and PLRO: PLAN key = PLAN.PLANBASE + PLAN.PLANNUM PLAN.PLANNUM = Number of Medicaid plan identified or created in HIS.

PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND PLRO.PLROPLAN = PLAN.PLANNUM of Medicaid plan identified or created in HIS. PLRO.PLRORND = previous round.

CREATE MEDICAID PLAN IN THE PREVIOUS ROUND:

If there is a PLAN where PLAN.PLANTYPE=2/Medicaid, regardless if PLAN.PLANDFLG=1/Yes or LOSEPLFG ^= empty, this stopped Medicaid plan will be restarted. See detailed instructions below.

Else if there is no PLAN where PLAN.PLANTYPE=2/Medicaid, create a new PLAN where PLAN.PLANNUM equals the next sequential plan number.

Regardless if PLAN is new or restarted, create a previous round PLRO where PLRO.PLROPLAN = this PLAN.PLANNUM if it does not already exist. Collect HIS6 and remaining PLAN details on this previous round PLRO.

See detailed instructions below:

PLANNUM If creating a new PLAN, set PLAN.PLANNUM =

highest PLAN.PLANNUM + 01.

PLANRNDC If creating a new PLAN, set PLAN.PLANRNDC =

current round.

PLANTYPE If creating a new PLAN, set PLAN.PLANTYPE =

2/Medicaid.

PLNAME If creating a new PLAN, set PLNAME = "MEDICAID".

PLANSUMM If creating a new PLAN, set PLAN.PLANSUMM =

1/Yes.

PLANDFLG If restarting an existing MEDICAID plan and

PLAN.PLANDLFG=1/Yes, update PLAN.PLANDFLG

= empty.

LOSEPLFG If restarting an existing MEDICAID plan and

PLAN.LOSEPLFG ^= empty, update

PLAN.LOSEPLFG = empty.

PLROPLAN If creating a previous round PLRO, set

PLRO.PLROPLAN = this PLAN.PLANNUM.

PLRORND If creating a previous round PLRO, set

PLRO.PLRORND = previous round.

TECHNICAL NOTES

BOX HIS2AA

HIS6			Page Order #:	410
Design Screen Type:	Code 1			
Fields:	Field 1:	COVTIME		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		SP)] covered by Medica ERENCE DATE) and (F me?		
Int. Instr II:				
INDIT FIELDS / POLITING	<u>.</u>			

Field1: COVTIME (HIS1580)

Cheshire Name: PLRO.COVTIME

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TCovtime Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 WholeTime HIS10A - MCAIDHMO (HIS1670)

English text: THE WHOLE TIME

2 PartOfTime HIS7 - COVNOW (HIS1590)

English text: PART OF THE TIME

Attribute Route

Don't know HIS7 - COVNOW (HIS1590)

Refusal HIS7 - COVNOW (HIS1590)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

53 **PlanTypes** Medicare: PLANTYPE=1/Medicare.

Medicaid: PLANTYPE=2/Medicaid.

Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan.

Medicare Prescription Drug: PLANTYPE=7/MPDP.

HIS7			Page Order # :	420
Design Screen Type:	Yes/No			
Fields:	Field 1:	COVNOW		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	[Were you/Was (DATE)?	(SP)] covered by Medic	aid on (REFERENCE	
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

Field1: COVNOW (HIS1590) **Cheshire Name:** PLRO.COVNOW Item Text display: **Item Text:** Label: **Label Position:** Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask: Lookup File: No **Lookup File Name:** Number Label **Route** Yes HIS8 - COVBEGMM (HIS1600) **English text:** YES 2 No HIS9 - COVENDMM (HIS1630) **English text:** NO Attribute **Route** Don't know HIS10A - MCAIDHMO (HIS1670) Refusal HIS10A - MCAIDHMO (HIS1670) **BACKGROUND VARIABLE ASSIGNMENTS SOFT EDIT CHECKS** HARD EDIT CHECKS **TECHNICAL NOTES**

HIS8			Page Order #:	430
Design Screen Type:	Date			
Fields:	Field 1: Field 2: Field 3:	COVBEGMM COVBEGDD COVBEGYY		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display: Question display: Multi Field display:	Horizontal Alignm	nent		
Roster/Grid Instructions: Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		[your/(SP's)] Medicaid ATE) and (REFERENCE		ARY
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: COVBEGMM (HIS1600)

Cheshire Name: PLRO.COVBEGMM

Item Text display:

Item Text:

Label: MM Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TMonthIntMin Value:01Answers Allowed:1Max Value:12Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

NumberLabelRoute1[Continuous answer.]HIS8 - COVBEGDD (HIS1610)

Attribute Route

Don't know HIS8 - COVBEGDD (HIS1610)

Refusal HIS8 - COVBEGDD (HIS1610)

Field2: COVBEGDD (HIS1610)

Cheshire Name: PLRO.COVBEGDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS8 - COVBEGYY (HIS1620)

Attribute Route

Don't know HIS8 - COVBEGYY (HIS1620)

Refusal HIS8 - COVBEGYY (HIS1620)

(HIS1620) Field3: **COVBEGYY**

PLRO.COVBEGYY **Cheshire Name:**

Item Text display:

Item Text:

ΥY Label: **Label Position:** Under

Field Type: Integer FieldSize: **TMcyear** Type Name: Min Value: 0 **Answers Allowed:** Max Value: 99 No **Drop Down List:** Mask:

Lookup File: No

Lookup File Name:

Number Label **Route**

[Continuous answer.] HIS10A - MCAIDHMO (HIS1670)

Attribute Route

Don't know HIS10A - MCAIDHMO (HIS1670)

Refusal HIS10A - MCAIDHMO (HIS1670)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

PLAN BEGIN DATE, COVBEGMM/COVBEGDD/COVBEGYY, should be on or between (SUMMARY REFERENCE DATE) and (REFERENCE DATE).

If not true, display message: "DATE MUST BE ON OR BETWEEN (SUMMARY REFERENCE DATE) AND (REFERENCE DATE).

PLEASE REENTER."

TECHNICAL NOTES

HIS9			Page Order # :	440
Design Screen Type:	Date			
Fields:	Field 1:	COVENDMM		
	Field 2:	COVENDDD		
	Field 3:	COVENDYY		
Enable Functions:	HELP	No		
	COMMENTS JUMPBACK	Yes Yes		
Dantas Namas	JUMPBACK	165		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item Search Item	No No		
	Search item	NO		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS Context header display: Question display:				
Multi Field display:	Horizontal Alignn	nent		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		tween (SUMMARY REF ATE) did [your/(SP's)] l		p?
Int. Instr II:				

INPUT FIELDS / ROUTING

(HIS1630) Field1: COVENDMM

Cheshire Name: PLRO.COVENDMM

Item Text display:

Item Text:

MM Label: **Label Position:** Under

Field Type: Integer FieldSize: 2 **TMonthInt** Type Name: Min Value: 01 **Answers Allowed:** Max Value: 12 No

Drop Down List: Lookup File: No

Lookup File Name:

Number Label Route

[Continuous answer.] HIS9 - COVENDDD (HIS1640)

Attribute **Route** Don't know HIS9 - COVENDDD (HIS1640)

Mask:

Refusal HIS9 - COVENDDD (HIS1640)

Field2: COVENDDD (HIS1640)

Cheshire Name: PLRO.COVENDDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS9 - COVENDYY (HIS1650)

Attribute Route

Don't know HIS9 - COVENDYY (HIS1650)

Refusal HIS9 - COVENDYY (HIS1650)

Field3: COVENDYY (HIS1650)

Cheshire Name: PLRO.COVENDYY

Item Text display:

Item Text:

Label: YY
Label Position: Under

Field Type:IntegerFieldSize:Type Name:TMcyearMin Value:0Answers Allowed:1Max Value:99Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS10A - MCAIDHMO (HIS1670)

Attribute Route

Don't know HIS10A - MCAIDHMO (HIS1670)

Refusal HIS10A - MCAIDHMO (HIS1670)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1

PLAN END DATE, COVENDMM/COVENDDD/COVENDYY, should be on or between (SUMMARY REFERENCE DATE) and (REFERENCE DATE).

If not true, display message: "DATE MUST BE ON OR BETWEEN (SUMMARY REFERENCE DATE) AND (REFERENCE DATE).

PLEASE REENTER."

TECHNICAL NOTES

HIS10A

HIS10A		F	Page Order # :	460
Design Screen Type:	Yes/No			
Fields:	Field 1:	MCAIDHMO		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	If this Medicaid plan was reported as "current" on the previous round interview date, display "(REFERENCE DATE)". Else if HIS9 - COVENDMM, COVENDDD or COVENDYY = DK or RF, display "the date [your/(SP's)] Medicaid coverage stopped". Else, display "(PLAN COVERAGE STOP DATE)". Always display "(Health Maintenance Organizations)" in parenthesis.			
Multi Field display:		·	, ,	
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Maintenance Orga Medicaid benefici Managed Care Pl	use managed care plans anizations), to provide so aries. [Were you/Was (S an on [(REFERENCE DA date [your/(SP's)] Medic	ome or all health care SP)] enrolled in a Me ATE)/(PLAN COVER	efor dicaid AGE

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: MCAIDHMO (HIS1670)

Cheshire Name: PLRO.MCAIDHMO

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

BOX HIS2C - (HIS1683)

1 Yes HIS10B - CHOICHMO (HIS1680)

English text: YES

No BOX HIS2C - (HIS1683)

English text: NO

Attribute Route

Refusal BOX HIS2C - (HIS1683)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Don't know

HARD EDIT CHECKS

TECHNICAL NOTES

148 ThisPlanCurrPrevRnd This Plan was reported as "current" on prev. round

interview date=

For this PLAN, there is PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=prev. round &

(COVTIME=1/WholeTime or COVNOW=1/Yes)). Exclude Deleted Plans. See T.N. 52.

HIS10B

HIS10B			Page Order # :	470
Design Screen Type:	Code 1			
Fields:	Field 1:	СНОІСНМО		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions: Grid Functions:	Add Item Edit Item Delete Item Search Item Add Line	No No No No		
Grid Functions.	Delete Line	No		
DISPLAY INSTRUCTIONS Context header display: Question display: Multi Field display:	3 :			
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	As far as you can in a Medicaid Ma to receive Medic	n recall, [were you/was anaged Care Plan, or di aid benefits?	(SP)] given a choice to id (you/he/she) have to	o enroll enroll
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

				HIS10B
Field1	:	СНОІСНМО	(HIS1680)	
Chesh	ire Name:	PLRO.CHOICHMO		
Item To	ext display:			
Item To	ext:			
Label: Label l	Position:			
Drop D Looku	lame: ers Allowed: Down List:	Enumerated TChoichmo 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number	Label		Route	
1	GivenChoice		BOX HIS2C - (HIS1683)	
	English text:	GIVEN A CHOICE TO I	ENROLL	
2	HadToEnroll		BOX HIS2C - (HIS1683)	
	English text:	HAD TO ENROLL		
3	DoesntRememb	oer	BOX HIS2C - (HIS1683)	
	English text:	DOESN'T DEMEMBED		
Attribute	e Route			
Refusal	BOX H	IS2C - (HIS1683)		
	ROUND VARIAB	BLE ASSIGNMENTS		
SUFIE	DII CHECKS			
HARD E	DIT CHECKS			
TECHNI	CAL NOTES			

BOX HIS2C

BOX HIS2C Page Order #: 473

BOX INSTRUCTIONS

(HIS1683) IF THERE IS A MEDICARE PRESCRIPTION DRUG PLAN THAT WAS

"CURRENT" AT THE TIME OF THE PREVIOUS ROUND INTERVIEW, GO

TO HIS1 - HISCORR (HIS1030).

ELSE GO TO HIS10B1 - HISMPDCOVER (HIS1685).

ASSIGNMENTS

TECHNICAL NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
343	MPDPCurrPrevRnd	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.

HIS10B1

HIS10B1			Page Order #:	478
Design Screen Type:	Yes/No			
Fields:	Field 1:	HISMPDCOVER		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	i:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Medicare Prescri for some or all of automatically en	o receive Medicaid ben ption Drug plan, or Mec their prescribed medici olls such beneficiaries e beneficiary may choo	dicare Part D plan, that ines. The Medicare pro into a Prescription Dru	t pays ogram ig
		ARY REFERENCE DAul/was (SP)] enrolled in		

Drug plan that covered medicines prescribed by a doctor?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: HISMPDCOVER (HIS1685)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Yes HIS34 - PLAN_HISMPDP (HIS3331)

English text: YES

2 No HIS10C - MCDRXCOV (HIS1690)

English text: NO

Attribute Route

Don't know HIS10C - MCDRXCOV (HIS1690)

Refusal HIS10C - MCDRXCOV (HIS1690)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

If HIS10B1 - HISMPDCOVER = 1/Yes, we are going to call MPDP plan questions at HIS34 to collect the name of the MPDP plan before returning

HIS10B1

to HIS1. We will not collect HIS10C - MCDRXCOV for the MEDICAID plan just added.

HIS10C

HIS10C			Page Order #:	480
Design Screen Type:	Yes/No			
Fields:	Field 1:	MCDRXCOV		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		ARY REFERENCE DA ⁻ /(SP's)] Medicaid plan c		
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

HIS10C

Field1: MCDRXCOV (HIS1690)

Cheshire Name: PLRO.MCDRXCOV

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	HIS1 - HISCORR (HIS1030)
	English text: YES	
2	No	HIS1 - HISCORR (HIS1030)
	English text: NO	

Attribute	Route
Don't know	HIS1 - HISCORR (HIS1030)
Refusal	HIS1 - HISCORR (HIS1030)

BACKGROUND VARIABLE ASSIGNMENTS

HIS10C is Medicaid detail which is collected on PLAN and PLRO: PLAN key = PLAN.PLANBASE + PLAN.PLANNUM

PLAN.PLANNUM = Number of Medicaid plan identified or created in HIS.

PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND PLRO.PLROPLAN = PLAN.PLANNUM of Medicaid plan identified or created in HIS. PLRO.PLRORND = previous round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

BOX HIST1A

BOX HIST1A

Page Order #: 625

BOX INSTRUCTIONS

(HIS1935) CREATE TRICARE PLAN IN THE PREVIOUS ROUND.

GO TO HIST1 - COVTIME (HIS1940).

ASSIGNMENTS

Tricare details will be collected on PLAN and PLRO:
PLAN key = PLAN.PLANBASE + PLAN.PLANNUM
PLAN.PLANNUM = Number of Tricare plan identified or created in HIS.

PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND PLRO.PLROPLAN = PLAN.PLANNUM of Tricare plan identified or created in HIS. PLRO.PLRORND = previous round.

CREATE TRICARE PLAN IN THE PREVIOUS ROUND:

If there is a PLAN where PLAN.PLANTYPE=6/Tricare, regardless if PLAN.PLANDFLG=1/Yes or LOSEPLFG ^= empty, this stopped Tricare plan will be restarted. See detailed instructions below.

Else if there is no PLAN where PLAN.PLANTYPE=6/Tricare, create a new PLAN where PLAN.PLANNUM equals the next sequential plan number.

Regardless if PLAN is new or restarted, create a previous round PLRO where PLRO.PLROPLAN = this PLAN.PLANNUM if it does not already exist. Collect HIST1 and remaining PLAN details on this previous round PLRO.

See detailed instructions below:

PLANNUM If creating a new PLAN, set PLAN.PLANNUM =

highest PLAN.PLANNUM + 01.

PLANRNDC If creating a new PLAN, set PLAN.PLANRNDC =

current round.

PLANTYPE If creating a new plan, set PLAN.PLANTYPE =

6/Tricare.

PLNAME If creating a new plan, set PLAN.PLNAME =

"TRICARE".

PLANSUMM If creating a new plan, set PLAN.PLANSUMM =

1/Yes.

PLANDFLG If restarting an existing TRICARE plan and

PLAN.PLANDFLG=1/Yes, update PLAN.PLANDFLG

= empty.

LOSEPLFG If restarting an existing TRICARE plan and

PLAN.LOSEPLFG ^= empty, update

PLAN.LOSEPLFG = empty.

PLROPLAN If creating a previous round PLRO, set

PLRO.PLROPLAN = this PLAN.PLANNUM.

PLRORND If creating a previous round PLRO, set

PLRO.PLRORND = previous round.

TECHNICAL NOTES

HIST1			Page Order # :	630
Design Screen Type:	Code 1			
Fields:	Field 1:	COVTIME		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	i:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		(SP)] covered by TRICA ERENCE DATE) and (me?		
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

Field1: COVTIME (HIS1940)

Cheshire Name: PLRO.COVTIME

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TCovtime Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 WholeTime HIST3 - TRIRXCOV (HIS1960)

English text: THE WHOLE TIME

2 PartOfTime HIST2 - COVNOW (HIS1950)

English text: PART OF THE TIME

Attribute Route

Don't know HIST2 - COVNOW (HIS1950)

Refusal HIST2 - COVNOW (HIS1950)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

53 **PlanTypes** Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid.

Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan.

Medicare Prescription Drug: PLANTYPE=7/MPDP.

HIST2			Page Order # :	640
Design Screen Type:	Yes/No			
Fields:	Field 1:	COVNOW		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	[Were you/Was DATE)?	(SP)] covered by TRICA	ARE on (REFERENCE	
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

Field1: COVNOW (HIS1950) **Cheshire Name:** PLRO.COVNOW Item Text display: **Item Text:** Label: **Label Position:** Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask: Lookup File: No **Lookup File Name:** Number Label **Route** Yes HIST3 - TRIRXCOV (HIS1960) **English text:** YES 2 No HIST3 - TRIRXCOV (HIS1960) **English text:** NO Attribute **Route** Don't know HIST3 - TRIRXCOV (HIS1960) Refusal HIST3 - TRIRXCOV (HIS1960) **BACKGROUND VARIABLE ASSIGNMENTS SOFT EDIT CHECKS** HARD EDIT CHECKS **TECHNICAL NOTES**

HIST3			Page Order #:	650
Design Screen Type:	Yes/No			
Fields:	Field 1:	TRIRXCOV		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS Context header display:		D)III in DOI D in Instant		
Question display:	Display "[you/(S	P)]" in BOLD in last par	ragraph.	
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		//ARY REFERENCE DA r/(SP's)] TRICARE plar		
		asking about the type o		nat
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1:	TRIRXCOV	(HIS1960)
Cheshire Name:	PLRO.TRIRXCOV	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type:	Enumerated	FieldSize:
Type Name:	TYesNoDKRF	Min Value:
Answers Allowed:	1	Max Value:
Drop Down List:	No	Mask:
Lookup File:	No	
Lookup File Name:		
Number Label		Route
1 Yes		HIST3AA - TRIMEDS (HIS1973)
English text	t: YES	LIC1 LICCORD (LIC1020)
2 No		
English text	t: NO	Inst-Inscork (Instance)
Attribute Route		
Don't know HIS1 -	HISCORR (HIS1030)	
Refusal HIS1 -	HISCORR (HIS1030)	
BACKGROUND VARIA	BLE ASSIGNMENTS	
SOFT EDIT CHECKS		

HARD EDIT CHECKS

TECHNICAL NOTES

HIST3AA

HIST3AA			Page Order #:	655
Design Screen Type:	Code 1			
Fields:	Field 1:	TRIMEDS		
	Field 2:	TRIMEDOS		
Enable Functions:	HELP	No		
	COMMENTS JUMPBACK	Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	Display "usually"	in BOLD in first sentend	ce.	
	Always display "(TMOP)", "(TRRx)", and	"(MTF)" in parenthesis	S.
Multi Field display:	Vertical Alignmer	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
Context Header:				
Int. Instr I:				
Question Text:	DATE), where did Did [you/(SP)] us pharmacy (TMOF (TRRx), a military	ARY REFERENCE DATE [you/(SP)] usually obtain them at a TP), a TRICARE retail phay treatment facility pharmor somewhere else?	ain (your/his/her) medi RICARE mail order armacy network pharn	cines? nacy

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: TRIMEDS (HIS1973)

Cheshire Name: PLRO.TRIMEDS

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TtrimedsMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route			
1	TMOI	P HIS1 - HISCORR (HIS1030)			
	Eng	lish text: A TRICARE MAIL ORDER PHARMACY (TMOP)			
2	TRRX	HIS1 - HISCORR (HIS1030)			
	Eng	lish text: A TRICARE RETAIL PHARMACY NETWORK PHARMACY (TRRX)			
3	MTF	HIS1 - HISCORR (HIS1030)			
	English text: A MILITARY TREATMENT FACILITY PHARMACY (MTF)				
4	NonN	etworkRetail HIS1 - HISCORR (HIS1030)			
	English text: A NON-NETWORK RETAIL PHARMACY				
91	Other	HIST3AA - TRIMEDOS (HIS1975)			
	Eng	lish text: SOMEWHERE ELSE			
Attribute	e	Route			
Don't know		HIS1 - HISCORR (HIS1030)			
Refusal		HIS1 - HISCORR (HIS1030)			

HIST3AA

(HIS1975) **TRIMEDOS** Field2: **Cheshire Name: PLRO.TRIMEDOS** Display "(SPECIFY)" in the same blue font used for Item Text display: interviewer instructions. Item Text: SOMEWHERE ELSE (SPECIFY) Label: **Label Position:** Field Type: String FieldSize: 30 Type Name: **TOthrspec** Min Value: **Answers Allowed:** Max Value: No **Drop Down List:** Mask: Lookup File: No **Lookup File Name:** Number Label **Route** [Continuous answer.] HIS1 - HISCORR (HIS1030) **BACKGROUND VARIABLE ASSIGNMENTS SOFT EDIT CHECKS** HARD EDIT CHECKS

TECHNICAL NOTES

HIS12 Page Order #: 850

Design Screen Type: Roster

Field 1: PLAN_HISPUBLIC

Enable Functions: HELP No

COMMENTS Yes **JUMPBACK** Yes

Roster Name: Plan Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item Yes Display as 'Add a Plan' Edit Item Yes Display as 'Edit a Plan'

Edit Item Yes
Delete Item No
Search Item Yes

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all health insurance plans from the Plan Roster.

Display plans in order of entry.

Display the following plans as protected rows:

Medicare

Medicare Managed Care plans.

Medicaid Tricare Private plans

Public plans that were "current" at the time of the previous round

interview

Medicare Prescription Drug plans.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Plan Name Display PLAN.PLNAME.

2 Plan Type Display PLAN.PLANTYPE:

1/Medicare, display "(MCAR)"
2/Medicaid, display "(MCAD)"
3/PublicPlan, display "(PUBL)"
4/PrivatePlan, display "(PRIV)"
5/MHMO, display "(MHMO)"
6/Tricare, display "(TRIC)"
7/MPDP, display "(MPDP)".

3 Plan Status Display PREVIOUS ROUND PLAN

STATÚS.

Report display:

<u>TEXT:</u>

Context Header:

Int. Instr I:

Question Text: What is the name of the public program that covered [you/(SP)]?

Int. Instr II: SELECT OR ADD ALL PUBLIC PROGRAM NAMES AT THIS

ROSTER.

INPUT FIELDS / ROUTING

Field1: PLAN_HISPUBLIC (HIS2280)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 32

Type Name: TPlanPick32 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS12_IN - NAVIGATOR (HIS2285)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PLAN and PLRO: PLAN key = PLAN.PLANBASE + PLAN.PLANNUM PLAN.PLANNUM = Number of Plan selected at HIS12. PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND PLRO.PLROPLAN = PLAN.PLANNUM of Plan selected at HIS12. PLRO.PLRORND = previous round.

If Plan added, see PLAN ROSTER POP-UP specifications for pop-up window programming instructions:

Variables populated in Plan Roster Pop-Up Window:

PLAN.PLANNUM PLAN.PLANRNDC PLAN.PLANTYPE PLAN.PLNAME

For each Plan selected, create previous round PLRO where PLRO.PLROPLAN = PLAN.PLANNUM of plan selected at HIS12 and PLRO.PLRORND = previous round. HIS13 and remaining PLAN details will be stored on this previous round PLRO.

Previous round PLRO may already exist.

Set variables as instructed below:

PLANTYPE If plan is added at HIS12, set PLAN.PLANTYPE =

3/PubicPlan.

PLANRNDC If plan is added at HIS12, set PLAN.PLANRNDC =

current round.

PLANSUMM If plan is added at HIS12, set PLAN.PLANSUMM =

1/Yes.

PLROPLAN PLROPLAN = PLAN.PLANNUM of plan

selected at HIS12.

PLRORND PLRO.PLRORND = previous round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks =
----	--------------	---

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

53 PlanTypes Medicare: PLANTYPE=1/Medicare.

Medicaid: PLANTYPE=2/Medicaid.

Medicare Managed Care: PLANTYPE=5/MHMO.

Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan.

Medicare Prescription Drug: PLANTYPE=7/MPDP.

80 PublicCurrentPrevRnd Public plan "current" at the time of previous round

interview =

There is a PLAN where PLAN.PLANTYPE=3/PublicPlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=previous round & (COVTIME=1/WholeTime

or COVNOW=1/Yes)).

Exclude Deleted Plans. See T.N. 52.

Begin Loop 1: Collect plan details for all public plans selected at HIS12.

HIS12_IN

HIS12_IN			Page Order # :	855
Design Screen Type:	Instance Navigator			
Fields:	Field 1:	NAVIGATOR		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	Display Plans se	lected at HIS12.		
Multi Field display:	, ,			
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

HIS12_IN

Field1:		NAVIGATOR	(HIS2285)		
Chesh	ire Name:	N/A			
Item Te	ext display:				
Item Te	ext:				
Label: Label F	Position:				
Drop D Lookuj	lame: ers Allowed: Down List:	Enumerated TInstanceNavigator 1 No No	FieldSize: Min Value: Max Value: Mask:		
Number	Label		Route		
1	SelectItemInList		HIS13 - COVTIME (HIS2290)		
		TEM SELECTED IN INS			
2	SelectContinueIr		HIS1 - HISCORR (HIS1030)		
	English text: (CONTINUE INTERVIEW	V SELECTED		
BACKGI	ROUND VARIABL	LE ASSIGNMENTS			
SOFT EI	DIT CHECKS				
HARD E	DIT CHECKS				
TECHNI	CAL NOTES				
DESIGN	NOTES				

HIS13 Page Order #: 860 **Design Screen Type:** Code 1 **COVTIME** Fields: Field 1: **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** Nο Delete Item No No Search Item No **Grid Functions: Add Line Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display plan name for the plan being asked about, PLAN.PLNAME. Question display: Display plan name for the plan being asked about, PLAN.PLNAME. Multi Field display: Roster/Grid Instructions: Roster/Grid display: Report display: TEXT: PUBLIC INSURANCE PLAN = (PUBLIC PLAN NAME) **Context Header:** Int. Instr I: [Were you/Was (SP)] covered by (PUBLIC PLAN NAME) the whole **Question Text:** time between (SUMMARY REFERENCE DATE) and (REFERENCE

DATE), or only part of the time?

INPUT FIELDS / ROUTING

Int. Instr II:

		111013
Field1:	COVTIME	(HIS2290)
Cheshire Name:	PLRO.COVTIME	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TCovtime 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 WholeTime		BOX HIS2B1 - (HIS2362)
English text:	THE WHOLE TIME	
2 PartOTTime		HIS14 - COVNOW (HIS2300)
English text:	PART OF THE TIME	
Attribute Route		
Don't know HIS14 -	- COVNOW (HIS2300)	
Refusal HIS14 -	- COVNOW (HIS2300)	
BACKGROUND VARIAE	BLE ASSIGNMENTS	
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		

HIS14		P	age Order # :	870
Design Screen Type:	Yes/No			
Fields:	Field 1:	COVNOW		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:	Display plan nam	ne for the plan being asked	d about, PLAN.PLN	AME.
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	[Were you/Was ((REFERENCE D	SP)] covered by (PUBLIC ATE)?	PLAN NAME) on	
Int. Instr II:				
INPLIT FIELDS / ROLITING	3			

(HIS2300) Field1: COVNOW **Cheshire Name:** PLRO.COVNOW Item Text display: **Item Text:** Label: **Label Position:** Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask: Lookup File: No **Lookup File Name:** Number Label **Route** Yes HIS15 - COVBEGMM (HIS2310) **English text:** YES 2 No HIS16 - COVENDMM (HIS2340) **English text:** NO Attribute **Route** Don't know BOX HIS2B1 - (HIS2362) Refusal BOX HIS2B1 - (HIS2362) **BACKGROUND VARIABLE ASSIGNMENTS SOFT EDIT CHECKS**

HARD EDIT CHECKS

TECHNICAL NOTES

HIS15			Page Order # :	880
Design Screen Type:	Date			
Fields:	Field 1: Field 2: Field 3:	COVBEGDD COVBEGYY		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	5:			
Context header display:				
Question display:	Display plan nam	ne for the plan being as	ked about, PLAN.PLN	AME.
Multi Field display:	Horizontal Alignn	nent		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		l [your/(SP's)] (PUBLIC ARY REFERENCE DA		
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: COVBEGMM (HIS2310)

Cheshire Name: PLRO.COVBEGMM

Item Text display:

Item Text:

Label: MM Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TMonthIntMin Value:01Answers Allowed:1Max Value:12Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS15 - COVBEGDD (HIS2320)

Attribute Route

Don't know HIS15 - COVBEGDD (HIS2320)

Refusal HIS15 - COVBEGDD (HIS2320)

Field2: COVBEGDD (HIS2320)

Cheshire Name: PLRO.COVBEGDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS15 - COVBEGYY (HIS2330)

Attribute Route

Don't know HIS15 - COVBEGYY (HIS2330)

Refusal HIS15 - COVBEGYY (HIS2330)

(HIS2330) Field3: **COVBEGYY**

PLRO.COVBEGYY **Cheshire Name:**

Item Text display:

Item Text:

ΥY Label: **Label Position:** Under

Field Type: Integer FieldSize: **TMcyear** Type Name: Min Value: 0 **Answers Allowed:** Max Value: 99 No **Drop Down List:** Mask:

Lookup File: No

Lookup File Name:

Number Label Route

[Continuous answer.] BOX HIS2B1 - (HIS2362)

Attribute **Route**

Don't know BOX HIS2B1 - (HIS2362)

Refusal BOX HIS2B1 - (HIS2362)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

PLAN BEGIN DATE, COVBEGMM/COVBEGDD/COVBEGYY, should be on or between (SUMMARY REFERENCE DATE) and (REFERENCE DATE).

If not true, display message: "DATE MUST BE ON OR BETWEEN (SUMMARY REFERENCE DATE) AND (REFERENCE DATE).

PLEASE REENTER."

TECHNICAL NOTES

HIS16			Page Order # :	890
Design Screen Type:	Date			
Fields:	Field 1: Field 2: Field 3:	COVENDMM COVENDDD COVENDYY		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	3:			
Context header display:				
Question display:	Display plan nam	ne for the plan being as	ked about, PLAN.PLN	AME.
Multi Field display:	Horizontal Alignn	nent		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		tween (SUMMARY REF ATE) did [your/(SP's)] (
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: COVENDMM (HIS2340)

Cheshire Name: PLRO.COVENDMM

Item Text display:

Item Text:

Label: MM Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TMonthIntMin Value:01Answers Allowed:1Max Value:12Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

NumberLabelRoute1[Continuous answer.]HIS16 - COVENDDD (HIS2350)

Attribute Route

Don't know HIS16 - COVENDDD (HIS2350)

Refusal HIS16 - COVENDDD (HIS2350)

Field2: COVENDDD (HIS2350)

Cheshire Name: PLRO.COVENDDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS16 - COVENDYY (HIS2360)

Attribute Route

Don't know HIS16 - COVENDYY (HIS2360)

Refusal HIS16 - COVENDYY (HIS2360)

(HIS2360) Field3: COVENDYY

PLRO.COVENDYY **Cheshire Name:**

Item Text display:

Item Text:

ΥY Label: **Label Position:** Under

Field Type: Integer FieldSize: **TMcyear** Type Name: Min Value: 0 **Answers Allowed:** Max Value: 99 No **Drop Down List:** Mask:

Lookup File: No

Lookup File Name:

Number Label Route

[Continuous answer.] BOX HIS2B1 - (HIS2362)

Attribute **Route**

Don't know BOX HIS2B1 - (HIS2362)

Refusal BOX HIS2B1 - (HIS2362)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

PLAN END DATE, COVENDMM/COVENDDD/COVENDYY, should be on or between (SUMMARY REFERENCE DATE) and (REFERENCE DATE). If not true, display message: "DATE MUST BE ON OR BETWEEN

(SUMMARY REFERENCE DATE) AND (REFERENCE DATE). **PLEASE REENTER."**

TECHNICAL NOTES

BOX HIS2B1

BOX HIS	S2B1	Page Order #:	895
BOX INSTRU	CTIONS		
(HIS2362)	GO TO HIS16A - PUBRXCOV (HIS2370).		
ASSIGNMENT	rs		
TECHNICAL N	NOTES		
DESIGN NOTI	≣\$		

HIS16A

HIS16A		Р	age Order # :	900
Design Screen Type:	Yes/No			
Fields:	Field 1:	PUBRXCOV		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	i:			
Context header display:				
Question display:	Display plan nam	ne for the plan being asked	d about, PLAN.PLN	AME.
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Between (SUMMARY REFERENCE DATE) and (REFERENCE DATE), did [your/(SP's)] (PUBLIC PLAN NAME) plan cover medicines prescribed by a doctor?			
Int. Instr II:				

INPUT FIELDS / ROUTING

			HIS16A
Field1:	PUBRXCOV	(HIS2370)	
Cheshire Name:	PLRO.PUBRXCOV		
Item Text display:			
Item Text:			
Label: Label Position:			
Field Type:	Enumerated	FieldSize:	
Type Name:	TYesNoDKRF	Min Value:	
Answers Allowed	: 1	Max Value:	
Drop Down List:	No	Mask:	
Lookup File:	No		
Lookup File Name) :		
Number Label		Route	
1 Yes		BOX HIS3 - (HIS2620)	
	text: YES		
2 No		BOX HIS3 - (HIS2620)	
	text: NO		
Zingmon (
Attribute Ro			
Don't know BO	OX HIS3 - (HIS2620)		
Refusal BO	OX HIS3 - (HIS2620)		
BACKGROUND VAI	RIABLE ASSIGNMENTS		
SOFT EDIT CHECK	<u>S</u>		
HARD EDIT CHECK	(S		
TEOLINICA: NOTE	•		
TECHNICAL NOTES	S		

BOX HIS3

BOX HIS3 Page Order #: 1						
BOX INSTRU	BOX INSTRUCTIONS					
(HIS2620)	GO TO HIS12_IN - NAVIGATOR (HIS2285).					
ASSIGNMEN [*]	rs					
TECHNICAL I	NOTES					
DESIGN NOT	ES					

HIS20 Page Order #: 1060

Design Screen Type: Roster

Fields: Field 1: PLAN_HISPRIVATE

Enable Functions: HELP No

COMMENTS Yes **JUMPBACK** Yes

Roster Name: Plan Roster

Roster Type: Multiple Item Select

Roster Functions: Add Item Yes Display as 'Add a Plan' Edit Item Yes Display as 'Edit a Plan'

Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(other)" in parenthesis.

If SP is deceased or institutionalized, display "provided".

Else display "provide".

Multi Field display:

Roster/Grid Instructions: Display all health insurance plans from the Plan Roster.

Display plans in order of entry.

Display the following plans as protected rows:

Medicare

Medicare Managed Care plans.

Medicaid Tricare Public plans

Private plans that were "current" at the time of the previous round

interview

Medicare Prescription Drug plans.

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Plan Name Display PLAN.PLNAME.

2 Plan Type Display PLAN.PLANTYPE: 1/Medicare, display "(MCAR)" 2/Medicaid, display "(MCAD)" 3/PublicPlan, display "(PUBL)" 4/PrivatePlan, display "(PRIV)" 5/MHMO, display "(MHMO)" 6/Tricare, display "(TRIC)" 7/MPDP, display "(MPDP)".

Plan Status 3

Display PREVIOUS ROUND PLAN

STATÚS.

Report	disp	lay:
--------	------	------

TEXT: **Context Header:**

Int. Instr I:

Question Text:

What is the name of each of the (other) private plans that provided [your/(SP's)] medical insurance coverage between (SUMMARY

REFERENCE DATE) and (REFERENCE DATE)?

Int. Instr II: SELECT OR ADD ALL PRIVATE PLAN NAMES AT THIS ROSTER.

INPUT FIELDS / ROUTING

(HIS2630) Field1: PLAN_HISPRIVATE

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String Type Name:

Answers Allowed: No **Drop Down List:**

Lookup File: **Lookup File Name:** TPlanPick32

FieldSize: Min Value:

Max Value:

32

Mask:

Number Label Route

No

[Continuous answer.] HIS20_IN - NAVIGATOR (HIS2635)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PLAN and PLRO: PLAN key = PLAN.PLANBASE + PLAN.PLANNUM PLAN.PLANNUM = Number of Plan selected at HIS20. PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND PLRO.PLROPLAN = PLAN.PLANNUM of Plan selected at HIS20. PLRO.PLRORND = previous round.

If Plan added, see PLAN ROSTER POP-UP specifications for pop-up window programming instructions:

Variables populated in Plan Roster Pop-Up Window:

PLAN.PLANNUM PLAN.PLANRNDC PLAN.PLANTYPE PLAN.PLNAME

For each Plan selected, create previous round PLRO where PLRO.PLROPLAN = PLAN.PLANNUM of plan selected at HIS20 and PLRO.PLRORND = previous round. HIS21 and remaining PLAN details will be stored on this previous round PLRO.

Previous round PLRO may already be created.

Set variables as instructed below:

PLANTYPE If adding PLAN, set PLAN.PLANTYPE =

4/PrivatePlan.

PLANRNDC If adding PLAN, set PLAN.PLANRNDC = current

round.

PLANSUMM If adding PLAN, set PLAN.PLANSUMM = 1/Yes. **PLROPLAN** PLRO.PLROPLAN = PLAN.PLANNUM of plan

selected at HIS20.

PLRORND PLRO.PLRORND = previous round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

SPStatus SP is Alive and not institutionalized =

MRES.SPALIVE=1/Alive or empty

SP is Alive =

MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY

SP is Institutionalized =

MRES.SPALIVE=2/AliveAndInstitute

SP is Deceased =

MRES.SPALIVE=3/Deceased.

52 DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

53 PlanTypes Medicare: PLANTYPE=1/Medicare.

Medicaid: PLANTYPE=2/Medicaid.

Medicare Managed Care: PLANTYPE=5/MHMO.

Tricare: PLANTYPE=6/Tricare.
Public: PLANTYPE=3/PublicPlan.
Private: PLANTYPE=4/PrivatePlan.

Medicare Prescription Drug: PLANTYPE=7/MPDP.

81 PrivateCurrentPrevRnd Private plan "current" at the time of previous round

interview =

There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRORND=prev. round & (COVTIME=1/WholeTime or

COVNOW=1/Yes)).

Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

Begin Loop 2: Collect plan details (HIS21-HIS33C) for all private plans selected at HIS20.

HIS20_IN

HIS20_IN			Page Order #:	1065
Design Screen Type:	Instance Navigator			
Fields:	Field 1:	NAVIGATOR		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:				
Question display:	Display Plans sel	ected at HIS20.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
Context Header:				
Int. Instr I:				
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

HIS20_IN

Field1:	NAVIGATOR	(HIS2635)
Cheshire Nam	e: N/A	
Item Text disp	lay:	
Item Text:		
Label: Label Position	:	
Field Type: Type Name: Answers Allov Drop Down Lis Lookup File: Lookup File Na	st: No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 SelectI	temInList	HIS21 - COVTIME (HIS2650)
Engl	ish text: ITEM SELECTED IN IN	
	ContinueInterview	HIS1 - HISCORR (HIS1030)
Engl	ish text: CONTINUE INTERVIE	W SELECTED
BACKGROUND	VARIABLE ASSIGNMENTS	
SOFT EDIT CHE	CKS	
HARD EDIT CHE	ECKS	
TECHNICAL NO	TES	
DESIGN NOTES		

HIS21 Page Order #: 1070 **Design Screen Type:** Code 1 **COVTIME** Fields: Field 1: **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** Nο Delete Item No No Search Item No **Grid Functions: Add Line Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display plan name for the plan being asked about, PLAN.PLNAME. Question display: Display plan name for the plan being asked about, PLAN.PLNAME. Multi Field display: Roster/Grid Instructions: Roster/Grid display: Report display: TEXT: PRIVATE INSURANCE PLAN = (PRIVATE PLAN NAME) **Context Header:** Int. Instr I: [Were you/Was (SP)] covered by (PRIVATE PLAN NAME) the whole **Question Text:** time between (SUMMARY REFERENCE DATE) and (REFERENCE DATE), or only part of the time?

INPUT FIELDS / ROUTING

Int. Instr II:

			THOE
Field1	:	COVTIME	(HIS2650)
Chesh	ire Name:	PLRO.COVTIME	
Item To	ext display: ext:		
Label: Label I	Position:		
Drop D Looku	lame: rs Allowed: lown List:	Enumerated TCovtime 1 No No	FieldSize: Min Value: Max Value: Mask:
Number	Label		Route
1	WholeTime English text:	THE WHOLE TIME	BOX HIS3A1 - (HIS2722)
2	PartOfTime	THE WHOLE TIME	HIS22 - COVNOW (HIS2660)
	English text:	DART OF THE TIME	
Attribute	e Route		
Don't kno	ow HIS22 -	COVNOW (HIS2660)	
Refusal	HIS22 -	COVNOW (HIS2660)	
BACKG	ROUND VARIAB	BLE ASSIGNMENTS	
SOFT E	DIT CHECKS		
HARD E	DIT CHECKS		

TECHNICAL NOTES

HIS22		Page Order # :	1080
Design Screen Type:	Yes/No		
Fields:	Field 1:	COVNOW	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	3:		
Context header display:			
Question display:	Display plan nam	ne for the plan being asked about, PLAN.PL	NAME.
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
<u>TEXT:</u>			
Context Header:			
Int. Instr I:			
Question Text:	[Were you/Was ((REFERENCE D	SP)] covered by (PRIVATE PLAN NAME) of ATE)?	n
Int. Instr II:			
INPUT FIELDS / ROUTING	3		

	00//10///	(11100000)
Field1:	COVNOW	(HIS2660)
Cheshire Name:	PLRO.COVNOW	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TYesNoDKRF 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 Yes		HIS23 - COVBEGMM (HIS2670)
English text:	YES	
2 No		HIS24 - COVENDMM (HIS2700)
English text:	: NO	
Attribute Route		
Don't know BOX H	IS3A1 - (HIS2722)	
Refusal BOX H	IS3A1 - (HIS2722)	
BACKGROUND VARIAB	BLE ASSIGNMENTS	
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		

HIS23			Page Order # :	1090
	Data			
Design Screen Type:	Date			
Fields:	Field 1:	COVBEGMM		
	Field 2:	COVBEGDD		
	Field 3:	COVBEGYY		
Enable Functions:	HELP	No		
	COMMENTS	Yes		
	JUMPBACK	Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item Search Item	No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS Context header display:	3:			
Question display:	Display plan nam	ne for the plan being as	ked about, PLAN.PLI	NAME.
Multi Field display:	Horizontal Alignn	ment		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	On what date did NAME) start betw (REFERENCE D	l [your/(SP's)] coverage ween (SUMMARY REFI ATE)?	e under (PRIVATE PL ERENCE DATE) and	AN
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: COVBEGMM (HIS2670)

Cheshire Name: PLRO.COVBEGMM

Item Text display:

Item Text:

Label: MM Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TMonthIntMin Value:01Answers Allowed:1Max Value:12Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

NumberLabelRoute1[Continuous answer.]HIS23 - COVBEGDD (HIS2680)

Attribute	Route
Don't know	HIS23 - COVBEGDD (HIS2680)
Refusal	HIS23 - COVBEGDD (HIS2680)

Field2: COVBEGDD (HIS2680)

Cheshire Name: PLRO.COVBEGDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS23 - COVBEGYY (HIS2690)

Attribute Route

Don't know HIS23 - COVBEGYY (HIS2690)

Refusal HIS23 - COVBEGYY (HIS2690)

Field3: COVBEGYY (HIS2690)

Cheshire Name: PLRO.COVBEGYY

Item Text display:

Item Text:

Label: YY
Label Position: Under

Field Type:IntegerFieldSize:Type Name:TMcyearMin Value:0Answers Allowed:1Max Value:99Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX HIS3A1 - (HIS2722)

Attribute Route

Don't know BOX HIS3A1 - (HIS2722)

Refusal BOX HIS3A1 - (HIS2722)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

PLAN BEGIN DATE, COVBEGMM/COVBEGDD/COVBEGYY, should be on or between (SUMMARY REFERENCE DATE) and (REFERENCE DATE).

If not true, display message: "DATE MUST BE ON OR BETWEEN (SUMMARY REFERENCE DATE) AND (REFERENCE DATE). PLEASE REENTER."

FLLASE KELITIEK.

TECHNICAL NOTES

HIS24			Page Order # :	1100
Design Screen Type:	Date			
Fields:	Field 1: Field 2: Field 3:	COVENDMM COVENDDD COVENDYY		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:	Display plan nan	ne for the plan being as	sked about, PLAN.PL	NAME.
Multi Field display:	Horizontal Alignr			
Roster/Grid Instructions: Roster/Grid display: Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:		tween (SUMMARY REI DATE) did [your/(SP's)] op?		
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: COVENDMM (HIS2700)

Cheshire Name: PLRO.COVENDMM

Item Text display:

Item Text:

Label:

Label Position:

Field Type:IntegerFieldSize:2Type Name:TMonthIntMin Value:01Answers Allowed:1Max Value:12Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS24 - COVENDDD (HIS2710)

Attribute Route

Don't know HIS24 - COVENDDD (HIS2710)

Refusal HIS24 - COVENDDD (HIS2710)

Field2: COVENDDD (HIS2710)

Cheshire Name: PLRO.COVENDDD

Item Text display:

Item Text:

Label: DD Label Position: Under

Field Type:IntegerFieldSize:2Type Name:TDayDKRFMin Value:1Answers Allowed:1Max Value:31Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS24 - COVENDYY (HIS2720)

Attribute Route

Don't know HIS24 - COVENDYY (HIS2720)

Refusal HIS24 - COVENDYY (HIS2720)

(HIS2720) Field3: COVENDYY

PLRO.COVENDYY **Cheshire Name:**

Item Text display:

Item Text:

ΥY Label: **Label Position:** Under

Field Type: Integer FieldSize: **TMcyear** Type Name: Min Value: 0 **Answers Allowed:** Max Value: 99 No Mask:

Drop Down List: Lookup File: No

Lookup File Name:

Number Label Route

[Continuous answer.] BOX HIS3A1 - (HIS2722)

Attribute **Route**

Don't know BOX HIS3A1 - (HIS2722)

Refusal BOX HIS3A1 - (HIS2722)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

PLAN END DATE, COVENDMM/COVENDDD/COVENDYY, should be on or between (SUMMARY REFERENCE DATE) and (REFERENCE DATE). If not true, display message: "DATE MUST BE ON OR BETWEEN (SUMMARY REFERENCE DATE) AND (REFERENCE DATE).

PLEASE REENTER."

TECHNICAL NOTES

BOX HIS3A1

BOX HIS3A1 Page Order #: 1105					
BOX INSTRUC	BOX INSTRUCTIONS				
(HIS2722)	GO TO HIS25 - PPRVHMO (HIS2730).				
ASSIGNMENTS	3				
TECHNICAL NOTES					
DESIGN NOTES	S				

HIS25 Page Order #: 1110 **Design Screen Type:** Yes/No Fields: Field 1: **PPRVHMO Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** Nο **Delete Item** No No Search Item No **Grid Functions: Add Line Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display plan name for the plan being asked about, PLAN.PLNAME. Question display: Always display "(Health Maintenance Organization)" and (Preferred Provider Organization) in parenthesis. Always display "(network)" in parenthesis. Multi Field display: **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: PRIVATE INSURANCE PLAN = (PRIVATE PLAN NAME) **Context Header:**

Int. Instr I: CODE WITHOUT ASKING IF VOLUNTEERED.

Question Text: Was this a managed care plan, such as an HMO (Health

Maintenance Organization) or PPO (Preferred Provider

Organization)?

[EXPLAIN IF NECESSARY: Managed care plans generally provide a full range of health care services for a prepaid fee. Health care is generally provided by primary care doctors, specialists, or hospitals

on the plan's list (network) except in an emergency.]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PPRVHMO (HIS2730)

Cheshire Name: PLRO.PPRVHMO

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 Yes HIS26 - PERS_HISMIPNUM (HIS2750)

English text: YES
2 No HIS26 - PERS_HISMIPNUM (HIS2750)

English text: NO

Attribute Route

Don't know HIS26 - PERS_HISMIPNUM (HIS2750)

Refusal HIS26 - PERS_HISMIPNUM (HIS2750)

BACKGROUND VARIABLE ASSIGNMENTS

If PLAN is new (added at HIS20), store response to HI25 - PPRVHMO also on PLAN record. Set variable as instructed below:

PRVHMO If PLAN is new, set PLAN.PRVHMO =

PLRO.PPRVHMO.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

155 ThisPlanNewPrevRnd This Plan added in HIS and is a new Plan during the

previous round reference period =

PLAN.PLANRNDC=current round and PLAN.PLANSUMM = 1/Yes. Exclude Deleted Plans. See T.N. 52.

HIS26			Page Order #: 1120
Design Screen Type:	Roster		
Fields:	Field 1:	PERS_HISMI	PNUM
Enable Functions:	HELP COMMENT JUMPBACE		
Roster Name:	Person Ros	ter	
Roster Type:	Single Item	Select	
Roster Functions:	Add Item Edit Item Delete Item Search Item		Display as ' Add a Person ' Display as ' Edit a Person '
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	S :		
Context header display:			
Question display:	Display p	an name for the plan b	peing asked about, PLAN.PLNAME.
Multi Field display:			
Roster/Grid Instructions:	 Display all persons from the Person Roster. Display SP on first line, followed by the name of the SP's spouse. Display remaining persons in the order that they were entered in Person Roster. 		
	Do not all	ow SP to be edited.	
Roster/Grid display:	COL#	HEADER	INSTRUCTIONS
	1	First Name	Display ROST.ROSTFNAM.
	2	Last Name	Display ROST.ROSTLNAM.
	3	Relationship to SP	Display Relationship: If ROST. ROSTREL=91/OtherRelative or 92/OtherNon-Relative, display ROST.ROSTREOS. Else display ROST.ROSTREL relationship.
Report display:			

<u>TEXT:</u>

Context Header:

Int. Instr I:

Who was listed as the main insured person on the (PRIVATE PLAN **Question Text:**

NAME) policy or contract?

SELECT OR ADD ONLY ONE PERSON. Int. Instr II:

INPUT FIELDS / ROUTING

PERS_HISMIPNUM (HIS2750) Field1:

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: TRostPick4 Type Name: Min Value:

Answers Allowed: Max Value: No **Drop Down List:** Mask: No

Lookup File:

Lookup File Name:

Number Label Route

[Continuous answer.] HIS27 - PPRVGET (HIS2770)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on ROST: ROST key = ROST.ROSTBASE + ROST.ROSTNUM

ROST.ROSTNUM = Number of Person selected at HIS26.

If Person added, see PERSON ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated in Person Roster Pop-Up Window:

ROST.ROSTNUM

ROST.ROSTRNDC

ROST.ROSTFNAM

ROST.ROSTLNAM

ROST.ROSTREL

ROST.ROSTREOS

Set reason why person was added. See additional instructions below.

Person selected at HIS26 is the Main Insured Person (MIP). The ROST.ROSTNUM for the MIP is stored on PLAN and the PLAN's previous round PLRO. Set variables as instructed below.

ROSTREAS If person added, set ROST.ROSTREAS = 6/MIP.

MIPNUM PLRO.MIPNUM = ROST.ROSTNUM of person

selected.

PLMIPNUM PLAN.PLMIPNUM = PLRO.MIPNUM. (NOTE: will

need to TRNS variable in future design).

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

96 SPsSpouse SP's Spouse =

There is a ROST where ROST.ROSTREL=2/Spouse.

HIS27		Page Order # :	1130
Design Screen Type:	Code 1		
Fields:	Field 1:	PPRVGET	
	Field 3:	PPRVGTOS	
Enable Functions:	HELP COMMENTS	No Yes	
	JUMPBACK	Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item	No	
	Edit Item Delete Item	No No	
	Search Item	No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS Context header display: Question display:		ne for the plan being asked about, PLAN.PLI	NAME
adestroil display.		is the MIP, display "you" .	VAIVIE.
Multi Field display:	Vertical Alignmer	nt	
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
<u>TEXT:</u>			
Context Header:			
Int. Instr I:			
Question Text:	directly with the (E PLAN NAME) plan, did [you/(MIP)] sign up insurance company/managed care plan), or nis insurance through a current employer, a f	did

employer, a union, a family business, AARP, or some other way?

Int. Instr II:

Field1: PPRVGET (HIS2770)

Cheshire Name: PLRO.PPRVGET

Item Text display: Display name of MIP in response categories

Item Text:

Label:

Label Position:

Field Type:EnumeratedField Size:Type Name:TPrvgetMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route
1	Directly	HIS29 - PRVNMCOV (HIS2920)
	English text: DIRECTLY	
2	CurrentEmployer	HIS29 - PRVNMCOV (HIS2920)
	English text: (MIP'S) CURRENT E	MPLOYER
3	FormerEmployer	HIS29 - PRVNMCOV (HIS2920)
	English text: (MIP'S) FORMER EM	IPLOYER
4	Union	HIS29 - PRVNMCOV (HIS2920)
	English text: (MIP'S) UNION	
5	FamilyBusiness	HIS29 - PRVNMCOV (HIS2920)
	English text: (MIP'S) FAMILY BU	
6	Aarp	HIS29 - PRVNMCOV (HIS2920)
	English text: AARP	
7	DecSpousesEmployer	HIS29 - PRVNMCOV (HIS2920)
	English text: DECEASED SPOUSE	E'S EMPLOYER
8	DecSpousesUnion	HIS29 - PRVNMCOV (HIS2920)
	English text: DECEASED SPOUSE	E'S UNION
9	ProfessionalOrg	HIS29 - PRVNMCOV (HIS2920)
	English text: PROFESSIONAL/FR	ATERNAL ORGANIZATION
91	Other	HIS27 - PPRVGTOS (HIS2790)
	English text: SOME OTHER WAY	
Attribute	e Route	
Don't kno	w HIS29 - PRVNMCOV (HIS2	920)
Refusal	HIS29 - PRVNMCOV (HIS2	920)

Field3: PPRVGTOS (HIS2790)

Cheshire Name: PLAN.PRVGETOS

Item Text display: Display "(SPECIFY)" in the same blue font used for

interviewer instructions.

Item Text: OTHER (SPECIFY)

Label:

Label Position:

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS29 - PRVNMCOV (HIS2920)

BACKGROUND VARIABLE ASSIGNMENTS

If PLAN is new (added at HIS20), store response to HI27 - PPRVGET and PPRVGTOS also on PLAN record. Set variable as instructed below:

PRVGET If PLAN is new, set

PLAN.PRVGET=PLRO.PPRVGET.

PRVGETOS if PLAN is new, set

PLAN.PRVGETOS=PLRO.PPRVGTOS.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

4 Respondent On MRES where MRES.MRESRND = current round:

A Proxy interview (respondent is a proxy) =

MRES.SPPROXY=2/Proxv.

MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =

MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.

208 MIPPrevRnd Main insured person (MIP) for this PLAN from previous

round =

PLAN.PLMIPNUM.

MIP name = ROST.ROSTFNAM + ROST.ROSTLNAM on ROST where ROST.ROSTNUM = PLAN.PLMIPNUM.

HIS29		Page Order	#:	1180
Design Screen Type:	Numeric			
Fields:	Field 1:	PRVNMCOV		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:		t is the MIP, display "your". name of the MIP.		
	Display plan nan	ne for the plan being asked about, PL	AN.PLN	AME.
Multi Field display:				
Roster/Grid Instructions:	:			
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	by [your/(MIP's)]	/ members, including [yourself/(SP)], v (PRIVATE PLAN NAME) between (S ATE) and (REFERENCE DATE)?	were cov UMMAR	vered Y
Int. Instr II:				
INPUT FIELDS / ROUTING	G			

Field1: **PRVNMCOV** (HIS2920)

Cheshire Name: PLRO.PRVNMCOV

Item Text display:

Item Text:

Label: NUMBER COVERED:

Label Position: Left

Field Type: Integer

FieldSize: Type Name: **TPrvnmcov** Min Value: 1 **Answers Allowed:** Max Value: 15 No

Drop Down List: No Lookup File:

Lookup File Name:

Number Label Route

HIS31A - PRVRXCOV (HIS2925) [Continuous answer.]

Mask:

Attribute Route Don't know HIS31A - PRVRXCOV (HIS2925)

Refusal HIS31A - PRVRXCOV (HIS2925)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

PRVNMCOV should = 1-4, DK or RF. If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

On MRES where MRES.MRESRND = current round: 4 Respondent

A Proxy interview (respondent is a proxy) =

MRES.SPPROXY=2/Proxy.

MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =

MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.

208 MIPPrevRnd

Main insured person (MIP) for this PLAN from previous

round =

PLAN.PLMIPNUM.

MIP name = ROST.ROSTFNAM + ROST.ROSTLNAM on ROST where ROST.ROSTNUM = PLAN.PLMIPNUM.

HIS31A			Page Order #:	1185
Design Screen Type:	List			
Fields:	Field 1:	PRVRXCOV		
	Field 2:	PRVMSCOV		
	Field 3:	PRVIPCOV		
	Field 4:	PRVNHCOV		
	Field 5:	MHMODENT		
Enable Functions:	HELP	No		
	COMMENTS	Yes		
	JUMPBACK	Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No No		
	Search Item	INU		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS				
DISPLAT INSTRUCTIONS	'•			
Context header display:				
Question display:	Display plan nam	ne for the plan being ask	ked about, PLAN.PLN	NAME.
	If the respondent Else display the r	is the MIP reported at I	HIS26, display "your" ed at HIS26.	
Multi Field display:	Vertical Alignmer	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				

Supplemental insurance plans may cover a variety of services or may be specific to only certain services, such as prescribed

Question Text:

medicines or dental coverage. I'd like to know what [your/(SP's)] (PRIVATE PLAN NAME) coverage included between (SUMMARY REFERENCE DATE) and (REFERENCE DATE).

[PROBE: I am asking about the type of insurance coverage that [you/(SP)] personally had, not what the plan offered everyone.]

Did [your/(MIP's)] (PRIVATE PLAN NAME) cover...

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PRVRXCOV (HIS2925)

Cheshire Name: PLRO.PRVRXCOV

Item Text display: Display "a." before the question text.

Item Text: prescribed medicines?

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	HIS31A - PRVMSCOV (HIS2930)
	English text: YES	
2	No	HIS31A - PRVMSCOV (HIS2930)
	English text: NO	

Attribute	Route
Don't know	HIS31A - PRVMSCOV (HIS2930)
Refusal	HIS31A - PRVMSCOV (HIS2930)

Field2: PRVMSCOV (HIS2930)

Cheshire Name: PLRO.PRVMSCOV

Item Text display: Display "b." before the question text.

Item Text: doctor visits or lab work?

Label:

Refusal

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TYesNoDKRFMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

HIS31A - PRVIPCOV (HIS2935)

Lookup File Name:

Number	Labe	l	Route
1	Yes		HIS31A - PRVIPCOV (HIS2935)
	Eng	glish text: YES	
2	No		HIS31A - PRVIPCOV (HIS2935)
	Eng	glish text: NO	
Attribute	e	Route	
Don't kno)W	HIS31A - PRVIPCOV (HIS2935)	

Field3: PRVIPCOV (HIS2935)

Cheshire Name: PLRO.PRVIPCOV

Item Text display: Display "c." before the question text.

Item Text: inpatient hospital care?

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

 Number
 Label
 Route

 1
 Yes
 HIS31A - PRVNHCOV (HIS2940)

 2
 No
 HIS31A - PRVNHCOV (HIS2940)

 English text: NO

Attribute Route

Don't know HIS31A - PRVNHCOV (HIS2940)

Refusal HIS31A - PRVNHCOV (HIS2940)

Field4: PRVNHCOV (HIS2940)

Cheshire Name: PLRO.PRVNHCOV

Item Text display: Display "d." before the question text.

Item Text: nursing home or long term care?

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TYesNoDKRFMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route
1	Yes	HIS31A - MHMODENT (HIS2945)
	English text: YES	
2	No	HIS31A - MHMODENT (HIS2945)
	English text: NO	
Attribute	Route	
Don't kno	w HIS31A - MHMODENT (HIS2	945)
Refusal	HIS31A - MHMODENT (HIS2	945)

(HIS2945) Field5: **MHMODENT**

Cheshire Name: PLRO.MHMODENT

Item Text display: Display "e." before the question text.

dental care? **Item Text:**

Label:

Label Position:

Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: **Answers Allowed:** Max Value: No **Drop Down List:** Mask: No Lookup File:

Lookup File Name:

Number Label Route

Yes HIS32 - MIPPINS (HIS3240) **English text:** YES

No HIS32 - MIPPINS (HIS3240) **English text:** NO

Attribute **Route** Don't know HIS32 - MIPPINS (HIS3240)

Refusal HIS32 - MIPPINS (HIS3240)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

Respondent On MRES where MRES.MRESRND = current round:

A Proxy interview (respondent is a proxy) =

MRES.SPPROXY=2/Proxy.

MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =

MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.

208 MIPPrevRnd

Main insured person (MIP) for this PLAN from previous

round =

PLAN.PLMIPNUM.

MIP name = ROST.ROSTFNAM + ROST.ROSTLNAM on ROST where ROST.ROSTNUM = PLAN.PLMIPNUM.

HIS32		P	Page Order # :	1195
Design Screen Type:	Yes/No			
Fields:	Field 1:	MIPPINS		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			_
Context header display:				
Question display:	Display plan nam	e for the plan being aske	d about, PLAN.PLN	IAME.
	Always display, "[brackets.	Do not include the cost o	f any deductibles]" in
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Was there a pren coverage?	nium or cost for the (PRI\	/ATE PLAN NAME)	
	[Do not include the family may have the	e cost of any deductibles nad to pay.]	[you/(SP)] or [your	/(SP's)]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: MIPPINS (HIS3240)

Cheshire Name: PLRO.MIPPINS

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Yes HIS33 - MIPPAMT (HIS3250)

English text: YES

2 No HIS33A - MHMOCOST (HIS3280)

English text: NO

Attribute Route

Don't know HIS33A - MHMOCOST (HIS3280)

Refusal HIS33A - MHMOCOST (HIS3280)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

HIS33			Page Order #:	1205
Design Screen Type:	Quantity Unit Hybri	id		
Fields:	Field 1:	MIPPAMT		
	Field 2:	MIPPUNIT		
	Field 3:	MIPPUNOS		
Enable Functions:	HELP	No		
	COMMENTS JUMPBACK	Yes Yes		
Roster Name:	JOHN BAOK	100		
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS Context header display:	3 :			
Question display:		MIP, display "you". name of the MIP.		
	Display plan nan	ne for the plan being asl	ked about, PLAN.PLN	NAME.
	Always display "	[Please do not include a	iny]" in brackets.	
Multi Field display:	Vertical Alignme	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				

How much did [you/(MIP)] pay for the (PRIVATE PLAN NAME)

coverage?

Question Text:

[Please do not include any amount that may be paid for anyone other than [you/(SP)].]

[PROBE IF NECESSARY: Was that per year, per month, per week, or what?]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: MIPPAMT (HIS3250)

Cheshire Name: PLRO.MIPPAMT

Item Text display:

Item Text:

Label: AMOUNT: Label Position: Left

Field Type: Real FieldSize:

 Type Name:
 TMippamt
 Min Value:
 0.01

 Answers Allowed:
 1
 Max Value:
 99999.99

 Drop Down List:
 No
 Mask:
 Dollars

Lookup File: No

Lookup File Name:

Number	Label	Route
1	[Continuous answer.]	HIS33 - MIPPUNIT (HIS3260)

Attribute	Route
Don't know	HIS33A - MHMOCOST (HIS3280)
Refusal	HIS33A - MHMOCOST (HIS3280)

Field2: MIPPUNIT (HIS3260)

Cheshire Name: PLRO.MIPPUNIT

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size: Type Name: TMippunit Min Value: Answers Allowed: 1 Max Value: Drop Down List: No Mask: Lookup File: No

Lookup File Name:

Number	Label	Route
1	PerYear	HIS33A - MHMOCOST (HIS3280)
	English text: I	PER YEAR
2	Quarterly	HIS33A - MHMOCOST (HIS3280)
	English text: (QUARTERLY/EVERY 3 MONTHS
3	Bimonthly	HIS33A - MHMOCOST (HIS3280)
	English text: I	BIMONTHLY/EVERY 2 MONTHS
4	PerMonth	HIS33A - MHMOCOST (HIS3280)
	English text: I	PER MONTH
5	PerWeek	HIS33A - MHMOCOST (HIS3280)
	English text: I	PER WEEK
6	SemiAnnually	HIS33A - MHMOCOST (HIS3280)
	English text: S	SEMI-ANNUALLY/2 TIMES PER YEAR
7	SemiMonthly	HIS33A - MHMOCOST (HIS3280)
	English text: S	SEMI-MONTHLY/2 TIMES PER MONTH
91	Other	HIS33 - MIPPUNOS (HIS3270)
	English text: ()THER
Attribute	e Route	
Don't kno	w HIS33A	- MHMOCOST (HIS3280)
Refusal	HIS33A	- MHMOCOST (HIS3280)

Field3: MIPPUNOS (HIS3270)

Cheshire Name: PLRO.MIPPUNOS

Item Text display: Display "(SPECIFY)" in the same blue font used for

interviewer instructions.

Item Text: OTHER (SPECIFY)

Label: VERIFY THAT RESPONDENT IS REPORTING A DEDUCTIBLE AND NOT A CO-

Label Position: PAY.

Under

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS33A - MHMOCOST (HIS3280)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

If MPPAMT ^= DK and MPPAMT ^= RF then,

If MIPPUNIT = 1/PerYear, then MIPPAMT = \$50.00 - 10,000.00.

Else if MIPPUNIT = 2/Quarterly, then MIPPAMT = \$15.00 - 2500.00.

Else if MIPPUNIT = 3/Bimonthly, then MIPPAMT = \$10.00 - 1650.00.

Else if MIPPUNIT = 4/PerMonth, then MIPPAMT = \$5.00 - 850.00.

Else if MIPPUNIT = 5/PerWeek, then MIPPAMT = \$5.00 - 200.00.

Else if MIPPUNIT = 6/SemiAnnually, then MIPPAMT = \$25.00 -

5,000.00.

Else if MIPPUNIT = 7/SemiMonthly, then MIPPAMT = \$2.00 - 425.00.

Else if MIPPUNIT = 91/Other ,then MIPPAMT = \$5.00 - 15,000.00.

If not true, display message "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY.".

HARD EDIT CHECKS

TECHNICAL NOTES

4 Respondent On MRES where MRES.MRESRND = current round:

A Proxy interview (respondent is a proxy) =

MRES.SPPROXY=2/Proxy.

MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =

MRES.SPPROXY=1/SP.

MRES.RROSTNUM='01'.

208 MIPPrevRnd Main insured person (MIP) for this PLAN from previous

round =

PLAN.PLMIPNUM.

MIP name = ROST.ROSTFNAM + ROST.ROSTLNAM on ROST where ROST.ROSTNUM = PLAN.PLMIPNUM.

HIS33A

HIS33A			Page Order # :	1215
Design Screen Type:	Yes/No			
Fields:	Field 1:	MHMOCOST		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	3:			
Context header display:				
Question display:	If respondent is N Else display the r	IIP, display "you". name of the MIP.		
	Display plan nam	e for the plan being ask	ked about, PLAN.PLN	IAME.
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	DATE), did anyor professional orga	ARY REFERENCE DAT ne else, such as an emp nization pay all or some P's)] (PRIVATE PLAN N	oloyer, a union or e portion of the premi	

Int. Instr II:

HIS33A

INPUT FIELDS / ROUTING

Field1: MHMOCOST (HIS3280)

Cheshire Name: PLRO.MHMOCOST

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Yes HIS33B - MHMOWHO (HIS3290)

English text: YES

2 No BOX HIS3B - (HIS3310)

English text: NO

Attribute Route

Don't know BOX HIS3B - (HIS3310)

Refusal BOX HIS3B - (HIS3310)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

4 Respondent On MRES where MRES.MRESRND = current round:

A Proxy interview (respondent is a proxy) =

 ${\sf MRES.SPPROXY=2/Proxy}.$

MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =

MRES.SPPROXY=1/SP.

HIS33A

MRES.RROSTNUM='01'.

208 MIPPrevRnd Main insured person (MIP) for this PLAN from previous

round =

PLAN.PLMIPNUM.

MIP name = ROST.ROSTFNAM + ROST.ROSTLNAM on ROST where ROST.ROSTNUM = PLAN.PLMIPNUM.

HIS33B			Page Order #:	1225
Design Screen Type:	Code 1			
Fields:	Field 1:	мнмоwно		
	Field 2:	MHMOWHOS		
Enable Functions:	HELP	No		
	COMMENTS JUMPBACK	Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	If respondent is N Else display the I	MIP, display "you". name of the MIP.		
	Display plan nam	ne for the plan being as	ked about, PLAN.PLI	NAME.
Multi Field display:	Vertical Alignmer	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Who else paid al (PRIVATE PLAN	I or some portion of the NAME) coverage?	cost for [your/[MIP's)]
Int. Instr II:				

INPUT FIELDS / ROUTING

HIS33B

(HIS3290) Field1: **MHMOWHO**

PLRO.MHMOWHO **Cheshire Name:**

[(SP'S)/(MIP'S)]: Display (MIP's), name of Main Insured Item Text display:

person, in response text for "1/CurrentEmployer", "2/FormerEmployer", and "3/Union".

Item Text:

Label:

Label Position:

Enumerated Field Type: FieldSize: Type Name: **TMhmowho** Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	CurrentEmployer	BOX HIS3B - (HIS3310)
	English text: [(SP's)/(MIP's)] CU	JRRENT EMPLOYER
2	FormerEmployer	BOX HIS3B - (HIS3310)
	English text: (SP's/MIP's) FOR	MER EMPLOYER
3	Union	BOX HIS3B - (HIS3310)
	English text: (SP's/MIP's) UNIO	DN
4	SpousesCurrentEmployer	BOX HIS3B - (HIS3310)
	English text: SPOUSE'S CURR	ENT EMPLOYER
5	SpousesFormerEmployer	BOX HIS3B - (HIS3310)
	English text: SPOUSE'S FORM	ER EMPLOYER
6	ProfessionalOrg	BOX HIS3B - (HIS3310)
	English text: PROFESSIONAL	FRATERNAL ORGANIZATION
7	Medicaid	BOX HIS3B - (HIS3310)
	English text: MEDICAID/MED	ICAL ASSISTANCE
91	Other	HIS33B - MHMOWHOS (HIS3300)
	English text: OTHER	
Attribute	e Route	
Don't kno	bw BOX HIS3B - (HIS3310)
Refusal	BOX HIS3B - (HIS3310	

HIS33B

Field2: MHMOWHOS (HIS3300)

Cheshire Name: PLRO.MHMOWHOS

Item Text display: Display "(SPECIFY)" in the same blue font used for

interviewer instructions.

Item Text: OTHER (SPECIFY)

Label:

Label Position:

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX HIS3B - (HIS3310)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

4 Respondent On MRES where MRES.MRESRND = current round:

A Proxy interview (respondent is a proxy) =

MRES.SPPROXY=2/Proxy.

MRES.RROSTNUM=ROST.ROSTNUM of respondent.

An SP interview (respondent is the SP) =

MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.

208 MIPPrevRnd Main insured person (MIP) for this PLAN from previous

round =

PLAN.PLMIPNUM.

MIP name = ROST.ROSTFNAM + ROST.ROSTLNAM on ROST where ROST.ROSTNUM = PLAN.PLMIPNUM.

BOX HIS3B

BOX HIS3B Page Order #: 1235

BOX INSTRUCTIONS

(HIS3310) IF THIS PRIVATE PLAN IS A MANAGED CARE PLAN, GO TO HIS33C -

MHMOPOS (HIS3320).

ELSE GO TO BOX HIS4 - (HIS3330).

ASSIGNMENTS

TECHNICAL NOTES

52 DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

209 ThisPrivPlanHMOPrevR

nd

This private plan was a managed care plan in the

previous round =

For this PLAN, there is a PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round &

PLRO.PPRVHMO=1/Yes).

Exclude Deleted Plans. See T.N. 52.

HIS33C

HIS33C		P	Page Order # :	1245
Design Screen Type:	Yes/No			
Fields:	Field 1:	MHMOPOS		
Enable Functions:	HELP COMMENTS	No Yes		
	JUMPBACK	Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:	Display plan nam	e for the plan being aske	d about, PLAN.PLN	IAME.
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	Some managed of	care plans offer a point-of	-service option whic	ch

allows members to receive services from out-of-plan providers even in non-emergency situations. Between (SUMMARY REFERENCE DATE) and (REFERENCE DATE), [were you/was (SP)] enrolled in a point-of-service option offered by (PRIVATE PLAN NAME)?

[EXPLAIN IF NECESSARY: In a point-of-service option, the member typically pays a higher copayment when seeing an out-of-plan provider. For example, if a member sees an in-plan provider, there may only be a \$10 copayment. However, the member may have to pay 20 percent of the cost and the managed care plan will

pay 80 percent of the cost to receive the same service from an outof-plan provider.]

Int. Instr II:

INPUT FIELDS /	ROUTING
-----------------------	---------

Field1: MHMOPOS (HIS3320)

Cheshire Name: PLRO.MHMOPOS

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label	Route
--------------	-------

1	Yes	BOX HIS4 - (HIS3330)
	English text: YES	
2	No	BOX HIS4 - (HIS3330)
	Fnglish text• NO	

Attribute	Route
Don't know	BOX HIS4 - (HIS3330)

BACKGROUND VARIABLE ASSIGNMENTS

BOX HIS4 - (HIS3330)

SOFT EDIT CHECKS

Refusal

HARD EDIT CHECKS

TECHNICAL NOTES

BOX HIS4

BOX HI	S4	Page Order # :	1255	
BOX INSTRU	CTIONS			
(HIS3330)	GO TO HIS20_IN - NAVIGATOR (HIS2635).			
ASSIGNMENT	rs			
TECHNICAL I	NOTES			
DESIGN NOT	ES			

HIS34 Page Order #: 1265

Design Screen Type: Roster

Fields: Field 1: PLAN_HISMPDP

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK No

Roster Name: Plan Roster

Roster Type: Single Item Select

Roster Functions: Add Item Yes Display as 'Add a Plan' Edit Item Yes Display as 'Edit a Plan'

Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all health insurance plans from the Plan Roster.

Display plans in order of entry.

Display the following plans as protected rows:

Medicare plan

Medicare Managed Care plan

Medicaid Tricare Public Plans Private Plans

Medicare Prescription Drug Plan if "current" at the time of the

previous round interview

Roster/Grid display: COL # HEADER INSTRUCTIONS

1 Plan Name Display PLAN.PLNAME.

2 Plan Type

Display PLAN.PLANTYPE:
1/Medicare, display "(MCAR)"
2/Medicaid, display "(MCAD)"
3/PublicPlan, display "(PUBL)"
4/PrivatePlan, display "(PRIV)"
5/MHMO, display "(MHMO)"
6/Tricare, display "(TRIC)"
7/MPDP, display "(MPDP)".

3 Plan Status

Display PREVIOUS ROUND PLAN

STATÚS.

Report	disp	lay:
--------	------	------

<u>TEXT:</u>

Context Header:

Int. Instr I:

Question Text: What is the name of the Medicare Prescription Drug plan that

covered [you/(SP)]?

Int. Instr II: SELECT OR ADD ONLY ONE MEDICARE PRESCRIPTION DRUG

PLAN AT THIS ROSTER.

INPUT FIELDS / ROUTING

Field1: PLAN_HISMPDP (HIS3331)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String Field Size: 32
Type Name: TPlanPick32 Min Value:

Type Name: I PlanPick32 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS35 - HISMPDPCURR (HIS3332)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PLAN and PLRO: PLAN key = PLAN.PLANBASE + PLAN.PLANNUM PLAN.PLANNUM = Number of Plan selected at HIS34. PLRO key = PLRO.PLROBASE + PLRO.PLROPLAN + PLRO.PLRORND PLRO.PLROPLAN = PLAN.PLANNUM of Plan selected at HIS34. PLRO.PLRORND = previous round.

If Plan added, see PLAN ROSTER POP-UP specifications for pop-up window programming instructions:

Variables populated in Plan Roster Pop-Up Window:

PLAN.PLANNUM PLAN.PLANRNDC PLAN.PLANTYPE PLAN.PLNAME

For Plan selected, create previous round PLRO where PLRO.PLROPLAN = PLAN.PLANNUM of plan selected at HIS34 and PLRO.PLRORND = previous round. Applicable remaining PLAN details will be stored on this previous round PLRO.

Previous round PLRO may already exist.

See additional instructions below:

PLANTYPE If Plan is added at HIS34, set

PLAN.PLANTYPE=7/MPDP.

PLANRNDC If Plan is added at HIS34, set PLAN.PLANRNDC =

current round.

PLANSUMM If Plan is added at HIS34, set

PLAN.PLANSUMM=1/Yes.

COVANYTM PLRO.COVANYTM=1/Yes for plan selected at HIS34.

PLROPLAN PLROPLAN = PLAN.PLANNUM of plan

selected at HIS34.

PLRORND PLRO.PLRORND = previous round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DeletedPlans Deleted plans that are not valid for displays or checks =

Any PLAN where (PLAN.PLANDFLG=1/Yes or

PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or

PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.

53 PlanTypes Medicare: PLANTYPE=1/Medicare.

Medicaid: PLANTYPE=2/Medicaid.

Medicare Managed Care: PLANTYPE=5/MHMO.

Tricare: PLANTYPE=6/Tricare.
Public: PLANTYPE=3/PublicPlan.
Private: PLANTYPE=4/PrivatePlan.

Medicare Prescription Drug: PLANTYPE=7/MPDP.

343 MPDPCurrPrevRnd

Medicare Prescription Drug plan "current" at time of

previous round interview=

There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM &

PLRO.PLRORND=previous round &

PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

 $\mbox{HIS34}$ is also called from HIS10B1 when a Medicare Prescription Drug Plan is reported through Medicaid coverage.

HIS35		Page Order #: 1275
Design Screen Type:	Yes/No	
Fields:	Field 1:	HISMPDPCURR
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No
Grid Functions:	Add Line Delete Line	No No
DISPLAY INSTRUCTIONS	S:	
Context header display:		
Question display:	Display the name at HIS34, PLAN.	e of this Medicare Prescription Drug Plan selected PLNAME.
Multi Field display:		
Roster/Grid Instructions:		
Roster/Grid display:		
Report display:		
<u>TEXT:</u>		
Context Header:		
Int. Instr I:		
Question Text:	[Were you/Was (PRESCRIPTION	(SP)] covered by or enrolled in (MEDICARE DRUG PLAN NAME) on (REFERENCE DATE)?
Int. Instr II:		

INPUT FIELDS / ROUTING

			піэээ
Field1:	HISMPDPCURR	(HIS3332)	
Cheshire Name:	TEMP		
Item Text display:			
Item Text:			
Label: Label Position:			
Field Type:	Enumerated	FieldSize:	
Type Name:	TYesNoDKRF	Min Value:	
Answers Allowed:	1	Max Value:	
Drop Down List:	No	Mask:	
Lookup File:	No	mask.	
Lookup File Name:			
Number Label		Route	
1 Yes		ROX HISSA - (HIS3333)	
English text	t: YES		
		BOX HIS6 - (HIS3335)	
English text	t: NO	201111100 (111100000)	
Attribute Route			
Don't know BOX I	HIS6 - (HIS3335)		
Refusal BOX I	HIS6 - (HIS3335)		
BACKGROUND VARIA	BLE ASSIGNMENTS		
SOFT EDIT CHECKS			
HARD EDIT CHECKS			
TECHNICAL NOTES			
-			

BOX HIS5A Page Order #: 1285

BOX INSTRUCTIONS

(HIS3333) OTHER THAN THE PLAN SELECTED AT HIS34, IF ANOTHER MEDICARE

PRESCRIPTION DRUG PLAN WAS "CURRENT" AT THE TIME OF THE PREVIOUS ROUND INTERVIEW, GO TO HIS36 - HISMPDPCHNG (

HIS3334).

ELSE GO TO BOX HIS6 - (HIS3335).

ASSIGNMENTS

TECHNICAL NOTES

IECHI	IICAL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
343	MPDPCurrPrevRnd	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

There is a rule that the SP can only have one "current" Medicare Prescription Drug plan at the time of the interview.

BOX HIS5A is called if the MPDP selected at HIS34 is reported as "current" at the time of the previous round interview at HIS35 - HISMPDPCURR.

The purpose of BOX HIS5A is determine if there is another MPDP flagged as "current" at the time of the previous round interview. Should only expect to find one "other" MPDP, if it exists.

If another MPDP is flagged as "current" at the time of the previous round interview, BOX HIS5A is routed to HIS36 - HISMPDPCHNG to determine if the "other" MPDP's status has changed.

HIS36		Page Order # :	1305
Design Screen Type:	Yes/No		
Fields:	Field 1:	HISMPDPCHNG	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	:		
Context header display:			
Question display:	HIS36 is asking about the "other" MPDP that was current at the time of the previous round interview, not the MPDP selected at HIS34. Display the name of the "other" Medicare Prescription Drug Plan that was "current" at the time of the previous round interview, PLAN.PLNAME.		
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
TEXT:			
Context Header:			
Int. Instr I:			
Question Text:	I recorded previously that (PREVIOUS ROUND CURRENT MEDICARE PRESCRIPTION DRUG PLAN NAME) was [your/(SP's)] current Medicare Prescription Drug Plan on (REFERENCE DATE). Has this information changed?		

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: HISMPDPCHNG (HIS3334)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYesNoDKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number	Label	Route
1	Yes	BOX HIS6 - (HIS3335)
	English text: YES	
2	No	BOX HIS6 - (HIS3335)
	English text: NO	

Attribute	Route
	BOX HIS6 - (HIS3335)

Refusal BOX HIS6 - (HIS3335)

BACKGROUND VARIABLE ASSIGNMENTS

If HIS36 - HISMPDPCHNG = 1/Yes, we need to correct the status of the (other) Medicare Prescription Drug plan that was current at the time of the previous round to "NOT CURRENT". Set on PLRO where PLRO.PLRORND=previous round and PLRO.PLROPLAN = this PLAN.PLANNUM.

Set variables as instructed below.

FUTURE SPEC: Log change to previous round plan on TRNS.

COVCURNT If MHISMPDPCHNG = 1/Yes, set

PLRO.COVCURNT=2/No on previous round PLRO for Medicare Prescription Drug plan that was current

at the time of the previous round interview.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
343	MPDPCurrPrevRnd	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.
DESIG	N NOTES	

BOX HIS6

BOX HIS6 Page Order #: 1310

BOX INSTRUCTIONS

(HIS3335) IF THE PLAN SELECTED AT HIS34 HAS BEEN IDENTIFIED AS THE SP'S

CURRENT MEDICARE PRESCRIPTION DRUG PLAN AT THE TIME OF THE PREVIOUS ROUND INTERVIEW, SET THE PREVIOUS ROUND STATUS OF THIS PLAN TO "CURRENT". OTHERWISE, SET THE PREVIOUS

ROUND STATUS OF THIS PLAN TO "NOT CURRENT".

GO TO BOX HIS6A - (HIS3336).

ASSIGNMENTS

Set status of Medicare Prescription Drug plan selected at HIS34.

Set status variable, PLRO.COVCURNT, on PLRO where PLRO.PLRORND=previous round and PLRO.PLROPLAN = PLAN.PLANNUM selected at HIS34. Set as instructed below.

COVCURNT If (HISMPDPCURR=1/Yes and

HISMPDPCHNG=2/No,DK,RF) or (HISMPDPCURR=2/No, DK or RF>), set

PLRO.COVCURNT=2/No.

Else if HISMPDPCURR=1/Yes and (HISMPDPCHNG=1/Yes or EMPTY), set

PLRO.COVCURNT=1/Yes.

TECHNICAL NOTES

DESIGN NOTES

The purpose of BOX HIS6 is to set the status of the MPDP selected at HIS34. Once status is set, all routes go to BOX HIS6A.

BOX HIS6A

BOX HIS6A Page Order #: 1315

BOX INSTRUCTIONS

(HIS3336) IF ((HIS35 - HISMPDPCURR = 2/No) OR (HIS36 - HISMPDPCHNG = 2/No)),

GO TO HIS37 - PDPYSTOP (HIS3338).

ELSE GO TO HIS1 - HISCORR (HIS1030).

ASSIGNMENTS

TECHNICAL NOTES

ILCIII	ICAL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
53	PlanTypes	Medicare: PLANTYPE=1/Medicare. Medicaid: PLANTYPE=2/Medicaid. Medicare Managed Care: PLANTYPE=5/MHMO. Tricare: PLANTYPE=6/Tricare. Public: PLANTYPE=3/PublicPlan. Private: PLANTYPE=4/PrivatePlan. Medicare Prescription Drug: PLANTYPE=7/MPDP.
349	ThisMPDPCurrentPrevR nd	This MPDP Plan was "current" at the time of the previous round interview = For this PLAN, there is a PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes).

Exclude Deleted Plans. See T.N. 52.

HIS37			Page Order #:	1325
Design Screen Type:	Code 1			
Fields:	Field 1:	PDPYSTOP		
	Field 2:	PDPYSTOS		
Enable Functions:	HELP	No		
	COMMENTS JUMPBACK	Yes Yes		
	JUNIFBACK	163		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTIONS	3:			
Context header display:				
Question display:	Display the name at HIS34, PLAN.	e of this Medicare Prescr PLNAME.	ription Drug Plan sele	ected
Multi Field display:	Vertical Alignmer	nt		
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	What is the most (MEDICARE PRE	important reason [you/(ESCRIPTION DRUG PL	SP)] stopped the AN NAME) coverage	9?
Int. Instr II:				

INPUT FIELDS / ROUTING

Field1: PDPYSTOP (HIS3338)

Cheshire Name: PLRO.PDPYSTOP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TPdpStopMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route			
1	TooExpensive	HIS1 - HISCORR (HIS1030)			
	English text: TOO EXPENSIVE	OR COULDN'T AFFORD			
2	DissatisfiedWithCoverage	HIS1 - HISCORR (HIS1030)			
	English text: SP DISSATISFIED WITH PLAN'S COVERAGE				
3	GetRxCoverage	HIS1 - HISCORR (HIS1030)			
	English text: TO GET RX COVE	RAGE IN ANOTHER PLAN			
4	DiffHealthCareCov	HIS1 - HISCORR (HIS1030)			
	English text: TO GET DIFFERENT HEALTH CARE COVERAGE				
5	NotMedicareRx	HIS1 - HISCORR (HIS1030)			
	English text: PLAN NO LONGE	R CONTRACTS FOR MEDICARE RX COVERAGE			
6	ChangedName	HIS1 - HISCORR (HIS1030)			
	English text: PLAN NAME CHA ANOTHER PLAN	NGED OR PLAN WAS BOUGHT BY/MERGED WITH			
7	SPMoved	HIS1 - HISCORR (HIS1030)			
	English text: SP MOVED OUT C	F PLAN AREA			
91	Other	HIS37 - PDPYSTOS (HIS3339)			
	English text: OTHER				
Attribute	Route				
Don't kno	w HIS1 - HISCORR (HIS103	0)			
Refusal	HIS1 - HISCORR (HIS103	0)			

Field2: PDPYSTOS (HIS3339)

Cheshire Name: PLRO.PDPYSTOS

Item Text display: Display "(SPECIFY)" in the same blue font used for

interviewer instructions.

Item Text: OTHER (SPECIFY)

Label:

Label Position:

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 [Continuous answer.] HIS1 - HISCORR (HIS1030)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

HISCLOSE

HISCLOSE			Page Order #:	1470
Design Screen Type:	No Entry			
Fields:	Field 1:	ENDHIS		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	That covers the health insurance [you/(SP)] had at the time of the last interview. The next questions are about [your/(SP's)] insurance coverage between (REFERENCE DATE) and (today/DATE OF DEATH/DATE OF INSTITUTIONALIZATION).			
Int. Instr II:				
INPLIT FIELDS / ROLLTING	.			

HISCLOSE

Field1:	ENDHIS	(HIS3340)
Cheshire Name:	TEMP	
Item Text display: Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 Continue		BOX HIS5 - (HIS3345)
English text:	CONTINUE	
Attribute Route	(S5 - (HIS3345)	
BACKGROUND VARIAB		
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		
DESIGN NOTES		

BOX HIS5

BOX HIS5		Page Order # :	1480		
BOX INSTRUCTIONS					
(HIS3345)	GO TO NEXT SECTION .				
ASSIGNMEN	тѕ				
TECHNICAL	NOTES				
DESIGN NOT	ES				
All SPs who re	eceive HIS, also receive HI.				