MP1

Design Screen Type:	Yes/No	
Fields:	**Field 1:**	**MPPRMDOC**
Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes
Roster Name:		
Roster Type:		
Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported utilization during the current round, display "Besides what you have already mentioned, [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".
Else display "[Since (REFERENCE DATE)/Between(REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If SP is alive and not institutionalized, display "seen".
Else display "see".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: (Besides what you have already mentioned), [(Since/since (REFERENCE DATE)/(Between/between) (REFERENCE DATE)

---

and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION), [have you/has (SP)/did (SP)] (seen/see) any medical doctors?

Int. Instr II: INCLUDE ANY VISITS FOR TESTS/X-RAYS.
SEE REFERENCE CARD FOR TYPES OF MEDICAL DOCTORS, IF NECESSARY.

INPUT FIELDS / ROUTING

Field1: **MPPRMDOC** (MPQ1020)

Cheshire Name: HRND.MPPRMDOC

Item Text display: Do not display response option 3/IndicatedYesByDataprep

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TProbe	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP18 - MPPRPRAC (MPQ1650)
	English text: NO	
3	IndicatedYesByDataPrep	
		DO NOT DISPLAY.
		DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	MP18 - MPPRPRAC (MPQ1650)
Refusal	MP18 - MPPRPRAC (MPQ1650)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

59	**SPStatus**	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.
168	**MPUtilizationCheck**	SP reported utilization during the current round [up to MP section] = DU1-DUPROBE, ER1-ERPROBE, IP1-IPPROBE, OP1-OPPROBE, IU-IUPROBE, HH1-HHPRPROF, HH18-HHPRFRND, MP1-MPPRMDOC, MP18-MPPRPRAC, MP26-MPPRMENT, MP34-MPPRTHER, or MP42-MPPRPERS=1/Yes.

DESIGN NOTES

MP2

Design Screen Type: Roster

Fields: **Field 1:**   **PROVIDER_MP**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name: Provider Roster

Roster Type: Single Item Select

Roster Functions:	**Add Item**	Yes	Display as ' Add a Provider '
	Edit Item	Yes	Display as ' Edit a Provider '
	Delete Item	No	
	Search Item	No	

| **Grid Functions:** | **Add Line** | No |
| | **Delete Line** | No |

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions: Display all Providers except for Providers where PROV.PROVNUM=01 and 02, which are reserved for PM and OM events.

Display in order of entry.

| **Roster/Grid display:** | **COL #** | **HEADER** | **INSTRUCTIONS** |
| | 1 | Provider Name | Display PROV.PROVNAME. |

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: Who did [you/(SP)] see?

Int. Instr II: SELECT OR ADD ONLY ONE PROVIDER.

INPUT FIELDS / ROUTING

Field1:   **PROVIDER_MP**   (MPQ1030)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:	String	**FieldSize:**	4
Type Name:	TProvPick4	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	BOX MP1B - (MPQ1034)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on PROV:
PROV key = PROV.PROVBASE + PROV.PROVNUM
PROV.PROVNUM = Number of Provider selected at MP2.

If Provider added at Provider Roster, see PROVIDER ROSTER POP-UP specifications for
pop-up window programming instructions.

Variables populated in Provider Roster Pop-Up Window:

PROV.PROVNUM Provider number
PROV.PROVRNDC Round number
PROV.PROVNAME Provider name

If Provider added, set provider type based on which probe the Provider was entered, MP1,
MP18, MP26, MP23, MP42, or MP50. See detailed instructions below.

If Provider added from MP1 probe, set provider specialty as specified below.

PROVTYPE	MP1: PROVTYPE=8/MedicalDoctor.
	MP18: PROVTYPE=9/HealthPractitioner.
	MP26: PROVTYPE=10/MentalHealthPractitioner.
	MP34: PROVTYPE=11/Therapist.
	MP42: PROVTYPE=12/OtherMedicalPerson.
	MP50: PROVTYPE=13/OtherMedicalPlace.
PROVSPEC	If Provider entered from MP1 probe, set PROV.PROVSPEC=2/MedicalDoctor.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

Begin Loop 1: Probe for one provider, collect all event dates for this provider.

BOX MP1B

BOX INSTRUCTIONS

(MPQ1034)   IF (PROVIDER IS A MEDICAL PLACE) OR (PROVIDER SPECIALTY HAS
                   ALREADY BEEN COLLECTED), GO TO BOX MP1 - (MPQ1060).

                   ELSE GO TO MP2A - PROVSPEC (MPQ1036).

ASSIGNMENTS

TECHNICAL NOTES

| 169 | **ProviderMedicalPlace** | Provider is a Medical Place =
Provider selected following MP50 Probe, MPPRPLAC = 1/Yes. |
| 170 | **ProviderSpecCollected** | Provider Specialty has already been collected =
PROV.PROVSPEC ^= EMPTY.

Provider Specialty has not been collected =
PROV.PROVSPEC = EMPTY. |

DESIGN NOTES

Provider Specialty is asked at MP2A for Providers entered from MP18,
MP26, MP34, MP42 probes.
Provider Specialty was already set to "Medical Doctor" for Providers
entered from MP1 probe.
Providers entered from MP50 probe do not get Provider Specialty since
the probe is for Medical Places, not Medical Persons.

MP2A

Design Screen Type: Code 1

Fields:	**Field 1:**	**PROVSPEC**
	Field 2:	**PROVSPOS**

Enable Functions:	**HELP**	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If Provider entered following MP18 probe, display "health practitioner".
Else if Provider entered from MP26 probe, display "mental health professional".
Else if Provider entered from MP34 probe, display "therapist".
Else if Provider entered from MP42 probe, display "medical person".

Display name of medical provider, PROV.PROVNAME, currently being asked about.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: _

Context Header:

Int. Instr I:

Question Text: What kind of (health practitioner/mental health

professional/therapist/medical person) is (PROVIDER NAME)?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:   **PROVSPEC**   (MPQ1036)

Cheshire Name: PROV.PROVSPEC

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TProvspec	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Dentist	BOX MP1 - (MPQ1060)
	English text: DENTIST/DENTAL PROVIDER	
2	MedicalDoctor	BOX MP1 - (MPQ1060)
	English text: MEDICAL DOCTOR	
3	Audiologist	BOX MP1 - (MPQ1060)
	English text: AUDIOLOGIST	
4	Chiropractor	BOX MP1 - (MPQ1060)
	English text: CHIROPRACTOR	
5	ClinicalSocialWorker	BOX MP1 - (MPQ1060)
	English text: CLINICAL SOCIAL WORKER	
6	Dietitian	BOX MP1 - (MPQ1060)
	English text: DIETITIAN-NUTRITIONIST	
7	HearingTherapist	BOX MP1 - (MPQ1060)
	English text: HEARING THERAPIST	
8	HomeHealthAide	BOX MP1 - (MPQ1060)
	English text: HOME HEALTH/HEALTH AIDE	
9	Homemaker	BOX MP1 - (MPQ1060)
	English text: HOMEMAKER	
10	HospiceWorker	BOX MP1 - (MPQ1060)
	English text: HOSPICE WORKER	
11	IvTherapist	BOX MP1 - (MPQ1060)
	English text: I.V. THERAPIST	
12	Nurse	BOX MP1 - (MPQ1060)
	English text: NURSE (RN)	
13	NursePractitioner	BOX MP1 - (MPQ1060)
	English text: NURSE PRACTITIONER	

14	NursesAide	BOX MP1 - (MPQ1060)
	English text: NURSE'S AIDE	
15	OccupationalTherapist	BOX MP1 - (MPQ1060)
	English text: OCCUPATIONAL THERAPIST (OT)	
16	Optometrist	BOX MP1 - (MPQ1060)
	English text: OPTOMETRIST (OD)	
17	Osteopath	BOX MP1 - (MPQ1060)
	English text: OSTEOPATH (DO)	
18	Paramedic	BOX MP1 - (MPQ1060)
	English text: PARAMEDIC	
19	PhysicalTherapist	BOX MP1 - (MPQ1060)
	English text: PHYSICAL THERAPIST (PT)	
20	PhysiciansAssistant	BOX MP1 - (MPQ1060)
	English text: PHYSICIAN'S ASSISTANT	
21	Podiatrist	BOX MP1 - (MPQ1060)
	English text: PODIATRIST (FOOT DOCTOR)	
22	Psychologist	BOX MP1 - (MPQ1060)
	English text: PSYCHOLOGIST	
23	RespiratoryTherapist	BOX MP1 - (MPQ1060)
	English text: RESPIRATORY THERAPIST	
24	SocialWorker	BOX MP1 - (MPQ1060)
	English text: SOCIAL/CASE WORKER	
25	SpeechTherapist	BOX MP1 - (MPQ1060)
	English text: SPEECH THERAPIST	
26	MentalHealth	BOX MP1 - (MPQ1060)
	English text: THERAPIST (MENTAL HEALTH)	
27	XrayTechnician	BOX MP1 - (MPQ1060)
	English text: X-RAY TECHNICIAN	
28	LicensedPracticalNurse	BOX MP1 - (MPQ1060)
	English text: LICENSED PRACTICAL NURSE (LPN)	
29	Acupuncturist	BOX MP1 - (MPQ1060)
	English text: ACUPUNCTURIST	
30	Homeopath	BOX MP1 - (MPQ1060)
	English text: HOMEOPATH	
31	MassageTherapist	BOX MP1 - (MPQ1060)
	English text: MASSAGE THERAPIST	
32	Naturopath	BOX MP1 - (MPQ1060)
	English text: NATUROPATH	
33	LicensedCounselor	BOX MP1 - (MPQ1060)
	English text: LICENSED PROFESSIONAL COUNSELOR [LPC]	
34	LabTechnician	BOX MP1 - (MPQ1060)
	English text: LAB TECHNICIAN	

| 91 | Other | MP2A - PROVSPOS (MPQ1037) |

English text: OTHER MEDICAL PROVIDER SPECIALTY

Attribute	Route
Don't know	BOX MP1 - (MPQ1060)
Refusal	BOX MP1 - (MPQ1060)

Field2: **PROVSPOS** (MPQ1037)

Cheshire Name: PROV.PROVSPOS

Item Text display: Display "(SPECIFY)" is same blue font used for interviewer instructions.

Item Text: OTHER MEDICAL PROVIDER (SPECIFY)

Label:
Label Position:

Field Type:	String	**FieldSize:**	30
Type Name:	TOthrspec	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	BOX MP1 - (MPQ1060)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX MP1

BOX INSTRUCTIONS

(MPQ1060)   IF (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A. IN THE CURRENT ROUND OR ANY PREVIOUS ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH V.A. IS UNKNOWN), GO TO MP3 - VAPLACE (MPQ1070).

ELSE GO TO BOX MP2 - (MPQ1080).

ASSIGNMENTS

TECHNICAL NOTES

| 423 | **SPReceivedCaretThruVA** | SP reported receiving health care services through V.A.in the current or any previous round = There is an HRND where HRND.HRNDRND = current round and HRND.VACOVER = 1/Yes. HRND.VACOVER is set at BOX HI20 or collected at HI36. |
| 127 | **ProviderVAUnknown** | If Provider is associated with V.A. is unknown = PROV.VAPLACE = empty. |

DESIGN NOTES

MP3

Design Screen Type: Yes/No

Fields: **Field 1:**   **VAPLACE**

Enable Functions:

HELP	No
COMMENTS	Yes
JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:

Add Item	No
Edit Item	No
Delete Item	No
Search Item	No

Grid Functions:

Add Line	No
Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name of medical provider, PROV.PROVNAME, currently being asked about.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: -

Context Header:

Int. Instr I:

Question Text: Is (PROVIDER NAME) associated with a Department of Veterans Affairs, or V.A., facility?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:   **VAPLACE**   (MPQ1070)

Cheshire Name: PROV.VAPLACE

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	TYesNoDKRF	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	Yes	BOX MP2 - (MPQ1080)
	English text: YES	
2	No	BOX MP2 - (MPQ1080)
	English text: NO	

Attribute	Route
Don't know	BOX MP2 - (MPQ1080)
Refusal	BOX MP2 - (MPQ1080)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX MP2

Page Order # : 60

BOX INSTRUCTIONS

(MPQ1080) IF (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH A MANAGED CARE PLAN IS UNKNOWN), GO TO MP4 - HMOASSOC (MPQ1090).

ELSE IF (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (THIS PROVIDER IS NOT ASSOCIATED WITH A MANAGED CARE PLAN), GO TO MP5 - HMOREFER (MPQ1100).

ELSE GO TO MP6 - EVENT_MP (MPQ1140).

ASSIGNMENTS

TECHNICAL NOTES

52	**DeletedPlans**	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	**ManagedCarePlan**	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
128	**ProviderHMOUnknown**	If Provider is associated with a Managed Care plan is unknown = PROV.HMOASSOC=empty.
130	**ProviderNotHMO**	Provider is not associated with a Managed Care plan = PROV.HMOASSOC=2/No, DK, or RF.
129	**ProviderAssocHMO**	Provider is associated with a Managed Care plan = PROV.HMOASSOC=1/Yes.

DESIGN NOTES

If the SP belongs to a managed care plan (HMO), we ask each provider selected/added if the provider is associated with an HMO. This question, which is asked throughout utilization and cost series, is only asked once in the study for each provider. The response is never updated. (this design may change in the future).

If the SP belongs to an HMO, and we have not asked this question for this provider, HMOASSOC=empty. If we have already asked this question about this provider, and the provider responded to HMOASSOC=No, DK or RF, you are routed to HMOREFER, skipping HMOASSOC, to determine if the SP was referred to this provider by their HMO.

If SP does not belong to an HMO or this provider already reported being associated with the HMO, you are routed directly to the event roster.

MP4

Design Screen Type: Yes/No

Fields:	**Field 1:**	**HMOASSOC**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name of medical provider, PROV.PROVNAME, currently being asked about.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display all managed care plans SP was covered by anytime during the current round.
Display managed care plan name(s) below question text.
Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".
Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan".
Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

TEXT:

Context Header:

Int. Instr I:

Question Text: Is (PROVIDER NAME) associated with [your/(SP's)] [READ
                            MANAGED CARE PLAN NAME(S) BELOW] plan?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:   **HMOASSOC**   (MPQ1090)

Cheshire Name: PROV.HMOASSOC

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP6 - EVENT_MP (MPQ1140)
	English text: YES	
2	No	MP5 - HMOREFER (MPQ1100)
	English text: NO	

Attribute	Route
Don't know	MP5 - HMOREFER (MPQ1100)
Refusal	MP5 - HMOREFER (MPQ1100)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52	**DeletedPlans**	Deleted plans that are not valid for displays or checks =

		Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	**ManagedCarePlan**	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
107	**PlanIsMCaidHMO**	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
111	**PlanIsMCareHMO**	SP is covered by a Medicare Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
112	**PlanIsPrivateHMO**	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
106	**HIPlanName**	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.

DESIGN NOTES

MP5

Design Screen Type: Yes/No

Fields: **Field 1:**   **HMOREFER**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name of medical provider, PROV.PROVNAME, currently being asked about.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display all managed care plans SP was covered by anytime during the current round.
Display managed care plan name(s) below question text.
Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".
Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan".
Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

TEXT:

Context Header:

Int. Instr I:

Question Text: [Were you/Was (SP)] referred to (PROVIDER NAME) by [READ MANAGED CARE PLAN NAME(S) BELOW]?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:	**HMOREFER**	(MPQ1100)

Cheshire Name:	EVNT.HMOREFER

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP6 - EVENT_MP (MPQ1140)
	English text: YES	
2	No	MP5B - NOGOHMO (MPQ1110)
	English text: NO	

Attribute	Route
Don't know	MP6 - EVENT_MP (MPQ1140)
Refusal	MP6 - EVENT_MP (MPQ1140)

BACKGROUND VARIABLE ASSIGNMENTS

MP5 - HMOREFER is an EVENT level detail. The response to MP5 - HMOREFER needs to be copied to EVNT.HMOREFER for each MP Event added at MP6.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52	**DeletedPlans**	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	**ManagedCarePlan**	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
107	**PlanIsMCaidHMO**	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
111	**PlanIsMCareHMO**	SP is covered by a Medicare Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
112	**PlanIsPrivateHMO**	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
106	**HIPlanName**	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.

DESIGN NOTES

MP5B

Design Screen Type: Code 1

Fields:	**Field 1:**	**NOGOHMO**
	Field 2:	**NOGOHMOS**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display: Vertical Alignment

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display all managed care plans SP was covered by anytime during the current round.
Display managed care plan name(s) below question text.
Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".
Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan".
Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

TEXT: ‒

Context Header:

Int. Instr I:

Question Text: What is the most important reason [you/(SP)] did not see a doctor
associated with [READ MANAGED CARE PLAN NAME(S) BELOW]
or a doctor that [READ MANAGED CARE PLAN NAME(S) BELOW]
would refer [you/(SP)] to?

Int. Instr II: SCROLL DOWN TO SEE RESPONSE CATEGORIES.

INPUT FIELDS / ROUTING

Field1:   **NOGOHMO**   (MPQ1110)

Cheshire Name: EVNT.NOGOHMO

Item Text display: Display respnonses in one column.
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	Tnogohmo	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	PlanNotCoverService	MP6 - EVENT_MP (MPQ1140)
	English text: PLAN DOES NOT COVER THE SERVICE SP WANTED	
2	DifficultyDelayGettingService	MP6 - EVENT_MP (MPQ1140)
	English text: DIFFICULTY OR DELAY IN GETTING SERVICES	
3	SPProviderPreference	MP6 - EVENT_MP (MPQ1140)
	English text: SP PROVIDER PREFERENCE	
4	ServiceCoverdbyOtherInsurance	MP6 - EVENT_MP (MPQ1140)
	English text: THIS SERVICE WAS COVERED BY OTHER INSURANCE SP HAS	
5	NotinManagedCareTimeofEvent	MP6 - EVENT_MP (MPQ1140)
	English text: NOT IN A MANAGED CARE PLAN AT TIME OF EVENT	
6	NoChoiceMedEmergency	MP6 - EVENT_MP (MPQ1140)
	English text: NO CHOICE - MEDICAL EMERGENCY OR OUT OF SERVICE AREA	
91	Other	MP5B - NOGOHMOS (MPQ1120)
	English text: OTHER	

Attribute	Route
Don't know	MP6 - EVENT_MP (MPQ1140)
Refusal	MP6 - EVENT_MP (MPQ1140)

Field2:	**NOGOHMOS**	(MPQ1120)

Cheshire Name:	EVNT.NOGOHMOS

Item Text display:	Display "(SPECIFY)" is same blue font used for interviewer instructions.
Item Text:	OTHER (SPECIFY)

Label:
Label Position:

Field Type:	String		**FieldSize:**	30
Type Name:	TOthrspec		**Min Value:**	
Answers Allowed:	1		**Max Value:**	
Drop Down List:	No		**Mask:**	
Lookup File:	No			
Lookup File Name:				

Number	Label	Route
1	[Continuous answer.]	MP6 - EVENT_MP (MPQ1140)

BACKGROUND VARIABLE ASSIGNMENTS

MP5B - NOGOHMO and NOGOHMOS are EVENT level details. The response to MP5B - NOGOHMO and NOGOHMOS needs to be copied to EVNT.NOGOHMO and EVNT.NOGOHMOS for each MP Event added at MP6.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	ManagedCarePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.

107	**PlanIsMCaidHMO**	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
111	**PlanIsMCareHMO**	SP is covered by a Medicare Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
112	**PlanIsPrivateHMO**	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
106	**HIPlanName**	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.

DESIGN NOTES

MP6

Design Screen Type:	Roster

Fields:	**Field 1:**	**EVENT_MP**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:	Event Roster Begin Date RV
Roster Type:	Multiple Item Select

Roster Functions:	**Add Item**	Yes	Display as ' Add Medical Provider Visit '
	Edit Item	Yes	Display as ' Edit a Visit '
	Delete Item	No	
	Search Item	No	

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name of medical provider, PROV.PROVNAME, currently being asked about.

Multi Field display:

Roster/Grid Instructions: Display all Medical Provider Events for this provider that have been added in the current round where:

EVNT.EVNTDFLG ^= 1/Yes, and
EVNT.EVNTRNDC = current round, and
EVNT.EVNTTYPE = 'MP', and
EVNT.EVNTPROV=PROV.PROVNUM for the provider selected at MP2.

Display all loaded events as protected rows.
Display in order of entry.

Roster/Grid display:

COL #	HEADER	INSTRUCTIONS
1	Event Date	Display EVENT DATE in "Mon DD YYYY" format.
2	Repeat Visit	If VISTTYPE=2/RepeatVisit, display "RV". Else do not display.
3	Times Per Month	If VISTTYPE=2/RepeatVisit, display EVNT.RVTIMES. Else do not display.

Report display:

TEXT: ‒

Context Header:

Int. Instr I:

Question Text:　　　When did [you/(SP)] see (PROVIDER NAME)? Please tell me all
the dates [since (REFERENCE DATE)/between (REFERENCE
DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)].

Int. Instr II:　　　ENTER ALL DATES.

INPUT FIELDS / ROUTING

Field1:	**EVENT_MP**	(MPQ1140)

Cheshire Name:　　　TEMP

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	String	**FieldSize:**	135
Type Name:	TEvntPick135	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	MP6_IN - NAVIGATOR (MPQ1145)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:
EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM
EVNT.EVNTNUM = Number of event selected at MP6.

For Event(s) added, see EVENT ROSTER BEGIN DATE RV POP-UP specifications for
pop-up window programming instructions.

Variables populated in Event Roster Begin Date RV:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round
EVNT.EVBEGMM	Visit Month
EVNT.EVBEGDD	Visit Day
EVNT.EVBEGYY	Visit Year
EVNT.VISTTYPE	Type of Visit

EVNT.RVTIMES   # of visits for Repeat Visit
BASE.LASTEVNT   Highest EVNT.EVNTNUM

For each event added at MP6, set Event type, Statement Event type, Event provider number, MP type and Event details collected at MP5 and MP5B. Set MP type for Event based on MP probe where Provider was entered. See detailed instructions below.

EVNTTYPE	EVNT.EVNTTYPE = 'MP'.
STEVTYPE	EVNT.STEVTYPE = 10/MP.
EVNTPROV	EVNT.EVNTPROV=PROV.PROVNUM of Provider selected at MP2.
HMOREFER	EVNT.HMOREFER = Response to MP5 - HMOREFER.
NOGOHMO	EVNT.NOGOHMO = Response to MP5B - NOGOHMO.
NOGOHMOS	EVNT.NOGOHMOS = Response to MP5B - NOGOHMOS.
MPTYPE	Set EVNT.MPTYPE based on probe: MP1: MPTYPE=1/MedicalDoctor MP18: MPTYPE=2/HealthPractitioner MP26: MPTYPE=3/MentalHealthPractitioner MP34: MPTYPE=4/Therapist MP42: MPTYPE=5/OtherMedicalPerson MP50: MPTYPE=6/OtherMedicalPlace

SOFT EDIT CHECKS

HARD EDIT CHECKS

Edit #1:
Date of event, EVBEGMM/EVBEGDD/EVBEGYY, must be on or between (REFERENCE DATE) and (today/DATE OF DEATH/DATE OF INSTITUTIONALIZATION).
If not true, display message "INVALID DATE. DATE MUST BE ON OR BETWEEN (REFERENCE DATE) AND (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)".

See date check logic in general specifications.

Edit #2:
Date of event, EVBEGMM/EVBEGDD/EVBEGYY, cannot match an existing MP event date for the provider selected at MP2. If date of event added at MP6 does not have missing data, EVBEGMM, EVBEGDD, EVBEGYY ^= DK and EVBEGMM, EVBEGDD, EVBEGYY ^= RF, then check this date against other MP event dates for duplicate dates.

The following must be true for the event added at MP6 to be a duplicate of an existing event:
Both EVNTDFLG ^= 1/Yes.
Both EVNTRNDC=current round.
Both EVNTTYPE='MP'.
EVNTPROV matches.
EVBEGMM matches.
If EVBEGDD ^= empty, EVBEGDD matches.
Else If EVBEGDD = empty, both VISTTYPE=2/RepeatVisit.
EVBEGYY matches.

The date of the event added at MP6 should not match any MP event
date for the provider selected at MP2.
If not true, display message "INVALID DATE. THIS DATE
MATCHES AN EXISTING MEDICAL PROVIDER VISIT TO
(PROVIDER NAME).

Display instructions: Display name of medical provider,
PROV.PROVNAME, currently being asked about.

TECHNICAL NOTES

135	**RepeatVisitEvent**	If Event entered as a Repeat Visit = EVNT.VISTTYPE=2/RepeatVisit.

DESIGN NOTES

Begin Loop 2: Collect all event dates for this provider, loop through details
for each event added at MP6.

MP allows you to select a provider more than once at MP2. If this provider
has already been selected and visits added at MP6 in an earlier loop, the
visits will be displayed at MP6 as protected rows.

MP6_IN

Design Screen Type: Instance Navigator

Fields:	**Field 1:**	**NAVIGATOR**

Enable Functions:	**HELP**	No
	COMMENTS	No
	JUMPBACK	No

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display events added at MP6.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: _

Context Header:

Int. Instr I:

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:   **NAVIGATOR**   (MPQ1145)

Cheshire Name: N/A

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	TInstanceNavigator	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	SelectItemInList	BOX MP2AA - (MPQ1190)
	English text: ITEM SELECTED IN INSTANCE NAVIGATOR	
2	SelectContinueInterview	BOX MP6AA - (MPQ1395)
	English text: CONTINUE INTERVIEW SELECTED	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX MP2AA

BOX INSTRUCTIONS

(MPQ1190)   FOR FIRST/NEXT EVENT ENTERED AT MP6, IF (PROVIDER SPECIALTY
IS A MEDICAL DOCTOR) AND ((EVENT DATE OVERLAPS AN EXISTING IP
EVENT) OR (EVENT DATE MATCHES AN EXISTING ER OR OP EVENT),
GO TO MP6B - MPSDVIS (MPQ1200).

ELSE GO TO BOX MP2C - (MPQ1220).

ASSIGNMENTS

TECHNICAL NOTES

171	ProviderMedicalDoctor	Provider Specialty is a Medical Doctor = PROV.PROVSPEC=2/MedicalDoctor
350	OverlapERIPOPStay	Event date overlaps an existing IP stay or Event date matches an existing ER or OP event date = See general specifications for detailed date logic check.

DESIGN NOTES

MP6B

Design Screen Type:	Yes/No	
Fields:	**Field 1:**	**MPSDVIS**
Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	No
Roster Name:		
Roster Type:		
Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:	Display name of medical provider, PROV.PROVNAME, currently being asked about.
	Display date of event for the Medical Provider visit being asked about.
Question display:	EVENT MONTH = Display Month of the Medical Provider visit being asked about.
	Display name of medical provider, PROV.PROVNAME, currently being asked about.
	Display "in" in the second sentence in BOLD.
	If event overlaps or matches more than one existing ER, IP, or OP event, display "any of these places". Else display "the [READ EVENT LISTED BELOW]".
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	Display report below question text.
	Display ER, IP, and OP events that overlap or match the MP visit date being asked about.

Report Header: OVERLAPPING EVENT DATES

Column 1, header = "EVENT TYPE".
Column 1, display =
If EVNT.EVNTTYPE = 2/ER, display "Emergency Room".
Else if EVNT.EVNTTYPE = 5/IP, display "Hospital as an Inpatient".
Else if EVNT.EVNTTYPE = 9/OP, display "Outpatient Department".

Column 2, header = "EVENT DATE".
Column 2, display EVENT BEGIN DATE

Column 3, header = "EVENT END DATE".
Column 3, display EVENT END DATE

TEXT:

Context Header:	PROVIDER: (PROVIDER NAME) EVENT: (EVENT DATE)
Int. Instr I:	
Question Text:	We have recorded that in (EVENT MONTH) [you were/(SP) was] also in [READ EVENT(S) LISTED BELOW]. Was this visit with (PROVIDER NAME) a visit while [you were/(SP) was] in [the [READ EVENT LISTED BELOW]/any of these places]?
Int. Instr II:	

INPUT FIELDS / ROUTING

Field1: **MPSDVIS** (MPQ1200)

Cheshire Name: EVNT.MPSDVIS

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	TYesNoDKRF	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	Yes	BOX MP2B - (MPQ1210)
	English text: YES	
2	No	BOX MP2C - (MPQ1220)
	English text: NO	

Attribute	Route
Don't know	BOX MP2C - (MPQ1220)
Refusal	BOX MP2C - (MPQ1220)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

350	OverlapERIPOPStay	Event date overlaps an existing IP stay or Event date matches an existing ER or OP event date = See general specifications for detailed date logic check.

DESIGN NOTES

BOX MP2B

Page Order # :   140

BOX INSTRUCTIONS

(MPQ1210)   UPDATE EVENT TYPE TO SEPARATELY BILLING DOCTOR AND GO TO
                   BOX MP6 - (MPQ1390).

ASSIGNMENTS

EVNTTYPE	EVNT.EVNTTYPE = 'SD'.
STEVTYPE	EVNT.STEVTYPE = 2/SD.

TECHNICAL NOTES

DESIGN NOTES

BOX MP2C

BOX INSTRUCTIONS

(MPQ1220)   IF PROVIDER SPECIALTY = Dentist, Medical Doctor, Optometrist, Osteopath, Paramedic, PhysicianAssistant, Podiatrist, Other, DK or RF, GO TO MP7 - ANYOPERS (MPQ1230).

ELSE GO TO MP10 - SPECCOND (MPQ1270).

ASSIGNMENTS

TECHNICAL NOTES

| 382 | **ProvSpecCheck** | Provider Specialty listed in BOX MP2C = PROV.PROVSPEC =1/Dentist, 2/MedicalDoctor, 16/Optometrist, 17/Osteopath, 18/Paramedic, 20/PhysicianAssistant, 21/Podiatrist, 91/Other, DK or RF.

If PROV.PROVSPEC is collected at MP2A if not already reported. |

DESIGN NOTES

BOX MP2C is called from BOX ST23A and BOX NS23A when a Medical
Provider visit is added in ST or NS.

MP7

Design Screen Type: Yes/No

Fields: **Field 1:**   **ANYOPERS**

Enable Functions: **HELP**   No
COMMENTS   Yes
JUMPBACK   Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item**   No
Edit Item   No
Delete Item   No
Search Item   No

Grid Functions: **Add Line**   No
Delete Line   No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display date of event for the Medical Provider visit being asked about.

Display date of event for the Medical Provider visit being asked
about.

If event entered as a Repeat Visit then display "any of the".
Else display "the".

If MP7 is being asked for the first time in the current round
interview, display, "[Operations include surgery..]". Always display
this sentence in brackets.
Else do not display.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: Were any operations performed on [you/(SP)] during (any of the/the)
[VISIT ON EVENT DATE]?

[Operations include surgery and other surgical procedures like setting bones, stitching or removing growths, or any cutting of the skin.]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:	**ANYOPERS**	(MPQ1230)

Cheshire Name:	EVNT.ANYOPERS

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP11 - CONDITION_MP (MPQ1280)
	English text: YES	
2	No	MP10 - SPECCOND (MPQ1270)
	English text: NO	

Attribute	Route
Don't know	MP10 - SPECCOND (MPQ1270)
Refusal	MP10 - SPECCOND (MPQ1270)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

136	**NumberRepeatVisits**	Number of Repeat Visits =

EVNT.RVTIMES.

| 135 | **RepeatVisitEvent** | If Event entered as a Repeat Visit = EVNT.VISTTYPE=2/RepeatVisit. |

DESIGN NOTES

MP10

Design Screen Type: Yes/No

Fields: **Field 1:**   **SPECCOND**

Enable Functions: **HELP**   No
                        COMMENTS   Yes
                        JUMPBACK   Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item**   No
                        Edit Item   No
                        Delete Item   No
                        Search Item   No

Grid Functions: **Add Line**   No
                        Delete Line   No

DISPLAY INSTRUCTIONS:

Context header display:	Display date of event for the Medical Provider visit currently being asked about.
Question display:	If event entered as a Repeat Visit, display "Were any of these visits". Else display "Was this visit".
	Display name of medical provider, PROV.PROVNAME, currently being asked about.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:	DATE OF MEDICAL VISIT: [VISIT ON EVENT DATE]
Int. Instr I:	
Question Text:	(Was this visit/Were any of these visits) to (PROVIDER NAME) for any specific condition?
Int. Instr II:	

INPUT FIELDS / ROUTING

Field1:	**SPECCOND**	(MPQ1270)

Cheshire Name: EVNT.SPECCOND

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP11 - CONDITION_MP (MPQ1280)
	English text: YES	
2	No	BOX MP2D - (MPQ1290)
	English text: NO	

Attribute	Route
Don't know	BOX MP2D - (MPQ1290)
Refusal	BOX MP2D - (MPQ1290)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

135	**RepeatVisitEvent**	If Event entered as a Repeat Visit = EVNT.VISTTYPE=2/RepeatVisit.

DESIGN NOTES

MP11

Page Order # : 210

Design Screen Type: Roster

Fields: **Field 1:** **CONDITION_MP**

Enable Functions:
HELP	No
COMMENTS	Yes
JUMPBACK	Yes

Roster Name: Condition Roster

Roster Type: Multiple Item Select

Roster Functions:
Add Item	Yes	Display as ' Add a Condition '
Edit Item	Yes	Display as ' Edit a Condition '
Delete Item	No	
Search Item	No	

Grid Functions:
Add Line	No
Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display: Display date of event for the Medical Provider visit currently being asked about.

Question display: If MP7 = 1\Yes, then display, then display "What condition required the surgery]".
Else display "What was the condition".

Multi Field display:

Roster/Grid Instructions: Display all Conditions.

Display in alphabetical order.

Roster/Grid display:

Report display:

TEXT:

Context Header: DATE OF MEDICAL VISIT: [VISIT ON EVENT DATE]

Int. Instr I:

Question Text: (What condition required the surgery/What was the condition)?

Int. Instr II: SELECT OR ADD ALL CONDITIONS.

INPUT FIELDS / ROUTING

Field1:   **CONDITION_MP**   (MPQ1280)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	String	**FieldSize:**	135
Type Name:	TCondPick135	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	BOX MP2D - (MPQ1290)

BACKGROUND VARIABLE ASSIGNMENTS

Conditions will be collected on COND:
COND key = COND.CONDBASE + COND.CONDNUM
COND.CONDNUM = Number of condition selected at MP11.

If adding a new condition, see CONDITION ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Condition Roster:
COND.CONDNUM
COND.CONDRNDC
COND.CONDTION

All Conditions selected at MP11 should be linked to the Medical Provider visit being asked about. Link Conditions to MP visit on XCON.

XCON key = XCON.XCONBASE + XCON.XCONEVNT + XCON.XCONBAS2 + XCON.XCONCOND.

For each condition selected at MP11, create an XCON where XCONEVNT= EVNT.EVNTNUM of Medical Provider visit and XCONCOND = COND.CONDNUM of Condition. XCONBASE and XCONBAS2 both equal the Cheshire BASE.BASEID. Set additional XCON variables as specified below.

XCONEVNT	XCON.XCONEVNT = EVNT.EVNTNUM of Medical Provider visit being asked about.
XCONCOND	XCON.XCONCOND = COND.CONDNUM of condition selected at MP11.
XCONRNDC	XCON.XCONRNDC = current round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX MP2D

Page Order # :   220

BOX INSTRUCTIONS

(MPQ1290)   IF CURRENTLY ADMINISTERING ST, GO TO BOX ST23B - (STQ1700).

ELSE IF CURRENTLY ADMINISTERING NS, GO TO BOX NS23B - (NSQ1700).

ELSE GO TO MP12 - PRESMDCN (MPQ1300).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

If currently administering ST or NS, return to BOX ST23B or BOX NS23B.

MP12

Design Screen Type: Yes/No

Fields:	**Field 1:**	**PRESMDCN**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:	Display date of event for the Medical Provider visit currently being asked about.
Question display:	If event entered as a Repeat Visit, display "any of these visits". Else display "this visit".
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	

TEXT:

Context Header:	DATE OF MEDICAL VISIT: [VISIT ON EVENT DATE]
Int. Instr I:	
Question Text:	During (this visit/any of these visits) to (PROVIDER NAME), were any medicines prescribed for [you/(SP)]?
Int. Instr II:	

INPUT FIELDS / ROUTING

Field1:   **PRESMDCN**   (MPQ1300)

Cheshire Name: EVNT.PRESMDCN

Item Text display:

Item Text:

Label:

Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP13 - PRESFILL (MPQ1310)
	English text: YES	
2	No	BOX MP6 - (MPQ1390)
	English text: NO	

Attribute	Route
Don't know	BOX MP6 - (MPQ1390)
Refusal	BOX MP6 - (MPQ1390)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

135	RepeatVisitEvent	If Event entered as a Repeat Visit = EVNT.VISTTYPE=2/RepeatVisit.

DESIGN NOTES

MP13

Design Screen Type:　Yes/No

| **Fields:** | **Field 1:** | **PRESFILL** |

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

| **Grid Functions:** | **Add Line** | No |
| | **Delete Line** | No |

DISPLAY INSTRUCTIONS:

Context header display:

Question display:

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text:　Were any of the prescriptions filled?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:	**PRESFILL**	(MPQ1310)	

Cheshire Name: EVNT.PRESFILL

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	BOX MP3A - (MPQ1320)
	English text: YES	
2	No	BOX MP6 - (MPQ1390)
	English text: NO	

Attribute	Route
Don't know	BOX MP6 - (MPQ1390)
Refusal	BOX MP6 - (MPQ1390)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX MP3A

BOX INSTRUCTIONS

(MPQ1320)   IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO MP13A - MPPMMEDS (MPQ1330).

ELSE GO TO MP14 - MEDICINE_MP (MPQ1340).

ASSIGNMENTS

TECHNICAL NOTES

| 131 | **PMBottleProbe** | Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes. |

DESIGN NOTES

MP13A

Design Screen Type: No Entry

Fields: **Field 1:**   **MPPMMEDS**

Enable Functions: **HELP**   No
     COMMENTS   Yes
     JUMPBACK   Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item**   No
     Edit Item   No
     Delete Item   No
     Search Item   No

Grid Functions: **Add Line**   No
     Delete Line   No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Always display "(s)" in "bottle(s), container(s), or bag(s)" in
     parenthesis.

     If SP has a "current" Medicare Prescription Drug plan or there was a
     Medicare Prescription Drug plan "current" at the time of the
     previous round interview, then display "Also, please take out
     [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME)
     medicine statements....".
     Else do not display.

     MEDICARE PRESCRIPTION DRUG PLAN NAME =
     Display the name of the "current" Medicare Prescription Drug plan.
     If it does not exist, display the name of the Medicare Prescription
     Drug plan "current" at the time of the previous round interview.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text:　　　It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:	**MPPMMEDS**	(MPQ1330)

Cheshire Name:　　　TEMP

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TContinueEMPTY	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Continue	MP14 - MEDICINE_MP (MPQ1340)
	English text: CONTINUE	

Attribute	Route
Empty	MP14 - MEDICINE_MP (MPQ1340)

BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at MP13A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If MP13A - MPPMMEDS is asked, set flag as instructed below:

GETPMMEDS　　　Set GETPMMEDS = 1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

342	**MPDPCurrent**	SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.
343	**MPDPCurrPrevRnd**	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.

DESIGN NOTES

MP14

Design Screen Type: Roster

Fields: **Field 1:**   **MEDICINE_MP**

Enable Functions: **HELP**   No
               COMMENTS   Yes
               JUMPBACK   Yes

Roster Name: Prescription Medicine Roster

Roster Type: Multiple Item Select

Roster Functions: **Add Item**   Yes   Display as ' Add a Medicine '
               Edit Item   Yes   Display as ' Edit a Medicine '
               Delete Item   No
               Search Item   No

Grid Functions: **Add Line**   No
               Delete Line   No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.

               Display "INCLUDE STRENGTH WITH NAME." in BOLD.

Multi Field display:

Roster/Grid Instructions: Display all Prescription Medicine events where:

               EVNT.EVNTDFLG ^=1/Yes, and
               EVNT.EVNTTYPE='PM'.

               Display in alphabetical order.

Roster/Grid display:

COL #	HEADER	INSTRUCTIONS
1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: Please tell me the names of these medicines.

Int. Instr II: ENTER ALL MEDICINE NAMES.
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.
INCLUDE STRENGTH WITH NAME.

INPUT FIELDS / ROUTING

Field1:   **MEDICINE_MP**   (MPQ1340)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	String	**FieldSize:**	135
Type Name:	TEvntPick135	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	[Continuous answer.]	BOX MP6 - (MPQ1390)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:
EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM
EVNT.EVNTNUM = Number of PM event selected at MP14.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION
MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVNT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected at MP14, create a current round PMRO. Note: a
current round PMRO may already exist for a Prescription Medicine event if it has already
been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

Create PMRO where PMRO.PMROEVNT = EVNT.EVNTNUM for prescription medicine selected and PMRO.PMRORND = current round.   Set additional PMRO variable as instructed below.

All prescription medicines selected at MP14 should be linked to the Medical Provider visit being asked about. Prescription medicine events are linked to other events on XMED.

XMED key = XMED.XMEDBASE + XMED.XMEDEVNT + XMED.XMEDBAS2 + XMED.XMEDEVT2.

For each medicine selected at MP14, create an XMED where XMEDEVNT = EVNT.EVNTNUM of Medical Provider visit being asked about and XMEDEVT2 = EVNT.EVNTNUM of Prescription Medicine selected at MP14.   XMEDBASE and XMEDBAS2 both equal the Cheshire BASE.BASEID. Set additional XMED variables as specified below.

Set the following PMRO and XMED variables for each prescription medicine selected at MP14:

PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected at MP14.
PMRORND	PMRO.PMRORND = current round.
PMROTYPE	PMRO.PMROTYPE = 'PM'.
XMEDEVNT	XMED.XMEDEVNT = EVNT.EVNTNUM of Medical Provider visit being asked about.
XMEDEVT2	XMED.XMEDEVT2 = EVNT.EVNTNUM of prescription medicine selected at MP14.
XMEDRNDC	XMED.XMEDRNDC = current round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX MP6

Page Order # :   320

BOX INSTRUCTIONS

(MPQ1390)   GO TO MP6_IN - NAVIGATOR (MPQ1145).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

NOTE ON ELSE CONDITION:
Once all items at MP6_IN Instance Navigator screen are DONE, routing
will return to MP6_IN until Interviewer selects CONTINUE INTERVIEW.
When MP6_IN CONTINUE INTERVIEW is selected, BOX MP6 specifies
routing to the next item.

BOX MP6AA

BOX INSTRUCTIONS

(MPQ1395)   IF MEDICAL PROVIDER VISIT WAS REPORTED FOLLOWING MP1
PROBE, GO TO MP17 - MDOCMORE (MPQ1400).

ELSE IF MEDICAL PROVIDER VISIT WAS REPORTED FOLLOWING MP18
PROBE, GO TO MP25 - PRACMORE (MPQ1810).

ELSE IF MEDICAL PROVIDER VISIT WAS REPORTED FOLLOWING MP26
PROBE, GO TO MP33 - MENTMORE (MPQ1980).

ELSE IF MEDICAL PROVIDER VISIT WAS REPORTED FOLLOWING MP34
PROBE, GO TO MP41 - THERMORE (MPQ2150).

ELSE IF MEDICAL PROVIDER VISIT WAS REPORTED FOLLOWING MP42
PROBE, GO TO MP49 - PERSMORE (MPQ2320).

ELSE IF MEDICAL PROVIDER VISIT WAS REPORTED FOLLOWING MP50
PROBE, GO TO MP56 - MPPRMORE (MPQ2470).

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES

MP17

Design Screen Type: Yes/No

Fields: **Field 1:**   **MDOCMORE**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display "other" in "any other visits" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: [Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other visits to this doctor or any other medical doctor?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: **MDOCMORE** (MPQ1400)

Cheshire Name: TEMP

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	TYesNoDKRF	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	BOX MP6A - (MPQ1410)
	English text: NO	

Attribute	Route
Don't know	BOX MP6A - (MPQ1410)
Refusal	BOX MP6A - (MPQ1410)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

End loop 1: Probes for additional Medical Provider visits. MP visits can be
for a new provider or a provider already selected and asked about. If
MDOCMORE=1/Yes, go to MP2 to select the next provider.

BOX MP6A

BOX INSTRUCTIONS

(MPQ1410)   IF FALL ROUND AND (SP IS ALIVE AND NOT INSTITUTIONALIZED) AND (SP REPORTED A MEDICAL PROVIDER VISIT AT MP6 AND MP6B - MPSDVIS ^= 1/Yes AND PROVIDER'S SPECIALTY IS A MEDICAL DOCTOR), GO TO AC20 - MDSPCLTY (ACQ1430).

ELSE GO TO MP18 - MPPRPRAC (MPQ1650).

ASSIGNMENTS

TECHNICAL NOTES

59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.
171	ProviderMedicalDoctor	Provider Specialty is a Medical Doctor = PROV.PROVSPEC=2/MedicalDoctor
98	FallRound	If the remainder of (Current round divided by 3) = 1, then it is a Fall round.

DESIGN NOTES

If Fall round, call AC section if MP visit added in current round.

MP18

Page Order # : 460

Design Screen Type: Yes/No

Fields: **Field 1:** **MPPRPRAC**

Enable Functions:
HELP	No
COMMENTS	Yes
JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:
Add Item	No
Edit Item	No
Delete Item	No
Search Item	No

Grid Functions:
Add Line	No
Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported utilization during the current round, display "Besides what you have already mentioned, [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".
Else display "[Since (REFERENCE DATE)/Between(REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If SP is alive and not institutionalized, display "seen".
Else display "see".

Always display "[Health practitioners…]" in brackets.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: SHOW CARD MP1

Question Text:	(Besides what you have already mentioned), [(Since/since (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION), [have you/has (SP)/did (SP)] (seen/see) a health practitioner like any of the ones listed on this card? [Health practitioners include acupuncturist, audiologist, optometrist, chiropractor, podiatrist (foot doctor), homeopath, naturopath, or any other kind of health provider who is not a medical doctor.]
Int. Instr II:	INCLUDE ANY VISITS FOR TESTS/X-RAYS.

INPUT FIELDS / ROUTING

Field1:	**MPPRPRAC**	(MPQ1650)

Cheshire Name:	HRND.MPPRPRAC

Item Text display:	Do not display response option 3/IndicatedYesByDataprep
Item Text:	

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TProbe	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP26 - MPPRMENT (MPQ1820)
	English text: NO	
3	IndicatedYesByDataPrep	
		DO NOT DISPLAY.
		DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	MP26 - MPPRMENT (MPQ1820)
Refusal	MP26 - MPPRMENT (MPQ1820)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

168	**MPUtilizationCheck**	SP reported utilization during the current round [up to MP section] = DU1-DUPROBE, ER1-ERPROBE, IP1-IPPROBE, OP1-OPPROBE, IU-IUPROBE, HH1-HHPRPROF, HH18-HHPRFRND, MP1-MPPRMDOC, MP18-MPPRPRAC, MP26-MPPRMENT, MP34-MPPRTHER, or MP42-MPPRPERS=1/Yes.
59	**SPStatus**	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute SP is Deceased = MRES.SPALIVE=3/Deceased.

DESIGN NOTES

MP25

Design Screen Type: Yes/No

Fields: **Field 1:** **PRACMORE**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

| **Grid Functions:** | **Add Line** | No |
| | **Delete Line** | No |

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display "other" in "any other visits" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: [Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other visits to this practitioner or any other health practitioner?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: **PRACMORE** (MPQ1810)

Cheshire Name: TEMP

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP26 - MPPRMENT (MPQ1820)
	English text: NO	

Attribute	Route
Don't know	MP26 - MPPRMENT (MPQ1820)
Refusal	MP26 - MPPRMENT (MPQ1820)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

MP26

Design Screen Type: Yes/No

Fields:	**Field 1:**	**MPPRMENT**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported utilization during the current round, display "Besides what you have already mentioned, [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".
Else display "[Since (REFERENCE DATE)/Between(REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If SP is alive and not institutionalized, display "seen".
Else display "see".

Always display "[Mental health….]" in brackets.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: SHOW CARD MP2

Question Text: (Besides what you have already mentioned), [(Since/since (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION), [have you/has (SP)/did (SP)] (seen/see) a mental health professional like any of the ones listed on this card? [Mental health professional includes psychiatrist, psychologist, clinical social worker, and licensed professional counselor.]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:   **MPPRMENT**   (MPQ1820)

Cheshire Name: HRND.MPPRMENT

Item Text display: Do not display response option 3/IndicatedYesByDataprep

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	TProbe	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP34 - MPPRTHER (MPQ1990)
	English text: NO	
3	IndicatedYesByDataPrep	
		DO NOT DISPLAY.
		DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	MP34 - MPPRTHER (MPQ1990)
Refusal	MP34 - MPPRTHER (MPQ1990)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

168	**MPUtilizationCheck**	SP reported utilization during the current round [up to MP section] = DU1-DUPROBE, ER1-ERPROBE, IP1-IPPROBE, OP1-OPPROBE, IU-IUPROBE, HH1-HHPRPROF, HH18-HHPRFRND, MP1-MPPRMDOC, MP18-MPPRPRAC, MP26-MPPRMENT, MP34-MPPRTHER, or MP42-MPPRPERS=1/Yes.
59	**SPStatus**	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute SP is Deceased = MRES.SPALIVE=3/Deceased.

DESIGN NOTES

MP33

Design Screen Type: Yes/No

Fields: **Field 1:**   **MENTMORE**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display "other" in "any other visits" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: [Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other visits to this professional or any other mental health professional?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:   **MENTMORE**   (MPQ1980)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	TYesNoDKRF	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP34 - MPPRTHER (MPQ1990)
	English text: NO	

Attribute	Route
Don't know	MP34 - MPPRTHER (MPQ1990)
Refusal	MP34 - MPPRTHER (MPQ1990)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

MP34

Design Screen Type: Yes/No

Fields: **Field 1:**   **MPPRTHER**

Enable Functions: **HELP**   No
                       COMMENTS   Yes
                       JUMPBACK   Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item**   No
                        Edit Item   No
                        Delete Item   No
                        Search Item   No

Grid Functions: **Add Line**   No
                      Delete Line   No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported utilization during the current round, display "Besides what you have already mentioned, [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".
Else display "[Since (REFERENCE DATE)/Between(REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If SP is alive and not institutionalized, display "seen".
Else display "see".

Always display "[Therapists include….]" in brackets.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I: SHOW CARD MP3

Question Text: (Besides what you have already mentioned), [(Since/since (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION), [have you/has (SP)/did (SP)] (seen/see) a therapist like any of the ones listed on this card? [Therapist includes physical therapist, speech therapist, intravenous (IV) therapist, massage therapist, occupational therapist, and respiratory therapist.]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: **MPPRTHER** (MPQ1990)

Cheshire Name: HRND.MPPRTHER

Item Text display: Do not display response option 3/IndicatedYesByDataprep

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**
Type Name:	TProbe	**Min Value:**
Answers Allowed:	1	**Max Value:**
Drop Down List:	No	**Mask:**
Lookup File:	No	
Lookup File Name:		

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP42 - MPPRPERS (MPQ2160)
	English text: NO	
3	IndicatedYesByDataPrep	
		DO NOT DISPLAY.
		DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	MP42 - MPPRPERS (MPQ2160)
Refusal	MP42 - MPPRPERS (MPQ2160)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

168	**MPUtilizationCheck**	SP reported utilization during the current round [up to MP section] = DU1-DUPROBE, ER1-ERPROBE, IP1-IPPROBE, OP1-OPPROBE, IU-IUPROBE, HH1-HHPRPROF, HH18-HHPRFRND, MP1-MPPRMDOC, MP18-MPPRPRAC, MP26-MPPRMENT, MP34-MPPRTHER, or MP42-MPPRPERS=1/Yes.
59	**SPStatus**	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.

DESIGN NOTES

MP41

Page Order # :   840

Design Screen Type: Yes/No

Fields:	**Field 1:**	**THERMORE**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display "other" in "any other visits" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: [Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other visits to this therapist or any other therapist?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:	**THERMORE**	(MPQ2150)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP42 - MPPRPERS (MPQ2160)
	English text: NO	

Attribute	Route
Don't know	MP42 - MPPRPERS (MPQ2160)
Refusal	MP42 - MPPRPERS (MPQ2160)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

MP42

Design Screen Type: Yes/No

Fields: **Field 1:**   **MPPRPERS**

Enable Functions: **HELP**   No
                          COMMENTS   Yes
                          JUMPBACK   Yes

Roster Name:

Roster Type:

Roster Functions: **Add Item**   No
                          Edit Item   No
                          Delete Item   No
                          Search Item   No

Grid Functions: **Add Line**   No
                          Delete Line   No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: If SP reported utilization during the current round, display "Besides what you have already mentioned, [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".
Else display "[Since (REFERENCE DATE)/Between(REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If SP is alive and not institutionalized, display "seen".
Else display "see".

Always display "[Other medical persons….]" in brackets.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT: _

Context Header:

Int. Instr I: SHOW CARD MP4

Question Text:	(Besides what you have already mentioned), [(Since/since (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION), [have you/has (SP)/did (SP)] (seen/see) any other medical persons like the ones listed on this card? [Other medical persons include nurse, nurse practitioner, paramedic, and physician's assistant.]
Int. Instr II:	INCLUDE ANY VISITS FOR TESTS/X-RAYS. DO NOT INCLUDE PARAMEDIC IF ONLY AMBULANCE SERVICES WERE PROVIDED.

INPUT FIELDS / ROUTING

Field1: **MPPRPERS** (MPQ2160)

Cheshire Name: HRND.MPPRPERS

Item Text display: Do not display response option 3/IndicatedYesByDataprep

Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TProbe	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP50 - MPPRPLAC (MPQ2330)
	English text: NO	
3	IndicatedYesByDataPrep	
		DO NOT DISPLAY. DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	MP50 - MPPRPLAC (MPQ2330)
Refusal	MP50 - MPPRPLAC (MPQ2330)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

168	MPUtilizationCheck	SP reported utilization during the current round [up to MP section] = DU1-DUPROBE, ER1-ERPROBE, IP1-IPPROBE, OP1-OPPROBE, IU-IUPROBE, HH1-HHPRPROF, HH18-HHPRFRND, MP1-MPPRMDOC, MP18-MPPRPRAC, MP26-MPPRMENT, MP34-MPPRTHER, or MP42-MPPRPERS=1/Yes.
59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.

DESIGN NOTES

MP49

Design Screen Type: Yes/No

Fields:	**Field 1:**	**PERSMORE**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display "other" in "any other visits" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: [Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other visits to this person or any other medical person?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: **PERSMORE** (MPQ2320)

Cheshire Name: TEMP

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	MP50 - MPPRPLAC (MPQ2330)
	English text: NO	

Attribute	Route
Don't know	MP50 - MPPRPLAC (MPQ2330)
Refusal	MP50 - MPPRPLAC (MPQ2330)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

MP50

Design Screen Type:	Yes/No	

Fields:	**Field 1:**	**MPPRPLAC**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display:　If SP reported utilization during the current round, display "Besides what you have already mentioned, [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".
Else display "[Since (REFERENCE DATE)/Between(REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]".

If SP is alive and not institutionalized, display "visited".
Else display "visit".

Always display "[Other types of….]" in brackets.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:　SHOW CARD MP5

Question Text:	(Besides what you have already mentioned), [(Since/since (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION), [have you/has (SP)/did (SP)] (visited/visit) any other types of medical places like the ones listed on this card? [Other types of medical places include health clinic, neighborhood health center, rural health clinic, infirmary, mental health clinic, urgent care center, or any other place.]
Int. Instr II:	

INPUT FIELDS / ROUTING

Field1:	**MPPRPLAC**	(MPQ2330)
Cheshire Name:	HRND.MPPRPLAC	
Item Text display:	Do not display response option 3/IndicatedYesByDataprep	
Item Text:		
Label:		
Label Position:		

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TProbe	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	BOX MP22 - (MPQ2475)
	English text: NO	
3	IndicatedYesByDataPrep	DO NOT DISPLAY. DATA EDITING ONLY.
	English text: INDICATED YES BY DATAPREP	

Attribute	Route
Don't know	BOX MP22 - (MPQ2475)
Refusal	BOX MP22 - (MPQ2475)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

168	MPUtilizationCheck	SP reported utilization during the current round [up to MP section] = DU1-DUPROBE, ER1-ERPROBE, IP1-IPPROBE, OP1-OPPROBE, IU-IUPROBE, HH1-HHPRPROF, HH18-HHPRFRND, MP1-MPPRMDOC, MP18-MPPRPRAC, MP26-MPPRMENT, MP34-MPPRTHER, or MP42-MPPRPERS=1/Yes.
59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute SP is Deceased = MRES.SPALIVE=3/Deceased.

DESIGN NOTES

MP56

Page Order # :   1080

Design Screen Type: Yes/No

Fields: **Field 1:**   **MPPRMORE**

Enable Functions:	**HELP**	No
	COMMENTS	Yes
	JUMPBACK	Yes

Roster Name:

Roster Type:

Roster Functions:	**Add Item**	No
	Edit Item	No
	Delete Item	No
	Search Item	No

Grid Functions:	**Add Line**	No
	Delete Line	No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display "other" in "any other visits" in BOLD.

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header:

Int. Instr I:

Question Text: [Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other visits to this place or any other type of medical place?

Int. Instr II:

INPUT FIELDS / ROUTING

Field1:   **MPPRMORE**   (MPQ2470)

Cheshire Name: TEMP

Item Text display:
Item Text:

Label:
Label Position:

Field Type:	Enumerated	**FieldSize:**	
Type Name:	TYesNoDKRF	**Min Value:**	
Answers Allowed:	1	**Max Value:**	
Drop Down List:	No	**Mask:**	
Lookup File:	No		
Lookup File Name:			

Number	Label	Route
1	Yes	MP2 - PROVIDER_MP (MPQ1030)
	English text: YES	
2	No	BOX MP22 - (MPQ2475)
	English text: NO	

Attribute	Route
Don't know	BOX MP22 - (MPQ2475)
Refusal	BOX MP22 - (MPQ2475)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

DESIGN NOTES

BOX MP22

Page Order # : 1090

BOX INSTRUCTIONS

(MPQ2475)   GO TO NEXT SECTION .

ASSIGNMENTS

TECHNICAL NOTES

DESIGN NOTES