#### DUINTRO

#### **DUINTRO** Page Order # : 20 **Design Screen Type:** No Entry DUINT Fields: Field 1: **Enable Functions:** HELP No COMMENTS Yes JUMPBACK Yes Roster Name: **Roster Type: Roster Functions:** Add Item No Edit Item No **Delete Item** No No Search Item No **Grid Functions:** Add Line **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: **Question display:** If this is not the SP's first community interview, display "Now would be a good time to get out the planner that [you/(SP)] may have used to record health care visits or other medical expenses." Else do not display. Multi Field display: **Roster/Grid Instructions:** Roster/Grid display: Report display: TEXT: **Context Header:** Int. Instr I: The next questions are about any medical care [you/(SP)] may have **Question Text:** had between (REFERENCE DATE) and (today/DATE OF DEATH/DATE OF INSTITUTIONALIZATION). (Now would be a good time to get out the planner that [you/(SP)] may have used to record health care visits or other medical expenses.)

First we'll talk about dental care.

Int. Instr II:

#### DUINTRO

INPUT	FIELDS	/ ROUTING
	I ILLUU	

Field1:	DUINT	( DUQ1020 )
Cheshire Name:	TEMP	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 Continue		DU1 - DUPROBE (DUQ1030)
English text:	CONTINUE	
Attribute Route		
Empty DU1 - D	DUPROBE (DUQ1030)	
BACKGROUND VARIAB	BLE ASSIGNMENTS	
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		
	stCommunity If this is SP's first community interview = (MRES.INTTYPE=2/NewFromFacility or MRES.INTTYPE=3/NewFromSupplement) on MRES where MRES.MRESRND = current round.	
DESIGN NOTES		

# DU1

Page Order # : 30

Design Screen Type:	Yes/No	
Fields:	Field 1:	DUPROBE
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No
Grid Functions:	Add Line Delete Line	No No

## **DISPLAY INSTRUCTIONS:**

Context header display:	
Question display:	Always display "[Dental providers include]" in brackets.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	
Int. Instr I:	SHOW CARD DU
Question Text:	Please look at this card. [Since (REFERENCE DATE)/Between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] go to a dentist or any other person for dental care? [Dental providers include dentists, dental surgeons, endodontists, periodontists, and dental hygienists.]
Int. Instr II:	
INPUT FIELDS / ROUTING	

Field1	:	DUPROBE	( DUQ1030 )	
Chesh	ire Name:	HRND.DUPROBE		
Item To Item To	ext display: ext:	Do not display response	option 3/IndicatedYesByDataprep.	
Label: Label I	Position:			
Drop D Looku	lame: rs Allowed: Down List:	Enumerated TProbe 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number 1	Yes	ZES	Route DU2 - PROVIDER_DU (DUQ1040)	
2	No	/ES	BOX DU6 - (DUQ1335)	
	English text: N	NO.		
3	IndicatedYesByI			
			DO NOT DISPLAY. DATA EDITING ONLY.	
	English text: I	NDICATED YES BY DA	ATAPREP	
Attribut	e Route			
Don't kno		l6 - (DUQ1335)		
Refusal	BOX DU	16 - (DUQ1335)		
BACKGROUND VARIABLE ASSIGNMENTS				
SOFT E	DIT CHECKS			
HARD EDIT CHECKS				
DESIGN				

DU2			Page Order # :	40
	Paatar			
Design Screen Type:	Roster			
Fields:	Field 1:	PROVIDER_D	U	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:	Provider Roster			
Roster Type:	Single Item Select			
Roster Functions:	Add Item Edit Item Delete Item Search Item	Yes Yes No No	Display as ' Add a Provider Display as ' Edit a Provider	
Grid Functions:	Add Line Delete Line	No No		
	S:			
Context header display:				
Question display:				
Multi Field display:				
<b>Roster/Grid Instructions:</b> Display all Providers except for Providers where PROV.PROVNUM=01 and 02, which are reserved for PM and OM events.				
	Display in order	of entry.		
Roster/Grid display:		ADER	INSTRUCTION	
	1 Provid	ler Name	Display PROV.PROVNAM	1E.
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	Who did [you/(S	P)] see?		

Int. Instr II: SELECT OR ADD ONLY ONE PROVIDER.

**INPUT FIELDS / ROUTING** 

Field1:	PROVIDER_DU	( DUQ1040 )
Cheshire Name:	TEMP	
ltem Text display: Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	String TProvPick4 1 No No	FieldSize: 4 Min Value: Max Value: Mask:
Number Label	nswer.]	Route BOX DU1 - (DUQ1060)

#### **BACKGROUND VARIABLE ASSIGNMENTS**

Roster details will be collected on PROV: PROV key = PROV.PROVBASE + PROV.PROVNUM PROV.PROVNUM = Number of Provider selected at DU2.

If Provider added at Provider Roster, see PROVIDER ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated in Provider Roster Pop-Up Window:

PROV.PROVNUM	Provider number
PROV.PROVRNDC	Round number
PROV.PROVNAME	Provider name

If Provider added, set provider type and specialty as instructed below:

PROVTYPE	PROV.PROVTYPE=1/Dental.
PROVSPEC	PROV.PROVSPEC=1/Dentist.

#### SOFT EDIT CHECKS

#### HARD EDIT CHECKS

#### TECHNICAL NOTES

#### **DESIGN NOTES**

Begin Loop 1: Probe for one provider, collect all event dates for this provider.

BOX DU1

	<b>DU1</b> STRUCTIONS	Page Order # : 50
DUQ1060) IF (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A. IN THE CURRENT ROUND OR ANY PREVIOUS ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH V.A. IS UNKNOWN), GO TO DU3 - VAPLACE (DUQ1070).		
	ELSE GO TO BOX	DU2 - (DUQ1080).
TECHN	ICAL NOTES	
423	SPReceivedCaretThruV A	SP reported receiving health care services through V.A.in the current or any previous round = There is an HRND where HRND.HRNDRND = current round and HRND.VACOVER = 1/Yes. HRND.VACOVER is set at BOX HI20 or collected at HI36.
127	ProviderVAUnknown	If Provider is associated with V.A. is unknown = PROV.VAPLACE = empty.
	NOTES	

Page Order # : 60

DU3	,
-----	---

Design Screen Type:	Yes/No	
Fields:	Field 1:	VAPLACE
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
<b>Roster Functions:</b>	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	Add Line	No
	Delete Line	No

## **DISPLAY INSTRUCTIONS:**

Context header display:	
Question display:	Display name of provider, PROV.PROVNAME, currently being asked about.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	
Int. Instr I:	
Question Text:	Is (PROVIDER NAME) associated with a Department of Veterans Affairs, or V.A., facility?
Int. Instr II:	
INPUT FIELDS / ROUTING	

Field1:	VAPLACE	( DUQ1070 )
Cheshire Name:	PROV.VAPLACE	
Item Text display: Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TYesNoDKRF 1 No No	FieldSize: Min Value: Max Value: Mask:

Number	Label	Route
1	Yes	BOX DU2 - (DUQ1080)
	Eng	lish text: YES
2	No	BOX DU2 - (DUQ1080)
	Eng	lish text: NO
Attribute	e	Route
Don't kno	OW	BOX DU2 - (DUQ1080)
Refusal		BOX DU2 - (DUQ1080)
Refusal		BOX DU2 - (DUQ1080)

#### BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS	 	
HARD EDIT CHECKS		
TECHNICAL NOTES		
DESIGN NOTES		

DU3

BOX DU2

# **BOX DU2**

## Page Order # : 70

#### **BOX INSTRUCTIONS**

( DUQ1080 ) IF (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (IF THIS PROVIDER IS ASSOCIATED WITH A MANAGED CARE PLAN IS UNKNOWN), GO TO DU4 - HMOASSOC ( DUQ1090 ).

ELSE IF (SP COVERED BY A MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND) AND (THIS PROVIDER IS NOT ASSOCIATED WITH A MANAGED CARE PLAN), GO TO DU5 - HMOREFER (DUQ1100).

ELSE GO TO DU6 - EVENT\_DU (DUQ1140).

#### ASSIGNMENTS

#### **TECHNICAL NOTES**

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	ManagedCarePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
128	ProviderHMOUnknown	If Provider is associated with a Managed Care plan is unknown = PROV.HMOASSOC=empty.
130	ProviderNotHMO	Provider is not associated with a Managed Care plan = PROV.HMOASSOC=2/No, DK, or RF.
129	ProviderAssocHMO	Provider is associated with a Managed Care plan = PROV.HMOASSOC=1/Yes.

#### **DESIGN NOTES**

If the SP belongs to a managed care plan (HMO), we ask each provider selected/added if the provider is associated with an HMO. This question, which is asked throughout utilization and cost series, is only asked once in the study for each provider. The response is never updated. (this design may change in the future).

If the SP belongs to an HMO, and we have not asked this question for this provider, HMOASSOC=empty, BOX DU2 is routed to DU4 - HMOASSOC. If we have already asked this question about this provider, and the provider responded to HMOASSOC=No, DK or RF, BOX DU2 is routed to DU5, skipping DU4, to determine if the SP was referred to this provider by their HMO.

If SP does not belong to an HMO or this provider already reported being associated with the HMO, BOX DU2 routes directly to DU6, collect dental visits, skipping DU4 and DU5.

# DU4

Page Order # : 80

Design Screen Type:	Yes/No	
Fields:	Field 1:	HMOASSOC
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	Add Line	No
	Delete Line	No

#### DISPLAY INSTRUCTIONS:

Context header display:	
Question display:	Display name of provider, PROV.PROVNAME, currently being asked about.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	Display all managed care plans SP was covered by anytime during the current round. Display managed care plan name(s) below question text. Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry. Column 1, header = "MANAGED CARE PLANS". Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan". Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

<u>TEXT:</u>\_\_\_\_\_

#### **Context Header:**

Int. Instr I:

#### Is (PROVIDER NAME) associated with [your/(SP's)] [READ MANAGED CARE PLAN NAME(S) BELOW] plan? **Question Text:**

Int. Instr II:

#### INPUT FIELDS / ROUTING

Field1:		HMOASSOC	( DUQ1090 )
Cheshire Na	me:	PROV.HMOASSOC	
Item Text dis	splay:		
Item Text:			
Label: Label Positio	on:		
Field Type:		Enumerated	FieldSize:
Type Name:	<b>-</b>	TYesNoDKRF	Min Value:
Answers Allo Drop Down I		1 No	Max Value:
Lookup File:		No	Mask:
Lookup File			
Number Labe	21		Route
1 Yes			DU6 - EVENT_DU (DUQ1140)
En	glish text	: YES	
2 No			DU5 - HMOREFER (DUQ1100)
En	glish text	:NO	
Attribute	Route		
Don't know	DU5 - 1	HMOREFER (DUQ1100	)
Refusal	DU5 - 1	HMOREFER (DUQ1100	)
BACKGROUN	D VARIA	BLE ASSIGNMENTS	
SOFT EDIT CH	HECKS		
HARD EDIT CI	HECKS		

#### **TECHNICAL NOTES**

52 **DeletedPlans**  Deleted plans that are not valid for displays or checks =

	Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2 ManagedCarePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
107 PlanIsMCaidHMO	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
111 PlanIsMCareHMO	SP is covered by a Medicare Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
112 PlanIsPrivateHMO	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
106 HIPlanName	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.
DESIGN NOTES	

# DU5

Page Order # : 90

Design Screen Type:	Yes/No	
Fields:	Field 1:	HMOREFER
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No
Grid Functions:	Add Line Delete Line	No No

#### DISPLAY INSTRUCTIONS:

Context header display:	
Question display:	Display name of provider, PROV.PROVNAME, currently being asked about.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	Display all managed care plans SP was covered by anytime during the current round. Display managed care plan name(s) below question text. Display plans in the following order: Medicare Managed Care plans, Medicaid Managed Care plans, and Private Managed Care plans. If there is more than one plan for any specific plan type, display in order of entry. Column 1, header = "MANAGED CARE PLANS". Column 1, display= If Medicaid Managed Care Plan, display "Medicaid Managed Care Plan". Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

# <u>TEXT:</u>\_\_\_\_\_

#### **Context Header:**

Int. Instr I:

Question Text:

[Were you/Was (SP)] referred to (PROVIDER NAME) by [READ MANAGED CARE PLAN NAME(S) BELOW]?

Int. Instr II:

**INPUT FIELDS / ROUTING** 

Field1	:	HMOREFER	( DUQ1100 )	
Chesh	ire Name:	EVNT.HMOREFER		
Item To Item To	ext display: ext:			
Label: Label I	Position:			
Drop D Looku	lame: ers Allowed: Down List:	Enumerated TYesNoDKRF 1 No No	FieldSize: Min Value: Max Value: Mask:	
Number	Label		Route	
1	Yes English text	: YES	DU6 - EVENT_DU (DUQ1140)	
2	No		DU5B - NOGOHMO (DUQ1110)	

<u> </u>	nglish text: NO	
Attribute	Route	
Don't know	DU6 - EVENT_DU (DUQ1140)	

Refusal DU6 - EVENT\_DU (DUQ1140)

#### BACKGROUND VARIABLE ASSIGNMENTS

DU5 - HMOREFER is an EVENT level detail. The response to DU5 - HMOREFER needs to be copied to EVNT.HMOREFER for each DU Event added at DU6.

#### SOFT EDIT CHECKS

#### HARD EDIT CHECKS

#### **TECHNICAL NOTES**

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.PLANHIDE=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
2	ManagedCarePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.
107	PlanIsMCaidHMO	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
111	PlanIsMCareHMO	SP is covered by a Medicare Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
112	PlanIsPrivateHMO	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
106	HIPIanName	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.
DESIGN NO	DTES	

DU5B

Page Order # : 101

# DU5B

Design Screen Type:	Code 1	
Fields:	Field 1:	NOGOHMO
	Field 2:	NOGOHMOS
Enable Functions:	HELP	No
	COMMENTS	Yes
	JUMPBACK	Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	Add Line	No
	Delete Line	No
DISPLAY INSTRUCTION	NS:	
Context header display	•	
Question display:		
Multi Field display:	Vertical Alignr	nent
Roster/Grid Instruction	s:	
Roster/Grid display:		
Report display:	Display mana	ged care plan name(s) below questior
	Diamian allowed	in the fellowing enders. Medicers Mene

 lay:
 Display managed care plan name(s) below question text.

 Display plans in the following order:
 Medicare Managed Care plans,

 Medicaid Managed Care plans, and Private Managed Care plans.
 If

 there is more than one plan for any specific plan type, display in
 order of entry.

 Column 1, header = "MANAGED CARE PLANS".
 Column 1, display= If Medicaid Managed Care Plan, display

"Medicaid Managed Care Plan". Else display health insurance plan name "(PLAN NAME) Managed Care Plan".

TEXT:

**Context Header:** 

Int. Instr I:

Question Text:	What is the most important reason [you/(SP)] did not see a dental provider associated with [READ MANAGED CARE PLAN NAME(S) BELOW] or a dental provider that [READ MANAGED CARE PLAN NAME(S) BELOW] would refer [you/(SP)] to?
Int. Instr II:	SCROLL DOWN TO SEE RESPONSE CATEGORIES.
INPUT FIELDS / ROUTING	

DU5B

Field1:	NOGOHMO	( DUQ1110 )
Cheshire Name:	EVNT.NOGOHMO	
Item Text display: Item Text:	Display responses ir	n one column.
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List:	Enumerated Tnogohmo 1 No	FieldSize: Min Value: Max Value: Mask:

No

Number	Label	Route
1	PlanNotCoverService	DU6 - EVENT_DU (DUQ1140)
	English text: PLAN DOES NOT COVE	ER THE SERVICE SP WANTED
2	DifficultyDelayGettingService	DU6 - EVENT_DU (DUQ1140)
	English text: DIFFICULTY OR DELA	Y IN GETTING SERVICES
3	SPProviderPreference	DU6 - EVENT_DU (DUQ1140)
	English text: SP PROVIDER PREFERE	ENCE
4	ServiceCoverdbyOtherInsurance	DU6 - EVENT_DU (DUQ1140)
	English text: THIS SERVICE WAS CO	VERED BY OTHER INSURANCE SP HAS
5	NotinManagedCareTimeofEvent	DU6 - EVENT_DU (DUQ1140)
	English text: NOT IN A MANAGED C	ARE PLAN AT TIME OF EVENT
6	NoChoiceMedEmergency	DU6 - EVENT_DU (DUQ1140)
	English text: NO CHOICE - MEDICAL	EMERGENCY OR OUT OF SERVICE AREA
91	Other	DU5B - NOGOHMOS (DUQ1120)
	English text: OTHER	
Attribute	e Route	
Don't kno	DU6 - EVENT_DU (DUQ1140)	
Refusal	DU6 - EVENT_DU(DUQ1140)	

DU5B

Lookup File:

Lookup File Name:

								DU5B
Field2:		NOGOHMC	)S	( DUQ11	20)			
Cheshir	e Name:	EVNT.NOC	GOHMOS					
Item Te	xt display:	Display (SP instructions	,	ame blue f	ont used for int	tervie	ewer	
Item Te	xt:	OTHER (SF	PECIFY)					
Label: Label P	osition:							
Drop Do Lookup	ime: s Allowed: own List:	String TOthrspec 1 No No			FieldSize: Min Value: Max Value: Mask:	3	0	
Number	Label				Route			
1	[Continuous ans	wer.]			DU6 - EVEN	T_D	U (DUQ1140	)
	OUND VARIAB		-	level detail	s The respon	nse tr	DU5B -	
NOGOHM	O and NOGOH	MOS needs to	be copied to	to EVNT.N				
SOFT ED	IT CHECKS							
HARD ED	OIT CHECKS							
TECHNIC	AL NOTES							
52	DeletedPlans	1	Any PLAN	where (PL //ODFLG=	AN.PLANDFL	G=1/ I.PLA	NHIDE=1/Yes	
2	ManagedCar	ePlan	SP covered by a Managed Care Plan anytime during current round = There is a PLRO.PLROPLAN=PLAN.PLANUM & PLRO.PLRORND=current round & ((PLRO.PPRVHMO=1/Yes) or (PLAN.PLANTYPE = 5/MHMO & PLRO.COVANYTM=1/Yes) or (PLRO.MCAIDHMO=1/Yes)). See T.N. 52.					

\_\_\_\_

		DU5B
107	PlanIsMCaidHMO	SP is covered by a Medicaid Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=2/Medicaid & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.MCAIDHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
111	PlanIsMCareHMO	SP is covered by a Medicare Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=5/MHMO & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVANYTM=1/Yes). Exclude Deleted Plans. See T.N. 52.
112	PlanIsPrivateHMO	SP is covered by a Private Managed Care Plan during the current round = There is a PLAN where PLAN.PLANTYPE=4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
106	HIPIanName	Health Insurance Plan Roster is stored on PLAN. Plan name = PLAN.PLNAME.
DESIGN N	OTES	

#### 12:45:07 PM Monday, November 03, 2008

DU6			Page Order # : 120
Design Screen Type:	Roster		
Fields:	Field 1:	EVENT_DU	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:	Event Roster Begi	n Date RV	
Roster Type:	Multiple Item Sele	ct	
Roster Functions:	Add Item Edit Item Delete Item Search Item	Yes Yes No No	Display as ' Add a Dental Visit ' Display as ' Edit a Visit '
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTION	S:		
Context header display:			
Question display:	Display name of asked about.	f provider, PROV	/.PROVNAME, currently being

Multi Field display:

Roster/Grid Instructions:	Display all Dental Events for this provider that have been added in the current round where:		
	EVNT.EVNTDFLG ^= 1/Yes, and EVNT.EVNTRNDC = current round, and EVNT.EVNTTYPE = 'DU', and EVNT.EVNTPROV=PROV.PROVNUM for the provider selected at DU2.		
	Display all loaded events as protected rows. Display in order of entry.		
Roster/Grid display:	COL #	HEADER	INSTRUCTIONS
	1	Event Date	Display EVENT DATE in "Mon DD YYYY" format.
	2	Repeat Visit	If VISTTYPE=2/RepeatVisit, display "RV". Else do not display.
	3	Times Per Month	If VISTTYPE=2/RepeatVisit, display EVNT.RVTIMES. Else do not display.

**Report display:** 

<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:	the dates [since	(SP)] see (PROVIDER NAME)? Please tell me all e (REFERENCE DATE)/between (REFERENCE TE OF DEATH/DATE OF INSTITUTIONALIZATION)].		
Int. Instr II:	ENTER ALL DA	ENTER ALL DATES.		
INPUT FIELDS / ROU	TING			
Field1:	EVENT_DU	( DUQ1140 )		
Cheshire Name:	TEMP			
Item Text display:				
Item Text:				
Label: Label Position:				
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	String TEvntPick135 1 No No	FieldSize: 135 Min Value: Max Value: Mask:		
Number Label		Route		
1 [Continuous a	nswer.]	DU6_IN - NAVIGATOR (DUQ1145)		

#### BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT: EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of event selected at DU6.

For Event(s) added, see EVENT ROSTER BEGIN DATE RV POP-UP specifications for pop-up window programming instructions.

Variables populated in Event Roster Begin Date RV:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round
EVNT.EVBEGMM	Visit Month
EVNT.EVBEGDD	Visit Day
EVNT.EVBEGYY	Visit Year
EVNT.VISTTYPE	Type of Visit

DU6

EVNT.RVTIMES	# of visits for Repeat Visit
BASE.LASTEVNT	Highest EVNT.EVNTNUM

For each event added at DU6, set Event type, Statement Event type, Event provider number, and Event details collected at DU5 and DU5B. See detailed instructions below.

EVNTTYPE	EVNT.EVNTTYPE='DU'.
STEVTYPE	EVNT.STEVTYPE=3/DU.
EVNTPROV	EVNT.EVNTPROV=PROV.PROVNUM of provider selected at DU2.
HMOREFER	EVNT.HMOREFER = Response to DU5 - HMOREFER.
NOGOHMO	EVNT.NOGOHMO = Response to DU5B - NOGOHMO.
NOGOHMOS	EVNT.NOGOHMOS = Response to DU5B - NOGOHMOS.

SOFT EDIT CHECKS

#### HARD EDIT CHECKS

Edit #1

Date of event, EVBEGMM/EVBEGDD/EVBEGYY, must be on or between (REFERENCE DATE) and (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION). If not true, display message "INVALID DATE. DATE MUST BE ON OR BETWEEN (REFERENCE DATE) AND (TODAY/DATE OF DEATH/DATE OF INSTITUTIONALIZATION)".

Edit #2

See date check logic in general specifications.

Date of event, EVBEGMM/EVBEGDD/EVBEGYY, cannot match an existing date on this roster. If date of event added at DU6 does not have missing data, EVBEGMM, EVBEGDD, EVBEGYY ^= DK and EVBEGMM, EVBEGDD, EVBEGYY ^= RF, then check this date against other event dates for duplicate dates.

The following must be true for the event added at DU6 to be a duplicate of an existing event: Both EVNTDFLG ^= 1/Yes. Both EVNTRNDC=current round. Both EVNTTYPE=DU. EVNTPROV matches. EVBEGMM matches. If EVBEGDD ^= empty, EVBEGDD matches. Else If EVBEGDD = empty, both VISTTYPE=2/RepeatVisit. EVBEGYY matches.

The date of the event added at DU6 should not match any other date on roster. If not true, display message "THIS DATE HAS ALREADY BEEN ENTERED. PLEASE VERIFY YOUR RESPONSE".

#### **TECHNICAL NOTES**

#### **DESIGN NOTES**

Begin Loop 2: Collect all event dates for this provider, loop through details for each event added at DU6.

DU allows you to select a provider more than once at DU2. If this provider has already been selected and visits added at DU6 in an earlier loop, the visits will be displayed at DU6 as protected rows.

#### DU6\_IN

# 

Page Order # : 125

DU6_IN		
Design Screen Type:	Instance Navigator	
Fields:	Field 1:	NAVIGATOR
Enable Functions:	HELP COMMENTS JUMPBACK	No No No
Roster Name:		
Roster Type:		
<b>Roster Functions:</b>	Add Item	No
	Edit Item	No
	Delete Item	No
	Search Item	No
Grid Functions:	Add Line	No
	Delete Line	No

## **DISPLAY INSTRUCTIONS:**

Context header display:	
Question display:	Display events added at DU6.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	
Int. Instr I:	
Question Text:	
Int. Instr II:	
INPUT FIELDS / ROUTING	

DU6\_IN

Field1:	NAVIGATOR	( DUQ1145 )
Cheshire Name:	N/A	
Item Text display: Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TInstanceNavigator 1 No No	FieldSize: Min Value: Max Value: Mask:
umber Label		Route

Number	Label	Route		
1	SelectItemInList	DU7 - DVPROCDR (DUQ1170)		
	English text: ITEM SELECTED IN INSTANCE NAVIGATOR			
2	SelectContinueInterview	DU14 - DUMORE (DUQ1330)		
	English text: CONTINUE INTERVIEW SELECTED			

#### BACKGROUND VARIABLE ASSIGNMENTS

#### SOFT EDIT CHECKS

#### HARD EDIT CHECKS

#### **TECHNICAL NOTES**

## DESIGN NOTES

Page Order # : 130

# DU7

Design Screen Type:	Code All	
Fields:	Field 1: Field 2:	DVPROCDR EVOSTEXT
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No
Grid Functions:	Add Line Delete Line	No No

## DISPLAY INSTRUCTIONS:

Context header display:	Display date of event for the dental visit currently being asked about.
Question display:	Display date of event for the dental visit currently being asked about.
Multi Field display:	Vertical Alignment
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	DATE OF DENTAL VISIT: [VISIT ON EVENT DATE]
Int. Instr I:	
Question Text:	For [your/(SP's)] [VISIT ON EVENT DATE], what did [you/(SP)] have done?
Int. Instr II:	CHECK ALL THAT APPLY.
INPUT FIELDS / ROUTING	

Field1	:	DVPROCDR	(DUQ1 <sup>2</sup>	170 )	201
Chesh	ire Name:	NONE			
		REPLACES THE	E FOLLOWING (	HESHIRE VARIABLES:	
		3/Examination 4/Fillings 5/Extractions 6/RootCanals 7/Crowns 8/Bridges 9/Orthodonita 10/Periodontia 11/Bonding	= EVNT.DVRT = EVNT.DVCR = EVNT.DVBR	AN AM LNG TRAC CNAL OWN IDGE THO RIOD NDNG RG	
Item To	ext display:	Do not display re	sponse option 12	2/Surgery.	
Item To	ext:				
Label: Label I	Position:				
Drop D Looku	lame: rs Allowed: oown List:	Enumerated TDVProcdr 12 No No		FieldSize: Min Value: Max Value: Mask:	
Number	Label			Route	
1	XraysTaken			BOX DU3 - (DUQ1200 )	)
	English text:	X-RAYS TAKEN			
2	CleaningTeeth			BOX DU3 - (DUQ1200)	)
	English text: (	CLEANING TEET	Ή		
3	Examination			BOX DU3 - (DUQ1200)	)
	English text:	EXAMINATION			
4	Fillings			BOX DU3 - (DUQ1200)	)
	English text:	FILLINGS			
5	Extractions			BOX DU3 - (DUQ1200 )	)
		EXTRACTIONS			·
6	RootCanals			BOX DU3 - (DUQ1200)	)
0		ROOT CANALS			,
7	Crowne			BOX DU3 - (DUQ1200 )	)
1	English text: (	CROWNS			, 
	English text.				

			DU7
8	Bridg	es	BOX DU3 - (DUQ1200)
	Eng	lish text: BRIDGES, DENTUR	ES, PLATES, ETC EITHER NEW ONES OR REPAIR WORK
9	Ortho	dontia	BOX DU3 - (DUQ1200)
	Eng	l <b>ish text:</b> ORTHODONTIA B	ITE ADJUSTMENT, BRACES, RETAINERS, ETC.
10	Perio	lontia	BOX DU3 - (DUQ1200)
	Eng	lish text: PERIODONTIA E.O	G., TREATMENT OF GUM DISEASE
11	Bondi	ng	BOX DU3 - (DUQ1200)
	Eng	lish text: BONDING	
12	Surge	ry	
			DO NOT DISPLAY.
			DATA EDITING ONLY.
	Eng	lish text: DATA EDITING ONI	LY
91	Other		DU7 - EVOSTEXT (DUQ1190)
	Eng	lish text: OTHER	
Attribut	te	Route	
Don't kn	ow	BOX DU3 - (DUQ1200)	
Refusal		BOX DU3 - (DUQ1200)	

Field2:	EVOSTEXT	( DUQ1190 )	007	
Cheshire Name:	EVOS.EVOS	STEXT		
	SQL FIELD :	= EVNT.EVOSTEXT		
	DATA TRAN	SFORMATION INSTRUCTIONS:		
	EVOS Key = EVOS.EVOS	EVOS.EVOSBASE + EVOS.EVOSE\ SNUM.	/NT +	
	lf response t new EVOS v	o DU7 - DVPROCDR includes 91/Oth vhere:	er, create a	
	EVOS.EVOS this EVOS.E EVOS.EVOS EVOS.EVNT	SEVNT = EVNT.EVNTNUM SNUM = next sequential EVOS.EVOSN VNTEVNT. SRNDC = current round. QUES = 'DU7'. STEXT = EVNT.EVOSTEXT.	NUM for	
Item Text display:	Display (SPE instructions.	CIFY) in same blue font used for inter	viewer	
Item Text:	OTHER (SPE	CIFY)		
Label: Label Position:				
Field Type:	String	FieldSize:	30	
Type Name:	TOthrspec	Min Value:		
Answers Allowed:	1	Max Value:		
Drop Down List:	No	Mask:		
Lookup File: Lookup File Name:	No			
Lookup File Name.				
Number Label		Route		
1 [Continuous ans	wer.]	BOX DU3 - (DI	JQ1200)	
BACKGROUND VARIABLE ASSIGNMENTS				
SOFT EDIT CHECKS				
HARD EDIT CHECKS				
TECHNICAL NOTES				
TECHNICAL NOTES		· - · · · · · · · · · · · · · · · · · ·		
135 RepeatVisitE		f Event entered as a Repeat Visit = EVNT.VISTTYPE=2/RepeatVisit.		

## 136 NumberRepeatVisits

# Number of Repeat Visits = EVNT.RVTIMES.

#### **DESIGN NOTES**

DU7 is called from BOX ST22A and BOX NS22A in ST and/or NS.

#### **BOX DU3**

# BOX DU3 Page Order #: 140 BOX INSTRUCTIONS (DUQ1200) IF RESPONSE TO DU7 - DVPROCDR INCLUDES 1/XraysTaken or RF, GO TO BOX DU3A - (DUQ1220 ). ELSE GO TO DU8 - XRAYS (DUQ1210).

**DESIGN NOTES** 

# DU8

Page Order # : 150

Design Screen Type:	Yes/No	
Fields:	Field 1:	XRAYS
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name:		
Roster Type:		
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No
Grid Functions:	Add Line Delete Line	No No

## **DISPLAY INSTRUCTIONS:**

Context header display:	Display date of event for the dental visit currently being asked about.
Question display:	If event entered as a Repeat Visit, display "any of these visits". Else display "this visit".
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	DATE OF DENTAL VISIT: [VISIT ON EVENT DATE]
Int. Instr I:	
Question Text:	Were X-rays taken on (any of these visits/this visit)?
Int. Instr II:	
INPUT FIELDS / ROUTING	

 Field1:
 XRAYS
 (DUQ1210)

 Cheshire Name:
 EVNT.XRAYS

 Item Text display:

Item Text:

Label: Label Position:

Field Type:	Enumerated	FieldSize:
Type Name:	TYesNoDKRF	Min Value:
Answers Allowed:	1	Max Value:
Drop Down List:	No	Mask:
Lookup File:	No	
Lookup File Name:		

Number	Labe	l Route
1	Yes	BOX DU3A - (DUQ1220)
	Eng	ylish text: YES
2	No	BOX DU3A - (DUQ1220)
	Eng	lish text: NO
Attribut	e	Route
Don't kno	ow	BOX DU3A - (DUQ1220)
Refusal		BOX DU3A - (DUQ1220)

BACKGROUND VARIABLE ASSIGNMENTS
---------------------------------

SOFT EDIT CHECKS

HARD EDIT CHECKS

# **TECHNICAL NOTES**

135 RepeatVisitEvent

If Event entered as a Repeat Visit = EVNT.VISTTYPE=2/RepeatVisit.

#### **DESIGN NOTES**

12:45:41 PM Monday, November 03, 2008

DU8

# **BOX DU3A**

Page Order # : 160

# BOX INSTRUCTIONS

(DUQ1220) IF ADMINISTERING ST, GO TO BOX ST23B - (STQ1700).
 ELSE IF ADMINISTERING NS, GO TO BOX NS23B - (NSQ1700).
 ELSE GO TO DU9 - PRESMDCN (DUQ1230).

## ASSIGNMENTS

# **TECHNICAL NOTES**

## **DESIGN NOTES**

When DU is called from ST, or NS, we do not continue to probe for medicines prescribed for these visits. If currently administering one of these sections, return to BOX ST23B or BOX NS23B.

Page Order # : 170

# DU9

Design Screen Type:	Yes/No	
Fields:	Field 1:	PRESMDCN
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes
Roster Name: Roster Type:		
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No
Grid Functions:	Add Line Delete Line	No No

# **DISPLAY INSTRUCTIONS:**

Context header display:	Display date of event for the dental visit currently being asked about.
Question display:	If event entered as a Repeat Visit, display "any of these visits". Else display "this visit".
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	DATE OF DENTAL VISIT: [VISIT ON EVENT DATE]
Int. Instr I:	
Question Text:	Were any medicines prescribed for [you/(SP)] during (this visit/any of these visits)?
Int. Instr II:	
INPUT FIELDS / ROUTING	

Field1:	PRESMDCN	( DUQ1230 )
Cheshire Name:	EVNT.PRESMDCN	
Item Text display: Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TYesNoDKRF 1 No No	FieldSize: Min Value: Max Value: Mask:

Number	Label	l	Route
1	Yes		DU10 - PRESFILL (DUQ1240)
	Eng	lish text: YES	
2	No		BOX DU4 - (DUQ1290)
	Eng	lish text: NO	
Attribut	e	Route	
Don't kno	)W	BOX DU4 - (DUQ1290)	
Refusal		BOX DU4 - (DUQ1290)	
Don't kno	-	BOX DU4 - (DUQ1290)	

# **BACKGROUND VARIABLE ASSIGNMENTS**

SOFT	EDIT C	HECKS
------	--------	-------

# HARD EDIT CHECKS

## **TECHNICAL NOTES**

135	RepeatVisitEvent	
-----	------------------	--

If Event entered as a Repeat Visit = EVNT.VISTTYPE=2/RepeatVisit.

#### **DESIGN NOTES**

DU9

180

DU10			Page Order # :
Design Screen Type:	Yes/No		
Fields:	Field 1:	PRESFILL	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No	
Grid Functions:	Add Line	No	

No

Delete Line

# **DISPLAY INSTRUCTIONS:**

Orm(and basedon d'antern	
Context header display:	
Question display:	
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
<u>TEXT:</u>	
Context Header:	
Int. Instr I:	
Question Text:	Were any of the prescriptions filled?
Int. Instr II:	
III. IIISU II.	
INPUT FIELDS / ROUTING	

(DUQ1240) Field1: PRESFILL EVNT.PRESFILL **Cheshire Name:** Item Text display: Item Text: Label: Label Position: Field Type: Enumerated FieldSize: **TYesNoDKRF** Type Name: Min Value: Answers Allowed: 1 Max Value: Drop Down List: No Mask: Lookup File: No

Number Label Route 1 Yes BOX DU3B - (DUQ1250) **English text: YES** -----2 No BOX DU4 - (DUQ1290) English text: NO \_\_\_\_\_ Attribute Route Don't know BOX DU4 - (DUQ1290) Refusal BOX DU4 - (DUQ1290)

## **BACKGROUND VARIABLE ASSIGNMENTS**

Lookup File Name:

SOFT EDIT CHECKS
HARD EDIT CHECKS
TECHNICAL NOTES
DESIGN NOTES

# **BOX DU3B**

## Page Order # : 190

# BOX INSTRUCTIONS

( DUQ1250 ) IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO DU10A - DUPMMEDS ( DUQ1260 ).

ELSE GO TO DU11 - MEDICINE\_DU (DUQ1270).

# ASSIGNMENTS

# TECHNICAL NOTES

131 PMBottleProbe

Prescription Medicine Bottle probe has been asked in the current round = GETPMMEDS=1/Yes.

# **DESIGN NOTES**

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

DU10A

DU10A			Page Order # :	200
Design Screen Type:	No Entry			
Fields:	Field 1:	DUPMMEDS		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		

# **DISPLAY INSTRUCTIONS:**

Context header display:	
Question display:	Always display "(s)" in "bottle(s), container(s), or bag(s)" in parenthesis.
	If SP has a "current" Medicare Prescription Drug plan or there was a Medicare Prescription Drug plan "current" at the time of the previous round interview, then display "Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements". Else do not display.
	MEDICARE PRESCRIPTION DRUG PLAN NAME = Display the name of the "current" Medicare Prescription Drug plan. If it does not exist, display the name of the Medicare Prescription Drug plan "current" at the time of the previous round interview.
Multi Field display:	
Roster/Grid Instructions:	
Roster/Grid display:	
Report display:	
TEVT	
<u>TEXT:</u>	
Context Header:	

DU10A

#### Int. Instr I:

 Question Text:
 It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

 [IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last

interview, if you'd like to get those bottles, too.

Int. Instr II:

#### **INPUT FIELDS / ROUTING**

Field1	:	DUPMMEDS	( DUQ1260 )
Cheshi	ire Name:	TEMP	
Item Te	ext display:		
Item Te	ext:		
Label: Label F	Position:		
Drop D Looku	ame: rs Allowed: oown List:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:
Number	Label		Route
1	Continue		DU11 - MEDICINE_DU (DUQ1270)
	English text	: CONTINUE	
Attribute	e Route		
Empty	DU11 -	- MEDICINE_DU (DUQ12	70)

#### **BACKGROUND VARIABLE ASSIGNMENTS**

The question displayed at DU10A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If DU10A - DUPMMEDS is asked, set flag as instructed below:

GETPMMEDS Set GETPMMEDS=1/Yes.

#### SOFT EDIT CHECKS

# HARD EDIT CHECKS

TECHN	TECHNICAL NOTES		
342	MPDPCurrent	SP has a "current" Medicare Prescription Drug plan = There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=current round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.	
343	MPDPCurrPrevRnd	Medicare Prescription Drug plan "current" at time of previous round interview= There is a PLAN where PLAN.PLANTYPE=7/MPDP & PLRO where (PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.COVCURNT=1/Yes). Exclude Deleted Plans. See T.N. 52.	
DESIGI	N NOTES		

COMMENTS     Yes       JUMPBACK     Yes       Roster Name:     Prescription Medicine Roster       Roster Type:     Multiple Item Select       Roster Functions:     Add Item     Yes       Display as 'Add a Medicine '     Edit Item     Yes       Display as 'Edit a Medicine '     Display as 'Edit a Medicine '       Delete Item     No       Search Item     No       Grid Functions:     Add Line     No       DISPLAY INSTRUCTIONS:     No       Context header display:     Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.       Display "INCLUDE STRENGTH WITH NAME." in BOLD.       Display "INCLUDE STRENGTH WITH NAME." in BOLD.       Multi Field display:       Roster/Grid Instructions:     Display all Prescription Medicine events where:       EVNT.EVNTDFLG ^=1/Yes, and       EVNT.EVNTDFLG ^= 1/Yes, and       EVNT.EVNTDFLG ^= 1/Yes, and       EVNT.EVNTTYPE=*PM.       Display in alphabetical order.       Roster/Grid display:       1     Medicine       1     Medicine       2     Strength       Display prescription medicine name, EVNT.PMEDNAME.       2     Strength	DU11			Page Order # :	210
Enable Functions: HELP No COMMENTS Yes JUMPBACK Yes Roster Name: Prescription Medicine Roster Roster Type: Multiple Item Select Roster Functions: Add Item Yes Display as 'Add a Medicine ' Edit Item Yes Display as 'Edit a Medicine ' Delete Item No Search Item No Grid Functions: Add Line No Delete Line No DISPLAY INSTRUCTIONS: Context header display: Question display: Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD. Display "INCLUDE STRENGTH WITH NAME." in BOLD. Multi Field display: Roster/Grid Instructions: Display all Prescription Medicine events where: EVIT.EVNTTYPE=PM. Display in alphabetical order. Roster/Grid display: 1 Medicine Display prescription medicine name, EVNT.PMEDNAME. 2 Strength Display prescription medicine name, EVNT.PMSTRUCTIONS	Design Screen Type:	Roster			
COMMENTS JUMPBACKYes YesRoster Name:Prescription Medicine RosterRoster Type:Multiple Item SelectRoster Type:Add Item Yes Edit Item Yes Display as ' Add a Medicine ' Edit Item No Search Item NoGrid Functions:Add Line No Delete Item NoGrid Functions:Add Line No Delete Line NoGrid Functions:Add Line No Delete Line NoDISPLAY INSTRUCTIONS:NoContext header display:Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD. Display "INCLUDE STRENGTH WITH NAME." in BOLD.Multi Field display:Display all Prescription Medicine events where: EVNT.EVNTTYPE='PM'. Display in alphabetical order.Roster/Grid display:COL # HEADER1Medicine2Strength2StrengthDisplay prescription medicine strength text field, EVNT.PMSTRUNI.	Fields:	Field 1:		DU	
Roster Type:       Multiple Item Select         Roster Functions:       Add Item Yes Display as 'Add a Medicine ' Display as 'Edit a Medicine ' Mo Search Item No         Grid Functions:       Add Line Delete Line       No         DISPLAY INSTRUCTIONS:       No         Context header display:       Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.         Question display:       Display "INCLUDE STRENGTH WITH NAME." in BOLD.         Multi Field display:       Display all Prescription Medicine events where:         EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTYPE='PM'.       Display in alphabetical order.         Roster/Grid display:       COL #       HEADER       INSTRUCTIONS         1       Medicine       Display prescription medicine name, EVNT.PMEDNAME.       Display prescription medicine strength text field, EVNT.PMSTRUNI.	Enable Functions:	COMMENT	S Yes		
Roster Functions:       Add Item       Yes       Display as 'Add a Medicine '         Edit Item       Yes       Display as 'Edit a Medicine '         Delete Item       No       Search Item       No         Grid Functions:       Add Line       No       Delete Item       No         DISPLAY INSTRUCTIONS:       No       Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.       Display "INCLUDE STRENGTH WITH NAME." in BOLD.         Question display:       Display all Prescription Medicine events where:       EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTPRE='PM'.         Display in alphabetical order.       Roster/Grid display:       CoL #       HEADER       INSTRUCTIONS         1       Medicine       Display prescription medicine and text field, EVNT.PMEDNAME.       2       Strength       Display prescription medicine strength text field, EVNT.PMSTRUNI.	Roster Name:	Prescriptior	n Medicine Roster		
Edit Item     Yes     Display as 'Edit a Medicine '       Delete Item     No     Search Item     No       Grid Functions:     Add Line     No     Display as 'Edit a Medicine '       DISPLAY INSTRUCTIONS:     No     Display Item No       Context header display:     Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.       Question display:     Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.       Multi Field display:     Display all Prescription Medicine events where:       EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTYPE='PM'.     Display in alphabetical order.       Roster/Grid display:     COL #     HEADER       1     Medicine     Display prescription medicine name, EVNT.PMEDNAME.       2     Strength     Display prescription medicine strength text field, EVNT.PMSTRUNI.	Roster Type:	Multiple Iter	m Select		
Delete Line     No       DISPLAY INSTRUCTIONS:	Roster Functions:	Edit Item Delete Item	Yes No		
Context header display:       Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.         Display "INCLUDE STRENGTH WITH NAME." in BOLD.         Multi Field display:         Roster/Grid Instructions:       Display all Prescription Medicine events where:         EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTPE='PM'.         Display in alphabetical order.         Roster/Grid display:         COL #       HEADER         1       Medicine         2       Strength         Display prescription medicine strength text field, EVNT.PMSTRUNI.	Grid Functions:				
Question display:       Display "CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING." in BOLD.         Display "INCLUDE STRENGTH WITH NAME." in BOLD.         Multi Field display:         Roster/Grid Instructions:       Display all Prescription Medicine events where:         EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTYPE='PM'.         Display in alphabetical order.         Roster/Grid display:         1       Medicine         1       Medicine         1       Medicine         1       Medicine         2       Strength         Display prescription medicine strength text field, EVNT.PMSTRUNI.	DISPLAY INSTRUCTIONS	:			
SPELLING." in BOLD.         Display "INCLUDE STRENGTH WITH NAME." in BOLD.         Multi Field display:         Roster/Grid Instructions:       Display all Prescription Medicine events where:         EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTYPE='PM'.         Display in alphabetical order.         Roster/Grid display:         1       Medicine         1       Medicine         2       Strength         Display prescription medicine strength text field, EVNT.PMSTRUNI.	Context header display:				
Multi Field display:          Roster/Grid Instructions:           Display all Prescription Medicine events where:          EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTYPE='PM'.         Display in alphabetical order.         Roster/Grid display:       COL #       HEADER       INSTRUCTIONS         1       Medicine       Display prescription medicine name, EVNT.PMEDNAME.         2       Strength       Display prescription medicine strength text field, EVNT.PMSTRUNI.	Question display:			T OR MEDICINE BOTTLE FO	R
Roster/Grid Instructions:       Display all Prescription Medicine events where:         EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTYPE='PM'.       EVNT.EVNTTYPE='PM'.         Display in alphabetical order.       Display in alphabetical order.         Roster/Grid display:       COL #       HEADER       INSTRUCTIONS         1       Medicine       Display prescription medicine name, EVNT.PMEDNAME.         2       Strength       Display prescription medicine strength text field, EVNT.PMSTRUNI.		Display "	INCLUDE STRENGT	H WITH NAME." in BOLD.	
EVNT.EVNTDFLG ^=1/Yes, and EVNT.EVNTTYPE='PM'.         Display in alphabetical order.         Roster/Grid display:       COL # HEADER         1       Medicine         2       Strength         Display prescription medicine strength text field, EVNT.PMSTRUNI.	Multi Field display:				
EVNT.EVNTTYPE='PM'.         Display in alphabetical order.         Roster/Grid display:       COL # HEADER       INSTRUCTIONS         1       Medicine       Display prescription medicine name, EVNT.PMEDNAME.         2       Strength       Display prescription medicine strength text field, EVNT.PMSTRUNI.	Roster/Grid Instructions:	Display a	II Prescription Medic	ine events where:	
Roster/Grid display:     COL #     HEADER     INSTRUCTIONS       1     Medicine     Display prescription medicine name, EVNT.PMEDNAME.       2     Strength     Display prescription medicine strength text field, EVNT.PMSTRUNI.		EVNT.EV EVNT.EV	/NTDFLG ^=1/Yes, a /NTTYPE='PM'.	nd	
1       Medicine       Display prescription medicine name, EVNT.PMEDNAME.         2       Strength       Display prescription medicine strength text field, EVNT.PMSTRUNI.		Display ir	n alphabetical order.		
2 Strength EVNT.PMEDNAME. 2 Strength Display prescription medicine strength text field, EVNT.PMSTRUNI.	Roster/Grid display:	COL #	HEADER	INSTRUCT	IONS
text field, EVNT.PMSTRUNI.		1	Medicine		edicine name,
Report display:		2	Strength	Display prescription me text field, EVNT.PMST	edicine strength RUNI.
	Report display:				

\_

Int. Instr I:

Question Text:	Please tell me the names of these medicines.
Int. Instr II:	ENTER ALL MEDICINES. CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING. INCLUDE STRENGTH WITH NAME.

# **INPUT FIELDS / ROUTING**

Field1:	MEDICINE_DU	( DUQ1270 )	
Cheshire Name:	TEMP		
Item Text display: Item Text:			
Label: Label Position:			
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	String TEvntPick135 1 No No	FieldSize: Min Value: Max Value: Mask:	135

Number	Label	Route
1	[Continuous answer.]	BOX DU4 - (DUQ1290)

#### BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of PM event selected at DU11.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVNT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected at DU11, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

Create PMRO where PMRO.PMROEVNT = EVNT.EVNTNUM for prescription medicine selected and PMRO.PMRORND = current round. Set additional PMRO variable as instructed below.

All prescription medicines selected at DU11 should be linked to the Dental visit being asked about. Prescription medicine events are linked to other events on XMED.

```
XMED key = XMED.XMEDBASE + XMED.XMEDEVNT + XMED.XMEDBAS2 + XMED.XMEDEVT2.
```

For each medicine selected at DU11, create an XMED where XMEDEVNT = EVNT.EVNTNUM of Dental visit being asked about and XMEDEVT2 = EVNT.EVNTNUM of Prescription Medicine selected at DU11. XMEDBASE and XMEDBAS2 both equal the Cheshire BASE.BASEID. Set additional XMED variables as specified below.

Set the following PMRO and XMED variables for each prescription medicine selected at DU11:

PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected at DU11.
PMRORND	PMRO.PMRORND = current round.
PMROTYPE	PMRO.PMROTYPE = PM.
XMEDEVNT	XMED.XMEDEVNT = EVNT.EVNTNUM of dental visit being asked about.
XMEDEVT2	XMED.XMEDEVT2 = EVNT.EVNTNUM of prescription medicince selected at DU11.
XMEDRNDC	XMED.XMEDRNDC = current round.
SOFT EDIT CHECKS	

#### HARD EDIT CHECKS

## **TECHNICAL NOTES**

#### **DESIGN NOTES**

**BOX DU4** 

# BOX DU4 Page Order #: 220 BOX INSTRUCTIONS (DUQ1290) GO TO DU6\_IN - NAVIGATOR (DUQ1145). ASSIGNMENTS TECHNICAL NOTES DESIGN NOTES

# **DU14**

Page Order # : 260

Design Screen Type:	Yes/No
Fields:	Field 1:
Enable Functions:	HELP COMMENTS

**Roster Name:** 

**Roster Type:** 

Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No
Grid Functions:	Add Line Delete Line	No No

JUMPBACK

# **DISPLAY INSTRUCTIONS:**

Context header display: **Question display:** Multi Field display: **Roster/Grid Instructions: Roster/Grid display:** Report display: TEXT: **Context Header:** Int. Instr I: [Since (REFERENCE DATE)/Between (REFERENCE DATE) and **Question Text:** (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)], did [you/(SP)] have any other dental care visits to this or any other provider? Int. Instr II: **INPUT FIELDS / ROUTING** 

DUMORE

No Yes

Yes

Field1:	DUMORE	( DUQ1330 )
Cheshire Name:	TEMP	
Item Text display: Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TYesNoDKRF 1 No No	FieldSize: Min Value: Max Value: Mask:

Number	Label	Route
1	Yes	DU2 - PROVIDER_DU (DUQ1040)
	Eng	lish text: YES
2	No	BOX DU6 - (DUQ1335)
	Eng	lish text: NO
Attribute	е	Route
Don't kno	)W	BOX DU6 - (DUQ1335)
Refusal		BOX DU6 - (DUQ1335)

## BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

## **TECHNICAL NOTES**

#### **DESIGN NOTES**

End Loop 1: DU14 - DUMORE probes for additional dental visits. Dental visits can be for a new provider or a provider already selected and asked about. If DUMORE=1/Yes, go to DU2 to select the next provider.

**BOX DU6** 

BOX DU	6	Page Order # :	270		
BOX INSTRUCTIONS					
( DUQ1335 )	GO TO NEXT SECTION .				
ASSIGNMENT	5				
TECHNICAL N	OTES				
DESIGN NOTE	S				