The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology. In some cases due to size or complexity, we were not able to make files fully accessible using assistive technology. Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through e-mail at ORDI_508_Compliance@cms.hhs.gov.

BOX PMS1

BOX PMS1 Page Order #: 10

BOX INSTRUCTIONS

(PMS1010) IF SP REPORTED PRESCRIPTION MEDICINE PURCHASES IN THE

PREVIOUS ROUND, GO TO PMSINTRA - PMSINTA (PMS1020).

ELSE GO TO BOX PMS12 - (PMS1280).

ASSIGNMENTS

176

TECHNICAL NOTES

PMPrevRnd SP reported PM purchase(s) in previous round =

There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM &

PMRO.PMRORND=previous round &

PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes

& (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.

PMSINTRA

PMSINTRA			Page Order #:	20
Design Screen Type:	No Entry			
Fields:	Field 1:	PMSINTA		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	i:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:		terview, we recorded th otained between (SUMN E DATE).		
	[HAND PM SUM	MARY PAGE TO RESP	ONDENT.]	
	medicines that [y	refer to the medicine na ou/(SP)] may have obta Ils of these medicines.		any

Int. Instr II:

PMSINTRA

INPUT FIELDS / ROUTING

Field1: PMSINTA (PMS1020)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TContinue EMPTY Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number Label Route

1 Continue PMSINTRB - PMSUPDATE (PMS1030)

English text: CONTINUE

Attribute Route

Empty PMSINTRB - PMSUPDATE (PMS1030)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

176 PMPrevRnd SP reported PM purchase(s) in previous round =

There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round &

PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes

& (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.

PMSINTRB

PMSINTRB			Page Order #:	30
Design Screen Type:	Code 1			
Fields:	Field 1:	PMSUPDATE		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS):			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:	SUMMARY REFE DATE) - (REFER	ERENCE PERIOD: (SU ENCE DATE)	JMMARY REFERENCE	
Int. Instr I:		MARY PAGE FOR PRE DUS ROUND UTILIZAT		то
Question Text:				
Int. Instr II:	CODE WITHOUT	ΓASKING:		

INPUT FIELDS / ROUTING

PMSINTRB

Field1: PMSUPDATE (PMS1030)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TPMSUpdateMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route
1	NoChanges	BOX PMS12 - (PMS1280)
	English text: NO CHANGES APPEAR TO BE N	NECESSARY
2	AddPM	PMS2 - MEDICINE_PMSADD (PMS1040)
	English text: NEED TO ADD A MEDICINE NA	ME
3	CorrectPMName	PMS3 - MEDICINE_PMSEDIT (PMS1060)
	English text: NEED TO CORRECT A MEDICIN	NE NAME
4	DropMedicine	PMS4 - MEDICINE_PMSDELETE (PMS1065)
	English text: NEED TO DROP A MEDICINE	

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Fdit #1

Note: The Soft edit should be displayed the first time "NEED TO ADD A MEDICINE" is selected as verification that the medicine being added is for the previous round.

PMSUPDATE = 1/NoChanges, 3/CorrectPMName or 4/DropMedicine.
If not true, display message, "VERIFY THAT THE SP PURCHASED MEDICINE IN PREVIOUS ROUND."

Edit #2

Note: The Soft edit should be displayed the first time "NEED TO DROP A MEDICINE" is selected as verification that the medicine being deleted is from the previous round.

PMSUPDATE = 1/NoChanges, 2/AddPM or 3/CorrectPMName. If not true, display message, "VERIFY THAT SP DID NOT PURCHASE MEDICINE IN PREVIOUS ROUND."

HARD EDIT CHECKS

TECHNICAL NOTES

176 PMPrevRnd SP reported PM purchase(s) in previous round =

There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round &

PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes

& (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.

180 PMCondition Condition reported for the PM =

For this PM EVNT, there is an XCON where (XCON.XCONEVNT=EVNT.EVNTNUM) and

(XCON.XCONCOND = COND.CONDNUM of condition

linked to PM EVNT).

Condition Name = COND.CONDTION.

PMS2				Page	e Order # :	40							
Design Screen Type:	Roster												
Fields:	Field 1:		MEDICINE_PM	ISADD									
Enable Functions:	HELP COMMENT JUMPBAC	_	No Yes Yes										
Roster Name:	Prescription	n Medici	ne Roster										
Roster Type:	Multiple Iter	m Selec	t										
Roster Functions:	Add Item Edit Item Delete Item Search Item		Yes Yes No No		' Add a Medicine ' Edit a Medicine								
Grid Functions:	Add Line Delete Line	e	No No										
DISPLAY INSTRUCTIONS:													
Context header display:													
Question display:													
Multi Field display:													
Roster/Grid Instructions:	Display a	II Presc	ription Medicine	events where	e:								
	EVNT.EV		G ^=1/Yes, and E='PM'.										
	Display a	II prescr at have r	etical order. ription medicines number of purch	s that were re ases >0 or ed	ported in the previoual to DK or RF	vious as							
	Display a	II remaii	ning prescription	medicines a	s active rows.								
Roster/Grid display:	COL#	HEA	DER		INSTRUCTION	S							
	1	Medici	ne Name		ame of prescribe	d medicine,							
	2	Streng	th	Display p text field,	rescription medic EVNT.PMSTRUN	ine strength N.							
Report display:													

TEXT:

Context Header:

Int. Instr I:

Question Text: What is the name of the medicine that needs to be added?

Int. Instr II: ADD ALL MEDICINES AT THIS ROSTER.

CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.

INCLUDE STRENGTH WITH NAME.

INPUT FIELDS / ROUTING

Field1: MEDICINE_PMSADD (PMS1040)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 200

Type Name: TEvntPick200 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] PMS6A - GETNUM (PMS1070)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM Event number EVNT.EVNTRNDC Round number

EVNT.EVNTTYPE PM

EVNT.PMEDNAME Prescription Medicine name

EVNT.PMSTRUNI Prescription Medicine strength text field

EVNT.EVNTPROV 02

BASE.LASTEVNT Highest EVNT.EVNTNUM

If Prescription Medicine added at PMS2, set EVNT.EVUTSFLG = 1/Yes to flag that PM event was added in PMS section. See instruction below.

For all Prescription Medicines selected, create a previous round PMRO. Note: a previous round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview or if previous round PMRO.GETNUM = 0.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected. PMRO.PMRORND = previous round.

If Prescription Medicine selected that has it's previous round "PMRO DELETE" flag =1/Yes, update flag = empty.

See additional instructions below.

PMROEVNT PMRO.PMROEVNT = EVNT.EVNTNUM of

prescription medicine selected.

PMRORND PMRO.PMRORND = previous round.

PMROTYPE PMRO.PMROTYPE = PM.

PMRODFLG If PMRO.PMRODFLG=1/Yes, update

PMRO.PMRODFLG=empty.

EVUTSFLG If PM Event added at PMS2, set EVNT.EVUTSFLG =

1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

176 PMPrevRnd SP reported PM purchase(s) in previous round =

There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM &

PMRO.PMRORND=previous round &

PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes

& (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.

PMS3			Page Order # :	60								
Design Screen Type:	Roster											
Fields:	Field 1:	MEDICINE_I	PMSEDIT									
Enable Functions:	HELP COMMENT JUMPBACE		Yes									
Roster Name:	Prescription	Medicine Roster										
Roster Type:	Multiple Iter	n Select										
Roster Functions:	Add Item Edit Item Delete Item Search Item	-	Display as 'Edit a Medicine	•								
Grid Functions:	Add Line Delete Line	No No										
DISPLAY INSTRUCTIONS	S:											
Context header display:												
Question display:												
Multi Field display:												
Roster/Grid Instructions:			nes that were reported in the pre- chases >0 or equal to DK or RF.	<i>r</i> ious								
	Display in	alphabetical order.										
	SELECTI	ON FROM THIS ROS	STER IS NOT REQUIRED.									
Roster/Grid display:	COL#	HEADER	INSTRUCTION									
	1	Medicine Name	Display name of prescribe EVNT.PMEDNAME	d medicine,								
	2	Strength	Display prescription medic text field, EVNT.PMSTRUI	ine strength VI.								
Report display:												
<u>TEXT:</u>												
Context Header:												
Int. Instr I:	EDIT ALL	MEDICINES AT THI	S ROSTER.									

What is the name of the medicine that needs to be edited?

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: MEDICINE_PMSEDIT (PMS1060)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] PMSINTRB - PMSUPDATE (PMS1030)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of PM event selected.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

176 PMPrevRnd SP reported PM purchase(s) in previous round =

There is an EVNT & PMRO where (PMRO.PMROEVNT=EVNT.EVNTNUM & PMRO.PMRORND=previous round &

PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes

& (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.

DESIGN NOTES

The only purpose of PMS3 is to allow editing of prescribed medicine names. We will not collect details for PMs selected at PMS3.

PMS4			Page Order # :	70
Design Screen Type:	Roster			
Fields:	Field 1:	MEDICINE_PMS TE	SDELE	
Enable Functions:	HELP COMMENT JUMPBAC			
Roster Name:	Prescription	n Medicine Roster		
Roster Type:	Multiple Ite	m Select		
Roster Functions:	Add Item Edit Item Delete Iten Search Iter			
Grid Functions:	Add Line Delete Line	No e No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:			that were reported in the preses >0 or equal to DK or RF	
	Display in	n alphabetical order.		
Roster/Grid display:	COL#	HEADER	INSTRUCTIO	NS
	1	Medicine Name	Display prescription medi EVNT.PMEDNAME.	cine name,
	2	Strength	Display prescription meditext field, EVNT.PMSTRU	
Report display:				
TEXT:				
Context Header:				
Int. Instr I:				

What is the name of the medicine that needs to be deleted?

Question Text:

Int. Instr II: SELECT ALL MEDICINES FOR DELETION AT THIS ROSTER.

INPUT FIELDS / ROUTING

Field1: MEDICINE_PMSDELE (PMS1065)

TΕ

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TEvntPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] PMSINTRB - PMSUPDATE (PMS1030)

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM EVNT.EVNTNUM = Number of PM event selected.

The purpose of PMS4 is to delete a specific round's purchases of a medicine, not the entire medicine. For each PM selected, set "PMRO DELETED" flag on the previous round PMRO. See detailed instructions below.

However, if there are no other purchases reported for this PM in any other round, set the "PM EVENT DELETED" flag on the PM EVNT record. Since not all PMROs linked to an EVNT are sent out with the case, a flag is set on EVNT that indicates if there are PMROs linked to the EVNT that are not with the case at this time. See detailed instructions below.

PMRODFLG If PM selected, set PMRO.PMRODFLG=1/Yes on

previous round PMRO.

EVNTDFLG If PM selected, and (there are no other PMROs

linked to this PM EVNT where PMRO.PMRODFLG =

empty) and (EVNT.PREVPMRO=empty), set

EVNT.EVNTDFLG=1/Yes.

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

SP reported PM purchase(s) in previous round = There is an EVNT & PMRO where 176 **PMPrevRnd**

(PMRO.PMROEVNT=EVNT.EVNTNUM &

PMRO.PMRORND=previous round & PMRO.PMROTYPE='PM' & PMRO.PMRODFLG^=1/Yes & (GETNUM>0 or GETNUM = DK or RF)). Medicine Name=EVNT.PMEDNAME.

PMS6A			Page Order # :	80
Design Screen Type:	Grid			
Fields:	Field 1:	GETNU	М	
Enable Functions:	HELP COMMENT JUMPBAC			
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Iter			
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:	Display n grid.	ame and strengt	h of medicine that is currently activ	e in
Multi Field display:				
Roster/Grid Instructions:		II PMs selected a IRO.GETNUM >	at PMS2 that do not already have p 0, DK or RF.	revious
	Display ir	order of entry.		
Roster/Grid display:	COL#	HEADER	INSTRUCTION	ONS
	1	Medicine Name	Display the name and s medicine, EVNT.PMED EVNT.PMSTRUNI. Dis	NAME + ' ' +
	2	# Purchases	PMRO.GETNUM. Input	column 1.
Report display:				
<u>TEXT:</u>				

IF ALL MEDICINES ARE NOT LISTED, USE "PREVIOUS PAGE" AND ADD THE MEDICINE TO THE ROSTER. REFER TO STATEMENTS OR RECEIPTS, IF AVAILABLE.

Context Header:

Int. Instr I:

Question Text: How many times between (SUMMARY REFERENCE DATE) and

(REFERENCE DATE) did [you/(SP)] obtain (MEDICINE NAME)?

Mask:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: GETNUM (PMS1070)

Cheshire Name: PLRO.GETNUM

Item Text display: GRID COLUMN #2

If previous round PMRO.GETNUM = 0, display previous

round value. Allow "0" to be updated.

Item Text:

Label:

Label Position:

Field Type: Integer Field Size: Type Name: TGetnum Min Value

Type Name: TGetnum Min Value: 0
Answers Allowed: 1 Max Value: 100

Drop Down List: No Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX PMS3 - (PMS1075)

Attribute Route

Don't know BOX PMS3 - (PMS1075)

Refusal BOX PMS3 - (PMS1075)

BACKGROUND VARIABLE ASSIGNMENTS

For each PM where GETNUM is collected in PMS, set flag that PM collected in PMS. See instructions below.

PMSUMFLG If PMS6A - GETNUM ^= empty, set

PMRO.PMSUMFLG = 1/Yes on PMRO where

PMRO.PMRORND = previous round.

SOFT EDIT CHECKS

Edit #1

GETNUM = 1-8, DK, RF.

If not true, display message: "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

194 PrevNumOfPurchases The number of purchases for a PM in the previous round

=

For this PM EVNT, there is PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = previous round.)
Number of purchases = PMRO.GETNUM.

BOX PMS3

BOX PMS3 Page Order #: 90

BOX INSTRUCTIONS

(PMS1075) IF AT LEAST ONE PRESCRIPTION MEDICINE DISPLAYED AT PMS6A HAS

NUMBER OF PURCHASES > 0 OR EQUAL TO DK OR RF IN THE PREVIOUS ROUND, GO TO PMS6A_IN - NAVIGATOR (PMS1077).

ELSE GO TO PMSINTRB - PMSUPDATE (PMS1030).

ASSIGNMENTS

TECHNICAL NOTES

194 PrevNumOfPurchases The number of purchases for a PM in the previous round

=

For this PM EVNT, there is PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = previous round.)
Number of purchases = PMRO.GETNUM.

DESIGN NOTES

BOX PMS4 through BOX PMS11 only asks about PMs displayed at PMS6A that have previous round PMRO.GETNUM > 0 or equal to DK, RF. We do not collect PM details for PMs where number of purchases = 0

If all PMs displayed at PMS6A have PMS6A - GETNUM = 0, BOX PMS3 is routed to PMSINTRB to probe for more updates. Else BOX PMS3 is routed to Instance Navigator to collect PM details.

PMS6A_IN

PINIS6A_IN			Page Order # :	95
Design Screen Type:	Instance Navigator			
Fields:	Field 1:	NAVIGATOR		
Enable Functions:	HELP COMMENTS JUMPBACK	No No No		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:	Display all PM's of purchases > 0, D	displayed at PMS6A tha K or RF.	at have number of	
	Invoke NO TRAV	EL I/N.		
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:				
Question Text:				
Int. Instr II:				
INPLIT FIELDS / POLITING	2			

PMS6A_IN

Field1: NAVIGATOR (PMS1077)

Cheshire Name: N/A

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TInstanceNavigator Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 SelectItemInList BOX PMS4 - (PMS1080)

English text: ITEM SELECTED IN INSTANCE NAVIGATOR

2 SelectContinueInterview PMSINTRB - PMSUPDATE (PMS1030)

English text: CONTINUE INTERVIEW SELECTED

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES

194 PrevNumOfPurchases The number of purchases for a PM in the previous round

=

For this PM EVNT, there is PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = previous round.)
Number of purchases = PMRO.GETNUM.

BOX PMS4

BOX PMS4 Page Order #: 100

BOX INSTRUCTIONS

(PMS1080) IF SP USED V.A. FACILITIES IN THE PREVIOUS ROUND, GO TO PMS6A1 -

PMSATVA (PMS1085).

ELSE GO TO BOX PMS6 - (PMS1095).

ASSIGNMENTS

TECHNICAL NOTES

SPUsedVAPrevRnd SP used V.A. facilities in previous round =

HRND.VACOVER = 1/Yes on HRND where HRND.HRNDRND = previous round.

DESIGN NOTES

BEGIN LOOP:

BOX PMS4 through BOX PMS11 ask previous round PM details for PMs displayed at PMS6A that have number of purchases > 0, DK or RF.

PMS6A1			Page Order # :	110
Design Screen Type:	Yes/No			
Fields:	Field 1:	PMSATVA		
Enable Functions:	HELP	No		
	COMMENTS JUMPBACK	Yes Yes		
	Oomi BAOK	100		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item	No		
	Edit Item	No		
	Delete Item	No		
	Search Item	No		
Grid Functions:	Add Line	No		
	Delete Line	No		
DISPLAY INSTRUCTION	S:			
Context header display:				
Question display:	Display name a	nd strength of medicine	a currently being asked	ahout
Question display.		-		about.
		NUM = 1, display "this by of these purchases".		
Multi Field display:				
Roster/Grid Instructions	:			
Roster/Grid display:				
Report display:				
Report display.				
TEXT:				
Context Header:				
Int. Instr I:				
Question Text:	Did [you/(SP)] o	obtain (this purchase/an ME) through the Depart	y of these purchases)	of rs or
	V.A.?	wic, unough the Depart	unent of veterans Allai	IS UI
Int. Instr II:				
INPUT FIELDS / ROUTIN	G			

Field1:	PMSATVA	(PMS1085)
Cheshire Name:	PMRO.PMSATVA	
Item Text display: Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TYesNoDKRF 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 Yes		BOX PMS6 - (PMS1095)
English text:	YES	
2 110		BOX PMS6 - (PMS1095)
English text:	: NO	
Attribute Route		
Don't know BOX P	MS6 - (PMS1095)	
Refusal BOX P	MS6 - (PMS1095)	
BACKGROUND VARIAB	BLE ASSIGNMENTS	
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		

BOX PMS6 Page Order #: 130

BOX INSTRUCTIONS

(PMS1095) IF SP COVERED BY A MEDICARE MANAGED CARE PLAN OR PRIVATE

MANAGED CARE PLAN ANYTIME DURING THE PREVIOUS ROUND, GO

TO PMS6B - PMSATHMO (PMS1100).

ELSE GO TO PMSINTB1 - PMSINTB (PMS1110).

ASSIGNMENTS

TECHNICAL NOTES

TECHNIC	CAL NOTES	
52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Yes or PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN.
364	PrivHMOAnytimePrevrn d	SP covered by a Private Managed Care Plan anytime during prev. round = There is a PLAN where PLANTYPE = 4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
365	MHMOAnytimePrevrnd	SP covered by a Medicare Managed Care Plan anytime during the previous round = There is a PLAN where PLAN.PLANTYPE = 5/MHMO and PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM and PLRO.PLRORND =previous round and COVANYTM = 1/Yes).
DESIGN	NOTES	

PMS6B

PMS6B Page Order #: 140

Design Screen Type: Yes/No

Field 1: PMSATHMO

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display:

Question display: Display name and strength of medicine currently being asked about.

If PMRO.GETNUM = 1, display "this purchase".

Else display "any of these purchases".

Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display: Display all Medicare managed care plans and Private managed care

plans SP was covered by anytime during the previous round. Display managed care plan name(s) below question text.

Display plans in the following order: Medicare Managed Care plans,

Private Managed Care plans.

If there is more than one plan for any specific plan type, display in

order of entry.

Column 1, header = "MANAGED CARE PLANS AS OF

(REFERENCE

DATE)"

Column 1, display = Health insurance plan name "(PLAN NAME)

Managed Care Plan".

PMS6B

TEX.																			

Context Header:

Int. Instr I:

Question Text: Did [you/(SP)] obtain (this purchase/any of these purchases) of

(MEDICINE NAME) at [READ MANAGED CARE PLAN NAME(S) BELOW] or through a service or discount offered through [READ

MANAGED CARE PLAN NAME(S) BELOW]?

[PROBE: This could include obtaining the purchases at a plan pharmacy; at a pharmacy that honors [your/(SP's)] plan card; or through a mail order service that the managed care plan referred

[you/(SP)] to.]

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: PMSATHMO (PMS1100)

Cheshire Name: PMRO.PMSATHMO

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TYes No DKRF Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Label		Route
Yes		PMSINTB1 - PMSINTB (PMS1110)
Eng	lish text: YES	
No		PMSINTB1 - PMSINTB (PMS1110)
Eng	lish text: NO	
e	Route	
)W	PMSINTB1 - PMSINTB (PMS1110)	
	DMCINTD 1 DMCINTD / DMC1110	
	Yes Eng No Eng	English text: YES No English text: NO Route

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

HARD EDIT CHECKS

TECHNICAL NOTES	ΤE	CHN	ICAL	TOM	ES
-----------------	----	-----	------	-----	----

52	DeletedPlans	Deleted plans that are not valid for displays or checks = Any PLAN where (PLAN.PLANDFLG=1/Yes or PLAN.MHMODFLG=1/Ses or PLAN.PLANHDE=1/Yes or
364	PrivHMOAnytimePrevrn d	PLAN.LOSEPLFG ^=EMPTY) is a deleted PLAN. SP covered by a Private Managed Care Plan anytime during prev. round = There is a PLAN where PLANTYPE = 4/PrivatePlan & PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM & PLRO.PLRORND=previous round & PLRO.PPRVHMO=1/Yes). Exclude Deleted Plans. See T.N. 52.
365	MHMOAnytimePrevrnd	SP covered by a Medicare Managed Care Plan anytime during the previous round = There is a PLAN where PLAN.PLANTYPE = 5/MHMO and PLRO where (PLRO.PLROPLAN=PLAN.PLANNUM and PLRO.PLRORND =previous round and COVANYTM = 1/Yes).
DESIGN	N NOTES	

PMSINTB1

PMSINTB1			Page Order #:	160
Design Screen Type:	No Entry			
Fields:	Field 1:	PMSINTB		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S :			
Context header display:				
Question display:	Display name an	d strength of medicine o	currently being asked	about.
	Always display "	[ASK R TO GET BOTTL	.ES] in brackets".	
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:	[ASK R TO GET NOT ALREADY I	BOTTLES AND/OR STA	ATEMENTS IF YOU H	AVE
Question Text:	Now I need to as	k you a few questions a	bout the (MEDICINE N	NAME).
Int. Instr II:				

INPUT FIELDS / ROUTING

PMSINTB1

Field1:	PMSINTB	(PMS1110)
Cheshire Name:	TEMP	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 Continue		BOX PMS8 - (PMS1115)
English tex	t: CONTINUE	
Attribute Route		
Empty BOX I	PMS8 - (PMS1115)	
BACKGROUND VARIA	BLE ASSIGNMENTS	
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		
DESIGN NOTES		

BOX PMS8

BOX PMS8 Page Order #: 170

BOX INSTRUCTIONS

(PMS1115) IF A CONDITION HAS ALREADY BEEN REPORTED FOR THE

PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND, GO TO PMS8 -

PMBOTTLE (PMS1125).

ELSE GO TO PMS7 - CONDITION_PMS (PMS1120).

ASSIGNMENTS

TECHNICAL NOTES

180 PMCondition Condition reported for the PM =

For this PM EVNT, there is an XCON where (XCON.XCONEVNT=EVNT.EVNTNUM) and

(XCON.XCONCOND = COND.CONDNUM of condition

linked to PM EVNT).

Condition Name = COND.CONDTION.

PMS7 Page Order #: 180 **Design Screen Type:** Roster Fields: Field 1: CONDITION_PMS **Enable Functions: HELP** No **COMMENTS** Yes **JUMPBACK** Yes Roster Name: Condition Roster **Roster Type:** Multiple Item Select Yes Display as 'Add a Condition' **Roster Functions:** Add Item **Edit Item** Yes Display as 'Edit a Condition' No Delete Item No Search Item **Grid Functions: Add Line** No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: **Question display:** Display name and strength of medicine currently being asked about. Multi Field display: Roster/Grid Instructions: Display all Conditions. Display in alphabetical order. COL# **HEADER INSTRUCTIONS** Roster/Grid display: 1 Condition Display condition name, COND.CONDTION Report display: **Context Header:** Int. Instr I: Question Text: What condition was (MEDICINE NAME) for?

SELECT OR ADD ALL CONDITIONS.

INPUT FIELDS / ROUTING

Int. Instr II:

Field1: CONDITION_PMS (PMS1120)

Cheshire Name: TEMP

Item Text display:

Item Text:

Label:

Label Position:

Field Type: String FieldSize: 135

Type Name: TCondPick135 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] PMS8 - PMBOTTLE (PMS1125)

BACKGROUND VARIABLE ASSIGNMENTS

If adding a new condition, see CONDITION ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Condition Roster:

COND.CONDNUM

COND.CONDRNDC

COND.CONDTION

All Conditions selected should be linked to the PM event being asked about. Link Conditions to PM event on XCON.

XCON key = XCON.XCONBASE + XCON.XCONEVNT + XCON.XCONBAS2 + XCON.XCONCOND.

For each condition selected, create an XCON where XCONEVNT= EVNT.EVNTNUM of Prescription Medicine event and XCONCOND = COND.CONDNUM of Condition. XCONBASE and XCONBAS2 both equal the Cheshire BASE.BASEID. Set additional XCON variables as specified below.

XCONEVNT XCON.XCONEVNT = EVNT.EVNTNUM of

prescription medicine being asked about.

XCONCOND XCON.XCONCOND = COND.CONDNUM of

condition selected.

XCONRNDC XCON.XCONRNDC = current round.

SOFT EDIT CHECKS

HARD EDIT CHECKS

	PMS7
TECHNICAL NOTES	
DESIGN NOTES	

PMS8 Page Order #: 190

Design Screen Type: Yes/No

Field 1: PMBOTTLE

Enable Functions: HELP No

COMMENTS Yes **JUMPBACK** Yes

Roster Name:

Roster Type:

Roster Functions: Add Item

Edit Item No
Delete Item No
Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine currently being asked about.

No

Question display: Multi Field display:

Roster/Grid Instructions:

Roster/Grid display:

Report display:

TEXT:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT,

BOTTLE OR BAG IS PRESENT.

Question Text: Do you have the medicine bottle, container, or bag available?

Int. Instr II: IF R DOES NOT HAVE BOTTLE, PROBE TO DETERMINE IF R

CAN ANSWER QUESTIONS ABOUT THE FORM, STRENGTH,

AND QUANTITY OF THE MEDICINE.

INPUT FIELDS / ROUTING

Field1: PMBOTTLE		PMBOTTLE	(PMS1125)		
Cheshi	ire Name:	PMRO.PMBOTTLE			
Item Te	ext display:				
Item Te	ext:				
Label: Label F	Position:				
Drop D Lookup	lame: rs Allowed: lown List:	Enumerated TPmbottle 1 No No	FieldSize: Min Value: Max Value: Mask:		
Number	Label		Route		
1	Yes		PMSINTRC - PMSINTC (PMS1130)		
	English text:	YES			
2	No		BOX PMS11 - (PMS1275)		
	English text:	NO			
3	NoButRCanAn	swerQuestions	PMS9 - PMFORM (PMS1135)		
	English text:	NO BUT R CAN ANSW	ER QUESTIONS		
Attribute					
Don't kno	ow BOX P	MS11 - (PMS1275)			
Refusal		MS11 - (PMS1275)			
BACKG	ROUND VARIAE	BLE ASSIGNMENTS			
SOFT E	OIT CHECKS				
HARD E	DIT CHECKS				
TECHNIC	CAL NOTES				

PMSINTRC

PMSINTRC			Page Order # :	200
Design Screen Type:	No Entry			
Fields:	Field 1:	PMSINTC		
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes		
Roster Name:				
Roster Type:				
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No No		
Grid Functions:	Add Line Delete Line	No No		
DISPLAY INSTRUCTIONS	S:			
Context header display:				
Question display:				
Multi Field display:				
Roster/Grid Instructions:				
Roster/Grid display:				
Report display:				
<u>TEXT:</u>				
Context Header:				
Int. Instr I:	COMPLETE PMS9 PMS16 USING INFORMATION FROM STATEMENT, RECEIPT, MEDICINE BOTTLE OR CONTAINER. IF THERE IS MORE THAN ONE FOR THE SAME MEDICINE, USE THE MOST RECENT CONTAINER.			
Question Text:				
Int. Instr II:				
INPUT FIELDS / ROUTING	3			

PMSINTRC

Field1:	PMSINTC	(PMS1130)
Cheshire Name:	TEMP	
Item Text display:		
Item Text:		
Label: Label Position:		
Field Type: Type Name: Answers Allowed: Drop Down List: Lookup File: Lookup File Name:	Enumerated TContinueEMPTY 1 No No	FieldSize: Min Value: Max Value: Mask:
Number Label		Route
1 Continue	CONTINUE	PMS9 - PMFORM (PMS1135)
English text:	CONTINUE	
Attribute Route		
Empty PMS9 -	PMFORM (PMS1135)	
BACKGROUND VARIAB	LE ASSIGNMENTS	
SOFT EDIT CHECKS		
HARD EDIT CHECKS		
TECHNICAL NOTES		
DESIGN NOTES		

PMS9 Page Order #: 210 **Design Screen Type:** Code 1 Fields: Field 1: **PMFORM PMFORMOS** Field 2: No **Enable Functions: HELP COMMENTS** Yes JUMPBACK Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No **Delete Item** No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name and strength of medicine currently being asked about. **Question display:** Multi Field display: Vertical Alignment Roster/Grid Instructions: Roster/Grid display: Report display: TEXT: **Context Header:** MEDICINE NAME: (MEDICINE NAME) Int. Instr I: IN WHAT FORM WAS THE MEDICINE? **Question Text:**

INPUT FIELDS / ROUTING

Int. Instr II:

Field1: PMFORM (PMS1135)

Cheshire Name: PMRO.PMFORM

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TPmformMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route	
1	Pills	PMS10 - STRNUNIT96 (PMS1144)	
	English text: PILLS (TABLETS, CAPSULES)		
2	Liquid	PMS10 - STRNUNIT96 (PMS1144)	
	English text: LIQUID (TO BE TAKEN ORALL	Y)	
3	Drops	PMS10 - STRNUNIT96 (PMS1144)	
	English text: DROPS (EYE/EAR/NOSE)		
4	TopicalOintment	PMS10 - STRNUNIT96 (PMS1144)	
	English text: OINTMENT, CREAM, LOTION (TOPICAL OR INTERNAL)	
5	Suppositories	PMS10 - STRNUNIT96 (PMS1144)	
	English text: SUPPOSITORIES		
6	ArerosolSpray	PMS10 - STRNUNIT96 (PMS1144)	
	English text: AEROSOL/SPRAY, INHALANT,	SOLUTIONS, DISKUS	
7	ShampooSoap	PMS10 - STRNUNIT96 (PMS1144)	
	English text: SHAMPOO, SOAP		
8	Injection	PMS10 - STRNUNIT96 (PMS1144)	
	English text: INJECTION		
9	IV	PMS10 - STRNUNIT96 (PMS1144)	
	English text: IV INJECTION		
10	Patches	PMS10 - STRNUNIT96 (PMS1144)	
	English text: PATCHES		
11	Gel	PMS10 - STRNUNIT96 (PMS1144)	
	English text: GEL OR JELLY (TOPICAL OR INTERNAL)		
12	Powder	PMS10 - STRNUNIT96 (PMS1144)	
	English text: POWDER, GRANULES		
91	Other	PMS9 - PMFORMOS (PMS1140)	
	English text: OTHER		

Attribute **Route** BOX PMS9 - (PMS1210) Don't know **PMFORMOS** (PMS1140) Field2: PMRO.PMFORMOS **Cheshire Name:** Display (SPECIFY) in same blue font used for interviewer Item Text display: instructions. OTHER (SPECIFY) **Item Text:** Label: **Label Position:** Field Type: String FieldSize: 30 Type Name: **TOthrspec** Min Value: **Answers Allowed:** 1 Max Value: **Drop Down List:** No Mask: Lookup File: No **Lookup File Name:** Number Label **Route** PMS10 - STRNUNIT96 (PMS1144) [Continuous answer.] **BACKGROUND VARIABLE ASSIGNMENTS SOFT EDIT CHECKS** HARD EDIT CHECKS

TECHNICAL NOTES

PMS10 Page Order #: 220

Design Screen Type: Quantity Unit

Fields: Field 1: STRNUNIT96

Field 2: STRNUNIT
Field 3: STRNUNOS
Field 4: STRNUM
Field 5: STRNPER

Enable Functions: HELP No

COMMENTS Yes
JUMPBACK Yes

Roster Name:

Roster Type:

Roster Functions: Add Item No

Edit Item No Delete Item No Search Item No

Grid Functions: Add Line No

Delete Line No

DISPLAY INSTRUCTIONS:

Context header display: Display name and strength of medicine currently being asked about.

Question display: Referring to the previous round form, PMRO.PMFORM, for PM

currently being asked about:

If PMFORM = 1/Pill, display "EACH PILL".

Else if PMFORM = 5/Suppository, display "EACH SUPPOSITORY".

Else if PMFORM = 10/Patch, display "EACH PATCH".

Else then

Display "THE (MEDICINE FORM)".

If PMFORM = 91/Other, medicine form = Other Specify text,

PMRO.PMFORMOS.

Else medicine form = PMFORM response.

Multi Field display: Vertical Alignment

Display fields in order specified.

When screen is first displayed, display 1st field, STRNUNIT96 and

2nd field, STRNUNIT, at one time.

Display remaining fields, STRNUNOS, STRNNUM, and STRNPER,

as specified on the route.

Roster/Grid Instructions:

Report display:

Context Header:

TEXT:

MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: WHAT WAS THE STRENGTH OF [EACH PILL/EACH

PATCH/EACH SUPPOSITORY/THE (MEDICINE FORM)]?

IF COMPOUND/MORE THAN ONE MEDICINE COMBINED: CHECK BOX BELOW AND THEN ENTER THE STRENGTH OF THE 1ST

MEDICINE IN COMPOUND.

Question Text:

Int. Instr II:

INPUT FIELDS / ROUTING

Field1: STRNUNIT96 (PMS1144)

Cheshire Name: NONE

REPLACES THE FOLLOWING CHESHIRE VALUE: If STRNUNIT96 = 1/Compound, set PMRO.STRNUNIT =

96/Compound.

Item Text display:

Item Text:

Label: COMPOUND/MORE THAN ONE MEDICINE COMBINED

Label Position: Right

Field Type:EnumeratedFieldSize:Type Name:TStrnUnit96Min Value:Answers Allowed:1Max Value:Drop Down List:NoMask:

Lookup File: No

Lookup File Name:

Number Label Route

Compound PMS10 - STRNUNIT (PMS1145)

English text: COMPOUND/MORE THAN ONE MEDICINE COMBINED

Attribute Route

Empty PMS10 - STRNUNIT (PMS1145)

Field2: STRNUNIT (PMS1145)

Cheshire Name: PMRO.STRNUNIT

Item Text display: Do not display response option 96/Compound.

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TStrnunit Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Micrograms	PMS10 - STRNNUM (PMS1155)
	English text: MICROGRAMS (m	ncg, mc)
2	Milligrams	PMS10 - STRNNUM (PMS1155)
	English text: MILLIGRAMS (mg	<u>(</u>
3	Grains	PMS10 - STRNNUM (PMS1155)
	English text: GRAINS (gr)	
4	Milliequivalents	PMS10 - STRNNUM (PMS1155)
	English text: MILLIEQUIVALE	NTS (meq)
5	Grams	PMS10 - STRNNUM (PMS1155)
	English text: GRAMS (g, gm)	
6	Percent	PMS10 - STRNPER (PMS1160)
	English text: PERCENT (%)	
7	InternationalUnits	PMS10 - STRNNUM (PMS1155)
	English text: INTERNATIONAL	UNITS (IU)
8	Units	PMS10 - STRNNUM (PMS1155)
	English text: UNITS (U)	
91	Other	PMS10 - STRNUNOS (PMS1152)
	English text: OTHER	
96	Compound	
		DO NOT DISPLAY.
	English text: COMPOUND/MOR	RE THAN ONE MEDICINE COMBINED
Attribute	e Route	
Don't kno	w BOX PMS8A - (PMS1168)

Field3: STRNUNOS (PMS1152)

Cheshire Name: PMRO.STRNUNOS

Item Text display: Display (SPECIFY) in same blue font used for interviewer

instructions.

Item Text: OTHER (SPECIFY)

Label:

Label Position:

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] PMS10 - STRNNUM (PMS1155)

Field4: STRNNUM (PMS1155)

Cheshire Name: PMRO.STRNNUM

Item Text display:

Item Text:

Label: NUMBER: Label Position: Left

Field Type: Real FieldSize:

Type Name: TNumunit Min Value: 0.001
Answers Allowed: 1 Max Value: 9999999

Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX PMS8A - (PMS1168)

Attribute Route

Don't know BOX PMS8A - (PMS1168)

Field5: STRNPER (PMS1160)

Cheshire Name: PMRO.STRNPER

Item Text display:

Item Text:

Label: PERCENT:

Label Position: Left

Field Type: Real FieldSize:

Type Name:TStrnperMin Value:0.001Answers Allowed:1Max Value:100Drop Down List:NoMask:Percent

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX PMS8A - (PMS1168)

Attribute Route

Don't know BOX PMS8A - (PMS1168)

BACKGROUND VARIABLE ASSIGNMENTS

COMPFLAG If PMS10 - STRNUNIT96 = 1/Compound, set

PMRO.COMPFLAG=1/Indicated.

SOFT EDIT CHECKS

If STRNUNIT = 1/Micrograms, and PMFORM=6/Aerosol Spray, then STRNNUM =.001-150, DK.

Else if STRNUNIT =1/Micrograms, then STRNNUM= .001-50, DK.

Else if STRNUNIT = 2/Milligrams, then STRNNUM = .005-800, DK.

Else if STRNUNIT = 3/Grains, then STRNNUM = .001-10, DK.

Else if STRNUNIT = 4/Milliequivalents, then STRNNUM = .01-100,

DK.

Else if STRNUNIT = 5/Grams, then STRNNUM = .01-30, DK.

Else if STRNUNIT = 6/Percent, then STRNPER = .001-5, DK.

Else if STRNUNIT = 7/International Units, then STRNNUM = .1-

50,000, DK.

Else if STRNUNIT = 8/Units, then STRNNUM = 1-1,500, DK.

Else if STRNUNIT = 91/Other, then STRNNUM = .001-1,000, DK.

If not true, display message "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1

If STRNUNIT = 4/Milliequivalents, then STRNNUM = .01-9,999,999,

DK.

Else if STRNUNIT = 5/Grams, then STRNNUM = .01-9,999,999, DK.

If not true, display message "INVALID RESPONSE. ENTRY NOT IN

RANGE. PLEASE REENTER".

TECHNICAL NOTES

197 PrevRndForm

The previous round form for the prescription medicine = PMRO.PMFORM on PMRO where (PMRO.PMROEVNT = this EVNT.EVNTNUM and PMRO.PMRORND = previous round). Other Specify Form = PMRO.PMFORMOS.

BOX PMS8A		Page Order #:	221
BOX INSTRUCT	IONS		
(PMS1168)	IF PMS10 - STRNUNIT96 = 1/Compound, GO T PMS1190).	O PMS10B - STRNUNI2 (
	ELSE GO TO BOX PMS9 - (PMS1210).		
ASSIGNMENTS			
TECHNICAL NO	TES		
DESIGN NOTES			

PMS₁₀B Page Order #: 224 **Design Screen Type: Quantity Unit** Fields: STRNUNI2 Field 1: Field 2: STRNUNO2 Field 3: STRNNUM2 STRNPER2 Field 4: No **Enable Functions: HELP** Yes **COMMENTS** Yes JUMPBACK **Roster Name: Roster Type:** No **Roster Functions:** Add Item **Edit Item** No Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name and strength of medicine currently being asked about. Question display: Multi Field display: Vertical Alignment Roster/Grid Instructions: Roster/Grid display: Report display: TEXT: MEDICINE NAME: (MEDICINE NAME) **Context Header:**

2ND MEDICINE IN COMPOUND

COMPOUND?

WHAT WAS THE STRENGTH OF THE 2ND MEDICINE IN THE

Int. Instr I:

PMS10B

INPUT FIELDS / ROUTING

Field1: STRNUNI2 (PMS1190)

Cheshire Name: PMRO.STRNUNI2

Item Text display: Do not display response option 96/Compound.

Item Text:

Label:

Label Position:

Field Type: Enumerated Field Size:
Type Name: TStrnunit Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File Name:

Number	Label	Route
1	Micrograms	PMS10B - STRNNUM2 (PMS1195)
	English text: MICROGRAMS (mcg, mc)	
2	Milligrams	PMS10B - STRNNUM2 (PMS1195)
	English text: MILLIGRAMS (mg)	
3	Grains	PMS10B - STRNNUM2 (PMS1195)
	English text: GRAINS (gr)	
4	Milliequivalents	PMS10B - STRNNUM2 (PMS1195)
	English text: MILLIEQUIVALENTS (meq)	
5	Grams	PMS10B - STRNNUM2 (PMS1195)
	English text: GRAMS (g, gm)	
6	Percent	PMS10B - STRNPER2 (PMS1200)
	English text: PERCENT (%)	
7	InternationalUnits	PMS10B - STRNNUM2 (PMS1195)
	English text: INTERNATIONAL UNITS (IU)	
8	Units	PMS10B - STRNNUM2 (PMS1195)
	English text: UNITS (U)	
91	Other	PMS10B - STRNUNO2 (PMS1192)
	English text: OTHER	
96	Compound	
		DO NOT DISPLAY.
	English text: COMPOUND/MORE THAN ONE	E MEDICINE COMBINED
Attribute	e Route	
Don't kno	ow BOX PMS9 - (PMS1210)	

PMS10B

Field2: STRNUNO2 (PMS1192)

Cheshire Name: PLRO.STRNUNO2

Item Text display: Display (SPECIFY) in same blue font used for interviewer

instructions.

Item Text: OTHER (SPECIFY)

Label:

Label Position:

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] PM10B - STRNNUM2 (PMQ1422)

Field3: STRNNUM2 (PMS1195)

Cheshire Name: PMRO.STRNNUM2

Item Text display:

Item Text:

Label: NUMBER: Label Position: Left

Field Type: Real FieldSize:

Type Name: TNumunit Min Value: 0.001
Answers Allowed: 1 Max Value: 9999999

Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX PMS9 - (PMS1210)

Attribute Route
Don't know BOX PMS9 - (PMS1210)

PMS10B

Field4: STRNPER2 (PMS1200)

Cheshire Name: PMRO.STRNPER2

Item Text display:

Item Text:

Label: PERCENT:

Label Position: Left

Field Type: Real FieldSize:

Type Name:TStrnperMin Value:0.001Answers Allowed:1Max Value:100Drop Down List:NoMask:Percent

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX PMS9 - (PMS1210)

Attribute Route

Don't know BOX PMS9 - (PMS1210)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

If STRNUNI2 = 1/Micrograms, and PMFORM=6/Aerosol Spray, then STRNNUM2 =.001-150, DK.

Else if STRNUNI2 =1/Micrograms, then STRNNUM2= .001-50, DK.

Else if STRNUNI2 = 2/Milligrams, then STRNNUM2 = .005-800, DK.

Else if STRNUNI2 = 3/Grains, then STRNNUM2 = .001-10, DK.

Else if STRNUNI2 = 4/Milliequivalents, then STRNNUM2 = .01-100, DK.

Else if STRNUNI2 = 5/Grams, then STRNNUM2 = .01-30, DK.

Else if STRNUNI2 = 6/Percent, then STRNPER2 = .001-5, DK.

Else if STRNUNI2 = 7/International Units, then STRNNUM2 = .1-

50,000, DK.

Else if STRNUNI2 = 8/Units, then STRNNUM2 = 1-1,500, DK.

Else if STRNUNI2 = 91/Other, then STRNNUM2 = .001-1,000, DK.

If not true, display message "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1

If STRNUNI2 = 4/Milliequivalents, then STRNNUM2 = .01-9,999,999,

Else if STRNUNI2 = 5/Grams, then STRNNUM2 = .01-9,999,999, DK. If not true, display message "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER".

	PMS10B
TECHNICAL NOTES	
DESIGN NOTES	

BOX PMS9

BOX PMS9 Page Order #: 230

BOX INSTRUCTIONS

(PMS1210) IF THE PRESCRIPTION MEDICINE FORM IS PILLS, SUPPOSITORIES OR

PATCHES IN THE PREVIOUS ROUND, GO TO PMS11 - TABNUM (

PMS1215).

ELSE GO TO PMS16 - AMTUNIT (PMS1260).

ASSIGNMENTS

TECHNICAL NOTES

187 PillsSuppPatches PM form is stored on PMRO where PMRO.PMRORND =

round # checking and PMRO.PMROEVNT = EVNT.EVNTNUM of PM being asked about:

Pills: PMRO.PMFORM = 1/Pills

Suppositories: PMRO.PMFORM = 5/Suppositories.

Patches: PMRO.PMFORM=10/Patches.

197 PrevRndForm The previous round form for the prescription medicine =

PMRO.PMFORM on PMRO where (PMRO.PMROEVNT

= this EVNT.EVNTNUM and PMRO.PMRORND =

previous round). Other Specify Form =

PMRO.PMFORMOS.

PMS11		Page Order # :	240
Design Screen Type:	Numeric		
Fields:	Field 1:	TABNUM	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS):		
Context header display:	Display name an	d strength of medicine currently being asked	about.
Question display:	Refering to the pacurrently being as	revious round form, PMRO.PMFORM, for PM sked about:	1
	Else if PMFORM	Pill, display " PILLS". = 5/Suppository, display "SUPPOSITORIES" = 10/Patch, display "PATCHES".	'.
Multi Field display:			
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
TEXT:			
Context Header:	MEDICINE NAMI	E: (MEDICINE NAME)	
Int. Instr I:		LS/SUPPOSITORIES/PATCHES) WERE IN HEN IT WAS OBTAINED?	THE

Question Text: Int. Instr II:

INPUT FIELDS / ROUTING

Field1: TABNUM (PMS1215)

Cheshire Name: PMRO.TABNUM

Item Text display:

Item Text:

Label: NUMBER: Label Position: Left

Field Type: Integer
Type Name: TTabnum

Answers Allowed: 1
Drop Down List: No

No

Lookup File:

Lookup File Name:

Number Label

1 [Continuous answer.] BOX PMS10 - (PMS1220)

FieldSize:

Min Value:

Max Value:

Mask:

Route

1

999

Attribute Route

Don't know BOX PMS10 - (PMS1220)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

TABNUM = 1-270, DK.

If not true, display message, "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

197 PrevRndForm The previous round form for the prescription medicine =

PMRO.PMFORM on PMRO where (PMRO.PMROEVNT = this EVNT.EVNTNUM and PMRO.PMRORND =

previous round). Other Specify Form =

PMRO.PMFORMOS.

BOX PMS10

BOX PMS10 Page Order #: 250

BOX INSTRUCTIONS

(PMS1220) IF PRESCRIPTION MEDICINE FORM IS PILLS OR SUPPOSITORIES IN

THE PREVIOUS ROUND AND PMS11 - TABNUM=DK, GO TO PMS12 -

TABSADAY (PMS1225).

ELSE GO TO BOX PMS11 - (PMS1275).

ASSIGNMENTS

TECHNICAL NOTES

187 PillsSuppPatches PM form is stored on PMRO where PMRO.PMRORND =

round # checking and PMRO.PMROEVNT = EVNT.EVNTNUM of PM being asked about:

Pills: PMRO.PMFORM = 1/Pills

Suppositories: PMRO.PMFORM = 5/Suppositories.

Patches: PMRO.PMFORM=10/Patches.

197 PrevRndForm The previous round form for the prescription medicine =

PMRO.PMFORM on PMRO where (PMRO.PMROEVNT

= this EVNT.EVNTNUM and PMRO.PMRORND =

previous round). Other Specify Form =

PMRO.PMFORMOS.

PMS12 Page Order #: 260 **Design Screen Type:** Numeric Fields: Field 1: **TABSADAY TABSADAY95** Field 2: **Enable Functions: HELP** No Yes **COMMENTS** JUMPBACK Yes **Roster Name: Roster Type: Roster Functions:** No Add Item No **Edit Item** Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name and strength of medicine currently being asked about. Question display: Refering to the previous round form, PMRO.PMFORM, for PM currently being asked about: If PMFORM = 1/Pill, display "PILLS". Else if PMFORM = 5/Suppository, display "SUPPOSITORIES". Multi Field display: Vertical Alignment Display all fields at one time. **Roster/Grid Instructions:** Roster/Grid display: Report display:

Context Header: MEDICINE NAME: (MEDICINE NAME)

Int. Instr I: HOW MANY (PILLS/SUPPOSITORIES) WERE TO BE TAKEN IN A

DAY?

Question Text:

Int. Instr II:

TEXT:

INPUT FIELDS / ROUTING

Field1: TABSADAY (PMS1225)

Cheshire Name: PMRO.TABSADAY

Item Text display:

Item Text:

Label: NUMBER: Label Position: Left

Field Type: Integer
Type Name: TTabsaday

Drop Down List: No Lookup File: No

Lookup File Name:

Answers Allowed:

FieldSize:

Min Value: 1 Max Value: 96

Mask:

Number Label	Route
--------------	-------

1 [Continuous answer.] PMS12 - TABSADAY95 (PMS1230)

AttributeRouteEmptyPMS12 - TABSADAY95 (PMS1230)

Don't know PMS12 - TABSADAY95 (PMS1230)

(PMS1230) Field2: TABSADAY95

Cheshire Name: NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:

If TABSADAY95=1/LessThanWhole, set

PMRO.TABSADAY=95.

Else if TABSADAY95=2/TakeAsNeeded, set

PMRO.TABSADAY=96.

Item Text display:

Item Text:

Label:

Label Position:

Enumerated Field Type: FieldSize: Type Name: TTabs9596 Min Value: **Answers Allowed:** Max Value: **Drop Down List:** No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

BOX PMS10A - (PMS1232) LessThanWhole English text: LESS THAN WHOLE **TakeAsNeeded** BOX PMS10A - (PMS1232)

English text: TAKE AS NEEDED

Attribute **Route**

Empty BOX PMS10A - (PMS1232)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

TABSADAY = 1-8, DK.

If not true, display message, "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1

TABSADAY and TABSADAY95 cannot both be EMPTY.

If not true, display message, "ENTRY REQUIRED. PLEASE ENTER

THE CORRECT DOSAGE.'

Edit #2

TABSADAY and TABSADAY95 cannot both be FILLED.

If not true, display message, "INVALID ENTRY. PLEASE ENTER

THE NUMBER OF (PILLS/SUPPOSITORIES) OR SELECT

RESPONSE."

If PMFORM = 1/Pill, display "PILLS".

Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

Edit #3

TABSADAY = 1-12, DK.

If not true, display message, "INVALID RESPONSE. ENTRY NOT

IN RANGE. PLEASE REENTER".

TECHNICAL NOTES

197 PrevRndForm The previous round form for the prescription medicine =

PMRO.PMFORM on PMRO where (PMRO.PMROEVNT = this EVNT.EVNTNUM and PMRO.PMRORND =

previous round). Other Specify Form = PMRO.PMFORMOS.

BOX PMS10A

BOX PMS10A BOX INSTRUCTIONS (PMS1232) IF PMS12 - TABSADAY = DK, GO TO BOX PMS11 - (PMS1275). ELSE IF PMS12 - TABSADAY95 = 2/TakeAsNeeded, GO TO PMS13 - TABTAKE (PMS1235). ELSE GO TO PMS14 - TAKEUNIT (PMS1245). ASSIGNMENTS TECHNICAL NOTES

PMS13		Page Order # :	270
Design Screen Type:	Numeric		
Fields:	Field 1: Field 2:	TABTAKE TABTAKE96	
Enable Functions:	HELP COMMENTS JUMPBACK	No Yes Yes	
Roster Name:			
Roster Type:			
Roster Functions:	Add Item Edit Item Delete Item Search Item	No No No	
Grid Functions:	Add Line Delete Line	No No	
DISPLAY INSTRUCTIONS	3 :		
Context header display:	Display name an	d strength of medicine currently being asked	l about.
Question display:	Refering to the procurrently being as	revious round form, PMRO.PMFORM, for PN sked about:	Л
		Pill, display "pills". = 5/Suppository, display "suppositories".	
	Else if SP is the r	d or institutionalized, display "did". respondent, display "do". ne respondent, display "does".	
	Display "usually"	in BOLD.	
Multi Field display:	Vertical Alignmer	nt	
	Display all fields	at one time.	
Roster/Grid Instructions:			
Roster/Grid display:			
Report display:			
TEXT:			

MEDICINE NAME: (MEDICINE NAME)

Context Header:

Int. Instr I:

How many (pills/suppositories) did [you/(SP)] usually take in a day? **Question Text:**

Int. Instr II:

INPUT FIELDS / ROUTING

(PMS1235) **TABTAKE** Field1:

PMRO.TABTAKE **Cheshire Name:**

Item Text display:

Item Text:

Label: NUMBER: **Label Position:** Left

Field Type: Integer Type Name: **TTabtake**

Answers Allowed: 1 No **Drop Down List:** No Lookup File:

Lookup File Name:

Don't know

FieldSize:

Min Value: 1 Max Value: 96

Mask:

Number Label **Route**

PMS13 - TABTAKE96 (PMS1240)

PMS13 - TABTAKE96 (PMS1240) [Continuous answer.]

Attribute **Route Empty** PMS13 - TABTAKE96 (PMS1240)

Field2: TABTAKE96 (PMS1240)

Cheshire Name: NONE

REPLACES THE FOLLOWING CHESHIRE VALUE:

If TABTAKE96=1/DontTakeEveryDay, set

PMRO.TABTAKE=96.

Item Text display:

Item Text:

Label:

Label Position:

Field Type: Enumerated FieldSize:
Type Name: TTabTake96 Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:
Lookup File: No

Lookup File: Lookup File Name:

Number Label Route

1 DontTakeEveryDay BOX PMS10B - (PMS1242)

English text: DON'T TAKE EVERY DAY

Attribute Route

Empty BOX PMS10B - (PMS1242)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

TABTAKE = 1-15, DK.

If not true, display message, "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit#1

TABTAKE and TABTAKE96 cannot both be EMPTY.

If not true, display message "ENTRY REQUIRED. PLEASE ENTER

THE CORRECT DOSAGE.".

Edit#2

TABTAKE and TABTAKE96 cannot both be FILLED. If not true, display message, "INVALID ENTRY. PLEASE ENTER

THE NUMBER OF (PILLS/SUPPOSITORIES) OR SELECT

RESPONSE."

If PMFORM = 1/Pill, display "PILLS".

Else if PMFORM = 5/Suppository, display "SUPPOSITORIES".

Edit #3

TABTAKE = 1-30, DK.

If not true, display message, "INVALID RESPONSE. ENTRY NOT IN RANGE. PLEASE REENTER"

TECHNICAL NOTES

181	PrevRndForm	Previous round form for PM = For this PM EVNT, there is a PMRO where (PMRO.PMROEVNT= EVNT.EVNTNUM and PMRO.PMRORND = previous round). PM form = PMRO.PMFORM, PMRO.PMFORMOS.
59	SPStatus	SP is Alive and not institutionalized = MRES.SPALIVE=1/Alive or empty
		SP is Alive = MRES.SPALIVE=1/Alive, 2/AliveAndInstitute, or EMPTY
		SP is Institutionalized = MRES.SPALIVE=2/AliveAndInstitute
		SP is Deceased = MRES.SPALIVE=3/Deceased.
4	Respondent	On MRES where MRES.MRESRND = current round:
		A Proxy interview (respondent is a proxy) = MRES.SPPROXY=2/Proxy. MRES.RROSTNUM=ROST.ROSTNUM of respondent.
		An SP interview (respondent is the SP) = MRES.SPPROXY=1/SP. MRES.RROSTNUM='01'.
DESIGN	NOTES	

BOX NII STUB		Page Order # :	2/5
BOX INSTRUC	CTIONS		
(PMS1242)	IF PMS13 - TABTAKE96 = 1/DontTakeEveryDay, (PMS1275).	GO TO BOX PMS11 -	
	ELSE GO TO PMS14 - TAKEUNIT (PMS1245).		
ASSIGNMENT	s		
TECHNICAL N	IOTES		
DESIGN NOTE	ES .		

PMS14 Page Order #: 280 **Design Screen Type: Quantity Unit** Fields: Field 1: **TAKEUNIT** Field 2: **TAKENUM** No **Enable Functions: HELP COMMENTS** Yes **JUMPBACK** Yes **Roster Name: Roster Type: Roster Functions:** Add Item No **Edit Item** No Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name and strength of medicine currently being asked about. **Question display:** Multi Field display: Vertical Alignment Roster/Grid Instructions: Roster/Grid display: Report display: TEXT: **Context Header:** MEDICINE NAME: (MEDICINE NAME) Int. Instr I: HOW MANY DAYS OR WEEKS WAS THE MEDICINE TO BE TAKEN? **Question Text:**

INPUT FIELDS / ROUTING

Int. Instr II:

Field1: TAKEUNIT (PMS1245)

Cheshire Name: PMRO.TAKEUNIT

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedField Size:Type Name:TTakeunitMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route
1	Days	PMS14 - TAKENUM (PMS1250)
	English text: DAYS	
2	Weeks	PMS14 - TAKENUM (PMS1250)
	English text: WEEKS	
3	TakeUntilGone	BOX PMS11 - (PMS1275)
	English text: TAKE UNTIL GONE	
4	TakeAsNeeded	BOX PMS11 - (PMS1275)
	English text: TAKE AS NEEDED	
5	TakeEveryDay	BOX PMS11 - (PMS1275)
	English text: TAKE EVERY DAY	
Attribute	e Route	
Don't kno	ow BOX PMS11 - (PMS1275)	

Field2: TAKENUM (PMS1250)

Cheshire Name: PMRO.TAKENUM

Item Text display:

Item Text:

Label: NUMBER: Label Position: Left

Field Type: Integer
Type Name: TTakenum

Answers Allowed: 1
Drop Down List: No

Lookup File: No

Lookup File Name:

Number Label

1 [Continuous answer.] BOX PMS11 - (PMS1275)

FieldSize:

Min Value:

Max Value:

Mask:

Route

1

99

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

If TAKEUNIT = 1/Days, then TAKENUM = 1-30. Else if TAKEUNIT =1/Weeks, then TAKENUM= 1-4. If not true, display message "THE AMOUNT ENTERED SEEMS UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

TECHNICAL NOTES

PMS16 Page Order #: 290 **Design Screen Type: Quantity Unit** Fields: **AMTUNIT** Field 1: Field 2: **AMTUNOS** Field 3: **AMTNUM Enable Functions: HELP** No Yes **COMMENTS** JUMPBACK Yes **Roster Name: Roster Type:** No **Roster Functions:** Add Item No **Edit Item** Delete Item No Search Item No **Grid Functions:** Add Line No **Delete Line** No **DISPLAY INSTRUCTIONS:** Context header display: Display name and strength of medicine currently being asked about. Question display: Always display "[PLEASE ENTER...]" in brackets. Multi Field display: Vertical Alignment Roster/Grid Instructions: Roster/Grid display: Report display: TEXT: Context Header: MEDICINE NAME: (MEDICINE NAME)

Question Text:

Int. Instr I:

Int. Instr II: [PLEASE ENTER THE AMOUNT IN THE CONTAINER, NOT THE

HOW MUCH MEDICINE WAS IN THE CONTAINER WHEN IT WAS

STRENGTH OF THE MEDICINE.]

OBTAINED?

INPUT FIELDS / ROUTING

12:39:56 PM Thursday, February 26, 2009

Field1: AMTUNIT (PMS1260)

Cheshire Name: PMRO.AMTUNIT

Item Text display:

Item Text:

Label:

Label Position:

Field Type:EnumeratedFieldSize:Type Name:TAmtunitMin Value:Answers Allowed:1Max Value:Drop Down List:NoMask:Lookup File:No

Lookup File Name:

Number	Label	Route	
1	Ounces	PMS16 - AMTNUM (PMS1265)	
	English to	ext: OUNCES (oz)	
2	Grams	PMS16 - AMTNUM (PMS1265)	
	English to	ext: GRAMS (g, gm)	
3	Milliliters	PMS16 - AMTNUM (PMS1265)	
	English text: MILLILITERS (ml, cc)		
4	Milliequiva	lents PMS16 - AMTNUM (PMS1265)	
	English to	ext: MILLIEQUIVALENTS (meq)	
5	Milligrams	PMS16 - AMTNUM (PMS1265)	
	English text: MILLIGRAMS (mg)		
6	Micrograms	PMS16 - AMTNUM (PMS1265)	
	English to	ext: MICROGRAMS (mcg)	
7	Puffs	PMS16 - AMTNUM (PMS1265)	
	English text: PUFFS, DOSES, BLISTERS		
91	Other	PMS16 - AMTUNOS (PMS1262)	
	English to	ext: OTHER	
Attribute	e Rou	te	
Don't kno	ow BOX	X PMS11 - (PMS1275)	

Field2: AMTUNOS (PMS1262)

Cheshire Name: PLRO.AMTUNOS

Item Text display: Display (SPECIFY) in same blue font used for interviewer

instructions.

Item Text: OTHER (SPECIFY)

Label:

Label Position:

Field Type: String FieldSize: 30

Type Name: TOthrspec Min Value:
Answers Allowed: 1 Max Value:
Drop Down List: No Mask:

Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] PMS16 - AMTNUM (PMS1265)

Field3: AMTNUM (PMS1265)

Cheshire Name: PMRO.AMTNUM

Item Text display:

Item Text:

Label: NUMBER: Label Position: Left

Field Type: Real FieldSize:

Type Name: TNumunit Min Value: 0.001
Answers Allowed: 1 Max Value: 9999999

Drop Down List: No Lookup File: No

Lookup File Name:

Number Label Route

1 [Continuous answer.] BOX PMS11 - (PMS1275)

Mask:

Attribute Route

Don't know BOX PMS11 - (PMS1275)

BACKGROUND VARIABLE ASSIGNMENTS

SOFT EDIT CHECKS

Edit #1

If AMTUNIT= 1/Ounces, then AMTNUM =.01-16, DK.

Else if AMTUNIT =2/Grams, then AMTNUM= .01-60, DK.

Else if AMTUNIT = 3/Milliliters, then AMTNUM = .01-480, DK.

Else if AMTUNIT = 4/Milliequivalents, then AMTNUM = .01-100, DK.

Else if AMTUNIT = 5/Milligrams, then AMTNUM = .005- 800, DK.

Else if AMTUNIT = 6/Micrograms, then AMTNUM = .001- 50, DK.

Else if AMTUNIT = 91/Other, then AMTNUM = .01-1,000, DK.

If not true, display message "THE AMOUNT ENTERED SEEMS

UNLIKELY. PLEASE VERIFY."

HARD EDIT CHECKS

Edit #1

If AMTUNIT= 1/Ounces, then AMTNUM =.01-9,999,999, DK.

Else if AMTUNIT =2/Grams, then AMTNUM = .01-9,999,999, DK.

Else if AMTUNIT = 3/Milliliters, then AMTNUM = .01-9,999,999, DK.

Else if AMTUNIT = 4/Milliequivalents, then AMTNUM = .01-

9,999,999, DK

If not true, display message "INVALID RESPONSE. ENTRY NOT IN

RANGE. PLEASE REENTER."

TECHNICAL NOTES

BOX PMS11

BOX PMS11 Page Order #: 300

BOX INSTRUCTIONS

(PMS1275) GO TO PMS6A_IN - NAVIGATOR (PMS1077).

ASSIGNMENTS

TECHNICAL NOTES

194 PrevNumOfPurchases The number of purchases for a PM in the previous round

=

For this PM EVNT, there is PMRO where (PMRO.PMROEVNT = EVNT.EVNTNUM & PMRO.PMRORND = previous round.)
Number of purchases = PMRO.GETNUM.

BOX PMS12

BOX PM	IS12	Page Order # :	310					
BOX INSTRUCTIONS								
(PMS1280)	GO TO NEXT SECTION .							
ASSIGNMENT	s							
TECHNICAL N	OTES							
DESIGN NOTE	ES .							