## 2010 Q1 NHIS Instrument Spec Report

Section na	<i>me</i> : Child Immunization Provider
Module	60
Section Name	Child Immunization Provider
Part	
Question ID	
Variable Name	PQSTAT
Universe	
Universe-text	
Question Text	<ul> <li>** Indicates the status of the immunization provider questions for each person in the family.</li> <li>**</li> </ul>
Answer Codes	Blank, 0-7
Question Type	Status Variable
Field Pane Descrip	tion
Fill Instructions	
Special Instruction THEN	s If (PVAG_FLG(PX) = '0' OR PVAG_FLG(PX) = '2') AND HHSTAT <> 'D' AND FX = '1'
	PQSTAT(PX) := '0' Endif
	If PVAG_FLG(PX) = '1' AND HHSTAT <> 'D' THEN PQSTAT(PX) := empty
	If PVCHILD(PX) = '0' THEN PQSTAT(PX) := '6' Elseif PVCHILD(PX) = 'refused' THEN PQSTAT(PX) := '4' Elseif PVSWITCH(PX) = 'refused' THEN PQSTAT(PX) := '4' Elseif PVLATER1(PX) = '2' OR PVLATER1(PX) = 'don't know' THEN
	PQSTAT(PX) := '3' Elseif PVLATER1(PX) = 'refused' THEN PQSTAT(PX) := '4' Elseif PVNO_MOR(PX) = '1' THEN
	PQSTAT(PX) := '0' Elseif PVLOCVAC(PX) = 'refused' THEN PQSTAT(PX) := '4'
	Elseif PVLOCHC(PX) = 'refused' THEN PQSTAT(PX) := '4' Elseif PVLOCHC(PX) = '0' THEN
	PQSTAT(PX) := '6' Elseif PVCONTCT[1](PX) = 'refused' THEN PQSTAT(PX) := '4'
	Elseif (PVLOCVAC(PX) = '1' OR PVLOCHC(PX) = '1') AND (PVCONTCT[1](PX) = 'XX') PQSTAT(PX) := '7'
AND	Elseif (PVLOCVAC(PX) = '2' OR PVLOCHC(PX) = '2') AND (PVCONTCT[1](PX) = 'XX'
	PVCONTCT[2](PX) = 'XX') PQSTAT(PX) := '7'
AND	Elseif (PVLOCVAC(PX) = '3' OR PVLOCHC(PX) = '3') AND (PVCONTCT[1](PX) = 'XX'

Page 1 of 63

PVCONTCT[2](PX) = 'XX' AND PVCONTCT[3](PX) = 'XX') PQSTAT(PX) := '7'Elseif (PVLOCVAC(PX) = '4' OR PVLOCHC(PX) = '4') AND (PVCONTCT[1](PX) = 'XX' AND PVCONTCT[2](PX) = 'XX' AND PVCONTCT[3](PX) = 'XX' AND PVCONTCT[4](PX) = 'XX') PQSTAT(PX) := '7'Elseif PVOFFNAM[1](PX) = 'refused' AND PVLNAME[1](PX) = 'refused' THEN PQSTAT(PX) := '4'Elseif PVLATER2(PX) = '2' OR PVLATER2(PX) = 'don't know' THEN PQSTAT(PX) := '3'Elseif PVLATER2(PX) = 'refused' THEN PQSTAT(PX) := '4' Elseif PVERIFY(PX) = 'refused' THEN PQSTAT(PX) := '5' Elseif PVNEWATH(PX) = 'refused' THEN PQSTAT(PX) := '5'Elseif PERMIS1(PX) = '3' AND PERMNT1 <> empty THEN PQSTAT(PX) := '5'Elseif PERMIS1(PX) = '1' AND PVIDNUM <> empty THEN PQSTAT(PX) := '1' Elseif PCALLBK1 = '1' THEN PQSTAT(PX) := '2'Elseif PCALLBK1 = '2' THEN PQSTAT(PX) := '3'Endif Endif

Skip Instructions Hard Edits Soft Edits AssocHelp

Page 2 of 63

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	
Variable Name	PVSTAT
Universe	
Universe-text	
Question Text Answer Codes	** Indicates the status of the immunization provider section for the family. ** Blank, 0-4
Question Type	Status Variable
Field Pane Descrip	tion
Fill Instructions	
Special Instruction	s PVSTAT := empty If PVAG_FLG(PX) <> empty AND HHSTAT(PX) <> 'D' THEN If all PQSTAT(PX) = '0' THEN PVSTAT := '0' Elseif any PQSTAT(PX) = '2' THEN PVSTAT := '2' Elseif no PQSTAT(PX) = '2' and any PQSTAT(PX) = '3' THEN PVSTAT := '3' Elseif any PQSTAT(PX) = '4' and all other PQSTAT(PX) = '0' or empty THEN PVSTAT := '4' Elseif no PQSTAT(PX) = '2' or '3' or '4' and any PQSTAT(PX) = empty THEN PVSTAT := empty Else PVSTAT := '1' Endif Endif
	<ul> <li>PVSTAT - Empty - Immunization section not completed or not started</li> <li>0 - No one eligible for immunization section</li> <li>1 - Immunization section completed</li> <li>2 - Immunization section has callback set up</li> <li>3 - Cannot set up a callback for immunization section</li> <li>4 - Immunization section refused</li> </ul>
Skip Instructions	
Hard Edits	
Soft Edits	
AssocHelp	

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.001	
Variable Name	PVAG_FLG	
Universe	All persons in family	
Universe-text	All persons in family	
Question Text	** Indicates whether or not a person is eligible for the immunization provider questions. **	
Answer Codes	Blank,0,1,2	
Question Type	Flag	
Field Pane Description		
Fill Instructions		
Special Instructions	Treate this flag variable using the AGE/DOB fields from HHC. PVAG_FLG should be '1' if child should fall into the age range to be eligible for the immunization provider section, or if child is 1 or 3 years old with a missing DOB:	
	If AGE = 2 or (13-17 and HHSTAT4 ne 'E'), set PVAG_FLG = 1; If AGE = 1 or 3 and (DOBM = D,R or DOBY = D,R), set PVAG_FLG = 1; If AGE = 1 and (DOBM ne D,R and DOBY ne D,R), calculate age in months and store in AGEMO; if AGEMO = 19-24 months, set PVAG_FLG = 1; If it is determined through verification screens to fall out of the age range for the section, set PVAG_FLG = 2; If the child originally did not qualify for this section, set PVAG_FLG = '0'; If AGE > 17, set PVAG_FLG = '0'	

Skip Instructions Hard Edits Soft Edits AssocHelp

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.003	
Variable Name	INTRO_IPV	
Universe	PVAG_FLG=1	
Universe-text	Children 19-35 months, children 13-17 years, or children 1 or 3 years old with missing DOB	
Question Text	*You are about to enter the Child Immunization Section. Please have the HIS-2A(PT), Permission to Contact Immunization Provider Forms ready.	
	*Enter 1 to continue.	
Answer Codes	*Enter 1 to continue.	
Question Type	Enter 1 to Continue	
Field Pane Descrip	tion Continue	
Fill Instructions		
Special Instructions		
Skip Instructions	If PVAG_FLG=1 and not a single adult family [goto PVRESP]; else [goto PVCHILD]	
Hard Edits		
Soft Edits		
AssocHelp		

Module	60		
Section Name	Child Immunization Provider		
Part			
Question ID	IPV.005		
Variable Name	PVRESP		
Universe	PVAG_FLG=1 and not a single adult family		
Universe-text	Families with more than 1 adult in the family		
Question Text Answer Codes	* Enter the line number of the person you are speaking to.		
Question Type	Pick One - answer list pane		
Field Pane Description Provider respondent			
Fill Instructions	Fill Instructions		
Special Instruction	<ul> <li>s Have this be the first screen for the provider question section in case of a callback when the case is re-entered. In the case of an eligible Sample Child (HHSTAT4=C and PVAG_FLG=1), prefill SC Respondent line number here, but still display question.</li> <li>If a single adult, prefill PVRESP with respondent's line number and don't display question.</li> </ul>		
Skip Instructions	<1-25> [goto PVCHILD]		
Hard Edits			
Soft Edits			
AssocHelp			

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.010
Variable Name	PVCHILD
Universe	PVAG_FLG=1 and PVRESP ne empty
Universe-text	Children 19-35 months, children 13-17 years, or children 1 or 3 years old with missing DOB
Question Text	The next questions are about immunizations for {fill: child's name}. To get a complete picture of the vaccinations received by {fill: child's name}, we would like to contact doctors or health clinics to obtain a copy of the vaccination records for {fill: him/her}. These records contain only the immunizations and dates of the immunizations for {fill: him/her}.
	*Read if necessary: Information we collect from you and your health care provider will be used to monitor and report childhood immunizations. Participation by you and your child's provider helps the CDC understand the potential for childhood diseases.
	Would you know about the immunization providers for {fill: child's name}?
	*Enter '0' if child has never had immunizations.
Answer Codes	0. Never received immunizations 1. Yes 2. No Refused Don't know
Question Type	Pick One - answer list pane
Field Pane Descrip	tion Eligible children
Fill Instructions	
Special Instruction	<i>s</i> If there is a sample child in the family 19-35 months or 13-17 years, please fill this name in the first cycle. Fill additional children 19-35 months or 13-17 years of age for subsequent cycles in the order they were entered in the household roster. If more than one eligible child and PVRESP stays the same for subsequent children, gray out all text but the last
line.	If coming back into the section after a callback, or switch respondents at PVRESP for other children, keep all text in bold black or blue (FR instructions in blue).
Skip Instructions	<0> set PQSTAT=6 and [goto next child/section] <1> if HHSTAT4=C and CSRESP=PVRESP and (AGE ne 3 and (AGE ne 1 or AGEMO = empty)) [goto PVLOCVAC]; else if HHSTAT4=C and CSRESP=PVRESP and (AGE eq 3 or (AGE = 1 and AGEMO
	empty)) [goto BIRTHCK]; else [goto PVRELTIV]; <2,D> if single adult family [goto PVLATER1]; else [goto PVSWITCH]; <r> set PQSTAT=4 and goto [next section]</r>
Hard Edits	

Page 7 of 63

Soft Edita	
Soft Edits	
AssocHelp	
Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.011
Variable Name	PVSWITCH
Universe	PVCHILD=2,D and more than 1 adult in family
Universe-text	Don't know provider information or indicate someone else may know
Question Text Answer Codes	Is someone else now available to give the provider information? 1. Yes 2. No Refused Don't know
Question Type	Yes/No
Field Pane Descrip	tion Switch respondents
Fill Instructions	
Special Instruction	S
Skip Instructions	<1> reset PVRESP, reset PVCHILD, reset PVSWITCH, [goto ERR_PVSWITCH] <2,D> [goto PVLATER1] <r> set PQSTAT=4 and [goto next section]</r>
Hard Edits	ERR_PVSWITCH
	* Please go back and select a new respondent.
	Goto PVRESP (as the default goto)
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.012
Variable Name	PVLATER1
Universe	PVCHILD=2,D and single adult family or PVSWITCH=2,D
Universe-text	No one is available to give the provider information at this time
Question Text	<pre>{fill: Could you provide this information if I call back later?/Could someone provide this information if I call back later?}</pre>
Answer Codes	1. Yes 2. No Refused Don't know
Question Type	Yes/No
Field Pane Descrip	tion Call back later
Fill Instructions	{fill: If PVCHILD=2,D and single person family: Could you provide this information if I call back later?; else if PVSWITCH=2,D fill: Could someone provide this information if I call
back	later?}
Special Instruction	S
Skip Instructions	<1> set PQSTAT=2 and [goto PCALLBK1] <2,D> set PQSTAT=3 and [goto next section] <r> set PQSTAT=4 and [goto next section]</r>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.015
Variable Name	PVRELTIV
Universe	PVAG_FLG=1 and (PVCHILD=1 and (HHSTAT4 ne C or (HHSTAT4=C and CSRESP ne PVRESP)))
<i>Universe-text</i> not	Child 19-35 months, child 13-17 years, or child 1 or 3 years old with missing DOB and is
	the sample child or who is the sample child but the Sample Child respondent was switched at PVRESP to another person
Question Text	(book) C1
	What is your relationship to [fill: ALIAS of child]?
Answer Codes	<ol> <li>Parent (Biological, adoptive, or step)</li> <li>Grandparent</li> <li>Aunt/Uncle</li> <li>Brother/Sister</li> <li>Other relative</li> <li>Legal guardian</li> <li>Foster parent</li> <li>Other non-relative</li> <li>Refused</li> <li>Don't know</li> </ol>
Question Type	Pick One - answer list pane
Field Pane Descript	ion Relationship to child
Fill Instructions	fill: fill name of eligible child
Special Instructions	The Sample Child should not get this question if Sample Child Respondent and
	Provider Respondent are the same person because they already would have verified this early if needed.
Skip Instructions	<1-8,R,D> if PVRESP=HHRESP and (AGE ne 3 and (AGE ne 1 or AGEMO = empty)) goto PVLOCVAC else if PVRESP=HHRESP and (AGE eq 3 or (AGE = 1 and AGEMO = empty)) goto BIRTHCK else goto IPVVERF_S
Hand Edita	

Hard Edits Soft Edits AssocHelp

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.020
Variable Name	IPVVERF_S
<i>Universe</i> or	PVAG_FLG=1 and PVRELTIV=response and ((HHSTAT4 ne C and PVRESP ne HHRESP)
	(HHSTAT4=C and PVRESP ne HHRESP and PVRESP ne CSRESP))
Universe-text	Current respondent is not the person entered in HHRESP and this is not the Sample Child
Question Text	* Please verify the following information about the child before proceeding:
	I have recorded [fill1: ALIAS child]'s sex as [fill2: Sex of child]. Is this correct?
	* If respondent "refuses" or says "don't know", enter "1" for "yes".
Answer Codes	1. Yes 2. No
Question Type	Yes/No
Field Pane Descript	ion Verified child's sex
Fill Instructions	
Special Instructions	Do not allow "Don't Know" or "Refused" as an answer. Sample Child does not need to get this question because this information would have already been verified previously.
Skip Instructions	<1> goto IPVVERF_A <2> goto PVNEWSEX
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.025
Variable Name	PVNEWSEX
Universe	IPVVERF_S = '2' (No)
Universe-text	Respondent said child's sex is not correct.
Question Text	* Ask if appropriate.
Answer Codes	Is [fill: ALIAS of child] Male or Female? 1. Male 2. Female
Question Type	Pick One - answer list pane
Field Pane Descript	tion Child's revised sex
Fill Instructions	
Special Instructions	Do not allow "Don't Know" or "Refused" as an answer.
Skip Instructions	<1,2> store PVNEWSEX in SEX then goto ERR_PVNEWSEX close ERR_PVNEWSEX then goto IPVVERF_S
Hard Edits	ERR_PVNEWSEX
	* The gender will now be changed to [fill: PVNEWSEX].
	goto IPVVERF_S (as the default goto)
Soft Edits	
AssocHelp	

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.030	
~ Variable Name	IPVVERF_A	
Universe	(HHSTAT4 ne C and PVRESP ne HHRESP) or (HHSTAT4=C and PVRESP ne HHRESP	
and	PVRESP ne CSRESP))	
Universe-text	Current respondent is not the person entered in HHRESP and this is not the Sample Child	
Question Text	* Please verify the following information about the child before proceeding:	
	I have recorded [fill1: ALIAS of child]'s age as [fill2: Age of child]. Is this correct?	
	* If respondent "refuses" or says "don't know", enter "1" for "yes".	
Answer Codes	1. Yes 2. No	
Question Type	Yes/No	
Field Pane Descrip	tion Verified child's age	
Fill Instructions	If child's age in AGE is > "0" [fill2: <age> years] else [fill2: less than a year] endif</age>	
Special Instructions	Special Instructions Do not allow "Don't Know" or "Refused" as an answer.	
	Display the most recently updated age in years to the right of the answer box in the field pane, e.g., if the age is '15' display '15 years old'. For the case where the age is '0' years, display 'less than a year old'.	
Skip Instructions	<1> goto IPVVERF_D <2> goto PVNEWAGE	
Hard Edits		
Soft Edits		

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.035
Variable Name	PVNEWAGE
Universe	IPVVERF_A = "2" (No)
Universe-text	Respondent said child's age is not correct
Question Text	How old is [fill1: ALIAS of child]?
	* If age given in months, weeks, or days, convert age to appropriate year. If less than one year old, enter "0".
Answer Codes	
Question Type	Integer
Field Pane Descrip	tion Child's revised age
Fill Instructions	
Special Instruction	S
Skip Instructions	<0-120, Refused, Don't know> if PVNEWAGE = 'Refused' or PVNEWAGE = 'Don't know' or PVNEWAGE = AGE goto ERR_PVNEWAGE else store PVNEWAGE in AGE goto PVDOB_M
Hard Edits	ERR_PVNEWAGE
	*Age of [fill1: ALIAS of child] remains [fill2: Age of child] years old.
	goto IPVVERF_A
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.040
Variable Name	IPVVERF_D
<i>Universe</i> and	(HHSTAT4 ne C and PVRESP ne HHRESP) or (HHSTAT4=C and PVRESP ne HHRESP
	PVRESP ne CSRESP))
Universe-text	Current respondent is not the person entered in HHRESP and this is not the Sample Child
Question Text	* Please verify the following information about the child before proceeding:
	I have recorded [fill1: ALIAS of child]'s birthday as [fill2: Birthday of child]. Is this correct?
	* If respondent "refuses" or says "don't know", enter "1" for "yes".
Answer Codes	1. Yes 2. No
Question Type	Yes/No
Field Pane Descript	ion Verified child's date of birth
Fill Instructions	[fill2: <dobm> <dobd>, <doby>] = date of birth, where <dobm> should be filled with the name of the month, not the number. For any part of the birth date that is "refused", "don't know", or otherwise "blank", put a "?" for that field.</dobm></doby></dobd></dobm>
Special Instructions	Do not allow "Don't Know" or "Refused" as an answer. If AGE information changes so that child is now not 19-35 months or 13-17 years (unless the child is 1 or 3 with incomplete DOB information) or now person ge 18, set PVAG_FLG=2
Skip Instructions	<1> if AGE of provider child ge '18' set PVAG_FLG=2 goto PVNO_MOR else goto PVLOCVAC <2> goto PVDOB_M
Hard Edits	
Soft Edits	
AssocHelp	

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.045	
Variable Name	PVDOB_M	
Universe	IPVVERF_D = '2' (No) or IPVVERF_A = '2' (No)	
Universe-text	Respondent said child's date of birth is not correct or child's age is not correct	
Question Text	1 of 3	
	What is [fill: ALIAS of child]'s birthday?	
	*Enter month of birth.	
Answer Codes	<ol> <li>January</li> <li>February</li> <li>March</li> <li>April</li> <li>May</li> <li>June</li> <li>July</li> <li>August</li> <li>September</li> <li>October</li> <li>November</li> <li>December</li> <li>Refused</li> <li>Don't know</li> </ol>	
Question Type	Pick One - answer list pane	
Field Pane Description Child's revised month of birth		
Fill Instructions		
Special Instruction	s Display the name of the month for the answer entered in this question to the right of the answer box in the field pane, e.g., if '10' is entered, display 'October'. If 'Refused' or 'Don't know' is entered, do not display anything to the right of the answer box.	
Skip Instructions	<01-12, R,D> goto PVDOB_D	
Hard Edits		

Soft Edits

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.050
Variable Name	PVDOB_D
Universe	IPVVERF_D = '2' (No) or IPVVERF_A = '2' (No)
Universe-text	Respondent said child's date of birth is not correct or child's age is not correct
Question Text	2 of 3
	* Enter day of birth.
Answer Codes	
Question Type	Integer
Field Pane Descript	tion Child's revised day of birth
<i>Fill Instructions</i> the	[fill3: PVDOB_M] = month of birth, where <pvdob_m> should be filled with the name of</pvdob_m>
line	month, not the number.
Special Instructions	Only allow valid days for month entered.
Skip Instructions	<01-31,R,D> goto PVDOB_Y
	If days not valid, goto ERR_PVDOB_D
Hard Edits	ERR_PVDOB_D
	* [fill2: PVDOB_D] is not a valid day for [fill3: PVDOB_M].
	* Please correct.
	goto PVDOB_D (as the default goto)
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.055
Variable Name	PVDOB_Y
Universe	IPVVERF_D = '2' (No) or IPVVERF_A = '2' (No)
Universe-text	Respondent said child's date of birth is not correct or child's age is not correct
Question Text	3 of 3
	* Enter year of birth.
Answer Codes	
Question Type	Integer
Field Pane Descript	<i>Child's revised year of birth</i>
<i>Fill Instructions</i> should	[fill2: <pvdob_m> <pvdob_d>, <pvdob_y>] = date of birth, where <pvdob_m></pvdob_m></pvdob_y></pvdob_d></pvdob_m>
Should	be filled with the name of the month, not the number. For any part of the birth date that is "refused", "don't know", or otherwise "blank", put a "?" for that field.
	[fill3: <dobm> <dobd>, <doby>] = date of birth, where <dobm> should be filled with the name of the month, not the number. For any part of the birth date that is "refused", "don't know", or otherwise "blank", put a "?" for that field.</dobm></doby></dobd></dobm>
Special Instructions	
Skip Instructions	<1880-2020, Refused, Don't know> if IPVVERF_A = '2' (No) then reset IPVVERF_A to empty
	goto IPVVERF_A
	elseif IPVVERF_D = '2' (No) then reset IPVVERF_D to empty
	goto IPVVERF_D endif
	<pre>if (year GT current year) or (year = current year and month GT current month) or (year = current year and month = current month and day GT current day) goto ERR1_PVDOB_Y endif</pre>
	if birth month = '02' and birth day = '29' and this is not a leap year goto ERR2_PVDOB_Y endif
	<pre>if (PVDOB_M = 'Ref' or 'DK') or (PVDOB_D = 'Ref' or 'DK') or (PVDOB_Y = 'Ref' or 'DK') goto ERR3_PVDOB_Y else store PVDOB_M in DOBM store PVDOB_D in DOBD store PVDOB_Y in DOBY if IPVVERF_A = '2' (No) then reset IPVVERF_A to empty goto IPVVERF_A elseif IPVVERF_D = '2' (No) then reset IPVVERF_D to empty goto IPVVERF_D</pre>

Page 18 of 63

Calculate age from PVDOB\_M, PVDOB\_D, and PVDOB\_Y.

if age from PVDOB items is ne AGE and age from PVDOB items is valid goto ERR4\_PVDOB\_Y

## *Hard Edits* ERR1\_PVDOB\_Y

\*Future date invalid: [fill2: <PVDOB\_M> <PVDOB\_D>, <PVDOB\_Y>] \*Please correct.

goto PVDOB\_M (as the default goto)

ERR2\_PVDOB\_Y

\*Not a valid day: [fill2: <PVDOB\_M> <PVDOB\_D>, <PVDOB\_Y>] \*Please correct.

goto PVDOB\_M (as the default goto)

ERR3\_PVDOB\_Y

\*DOB of [fill1: ALIAS of child] remains [fill3: <DOBM> <DOBD>, <DOBY>]

goto IPVVERF\_A (as the default goto)

ERR4\_PVDOB\_Y

\*Data mismatched. Please fix Age or Birthday.

goto IPVVERF\_A (as the default goto)

Soft Edits AssocHelp

Page 19 of 63

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.056	
Variable Name	BIRTHCK	
Universe	PVAG_FLG=1 and PVCHILD=1 and (AGE eq 3 or (AGE = 1 and AGEMO = empty))	
Universe-text	Children 1 or 3 years old with incomplete DOB information	
Question Text	[fill1: Is {fill: child's name} 18 months or younger? / fill2: Has {fill: child's name} reached {his/her} third birthday?]	
Answer Codes	1. Yes 2. No Refused Don't know	
Question Type	Yes/No	
Field Pane Description Age check		
Fill Instructions	If AGE=1 and DOB information is incomplete, fill1: "Is {fill: child's name} 18 months or younger?" If AGE=3 and DOB information is incomplete, fill2: "Has {fill: child's name} reached {his/her} third birthday?"	
Special Instructions		
Skip Instructions	<1> set PVAG_FLG=2 goto PVNO_MOR <2,R,D> goto PVLOCVAC	
Hard Edits		

Soft Edits

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.060
Variable Name	PVNO_MOR
Universe	PVAG_FLG=2 or BIRTHCK=1
Universe-text	Child whose age is now not either 19-35 months or 13-17 years
Question Text	[fill: ALIAS of child] is no longer in the age range for these questions. Those are all the questions I have about [fill: child's name] at this time.
	* You may need to ask additional questions before continuing with the rest of the interview.
Answer Codes	1. Enter 1 to Continue
Question Type	Enter 1 to Continue
Field Pane Descrip	tion No longer eligible
Fill Instructions	
Special Instruction	s Do not allow "Don't Know" or "Refused" as an answer.
Skip Instructions	<1> store '0' in PQSTAT for this child; [goto next eligible child or next section]
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.061
Variable Name	PVLOCVAC
Universe	PVAG_FLG=1
Universe-text	Child 19-35 months or 13-17 years
Question Text	How many locations have provided vaccinations for {fill: child's name}?
	*Enter '0' for none.
	*If respondent answers more than 4 locations, enter '4'.
Answer Codes	
Question Type	Integer
Field Pane Descrip	tion # of vaccination locations
Fill Instructions	
Special Instructions	By Have number entered in here be used to set up the number of provider lookups/data entry fields unless answer is '0', 'refused' or 'don't know'.
Skip Instructions	<0,D> [goto PVLOCHC] <1-4> [goto PVCONTCT] <r> set PQSTAT=4 and [goto next section]</r>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.062
Variable Name	PVLOCHC
Universe	PVLOCVAC=0,D
Universe-text	No places of vaccination for child or DK places of vaccination
Question Text	How many locations have provided health care for {fill: child's name}? Please include the hospital or birthing center where {fill: he/she} was born, and any other clinics or doctor's offices that have seen {fill: him/her}.
	*Enter '0' if child has never seen a doctor or other health care provider.
	*If respondent answers more than 4 locations, enter '4'.
Answer Codes	
Question Type	Integer
Field Pane Descrip	<i>tion</i> # of health care locations
Fill Instructions	
Special Instruction	s Use the number entered in PVLOCHC to set up the number of provider lookups/data entry fields if PVLOCVAC = '0' or 'don't know'.
Skip Instructions	<0> set PQSTAT=6 and [goto next child/next section] <d> [goto PVLATER2] <r> set PQSTAT=4 and [goto next section] &lt;1-4&gt; [goto PVCONTCT]</r></d>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.063_01
Variable Name	ROSTER_LNO
Universe	Eligible provider children
Universe-text	
Question Text Answer Codes	This is not a question.
Question Type	Instrument Out Variable
Field Pane Descript	ion
Fill Instructions	
<i>Special Instructions</i> he	This is a linking variable to the PROV_CHILD, PROVIDER, and CHG_IPV blocks for use in
	data output. This variable is defined as follows:
	ROSTER_LNO - This should be the HH roster line number of the child (1-25).
CHG IPV	The ROSTER_LNO variable should be added to the PROV_CHILD, PROVIDER, and
	blocks as part of the CHILD_IPV ARRAY, the PROVINFO ARRAY, and the CHG_IPV ARRAY. These will link the provider information to the correct child.
Skip Instructions	
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.063_02
Variable Name	LNO
Universe	PVCONTCT <> EMPTY
Universe-text	
Question Text Answer Codes	This is not a question.
Question Type	Instrument Out Variable
Field Pane Descript	ion
Fill Instructions	
Special Instructions	This a linking variable to the PROVIDER, and CHG_IPV blocks for use in the data output. This variable is defined as follows:
	LNO - This should be the line number of which provider information is being collected (1-4).
ARRAY,	The LNO variable already exists in the PROVIDER block as part of the PROVINFO
ANNAI,	so we just need to add the same information in the CHG_IPV block as part of the CHG_IPV ARRAY.
Skip Instructions	
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.064_01
Variable Name	PVCONTCT
Universe	PVLOCVAC=1-4 or PVLOCHC=1-4
Universe-text	Child had been to vaccination location or received health care
Question Text	Please tell me the name for the [fill: most recent/next] provider, beginning with the state.
	*Read if necessary: Would you take a moment to find shot records, appointment cards, or other records you may have?
	*Try to locate the provider information in the lookup table by entering a state abbreviation followed by a provider's last name. If given the name of a clinic or office, change the search type to 'Organization' and enter the state abbreviation followed by the clinic or office name.
	*If provider information not found, type 'ZZ'
	*Enter 'XX' for providers located in a foreign country.
Answer Codes	
Question Type	Pick One-popup window
Field Pane Descrip	tion Contact info intro
Fill Instructions	Fill "most recent" if PVLOCVAC=1 or PVLOCHC=1 or (PVLOCVAC=2-4 and first time through) or (PVLOCHC=2-4 and first time through). Fill "next" if PVLOCVAC=2-4 or PVLOCHC and not first time through.
Special Instruction	s There can be a maximum of 4 providers for a maximum of 10 children.
Skip Instructions	<allow 10,="" located="" provider=""> store data from lookup table in PVLNAME through PVTELN1 (including PVZIP4) and goto PVCOMPLT</allow>
	<zz> empty data stored from lookup table in PVLNAME through PVTELN1 (including PVZIP4) and goto PVLNAME</zz>
	<xx> empty data stored from lookup table in PVLNAME through PVTELN1 (including PVZIP4)</xx>
	If PVLOCVAC GE 1 OR PVLOCHC GE 1 and not last time through goto next provider;
	else If PVLOCVAC GE 1 OR PVLOCHC GE 1 and good provider entered (PVCONTCT=ZZ or 'provider located') and last time through AND (HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV NOT IN ('1','6') OR
	(HHSTAT4='C'
AND	AND CSRESP NE PVRESP AND PVRELTIV NOT IN ('1','6')) OR (HHSTAT4 NE 'C'
	PVRELTIV NOTIN ('1','6')) go to PVERIFY; clos If DVI OCIVAC CE 1 OR DVI OCHC CE 1 and good provider entered

go to PVERIFY; else If PVLOCVAC GE 1 OR PVLOCHC GE 1 and good provider entered (PVCONTCT=ZZ or 'provider located') and last time through go to IPVFNAME; else if All PVCONTCT=XX OR (PVLOCVAC=1 OR PVLOCHC=1)

Page 26 of 63

	set PQSTAT=7
	goto next child/section
PVZIP4)	<r> empty data stored from lookup table in PVLNAME through PVTELN1 (including</r>
	If first time through set PQSTAT=4 goto next section; else if second, third, or fourth time through AND (HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV NOT IN ('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV NOT IN ('1','6')) OR (HHSTAT4 NE 'C' AND PVRELTIV NOT IN ('1','6')) go to PVERIFY; else if second, third, or fourth time through go to IPVFNAME
PVZIP4)	<d> empty data stored from lookup table in PVLNAME through PVTELN1 (including</d>
	If first time through goto PVLATER2; else if second, third, or fourth time through AND (HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV NOT IN ('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV NOT IN ('1','6')) OR (HHSTAT4 NE 'C' AND PVRELTIV NOT IN ('1','6')) go to PVERIFY; else if second, third, or fourth time through go to IPVFNAME
Hard Edits	
Soft Edits	

~ · J · · · · ·

Page 27 of 63

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.064_02	
Variable Name	LKUP_FLG	
Universe	PVCONTCT = RESPONSE	
Universe-text		
Question Text Answer Codes		
Question Type	Flag	
Field Pane Description		
Fill Instructions		
Special Instructions if (PVLOCVAC=1-4 or PVLOCHC=1-4) AND (PVCONTCT = RESPONSE) THEN if PVCONTCT NE 'ZZ' and PVCONTCT NE 'XX' THEN LKUP_FLG := '1' elseif PVCONTCT='ZZ' or PVCONTCT = 'XX' LKUP_FLG := '0' else LKUP_FLG := EMPTY endif endif		
Skip Instructions		
Hard Edits		
Soft Edits		
AssocHelp		

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.064_03	
Variable Name	LKUPVER	
Universe	PVCONTCT = RESPONSE	
Universe-text		
Question Text Answer Codes		
Question Type	Flag	
Field Pane Description		
Fill Instructions		
Special Instructions	For each provider record created, store the value of the ZIP4 field on the 'ZZ' record of the provider lookup table into this variable. This will indicate the version of the provider lookup table used for a particular interview.	
Skip Instructions		
Hard Edits		
Soft Edits		
AssocHeln		

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.180_01	
Variable Name	PVLNAME	
Universe	PVCONTCT='ZZ'	
Universe-text	Provider could not be found from look-up table	
Question Text Answer Codes	What is the last name of the {fill: first/next} doctor?	
Question Type	Text	
Field Pane Descrip	tion Doctor's last name	
Fill Instructions	Fill "first" if first time through. Fill "next" if PVLOCVAC=2-4 and not first time through.	
Special Instructions		
Skip Instructions	<allow 30,r,d=""> goto PVFNAME</allow>	
Hard Edits		
Soft Edits		
AssocHelp		

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.180_02	
Variable Name	PVFNAME	
Universe	PVCONTCT='ZZ'	
Universe-text	Provider could not be found from look-up table	
Question Text Answer Codes	What is the doctor's first name?	
Question Type Field Pane Descript	Text tion Doctor's first name	
Fill Instructions		
Special Instructions		
Skip Instructions <allow 30,r,d=""> goto PVOFFNAM</allow>		
Hard Edits		
Soft Edits		
AssocHelp		

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_03
Variable Name	PVOFFNAM
Universe	PVCONTCT='ZZ'
Universe-text	Provider could not be found from look-up table
Question Text	Please tell me the name of the office or the clinic.
	* Press enter if no office or clinic name.
Answer Codes	
Question Type	Text
Field Pane Descrip	<i>tion</i> Office/clinic name
Fill Instructions	
Special Instruction	S
Skip Instructions	<allow 50=""> goto PVADDR1</allow>
	<r> If PVLNAME NE R,D goto PVADDR1; else if first time through AND PVLNAME was Refused store 4 in PQSTAT goto next section; else if first time through AND PVLNAME was Don't know goto PVLATER2; else if second, third, or fourth time through AND PVLNAME=R,D AND (HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV NOT IN ('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV NOT IN ('1','6')) OR (HHSTAT4 NE 'C' AND PVRELTIV NOT IN ('1','6')) goto PVERIFY; else if second, third, or fourth time through AND PVLNAME=R,D goto IPVFNAME</r>
('1','6'))	<d,empty> If PVLNAME NE R,D goto PVADDR1; else if first time through AND PVLNAME=D,R goto PVLATER2; else if second, third, or fourth time through AND PVLNAME=D,R AND (HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV NOT IN ('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV NOT IN OR (HHSTAT4 NE 'C' AND PVRELTIV NOT IN ('1','6')) go to PVERIFY; else if second, third, or fourth time through AND PVLNAME=D,R go to IPVFNAME</d,empty>

Hard Edits

Soft Edits		
AssocHelp		
Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.180_04	
Variable Name	PVADDR1	
Universe	PVOFFNAM=response or (PVOFFNAM=R,D,'empty' and PVLNAME NE R,D)	
Universe-text	Provider could not be found from look-up table and respondent provided a last name or office name	
Question Text Answer Codes	What is the street address of the office or the clinic?	
Question Type	Text	
Field Pane Description Address 1		
Fill Instructions		
Special Instructions		
Skip Instructions	<allow 35,r,d=""> goto PVADDR2</allow>	
Hard Edits		
Soft Edits		
AssocHelp		

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_05
Variable Name	PVADDR2
Universe	All from PVADDR1
Universe-text	Provider could not be found from look-up table
Question Text	Is there a suite, floor, or room number?
	* Press enter if no additional address information.
Answer Codes	
Question Type	Text
Field Pane Descrip	tion Address 2
Fill Instructions	
Special Instruction	5
Skip Instructions	<allow 35,="" empty,r,d=""> goto PVADDR3</allow>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.180_06	
Variable Name	PVADDR3	
Universe	All from PVADDR2	
Universe-text	Provider could not be found from look-up table	
Question Text Answer Codes	What city is that in?	
Question Type Field Pane Descript	Text <i>tion</i> City	
Fill Instructions		
Special Instructions	3	
Skip Instructions	<allow 30,r,d=""> goto PVADDR4</allow>	
Hard Edits		
Soft Edits		
AssocHelp		

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.180_07	
Variable Name	PVADDR4	
Universe	All from PVADDR3	
Universe-text	Provider could not be found from look-up table	
Question Text Answer Codes	What state is that in?	
Question Type Field Pane Descript		
Fill Instructions		
Special Instructions Allow Don't know or Refused		
Skip Instructions	<allow 2,r,d=""> goto PVADDR5</allow>	
Hard Edits		
Soft Edits		
AssocHelp		

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_08
Variable Name	PVADDR5
Universe	All from PVADDR4
Universe-text	Provider could not be found from look-up table
Question Text	What is the zip code?
Answer Codes	
Question Type	Integer
<b>Field Pane Descrip</b>	tion Zip code
riem rane Descrip	
Fill Instructions	
-	
Fill Instructions	
Fill Instructions Special Instruction	s <01000-99996,R,D> goto PVTELN1
Fill Instructions Special Instruction Skip Instructions	s <01000-99996,R,D> goto PVTELN1 <0-9999> goto ERR_PVADDR5
Fill Instructions Special Instruction Skip Instructions	s <01000-99996,R,D> goto PVTELN1 <0-9999> goto ERR_PVADDR5 ERR_PV1ADDR5
Fill Instructions Special Instruction Skip Instructions	s <01000-99996,R,D> goto PVTELN1 <0-9999> goto ERR_PVADDR5 ERR_PV1ADDR5 * The entire zip code must be entered.

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_09
Variable Name	PVTELN1
Universe	All from PVADDR5
Universe-text	Provider could not be found from look-up table
Question Text	What is the telephone number?
	* Enter 'N' for no phone.
Answer Codes	
Question Type	Integer
Field Pane Descript	tion Phone #
Fill Instructions	
Special Instructions	s Use standard telephone field format <( ) - $>$
Skip Instructions	<200000000-9999999996,N,R,D> goto PVCOMPLT <0-19999999999> goto ERR_PVTELN1
Hard Edits	ERR_PV1TELN1
	* The entire phone number must be entered.
	* Please correct.
Soft Edits	

AssocHelp

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_10
Variable Name	PVZIP4
Universe	PVCONTCT = provider located
Universe-text	Provider located in the lookup table.
Question Text	** Variable from the provider lookup table **
	This is not a question.
Answer Codes	<0000-9999, empty>
Question Type	Instrument Out Variable
Field Pane Descript	ion
Fill Instructions	
Special Instructions	Storage variable for the ZIP4 value of a provider from the immunization provider lookup table.
THEN	If PVCONTCT = provider located (PROVIDER_CLINIC_ID from provider lookup table)
	PVZIP4 := ZIP4 (from provider lookup table) else
	PVZIP4 := EMPTY
	endif
Skip Instructions	
Hard Edits	

Soft Edits

AssocHelp

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_11
Variable Name	PVCOMPLT
<i>Universe</i> ((PVOFFNAM =	(PVAG_FLG=1 AND (PVCONTCT='ZZ' AND ((PVOFFNAM = RESPONSE) OR
	DONTKNOW OR PVOFFNAM = REFUSAL OR PVOFFNAM = EMPTY) AND PVLNAME = RESPONSE))) OR (PVCONTCT NE 'ZZ' AND PVCONTCT NE 'XX'))
Universe-text	All cases that entered provider information or selected a provider from the look-up table
Question Text	I have recorded that [child's name]'s provider is [fill_name]. The provider's office/clinic name is [fill 3] and the address is
	[fill 4] [fill 5] [fill 6], [fill 7] [fill 8].
	Is this information correct?
Answer Codes	1. Yes 2. No
	Z. No Refused Don't know
Question Type	Yes/No
Field Pane Descrip	<i>tion</i> Verify info
Fill Instructions	Fill_name: if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN
<i>Fill Instructions</i> know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN</pre>
know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't</pre>
	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't</pre>
know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME</pre>
know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know'</pre>
know' know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know' PVLNAME = empty) THEN fill_name := 'unknown'</pre>
know' know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know' PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN</pre>
know' know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know' PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown'</pre>
know' know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know' PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' elseif PVLNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' elseif PVLNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' elseif PVLNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' elseif PVLNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' elseif PVLNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN</pre>
know' know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know' PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVLNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR </pre>
know' know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know' PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' elseif PVLNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused'</pre>
know' know'	<pre>if (PVFNAME = RESPONSE) AND (PVLNAME = RESPONSE) THEN fill_name := PVFNAME [space] PVLNAME elseif (PVFNAME = RESPONSE) AND (PVLNAME = 'refused' OR PVLNAME = 'don't OR PVLNAME = empty) THEN fill_name := PVFNAME elseif (PVLNAME = RESPONSE) AND (PVFNAME = 'refused' OR PVFNAME = 'don't OR PVFNAME = empty) THEN fill_name := PVLNAME elseif (PVFNAME = 'don't know' OR PVFNAME = empty) AND (PVLNAME = 'don't know' PVLNAME = empty) THEN fill_name := 'unknown' elseif (PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'unknown' elseif PVFNAME = 'refused' AND (PVLNAME = 'refused' OR PVLNAME = 'don't know' OR PVLNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVLNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused' OR PVFNAME = 'don't know' OR PVFNAME = empty) THEN fill_name := 'refused' AND (PVFNAME = 'refused'</pre>

elseif PVADDR1 = D, then "Unknown " elseif PVADDR1 = R, then "Refused "

Friday, July 24, 2009

Page 40 of 63

Fill 5: if PVADDR2 NE empty,R,D, fill PVADDR2=Address 2 elseif PVADDR2 = D, then "Unknown " elseif PVADDR2 = R, then "Refused " elseif PVADDR2 = empty, then leave Fill 5 blank

Fill 6: if PVADDR3 NE R,D, fill PVADDR3=City elseif PVADDR3 = D, then "Unknown "

## Special Instructions

<i>Skip Instructions</i> (HHSTAT4='C'	<1,R,D> if PVLOCVAC or PVLOCHC ge 1 goto next provider elseif (HHSTAT4='C' and CSRESP=PVRESP and CSRELTIV NOT IN ('1','6')) or
· ·	and CSRESP NE PVRESP and PVRELTIV NOT IN ('1','6')) or (HHSTAT4 NE 'C' and
PVRELTIV	NOT IN ('1','6')) go to PVERIFY else go to IPVFNAME endif <2> goto PWHAT2 endif
Hard Edits	
Soft Edits	

AssocHelp

Friday, July 24, 2009

Page 41 of 63

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_12
Variable Name	PWHAT2
Universe	PVCOMPLT=2
Universe-text	Provider information is incorrect
Question Text	* Change(s) needed for [fill: child's name]'s provider information.
Answer Codes	<ul> <li>* Enter each number that applies. If a wrong choice, type that choice again.</li> <li>1. Provider Name</li> <li>2. Office Name</li> <li>3. Address</li> </ul>
Question Type Field Pane Descrip	Enter All That Apply tion Change provider info

## **Fill Instructions**

*Special Instructions* Do not allow Don't Know or Refused.

After this question (PWHAT2) is answered, copy the values from the following variables to the corresponding CHG\_ variables:

PVFNAME into CHG\_PVFNAME PVLNAME into CHG\_PVLNAME PVOFFNAM into CHG\_PVOFFNAM PVADDR1 into CHG\_PVADDR1 PVADDR2 into CHG\_PVADDR2 PVADDR3 into CHG\_PVADDR3 PVADDR4 into CHG\_PVADDR4 PVADDR5 into CHG\_PVADDR5

Set change flags as follows:

```
if '1' in PWHAT2 THEN
CHG_NAME_FLAG := '1'
endif
if '2' in PWHAT2 THEN
CHG_PROV_FLAG := '1'
endif
if '3' in PWHAT2 THEN
CHG_ADDR_FLAG := '1'
endif
```

Empty out the value of the PVZIP4 variable under the following conditions:

```
if CHG_ADDR_FLAG = '1' THEN
PVZIP4 := EMPTY
endif
```

Skip Instructions	<1> goto CHG_PVLNAME <2> goto CHG_PVLOFFNAM <3> goto CHG_PVADDR1
Hard Edits	
Soft Edits	
AssocHelp	
Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_13
Variable Name	CHG_PVLNAME
Universe	PWHAT2=1
Universe-text	Respondent indicated the provider's name was incorrect
Question Text	What is the provider's correct name?
	* If last name is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new last name.
Answer Codes	
Question Type	Text
Field Pane Descrip	tion New last name
Fill Instructions	
Special Instruction	$s$ Store PVLNAME in CHG_PVLNAME and display in answer codes.
Skip Instructions	<allow 30,r,d=""> goto CHG_PVFNAME</allow>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_14
Variable Name	CHG_PVFNAME
Universe	PWHAT2=2
Universe-text	Respondent indicated the provider's name was incorrect
Question Text	* If first name is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new first name.
	* Enter first name.
Answer Codes	
Question Type	Text
Field Pane Descript	tion New first name
Fill Instructions	
Special Instructions	Store PVFNAME in CHG_PVFNAME and display in answer codes.
Skip Instructions	<allow 30,r,d=""> if PWHAT2=2 (Office/clinic name change is needed) goto CHG_PVOFFNAM elseif PWHAT2=3 (Address change needed) goto CHG_PVADDR1 else goto PVCOMPLT_1 (to reverify the changed information)</allow>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.180_15	
Variable Name	CHG_PVOFFNAM	
Universe	PWHAT2=2	
Universe-text	Respondent indicated office/clinic name was incorrect	
Question Text	What is the correct name of the provider's office or clinic?	
	* If office or clinic name is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new office or clinic name.	
Answer Codes		
Question Type	Text	
Field Pane Description New office/clinic		
Fill Instructions		
Special Instruction	s Store PVOFFNAME in CHG_PVOFFNAME and display in answer codes.	
Skip Instructions	<allow 50,empty,r,d=""> if PWHAT=3 (Address change needed) goto CHG_PVADDR1 else goto PVCOMPLT_1 (to reverify the changed information)</allow>	
Hard Edits		
Soft Edits		
AssocHelp		

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_16
Variable Name	CHG_PVADDR1
Universe	PWHAT2=3
Universe-text	Respondent indicated provider address was incorrect
Question Text	What is the correct address of the office or clinic?
	* If street address is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new street address.
Answer Codes	
Question Type	Text
Field Pane Descrip	tion New address
Fill Instructions	
Special Instruction	s Store PVADDR1 in CHG_PVADDR1 and display in answer codes.
Skip Instructions	<allow 35,r,d=""> goto CHG_PVADDR2</allow>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_17
Variable Name	CHG_PVADDR2
Universe	PWHAT2=3
Universe-text	Respondent indicated provider address was incorrect
Question Text	* If suite, floor, or room number is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new suite, floor, or room number.
	* Enter suite, floor, or room number.
Answer Codes	
Question Type	Text
Field Pane Descrip	tion New address 2
Fill Instructions	
Special Instruction	s Store PVADDR2 in CHG_PVADDR2 and display in answer codes.
Skip Instructions	<allow 35,empty,r,d=""> goto CHG_PVADDR3</allow>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_18
Variable Name	CHG_PVADDR3
Universe	PWHAT2=3
Universe-text	Respondent indicated provider address was incorrect
Question Text	* If city is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new city.
	* Enter city.
Answer Codes	
Question Type	Text
Field Pane Descrip	tion New city
Fill Instructions	
Special Instruction	$s$ Store PVADDR3 in CHG_PVADDR3 and display in answer codes.
Skip Instructions	<allow 30,r,d=""> goto CHG_PVADDR4</allow>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60	
Section Name	Child Immunization Provider	
Part		
Question ID	IPV.180_19	
Variable Name	CHG_PVADDR4	
Universe	PWHAT2=3	
Universe-text	Respondent indicated provider address was incorrect	
Question Text	* If state is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new state.	
	* Enter state.	
Answer Codes		
Question Type	Other - Drop down list	
Field Pane Description New state		
Fill Instructions		
Special Instruction	s Store PVADDR4 in CHG_PVADDR4 and display in answer codes.	
Skip Instructions	<allow 2,r,d=""> goto CHG_PVADDR5</allow>	
Hard Edits		
Soft Edits		
AssocHelp		

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_20
Variable Name	CHG_PVADDR5
Universe	PWHAT2=3
Universe-text	Respondent indicated provider address was incorrect
Question Text	* If zip code is the same as displayed, refused or don't know, press Enter. Otherwise, enter the new zip code.
	* Enter zip code.
Answer Codes	
Question Type	Integer
Field Pane Descrip	tion New zip code
Fill Instructions	
Special Instructions	s Store PVADDR5 in CHG_PVADDR5 and display in answer codes.
Skip Instructions	<01000-99996,R,D> goto
Hard Edits	* The entire zip code must be entered.
	* Please correct.
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.180_21
Variable Name	PVCOMPLT_1
Universe	PWHAT2 IN ('1','2','3') and PWHAT2 is on route
Universe-text	Children with a change made to their provider information
Question Text	I have recorded that [child's name]'s provider is [fill_name]. The provider's office/clinic name is [fill 3] and the address is
	[fill 4] [fill 5] [fill 6], [fill 7] [fill 8].
	Is this information correct?
Answer Codes	<ol> <li>Yes, information is correct</li> <li>No, correction(s) needed/more corrections needed Refused Don't know</li> </ol>
Question Type	Pick One - answer list pane
Field Pane Descript	tion Reverify info
Fill Instructions	Fill_name: if (CHG_PVFNAME = RESPONSE) AND (CHG_PVLNAME = RESPONSE) THEN fill_name := CHG_PVFNAME [space] CHG_PVLNAME elseif (CHG_PVFNAME = RESPONSE) AND (CHG_PVLNAME = 'refused' OR
CHG_PVLNAME	= 'don't know' OR CHG_PVLNAME = empty) THEN fill_name := CHG_PVFNAME elseif (CHG_PVLNAME = RESPONSE) AND (CHG_PVFNAME = 'refused' OR
CHG_PVFNAME	= 'don't know' OR CHG_PVFNAME = empty) THEN fill_name := CHG_PVLNAME elseif (CHG_PVFNAME = 'don't know' OR CHG_PVFNAME = empty) AND
(CHG_PVLNAME =	'don't know' OR CHG_PVLNAME = empty) THEN fill_name := 'unknown' elseif CHG_PVFNAME = 'refused' AND (CHG_PVLNAME = 'refused' OR CHG_PVLNAME
=	'don't know' OR CHG_PVLNAME = empty) THEN fill_name := 'refused'
=	elseif CHG_PVLNAME = 'refused' AND (CHG_PVFNAME = 'refused' OR CHG_PVFNAME 'don't know' OR CHG_PVFNAME = empty) THEN fill_name := 'refused' endif
	Fill3: if PVOFFNAM NE R,D, fill PVOFFNAM=Office/Clinic name elseif PVOFFNAM = D, then "Unknown " elseif PVOFFNAM = R, then "Refused "
	Fill 4: if PVADDR1 NE R,D, fill PVADDR1=Address elseif PVADDR1 = D, then "Unknown " elseif PVADDR1 = R, then "Refused "

Friday, July 24, 2009

Page 51 of 63

Fill 6: if PVADDR3 NE R,D, fill PVADDR3=City	
elseif PVADDR3 = D, then "Unknown "	
elseif PVADDR3 = R, then "Refused "	

Fill 7: if PVADDR4 NE R,D, fill PVADDR4=State elseif PVADDR4 = D, then "Unknown " elseif PVADDR4 = R, then "Refused "

## Special Instructions

<i>Skip Instructions</i> NOT	<1,R,D> if PVLOCVAC gt 1 or PVLOCHC gt 1 go to next provider elseif (PVAG_FLG='1' and HHSTAT4='C' and CSRESP=PVRESP and CSRELTIV NOT IN ('1','6')) or (PVAG_FLG='1' and HHSTAT4='C' and CSRESP NE PVRESP and PVRELTIV
	IN ('1','6')) or (PVAG_FLG='1' and HHSTAT4 NE 'C' and PVRELTIV NOT IN ('1','6')) go to PVERIFY else go to IPVFNAME endif <2> goto ERR_PVCOMPLT_1
Hard Edits	* Press enter to go back to change some provider information or arrow down and press enter to change your answer. Default goto should be PWHAT2
Soft Edits	
AssocHelp	

Friday, July 24, 2009

Page 52 of 63

Module		60
Section 1	Name	Child Immunization Provider
Part		
Question	e ID	IPV.180_22
Variable	Name	CHG_PVZIP4
Universe		PWHAT2=3
Universe	e-text	Respondent indicated provider address was incorrect
Question	e Text	** Variable from the provider lookup table **
		This is not a question.
Answer	Codes	<0000-9999, empty>
Question	і Туре	Instrument Out Variable
Field Pa	ne Descript	ion
Fill Instr	ructions	
Special I	nstructions	Storage variable for changing the ZIP4 value of a provider from the immunization provider lookup table.
		Store PVZIP4 in CHG_PVZIP4
		If PVCOMPLT = 2 (no) and PWHAT2 = 3 (address) THEN CHG_PVZIP4 := EMPTY
		else CHG_PVZIP4 := PVZIP4 endif
Skip Inst	tructions	
Hard Ed	its	
Soft Edit	's	
AssocHe	lp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.181
Variable Name	PVLATER2
<i>Universe</i> PVLNAME=D	PVLOCHC=D or (PVCONTCT=D and first time through) or (PVOFFNAM=R and
	and first time through) or (PVOFFNAM=D and PVLNAME=D,R and first time through)
Universe-text	DK places of vaccination or health care locations, DK provider information, or DK last name of doctor and DK name of office or clinic
Question Text	Could you provide this information if I call back later?
Answer Codes	1. Yes
	2. No Refused
	Don't know
Question Type	Yes/No
Field Pane Descrip	tion Call back later
Fill Instructions	
Special Instructions	5
Skip Instructions	<1> set PQSTAT=2 and [goto PCALLBK1] <2,D> set PQSTAT=3 and [go to next child/section] <r> set PQSTAT=4 and [go to next section]</r>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.188
Variable Name	PVERIFY
Universe	((PVCOMPLT IN ('1','refused','don't know') OR PVCOMPLT_1 IN ('1','refused','don't know')) AND (HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV NOT IN ('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV NOT IN ('1','6')) OR
(HHSTAT4 NE	'C' AND PVRELTIV NOT IN ('1','6')))
Universe-text	Unsure if speaking to parent/legal guardian of child
Question Text	I need to verify that I am speaking with someone who can authorize the release of immunization records for {fill: child's name}. This should be a parent or legal guardian. Are you that person?
Answer Codes	1. Yes 2. No Refused Don't know
Question Type	Yes/No
Field Pane Descrip	tion Authorize release of records
Fill Instructions	
Special Instruction	S
Skip Instructions	<1> [goto IPVFNAME] <2,D> [goto PVNEWATH] <r> store 5 in PQSTAT and [goto next child/next section]</r>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.189
Variable Name	PVNEWATH
Universe	PVERIFY=2,D
Universe-text	Not able to authorize release of immunization records
Question Text	Is there someone else now available who can authorize the release of immunization records for this child?
Answer Codes	1. Yes 2. No Refused Don't know
Question Type	Yes/No
Field Pane Descrip	tion Someone else can authorize
Fill Instructions	
Special Instruction	s
Skip Instructions	<1> [goto ERR_PVNEWATH] <2,D> set PQSTAT=2 and [goto PCALLBK1] <r> set PQSTAT=5 and [goto next child/section]</r>
Hard Edits	* Please go back and verify that the new respondent can authorize release of immunization records.
	goto PVERIFY (as the default goto)
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.189_02
Variable Name	IPVFNAME
<i>Universe</i> IN	PVERIFY=1 OR ((PVCOMPLT IN ('1','refused','don't know') OR PVCOMPLT_1 IN ('1','refused','don't know')) AND ( HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV
IIN	('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV IN ('1','6')) OR (HHSTAT4 NE 'C' AND PVRELTIV IN ('1','6'))))
Universe-text	Verified that you are talking to someone who can authorize the release of immunization records
Question Text	In order to ask your child's provider for the correct information, we need to be sure that we have {fill: HISHER} correct name. Our records show that this child's name is {fill: Child's ALIAS}. Is this {fill: HISHER} correct name?
	* If this is {fill: HISHER} correct name, press ENTER. Otherwise, enter the child's correct first name.
Answer Codes	
Question Type	Text
Field Pane Descrip	tion First name check
Fill Instructions	
Special Instruction	s Store NAME_FNAME in IPVFNAME and display in Answer Codes.
	If IPVFNAME NE D,R, update NAME_FNAME.
Skip Instructions	<allow 20=""> Goto IPVLNAME</allow>
Hard Edits	
Soft Edits	
AssocHelp	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.189_03
Variable Name	IPVLNAME
Universe	PVERIFY=1 OR ((PVCOMPLT IN ('1','refused','don't know') OR PVCOMPLT_1 IN ('1','refused','don't know')) AND ( HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV
IN	('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV IN ('1','6')) OR (HHSTAT4 NE 'C' AND PVRELTIV IN ('1','6'))))
Universe-text	Verified that you are talking to someone who can authorize the release of immunization records
Question Text	* If this is {fill: HISHER} correct name, press ENTER. Otherwise, enter the child's correct last name.
Answer Codes	
Question Type	Text
Field Pane Descrip	tion Last name check
Fill Instructions	
Special Instruction	s Store NAME_LNAME in IPVLNAME and display in Answer Codes
	If IPVLNAME NE D,R, update NAME_LNAME.
	Set ALIAS = IPVFNAME< >IPVLNAME
Skip Instructions Hard Edits Soft Edits AssocHelp	<allow 20="">Goto PERMIS1</allow>

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.190
Variable Name	PERMIS1
Universe	PVERIFY=1 OR ((PVCOMPLT IN ('1', 'refused', 'don't know') OR PVCOMPLT_1 IN
IN	('1','refused','don't know')) AND (HHSTAT4='C' AND CSRESP=PVRESP AND CSRELTIV
	('1','6')) OR (HHSTAT4='C' AND CSRESP NE PVRESP AND PVRELTIV IN ('1','6')) OR (HHSTAT4 NE 'C' AND PVRELTIV IN ('1','6'))))
Universe-text	Verified that you are talking to someone who can authorize the release of immunization records
Question Text	?F1
	*(If in person), if respondent is child's parent/legal guardian, hand the HIS-2A to the respondent for completion of the permission item on the the left side of the form. If not, enter code "2" below; make callback to contact parent/legal guardian and get signature.
	*(If over the phone), if respondent is child's parent/legal guardian, read statement in telephone permission item on form to him/her requesting permission. If respondent agrees, sign and date form on right side. If not parent/legal guardian, enter code "2" below and make callback to talk to parent/legal guardian to get permission later.
	* If refused to sign form/give permission, enter '3'.
	Display: Control Number Line Number Child's Name Date of Birth Sex
Answer Codes	<ol> <li>Signed/Oral permission given over the telephone</li> <li>Not signed - will need to schedule a callback</li> <li>Not signed - no callback possible (specify)</li> </ol>
Question Type	Pick One-popup window
Field Pane Descrip	tion Permission form status
Fill Instructions	
Special Instructions	s Do not allow Refused or Don't know
Skip Instructions	<1> [goto PVIDNUM]; <2> set PQSTAT=2 and [goto PCALLBK1]; <3> [goto PERMNT1]
Hard Edits	
Soft Edits	
AssocHelp	H_PERMIS1

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.190 H
~	_
Variable Name	H_PERMIS1
Universe	
Universe-text	
Question Text	This form allows the providers you name to release their immunization records only for this child to the Centers for Disease Control and Prevention and its contractors in order to study the timing and completeness of childhood immunizations in your state. The information is used for study purposes only. This means that information that can identify you, this child, or the providers will be seen only by authorized people who work on this project. These employees are required by law to protect your personal information.
Answer Codes	
Question Type	Help Screen
Field Pane Descrip	tion Permission form status
Fill Instructions	
Special Instruction	s Associated screens: PERMIS1
Skip Instructions	
Hard Edits	
Soft Edits	
AssocHelp	
-	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.195
Variable Name	PERMNT1
Universe	PERMIS1=3
Universe-text	Not signed-no call back possible was chosen from the provider status question
Question Text Answer Codes	*Specify the reason the permission item is not signed. Verbatim
Question TypeVerbatimField Pane DescriptionSpecifyFill InstructionsSpecial InstructionsSpecial InstructionsDo not allow Refused and Don't KnowSkip Instructions <allow 75="">store 5 in PQSTAT [goto next child/section]Hard EditsSoft EditsAssocHelp</allow>	

Module	60
Section Name	Child Immunization Provider
Part	
Question ID	IPV.200
Variable Name	PVIDNUM
Universe	PERMIS1=1
Universe-text	Children who have some complete provider data entered
Question Text Answer Codes	* Enter identification number printed on permission form HIS-2A(PT).
Question Type	Integer
Field Pane Descrip	tion ID #
Fill Instructions	
Special Instruction	S Do not all answers of 'refused' or 'don't know'. Make sure that eight numbers are entered in this question. The mod10 check digit algorithm is described as follows:
	1. Starting from the left, multiply all the digits in the odd numbered positions by 2 and the digits in the even numbered positions by 1.
	2. If the result of a multiplication of a single digit by 2 results in a two-digit number (say "7 x $2 = 14$ "), add the digits of the result together to produce a new single-digit result ("1+4=5").
	3. Add all single-digit results together.
highest	4. The check digit is the amount you must add to this result in order to reach the next
ngnost	multiple of ten. For instance, if the sum in step #3 is 22, to reach the next highest multiple of 10 (which is 30) you must add 8 to 22. Thus the check digit is 8.
Skip Instructions	<00000010-99999999> if number fails the mod10 check algorithm goto ERR1_PVIDNUM elseif additional eligible children set PQSTAT = '1' and goto PVRESP else set PQSTAT = '1' and goto next section
	endif <0-9999999> goto ERR2_PVIDNUM
Hard Edits	ERR1_PVIDNUM
	* Check digit algorithm failed. Please reenter form identification number.
	ERR2_PVIDNUM
	* You must enter all eight digits of the Permission Form ID Number.
	* Please correct.

Soft Edits AssocHelp