SUPPORTING STATEMENT ENVIRONMENTAL PROTECTION AGENCY

NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal)

1. Identification of the Information Collection

1(a) Title of the Information Collection

NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal), EPA ICR Number 1687.08, OMB Control Number 2060-0314

1(b) Short Characterization/Abstract

The National Emission Standards for Hazardous Air Pollutants (NESHAP) for Aerospace Manufacturing and Rework Facilities were proposed on June 6, 1994, and promulgated on September 1, 1995. This regulation applies to existing and new Aerospace Manufacturing and Rework facilities where the total hazardous air pollutants (HAP) emitted are greater than or equal to 10 tons per year of any combination of HAP, or where the total HAP emitted are greater than or equal to 25 tons per year of any combination of HAP. New facilities include those that commenced construction or reconstruction after the date of the proposal. Operations covered include: cleaning, primer and top coat application, depainting, chemical milling maskant application, and handling and storage of waste. This information is being collected to ensure compliance with 40 CFR part 63, subpart GG.

In general, all NESHAP standards require initial notifications, performance tests, and compliance status reports. Owners or operators are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. Semiannual reports are also required. These notifications, reports, and records are essential in determining compliance, and are required of all sources subject to NESHAP.

Any owner or operator subject to the provisions of this part shall maintain a file of these measurements, and retain the file for at least five years following the date of such measurements, maintenance reports, and records. All reports are sent to the delegated state or local authority. In the event that there is no such delegated authority, the reports are sent directly to the United States Environmental Protection Agency (EPA) regional office.

Based on our consultations with industry representatives, there is an average of two effected facility at each plant site, and each plant site has only one respondent (i.e., the owner/operator of the plant site).

Over the next three years, an average of 136 facilities per year will be subject to the standard, and it is estimated that no additional sources becoming subject to the standard over the next three years.

All of the aerospace manufacturing and rework facilities in the United States are owned and operated by the aerospace manufacturing and rework industry (the "Affected Public"). None of the facilities in the United States are owned by state, local, tribal or the Federal government. They are all privately, owned for-profit businesses. The burden to the "Affected Public" is listed below in Tables 1a through 1c: Annual Respondent Burden and Cost - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal); the statistics for these three tables are also combined below in Table 1d: Summary of Annual Respondent Burden and Cost for Tables 1a, 1b,& 1c – NESHAP for Aerospace manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal). The Federal government burden associated with the review of reports submitted by the respondent is shown below in Table 2: Average Annual EPA Burden - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal).

The Office of Management and Budget (OMB) approved the currently active Information Collection Request (ICR) without any "Terms of Clearance."

2. Need for and Use of the Collection

2(a) Need/Authority for the Collection

The EPA is charged under section 112 of the Clean Air Act, as amended, to establish standards of performance for each category or subcategory of major sources and area sources of HAP. These standards are applicable to new or existing sources of HAP and shall require the maximum degree of emission reduction. In addition, section 114(a) states that the Administrator may require any owner or operator subject to any requirement of this Act to:

(A) Establish and maintain such records; (B) make such reports; (C) install, use, and maintain such monitoring equipment, and use such audit procedures, or methods; (D) sample such emissions (in accordance with such procedures or methods, at such locations, at such intervals, during such periods, and in such manner as the Administrator shall prescribe); (E) keep records on control equipment parameters, production variables or other indirect data when direct monitoring of emissions is impractical; (F) submit compliance certifications in accordance with Section 114(a)(3); and (G) provide such other information as the Administrator may reasonably require.

In the Administrator's judgment, HAP emissions from aerospace manufacturing and rework facilities cause, or contribute to air pollution that may reasonably be anticipated to endanger public health or welfare. Therefore, the NESHAP standards were promulgated for this source category at 40 CFR part 63, subpart GG.

2(b) Practical Utility/Users of the Data

The recordkeeping and reporting requirements in the standard ensure compliance with the

applicable regulations which were promulgated in accordance with the Clean Air Act. In addition, the collected information is used for targeting inspections and as evidence in legal proceedings.

Performance tests are required in order to determine an affected facility's initial capability to comply with the emission standard. Continuous emission monitors are used to ensure compliance with the standard at all times. During the performance tests, a record of the operating parameters under which compliance was achieved may be recorded and used to determine compliance in place of a continuous emission monitor.

The notifications required in the standard are used to inform the Agency or delegated authority when a source becomes subject to the requirements of the regulations. The reviewing authority may then inspect the source to ensure that the pollution control devices are properly installed and operated, that leaks are being detected and repaired, and that the standards are being met. The performance test may also be observed.

The required semiannual reports are used to determine periods of excess emissions, identify problems at the facility, verify operation/maintenance procedures, and for compliance determinations.

The information generated by the monitoring, recordkeeping and reporting requirements described in this ICR is used by the Agency to ensure that facilities affected by the NESHAP continues to operate the control equipment in compliance with the regulation.

3. Non-duplication, Consultations, and Other Collection Criteria

The requested recordkeeping and reporting are required under 40 CFR part 63, subpart GG.

3(a) Non-duplication

If the subject standards have not been delegated, the information is sent directly to the appropriate EPA regional office. Otherwise, the information is sent directly to the delegated state or local agency. If a state or local agency has adopted their own similar standards to implement the Federal standards, a copy of the report submitted to the state or local agency can be sent to the Administrator in lieu of the report required by the Federal standards. Therefore, no duplication exists.

3(b) Public Notice Required Prior to ICR Submission to OMB

An announcement of a public comment period for the renewal of this ICR was published in the <u>Federal Register</u> (75 <u>FR</u> 30813) on June 2, 2010. No comments were received on the burden published in the <u>Federal Register</u>.

3(c) Consultations

The Agency's industry experts have been consulted, and the Agency's internal data sources and projections of industry growth over the next three years have been considered. The primary source of information as reported by industry, in compliance with the recordkeeping and reporting provisions in the standard, is the Online Tracking Information System (OTIS) which is operated and maintained by the EPA Office of Compliance. OTIS is the EPA database for the collection, maintenance, and retrieval of all compliance data. The growth rate for the industry is based on our consultations with the Agency's internal industry experts.

Industry trade associations and other interested parties were provided an opportunity to comment on the burden associated with the standard as it was being developed. We contacted the Aerospace Manufacturing Technologies (AMT) at (360) 435-1119, and Aerospace Industries Association at (703) 358-1000.

3(d) Effects of Less Frequent Collection

Less frequent information collection would decrease the margin of assurance that facilities are continuing to meet the standards. Requirements for information gathering and recordkeeping are useful techniques to ensure that good operation and maintenance practices are applied and emission limitations are met. If the information required by these standards was collected less frequently, the proper operation and maintenance of control equipment and the possibility of detecting violations would be less likely.

3(e) General Guidelines

None of these reporting or recordkeeping requirements violate any of the regulations established by OMB at 5 CFR part 1320, section 1320.5.

These standards require the respondents to maintain all records, including reports and notifications for at least five years. This is consistent with the General Provisions as applied to the standards. EPA believes that the five-year records retention requirement is consistent with the Part 70 permit program and the five-year statute of limitations on which the permit program is based. The retention of records for five years allows EPA to establish the compliance history of a source, any pattern of non-compliance, and to determine the appropriate level of enforcement action. EPA has found that the most flagrant violators have violations extending beyond the five years. Without the five-year record retention, EPA would be prevented from pursuing the violators due to the destruction or nonexistence of essential records.

3(f) Confidentiality

Any information submitted to the Agency for which a claim of confidentiality is made will be safeguarded according to the Agency policies set forth in title 40, chapter 1, part 2, subpart B - Confidentiality of Business Information (CBI) (see 40 CFR 2; 41 <u>FR</u> 36902, September 1, 1976; amended by 43 <u>FR</u> 40000, September 8, 1978; 43 <u>FR</u> 42251, September 20, 1978; 44 FR 17674, March 23, 1979).

3(g) Sensitive Questions

None of the reporting or recordkeeping requirements contain sensitive questions.

4. The Respondents and the Information Requested

4(a) Respondents/SIC Codes

The respondents to the recordkeeping and reporting requirements are aerospace manufacturing and rework facilities. The North American Industry Classification System (NAICS) codes are listed below for each source category description.

| 40 CFR part 63, subpart GG | SIC Codes | NAICS Codes | | |
|--|-----------|-------------|--|--|
| Aircraft and Parts | 3720 | | | |
| Aircraft Manufacturing | 3721 | 336411 | | |
| Aircraft Engine and Engine Parts Manufacturing | 3724 | 336412 | | |
| Other Aircraft Part and Auxiliary Equipment Manufacturing | 3728 | 336413 | | |
| Fluid Power Valve and Hose Fitting Manufacturing | 3728 | 332912 | | |
| Aircraft Manufacturing | 3728 | 336411 | | |
| Guided Missiles, Space Vehicles, and Parts | 3760 | | | |
| Guided Missiles and Space Vehicles Manufacturing | 3761 | 336414 | | |
| Guided Missile and Space Vehicle Propulsion Unit and Propulsion Unit Parts Manufacturing | 3764 | 336415 | | |
| Other Guided Missile and Space Vehicle Parts and Auxiliary Equipment Manufacturing | 3769 | 336419 | | |
| Airports, Flying Fields, and Airport Terminal Services | 4581 | 488119 | | |

4(b) Information Requested

None of these reporting or recordkeeping requirements violate any of the regulations established by OMB at 5 CFR part 1320, section 1320.5.

(i) Data Items

In this ICR, all the data recorded or reported is required by the NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR part 63, subpart GG).

A source must make the following reports:

| Notifications | | | | | |
|---|---|--|--|--|--|
| Notification of construction and modification | 63.743(a)(2-3), 63.6(e), 63.753(a), 63.5(d), 63.10(d)(5) | | | | |
| Initial notification for existing sources | 63.9(b)(2), 63.753(a)(2) | | | | |

| Notifications | | | | | | |
|---|---|--|--|--|--|--|
| Notification of performance test and results | 63.7(b), 63.7(g)(1), 63.9(e), 63.10(d)(2), 63.753(a) | | | | | |
| Notification and report of physical and operational changes | 63.5(b)(6), 63.743(a)(2), 63.753(a) | | | | | |
| Notification and report of production capacity | 63.9(b)(2), 63.753(a) | | | | | |
| Notification and report of compliance status | 63.9(h), 63.753(a) | | | | | |
| Report of startup, shutdown, malfunction plan | 63.10(a), 63.10(d)(5), 63.743(b), 63.753(a) | | | | | |
| Notification and report for waiver applications | 63.7(h)(3), 63.753(a) | | | | | |
| Semiannual report | 63.6(e), 63.10(d)(5), 63.10(e) (3), 63.753(b), 63.753(c)(1), 63.753(d)(1) and (3), 63.753(e) | | | | | |
| Annual report | 63.753(c)(2), 63.753(d)(2) | | | | | |

A source must keep the following records:

| Recordkeeping | Recordkeeping | | | | | | |
|--|---|--|--|--|--|--|--|
| Records of daily and monthly inspections | 63.6(e)(3), 63.10(b)(2), 63.743(a)(3), 63.752(a) | | | | | | |
| Emission testing | 63.10(b)(2), 63.752(a) | | | | | | |
| Facility operation and maintenance including startup, shutdown, malfunction, construction and modification | 63.5(b), 63.6(e), 63.743(a)(2) and (3), 63.743(b), 63.752 | | | | | | |
| Cleaning solvents, all information records | 63.752(b)(1) | | | | | | |
| Cleaning solvents, approved composition and vapor pressure, solvent usage records | 63.752(b)(2) | | | | | | |
| Cleaning solvents, non-approved composition, approved vapor pressure, solvent usage records | 63.752(b)(3) | | | | | | |
| Cleaning solvents, usage log for exempt processes | 63.752(b)(4) | | | | | | |
| Cleaning solvents, log of spray gun cleaner leaks | 63.752(b)(5) | | | | | | |
| Primers/topcoats/maskants: Records using compliant coatings without averaging | 63.752(c)(1-3), 63.752(f)(1) | | | | | | |
| Primers/topcoats/maskants: Records using averaging | 63.752(c)(1), 63.752(c)(4), 63.752(f)(2) | | | | | | |
| Primers/topcoats/maskants: Records using control devices | 63.752(c)(1), 63.752(c)(5-6), 63.752(d), 63.752(f)(3), 63.752(f)(4) | | | | | | |
| Chemical strippers, records and parts removed | 63.752(e)(1), 63.752(e)(4) | | | | | | |
| Chemical strippers, records using control devices | 63.752(e)(2), 63.752(e)(3) | | | | | | |
| Depainting equipment malfunction log | 63.752(e)(5) | | | | | | |

| Recordkeeping | | | | | | |
|--|------------------------|--|--|--|--|--|
| Annual exempt chemical stripper usage log and reworked airplane log for spot stripping and decal removal | 63.752(e)(6) | | | | | |
| Depainting control device maintenance log | 63.752(e)(7) | | | | | |
| 5-years retention of records | 63.10(b)(1), 63.752(a) | | | | | |

Electronic Reporting

Some of the respondents are using monitoring equipment that automatically records parameter data. Although personnel at the affected facility must still evaluate the data, internal automation has significantly reduced the burden associated with monitoring and recordkeeping at a plant site.

Also, regulatory agencies, in cooperation with the respondents, continue to create reporting systems to transmit data electronically. However, electronic reporting systems are not widely used. At this time, it is estimated that approximately 10 percent of the respondents are reporting electronically.

(ii) Respondent Activities

| Respondent Activities |
|---|
| Read instructions. |
| Install, calibrate, maintain, and operate CMS for opacity, or for pressure drop and liquid supply pressure for control device. |
| Perform initial performance test, Reference Methods 1, 1A, 2, 2B, 2C, 2D, 3, 4,18, 24, 25A, 40, 301, or 319 test as applicable, and repeat performance test if necessary. |
| Write the notifications and reports listed above. |
| Enter information required to be recorded above. |
| Submit the required reports developing, acquiring, installing, and utilizing technology and systems for the purpose of collecting, validating, and verifying information. |
| Develop, acquire, install, and utilize technology and systems for the purpose of processing and maintaining information. |
| Develop, acquire, install, and utilize technology and systems for the purpose of disclosing and providing information. |
| Train personnel to be able to respond to a collection of information. |
| Transmit, or otherwise disclose the information. |
| 1 |

Currently, sources are using monitoring equipment that provides parameter data in an automated way (e.g., continuous parameter monitoring system). Although personnel at the source still need to evaluate the data, this type of monitoring equipment has significantly reduced the burden associated with monitoring and recordkeeping.

5. The Information Collected: Agency Activities, Collection Methodology, and Information Management

5(a) Agency Activities

EPA conducts the following activities in connection with the acquisition, analysis, storage, and distribution of the required information.

Agency Activities

Observe initial performance tests and repeat performance tests if necessary.

Review notifications and reports, including performance test reports, excess emissions reports, required to be submitted by industry.

Audit facility records.

Input, analyze, and maintain data in the OTIS.

5(b) Collection Methodology and Management

Following notification of startup, the reviewing authority might inspect the source to determine whether the pollution control devices are properly installed and operational. Performance test reports are used by the Agency to discern a source's initial capability to comply with the emission standard, and note the operating conditions under which compliance was achieved. Data and records maintained by the respondents are tabulated and published for use in compliance and enforcement programs.

Information contained in the reports is entered into OTIS which is operated and maintained by the EPA Office of Compliance. OTIS is the EPA database for the collection, maintenance, and retrieval of compliance data for approximately 125,000 industrial and government-owned facilities. EPA uses OTIS for tracking air pollution compliance and enforcement by local and state regulatory agencies, EPA regional offices, and EPA headquarters. EPA edits, stores, retrieves and analyzes the data.

The records required by this regulation must be retained by the owner or operator for five years.

5(c) Small Entity Flexibility

The majority of the respondents are large entities (i.e., large businesses). However, the impact on small entities (i.e., small businesses) was taken into consideration during the development of the regulation. Due to technical considerations involving the process operations and the types of control equipment employed, the recordkeeping and reporting requirements are the same for both small and large entities. The Agency considers these to be the minimum requirements needed to ensure compliance and, therefore, cannot reduce them further for small entities. To the extent that larger businesses can use economies of scale to reduce their burden,

the overall burden will be reduced.

5(d) Collection Schedule

The specific frequency for each information collection activity within this request is shown in Tables 1a through 1c: Annual Industry Burden for NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal).

6. Estimating the Burden and Cost of the Collection

Table 1 documents the computation of individual burdens for the recordkeeping and reporting requirements applicable to the industry for the subpart included in this ICR. The individual burdens are expressed under standardized headings believed to be consistent with the concept of burden under the Paperwork Reduction Act. Wherever appropriate, specific tasks and major assumptions have been identified. Responses to this information collection are mandatory.

The Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number.

6(a) Estimating Respondent Burden

The average annual burden to industry over the next three years from these recordkeeping and reporting requirements is estimated to be 141,010 (Total Labor Hours from Table 1). These hours are based on Agency studies and background documents from the development of the regulation, Agency knowledge and experience with the NESHAP program, the previously approved ICR, and any comments received.

6(b) Estimating Respondent Costs

This ICR uses the following labor rates:

Managerial \$114.49 (\$54.52 + 110%)
Technical \$98.20 (\$46.76 + 110%)
Clerical \$48.53 (\$23.11 + 110%)

These rates are from the United States Department of Labor, Bureau of Labor Statistics, September 2009, "Table 2. Civilian Workers, by Occupational and Industry group." The rates are from column 1, "Total Compensation." The rates have been increased by 110 percent to account for the benefit packages available to those employed by private industry.

(ii) Estimating Capital/Startup and Operation and Maintenance Costs

The type of industry costs associated with the information collection activities in the subject standard are labor costs which are addressed elsewhere in this ICR and the costs associated with continuous monitoring. The capital/startup costs are one-time costs when a facility becomes subject to the regulation. The annual operation and maintenance costs are the

ongoing costs to maintain the monitor and other costs such as photocopying and postage.

| (iii) | Capital/Startup vs. | Operation | and Maintenance | (O&M) Cos | t |
|-------|---------------------|------------------|-----------------|-----------|---|
|-------|---------------------|------------------|-----------------|-----------|---|

| Capital/Startup vs. Operation and Maintenance (O&M) Costs | | | | | | | | | |
|---|------------------|-------------|--------------|---------------|-------------|-----------|--|--|--|
| (A) | (B) | (C) | (D) | (E) | (F) | (G) | | | |
| Continuous | Capital/ | Number of | Total | Annual O&M | Number of | Total | | | |
| Monitoring | Startup Cost for | New | Capital/ | Costs for One | Respondents | O&M, | | | |
| Device | One | Respondents | Startup Cost | Respondent | with O&M | (E X F) | | | |
| | Respondent | | (B X C) | | | | | | |
| CEM | \$14,000 | 0 | \$0 | \$1,000 | 136 | \$136,000 | | | |
| Total | | | \$0 | | | \$136,000 | | | |

The total capital/startup costs for this ICR are zero. This is the total of column D in the above table.

The total operation and maintenance (O&M) costs for this ICR are \$136,000. This is the total of column G.

The average annual cost for capital/startup and operation and maintenance costs to industry over the next three years of the ICR is estimated to be \$136,000.

6(c) Estimating Agency Burden and Cost

The only costs to the Agency are those costs associated with analysis of the reported information. The EPA compliance and enforcement program includes activities such as: the examination of records maintained by the respondents; periodic inspection of sources of emissions; and the publication and distribution of collected information.

The average annual Agency cost during the three years of the ICR is estimated to be \$199,110.

This cost is based on the average hourly labor rate as follows:

Managerial \$62.27 (GS-13, Step 5, \$38.92 + 60%)
Technical \$46.21 (GS-12, Step 1, \$28.88 + 60%)
Clerical \$25.01 (GS-6, Step 3, \$15.63 + 60%)

These rates are from the Office of Personnel Management (OPM), 2010 General Schedule, which excludes locality rate of pay. The rates have been increased by 60 percent to account for the benefit packages available to government employees. Details upon which this estimate is based appear below in Table 2: Average Annual EPA Burden - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal).

6(d) Estimating the Respondent Universe and Total Burden and Costs

Based on our research for this ICR, on average over the next three years, approximately 136 respondents will be subject to the standard. It is estimated that no new respondents per year will become subject to the standard. The overall average number of respondents, as shown in the table below is 136 per year.

The number of respondents is calculated using the following table which addresses the three years covered by this ICR.

| Number of Respondents | | | | | | | | | |
|-----------------------|------------------------------------|--------------------|---------------------|--------------|-------------|--|--|--|--|
| | (A) | (B) | (C) | (D) | (E) | | | | |
| | Number of | Number of Existing | Number of | | | | | | |
| Year | Year New Existing Respondents That | | | | Respondents | | | | |
| | Respondents | Respondents | Keep Records But Do | Are Also New | (E=A+B+C-D) | | | | |
| | | | Not Submit Reports | Respondents | | | | | |
| 1 | 0 | 136 | 0 | 0 | 136 | | | | |
| 2 | 0 | 136 | 0 | 0 | 136 | | | | |
| 3 | 0 | 136 | 0 | 0 | 136 | | | | |
| Average | 0 | 136 | 0 | 0 | 136 | | | | |

To avoid double-counting respondents, column D is subtracted. As shown above, the average Number of Respondents over the three-year period of this ICR is 136.

The total number of annual responses per year is calculated using the following table:

| Total Annual Responses | | | | | | | | |
|--|---------------------------------|----------------------------------|--|--------------------------------------|--|--|--|--|
| (A) Information Collection Activity | (B) Number of Respondents | (C) Number of Responses | (D) Number of Existing Respondents That Keep Records But Do Not Submit Reports | (E) Total Annual Responses E=(BxC)+D | | | | |
| Notification of construction/reconstruction | 0 | 1 | 0 | 0 | | | | |
| Notification of physical and operational changes | 7 | 1 | 0 | 7 | | | | |
| Notification of actual startup | 0 | 1 | 0 | 0 | | | | |
| Notification of change in production capacity | 0 | 1 | 0 | 0 | | | | |
| Compliance status information report | 136 | 1 | 0 | 136 | | | | |
| Waiver application | 14 | 1 | 0 | 14 | | | | |
| Startup, shutdown, malfunction plan | 136 | 1 | 0 | 136 | | | | |
| Startup, shutdown, malfunction report | 27 | 1 | 0 | 27 | | | | |
| Semiannual report – including report of periods of noncompliance | 109 | 2 | 0 | 218 | | | | |
| Total Number of Annual Responses | | | Total | 538 | | | | |

The number of Total Annual Responses is 538.

The total annual labor costs are \$13,294,729. Details regarding these estimates may be found below in Tables 1a through 1c: Annual Respondent Burden and Cost - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal).

6(e) Bottom Line Burden Hours Burden Hours and Cost Tables

The detailed bottom line burden hours and cost calculations for the respondents and the Agency are shown in Tables 1 and 2, respectively, and summarized below.

(i) Respondent Tally

The total annual labor hours are 141,010. Details regarding these estimates may be found below in Table 1: Annual Respondent Burden and Cost - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal).

Furthermore, the annual public reporting and recordkeeping burden for this collection of information is estimated to average 262 hours per response.

The total annual capital/startup and Operation and Maintenance (O&M) costs to the regulated entity are \$136,000.

(ii) The Agency Tally

The average annual Agency burden and cost over next three years is estimated to be 4,418 labor hours at a cost of \$199,110. See below Table 2: Average Annual EPA Burden and Cost – NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal).

6(f) Reasons for Change in Burden

There is no change in the number of affected facilities as compared to the previous ICR. There is a change in the number of responses which is due to a more accurate accounting.

There is however, a small decrease in the estimated labor burden hours as currently identified in the OMB Inventory of approved Burdens. The decrease is not due to any program changes. The change in the labor burden hours occurred because the previous ICR rounded their calculations, and this renewal did not. There is also an increase in the cost estimates as compared to the previous ICR. The change in the cost estimates was caused by the updated labor rates, which resulted in an increase in the labor costs.

6(g) Burden Statement

The annual public reporting and recordkeeping burden for this collection of information is estimated to average 262 hours per response. Burden means the total time, effort, or financial

resources expended by persons to generate, maintain, retain, disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; to develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; to adjust the existing ways to comply with any previously applicable instructions and requirements; to train personnel to be able to respond to a collection of information; to search data sources; to complete and review the collection of information; and to transmit or otherwise disclose the information.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB Control Number. The OMB Control Numbers for EPA's regulations are listed at 40 CFR part 9 and 48 CFR chapter 15.

To comment on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including the use of automated collection techniques, EPA has established a public docket for this ICR under Docket ID Number EPA-HQ-OECA-2010-0373. An electronic version of the public docket is available at http://www.regulations.gov/ which may be used to obtain a copy of the draft collection of information, submit or view public comments, access the index listing of the content of the docket, and to access those documents in the public docket that are available electronically. When in the system, select "search" than key in the docket ID number identified in this document. The documents are also available for public viewing at the Enforcement and Compliance Docket and Information Center in the EPA Docket Center (EPA/DC), EPA West, Room 3334, 1301 Constitution Avenue, N.W., Washington, DC. The EPA Docket Center Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Enforcement and Compliance Docket and Information Center Docket is (202) 566-1752. Also, you can send comments to the Office of Information and Regulatory Affairs, Office of Management and Budget, 725 17th Street, N.W., Washington, DC 20503, Attention: Desk Officer for EPA. Please include the EPA Docket ID Number EPA-HQ-OECA-2010-0373 and OMB Control Number 2060-0314 in any correspondence.

Part B of the Supporting Statement

This part is not applicable because no statistical methods were used in collecting this information.

Table 1a: Annual Respondent Burden and Cost - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Cleaning Operations) (Renewal)

| Burden item | (A) Person hours per occurrence | (B) No. of occurrences per respondent per year | (C) Person hours per respondent per year (C=AxB) | (D) Respondents per year ^a | (E) Technical person- hours per year (E=CxD) | (F) Management person hours per year (Ex0.05) | (G) Clerical person hours per year (Ex0.1) | (H) Total Cost Per year ^b |
|---|---------------------------------|--|--|---|--|---|--|--|
| 1. Applications | N/A | | | | | | | |
| 2. Surveys and studies | N/A | | | | | | | |
| 3. Reporting requirements | | | | | | | | |
| A. Read instructions ^c | 1 | 1 | 1 | 136 | 136 | 6.8 | 13.6 | \$14,793.74 |
| B. Required activities | N/A | | | | | | | |
| C. Create information | See 3E & 4C | | | | | | | |
| D. Gather existing information | See 3E & 4C | | | | | | | |
| E. Write report | | | | | | | | |
| Notification of construction/reconstruction | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of physical and operational changes | 8 | 1 | 8 | 7 | 56 | 2.8 | 5.6 | \$6,091.54 |
| Notification of actual startup | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of change in production capacity | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Compliance status information report ^e | 20 | 1 | 20 | 136 | 2,720 | 136 | 272 | \$285,314.67 |
| Waiver application ^f | 4 | 1 | 4 | 14 | 56 | 2.8 | 5.6 | \$6,091.54 |
| Startup, shutdown, malfunction plan ^g | 4 | 1 | 4 | 136 | 544 | 27.2 | 54.4 | \$59,174.96 |
| Preparation of site-specific test plan | N/A | | | | | | | |
| Notification of initial performance test | N/A | | | | | | | |
| Report of initial test | N/A | | | | | | | |
| Startup, shutdown, malfunction report h | 2 | 1 | 2 | 27 | 54 | 2.7 | 5.4 | \$5,873.98 |
| Semiannual report – including report of periods of noncompliance ⁱ | 12 | 2 | 24 | 109 | 2,616 | 130.8 | 261.6 | \$284,561.94 |
| Subtotal for Reporting Requirements | | | | | | 7,109.3 | | |
| 4. Recordkeeping requirements | | | | | | 7,100.0 | | |
| A. Read instructions | See 3A | | | | | | | |
| B. Plan activities | 4 | 1 | 4 | 136 | 544 | 27.2 | 54.4 | \$59,174.96 |
| C. Implement activities | - | 1 | - | 150 | 5-1-1 | 27.2 | 54.4 | ψυυ, 17 4.00 |
| Solvent information records | 4 | 2 | 8 | 136 | 1,088 | 54.4 | 108.8 | 118,349.92 |

| Burden item | (A) Person hours per occurrence | (B) No. of occurrences per respondent per year | (C) Person hours per respondent per year (C=AxB) | (D) Respondents per year ^a | (E) Technical person- hours per year (E=CxD) | (F) Management person hours per year (Ex0.05) | (G) Clerical person hours per year (Ex0.1) | (H) Total Cost Per year ^b |
|--|---------------------------------|--|--|---|--|---|---|--|
| Approved composition solvent records (demonstrating compliance) ^j | 4 | 1 | 4 | 41 | 164 | 8.2 | 16.4 | \$17,839.51 |
| Non-approved list solvent usage records ^k | 1 | 12 | 12 | 122 | 1,464 | 73.2 | 146.4 | \$158,250.26 |
| Solvent usage log for exempt processes ¹ | 0.5 | 12 | 6 | 95 | 570 | 28.5 | 57 | \$62,003.17 |
| Log of gun cleaner leaks ^m | 1 | 6 | 6 | 27 | 162 | 8.1 | 16.2 | \$17,621.96 |
| D. Develop record system ⁿ | 20 | 1 | 20 | 136 | 2,720 | 136 | 272 | \$285,314.67 |
| E. Time to enter information | | | | | | | | |
| Records of startup, shutdown, and malfunction | 2 | 1 | 2 | 27 | 54 | 2.7 | 5.4 | \$5,873.93 |
| Records of all measurements and information required by standard | | | | | | | | |
| F. Time to train personnel ° | 4 | 50 | 200 | 136 | 27,200 | 1,360 | 2,720 | 2,958,748.00 |
| G. Time for audits | 20 | 1 | 20 | 136 | 2,720 | 136 | 272 | \$285,314.67 |
| Subtotal for Recordkeeping Requirements | | | | | | 42,188.9 | | |
| | | | | | 42,868 | 2,143.4 | 4,286.8 | \$4,630,393.42 |
| | | | | | | 49,298.2 | | |
| TOTAL LABOR BURDEN AND COST (rounded) | | | | | | 49,298 | | \$4,630,393 |
| | | | | | | (rounded) | | |

^a We have assumed that the average number of respondents that will be subject to this rule will be 136. There will be no new additional sources during the next three years of this ICR.

^b This ICR uses the following labor rates: \$114.49 per hour for Executive, Administrative, and Managerial labor; \$98.20 per hour for Technical labor, and \$48.53 per hour for Clerical labor. These rates are from the United States Department of Labor, Bureau of Labor Statistics, September, 2009, Table 2. Civilian Workers, by Occupational and Industry group. The rates are from column 1, Total Compensation. The rates have been increased by 110 percent to account for the benefit packages available to those employed by private industry.

^c We have assumed that there will be no net growth for the industry over the three-year period of this ICR, only existing sources will read instructions.

^d We have assumed that 5 percent of the total existing facilities will write the physical and operational changes report.

^e We have assumed that each respondent will write compliance status information report.

^f We have assumed that 10 percent of the respondents will request a waiver.

^g This is based on the number of facilities with add-on control systems that require the development of inspection and maintenance and startup, shutdown, malfunction plan. We have assumed that all of the facilities will have enclosed gun cleaners.

^h We have assumed that 20 percent of facilities with add-on control system will have a malfunction.

¹ We have assumed that 80 percent of facilities will have excess emissions or will change their process in some way.

^j We have assumed that 30 percent of facilities will use the approved list of solvents.

- We have assumed that 90 percent of facilities will use some solvents not on the approved list.
 We have assumed that 70 percent of facilities will use some solvents for exempt processes.
 We have assumed that 20 percent of facilities will have a leak in their enclosed gun cleaner.
 We have assumed that all facilities will need to develop a record keeping system.
 We have assumed that each respondent will take 4 hours 50 times per year to complete task.

Table 1b: Annual Respondent Burden and Cost - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Coating Operations) (Renewal)

| Burden item | (A) Person hours per occurrence | (B) No. of occurrences per respondent per year | (C) Person hours per respondent per year (C=AxB) | (D) Respondents per year ^a | (E) Technical person- hours per year (E=CxD) | (F) Management person hours per year (Ex0.05) | (G) Clerical person hours per year (Ex0.1) | (H) Total Cost Per year ^b |
|--|---------------------------------|--|--|---|--|---|---|--|
| 1. Applications | N/A | | | | | | | |
| 2. Surveys and studies | N/A | | | | | | | |
| 3. Reporting requirements | | | | | | | | |
| A. Read instructions ^c | 1 | 1 | 1 | 136 | 136 | 6.8 | 13.6 | \$14,793.74 |
| B. Required activities | | | | | | | | |
| Initial performance tests ^d | 280 | 1 | 280 | 4 | 1,120 | 56 | 112 | \$121,830.80 |
| Repeat performance test ^e | 280 | 1 | 280 | 1 | 280 | 14 | 28 | \$30,457.70 |
| C. Create information | See 3E & 4C | | | | | | | |
| D. Gather existing information | See 3E & 4C | | | | | | | |
| E. Write report | | | | | | | | |
| Notification of construction/reconstruction | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of physical and operational changes | 8 | 1 | 8 | 7 | 56 | 2.8 | 5.6 | \$6,091.54 |
| Notification of actual startup | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of change in production capacity | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Compliance status information report | 10 | 1 | 10 | 136 | 1,360 | 68 | 136 | \$147,937.40 |
| Waiver application ^g | 4 | 1 | 4 | 14 | 56 | 2.8 | 5.6 | \$6,091.54 |
| Startup, shutdown, malfunction plan h | 4 | 1 | 4 | 41 | 164 | 8.2 | 16.4 | \$17,839.51 |
| Preparation of site-specific test plan | See 3B | | | | | | | |
| Notification of initial performance test | 2 | 1 | 2 | 4 | 8 | 0.4 | 0.8 | \$870.22 |
| Report of initial test | See 3B | | | | | | | |
| Startup, shutdown, malfunction report i | 4 | 1 | 4 | 27 | 108 | 5.4 | 10.8 | \$11,747.97 |
| Semiannual report – including report of periods | 11 | 2 | 22 | 109 | 2,398 | 119.9 | 239.8 | \$260,848.44 |
| of noncompliance ^j | | | | | | | | |
| Subtotal for Reporting Requirements | | | | | | 6,538.9 | | |
| 4. Recordkeeping requirements | | | | | | | | |
| A. Read instructions | See 3A | | | | | | | |
| B. Plan activities | 4 | 1 | 4 | 136 | 544 | 27.2 | 54.4 | \$59,174.96 |
| C. Implement activities | | | | | | | | |

| Burden item | (A) Person hours per occurrence | (B) No. of occurrences per respondent per year | (C) Person hours per respondent per year (C=AxB) | (D) Respondents per year ^a | (E) Technical person- hours per year (E=CxD) | (F) Management person hours per year (Ex0.05) | (G) Clerical person hours per year (Ex0.1) | (H) Total Cost Per year ^b |
|---|---------------------------------|--|--|---|--|---|---|--|
| Compliance coating records | 1 | 12 | 12 | 136 | 1,632 | 81.6 | 163.2 | \$177,524.88 |
| Daily records of weighted average mass ^k | 1 | 250 | 250 | 14 | 3,500 | 175 | 350 | \$380,721.25 |
| Control device maintenance or rolling material | 0.5 | 250 | 125 | 4 | 500 | 25 | 50 | \$54,388.75 |
| balance log (organics) | | | | | 0.500 | | 0=0 | **** |
| Control device maintenance log (inorganics) | 0.25 | 250 | 63 | 136 | 8,568 | 428.4 | 856.8 | \$932,005.62 |
| D. Develop record system ¹ | 10 | 1 | 10 | 136 | 1,360 | 68 | 136 | \$147,937.40 |
| E. Time to enter/maintain information | | | | | | | | |
| Records of startup, shutdown, and malfunction | 2 | 1 | 2 | 27 | 54 | 2.7 | 5.4 | \$5,873.98 |
| Records of all measurements and information | See 4C | | | | | | | |
| required by standard | | | | | | | | |
| F. Time to train personnel | 8 | 50 | 400 | 136 | 54,400 | 2,720 | 5,440 | \$5,917,496.00 |
| G. Time for audits | 20 | 1 | 20 | 136 | 2,720 | 136 | 272 | \$285,314.67 |
| Subtotal for Recordkeeping Requirements | | | | | | 84,269.7 | | |
| | | | | | 78,964 | 3,948.2 | 7,896.4 | \$8,578,946.37 |
| | | | | | | 90,808.6 | | |
| TOTAL LABOR BURDEN AND COST (rounded) | | | | | | 90,809 | | \$8,578,946 |
| | | | | | | (rounded) | | |

^a We have assumed that the average number of respondents that will be subject to this rule will be 136. There will be no new additional sources during the next three years of this ICR.

This ICR uses the following labor rates: \$114.49 per hour for Executive, Administrative, and Managerial labor; \$98.20 per hour for Technical labor, and \$48.53 per hour for Clerical labor. These rates are from the United States Department of Labor, Bureau of Labor Statistics, September, 2009, Table 2. Civilian Workers, by Occupational and Industry group. The rates are from column 1, Total Compensation. The rates have been increased by 110 percent to account for the benefit packages available to those employed by private industry.

^c We have assumed that there will be no net growth for the industry over the three-year period of this ICR, only existing sources will read instructions.

^d We have assumed that 10 percent of existing facilities will use add-on control equipment for maskant application (40x10%).

^e We have assumed that 20 percent of existing facilities with add-on control equipment will repeat performance test (40x20%x10%).

^f We have assumed that 5 percent of existing facilities will write the physical and operational changes report.

 $^{^{\}rm g}\,$ We have assumed that 10 percent of facilities will request a waiver.

h We have assumed that 30 percent of facilities will be required to submit operational plans due to deviations from manufacturers' specifications, and based on the number of facilities with add-on control systems that require the development of inspection, maintenance, startup, shutdown, and malfunction plans.

¹ We have assumed that 20 percent of facilities with add-on control system (including particulate filters) will have a malfunction.

We have assumed that 80 percent of facilities will have excess emissions or will change their process in some way.

k The final rule required monthly records. Daily averaging was included in the cost analysis because 90 percent of the industry is located in non-attainment areas and will be required to

use daily averaging by the permitting agency.

¹ We have assumed that all facilities will need to develop a record keeping system.

Table 1c: Annual Respondent Burden and Cost - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Depainting Operations) (Renewal)

| Burden item | (A) Person hours per occurrence | (B) No. of occurrences per respondent per year | (C) Person hours per respondent per year (C=AxB) | (D) Respondents per year ^a | (E) Technical person- hours per year (E=CxD) | (F) Management person hours per year (Ex0.05) | (G) Clerical person hours per year (Ex0.1) | (H) Total Cost Per year ^b |
|---|---------------------------------|--|--|---|--|---|---|--|
| 1. Applications | N/A | | | | | | | |
| 2. Surveys and studies | N/A | | | | | | | |
| 3. Reporting requirements | | | | | | | | |
| A. Read instructions ^c | 1 | 1 | 1 | 5 | 5 | 0.25 | 0.5 | \$543.88 |
| B. Required activities | N/A | | | | | | | |
| Initial performance tests ^d | 280 | 1 | 280 | 0 | 0 | 0 | 0 | \$0 |
| Repeat performance test ^e | 280 | 1 | 280 | 0 | 0 | 0 | 0 | \$0 |
| C. Create information | See 3E & 4C | | | | | | | |
| D. Gather existing information | See 3E & 4C | | | | | | | |
| E. Write report | | | | | | | | |
| Notification of construction/reconstruction | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of physical and operational changes ^f | 8 | 1 | 8 | 0 | 0 | 0 | 0 | \$0 |
| Notification of actual startup | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of change in production capacity | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Compliance status information report | 10 | 1 | 10 | 5 | 50 | 2.5 | 5 | \$5,438.87 |
| Waiver application ^g | 4 | 1 | 4 | 0 | 0 | 0 | 0 | \$0 |
| Startup, shutdown, malfunction plan h | 5 | 1 | 5 | 0 | 0 | 0 | 0 | \$0 |
| Preparation of site-specific test plan | N/A | | | | | | | |
| Notification of initial performance test | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Report of initial test | See 3B | | | | | | | |
| Startup, shutdown, malfunction report ⁱ | 4 | 1 | 4 | 0 | 0 | 0 | 0 | \$0 |
| Semiannual report – including report of periods of Noncompliance ^j | 12 | 2 | 24 | 4 | 96 | 4.8 | 9.6 | \$10,442.64 |
| Subtotal for Reporting Requirements | | | | | | 173.65 | | |
| 4. Recordkeeping requirements | | | | | | | | |
| A. Read instructions | See 3A | | | | | | | |
| B. Plan activities | 4 | 1 | 4 | 5 | 20 | 1 | 2 | \$2,175.55 |
| C. Implement activities ^k | | | | - | - | | | . , |
| Chemical stripper records (demonstrating compliance) | 8 | 1 | 8 | 4 | 32 | 1.6 | 3.2 | \$3,480.88 |

| Burden item | (A) Person hours per occurrence | (B) No. of occurrences per respondent per year | (C) Person hours per respondent per year (C=AxB) | (D) Respondents per year ^a | (E) Technical person- hours per year (E=CxD) | (F) Management person hours per year (Ex0.05) | (G) Clerical person hours per year (Ex0.1) | (H) Total Cost Per year ^b |
|--|---------------------------------|--|--|---|--|---|--|--|
| Chemical stripper usage log | 1 | 12 | 12 | 4 | 48 | 2.4 | 4.8 | \$5,221.32 |
| Depainting equipment malfunction log | 4 | 3 | 12 | 2 | 24 | 1.2 | 2.4 | \$2,610.66 |
| Exempt stripper usage log and reworked airplane log spot stripping and decal removal | 1 | 12 | 12 | 5 | 60 | 3 | 6 | \$6,526.65 |
| Record of parts removed for parts depainting | 8 | 2 | 16 | 5 | 80 | 4 | 8 | \$8,702.20 |
| Control device maintenance log | 0.5 | 250 | 125 | 2 | 250 | 12.5 | 25 | \$27,194.37 |
| D. Develop record system ¹ | 10 | 1 | 10 | 5 | 50 | 2.5 | 5 | \$5,438.87 |
| E. Time to enter information | | | | | | | | |
| Records of startup, shutdown, and malfunction | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Records of all measurements and information required by standard | See 4C | | | | | | | |
| F. Time to train personnel | 4 | 1 | 4 | 5 | 20 | 1 | 2 | \$2,175.55 |
| G. Time for audits | 10 | 1 | 10 | 5 | 50 | 2.5 | 5 | \$5,438.87 |
| Subtotal for Recordkeeping Requirements | | | | | | 729.1 | | |
| | | | | | 785 | 39.25 | 78.5 | \$85,390.31 |
| TOTAL LABOR BURDEN AND COST (rounded) | | | | | | 902.75 903 (rounded) | | \$85,390 |

^a We have assumed that the average number of respondents that will be subject to this rule will be 136. There will be no new additional sources during the next three years of this ICR.

^b This ICR uses the following labor rates: \$114.49 per hour for Executive, Administrative, and Managerial labor; \$98.20 per hour for Technical labor, and \$48.53 per hour for Clerical labor. These rates are from the United States Department of Labor, Bureau of Labor Statistics, September, 2009, Table 2. Civilian Workers, by Occupational and Industry group. The rates are from column 1, Total Compensation. The rates have been increased by 110 percent to account for the benefit packages available to those employed by private industry.

^c We have assumed that there will be no net growth for the industry over the three-year period of this ICR, only existing sources will read instructions..

^d We have assumed that 1 percent of the total existing facilities will use add-on control equipment for HAP containing chemical stripper usage (70% of 5).

^e We have assumed that 20 percent of facilities with add-on control equipment will repeat performance test (20% of 1% of 5).

^f We have assumed that 5 percent of existing facilities (total facilities include only the 96 rework facilities) will write the physical and operational changes report.

^g We have assumed that 10 percent of facilities will request a waiver.

^h This is based on the number of facilities with add-on control systems that require the development of inspection and maintenance and startup, shutdown, malfunction plan. We have assumed that 15 percent will use blasting equipment that must have add-on control equipment. Assume that 29 percent of blasting operations will operate particulate control systems according to manufacturer's specifications and that only 30 percent will be required to submit operational plans due to deviations from manufacturer specification. Also assume that 1

percent of all facilities will use HAP containing chemical strippers with emissions control systems and 70 percent will use non-HAP chemical strippers which do not require add-on control equipment.

- ⁱ We have assumed that 20 percent of facilities with add-on control system will have a malfunction.
- We have assumed that 80 percent of facilities will have excess emissions or will change their process in some way.

 * We have assumed that 1 percent of facilities will use HAP containing chemical strippers as the primary stripping techniques, 29 percent will use media blasting equipment, 70 percent will use non-HAP chemical strippers, and 100 percent of facilities will use some HAP stripper for exempt processes.
- We have assumed that all respondents will need to develop a record keeping system.

Table 1d: Summary of Annual Respondent Burden and Cost for Tables 1a, 1b, & 1c - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal)

| Burden | Burden Hours per Year for Reporting | Burden Hours per Year for Recordkeeping | Total Burden Hours per Year | Annual Costs in \$ (rounded) |
|---------------------------------|---|---|-----------------------------------|------------------------------------|
| 1a. Cleaning Operations | 7,109.3 | 42,188.9 | 49,298.2 | \$4,630,393 |
| 1b. Coating Operations | 6,538.9 | 84,269.7 | 90,808.6 | \$8,578,946 |
| 1c. Depainting Operations | 173.65 | 729.1 | 902.75 | \$85,390 |
| Total Burden and Cost (rounded) | 13,822 | 127,188 | 141,010 | \$13,294,729 |

Table 2: Average Annual EPA Burden - NESHAP for Aerospace Manufacturing and Rework Facilities (40 CFR Part 63, Subpart GG) (Renewal)

| Activity | (A) EPA person- hours per occurrence | (B) No. of occurrences per plant per year | (C) EPA person- hours per plant per year (C=AxB) | (D) Plants per year ^a | (E) Technical person- hours per year (E=CxD) | (F) Management person-hours per year (Ex0.05) | (G) Clerical person- hours per year (Ex0.1) | (H) Cost, \$ ^b |
|--|--------------------------------------|---|--|---|--|---|--|------------------------------|
| 1. Initial performance test | 80 | 1 | 80 | 0 | 0 | 0 | 0 | \$0 |
| 2. Repeat performance test | | | | | | | | |
| Retesting preparation ^c | 16 | 1 | 16 | 1 | 16 | 0.8 | 1.6 | \$829.20 |
| Retesting ^d | 80 | 1 | 80 | 0 | 0 | 0 | 0 | \$0 |
| 3. Report review | | | | | | | | |
| Notification of construction/reconstruction | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of physical or operational changes ^e | 2 | 1 | 2 | 14 | 28 | 1.4 | 2.8 | \$1,451.09 |
| Notification of anticipated startup | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of actual startup | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Notification of changes in production capacity | 2 | 1 | 2 | 0 | 0 | 0 | 0 | \$0 |
| Compliance status information report ^f | 6 | 1 | 6 | 279 | 1,674 | 83.7 | 167.4 | \$86,754.21 |
| Waiver application ^g | 6 | 1 | 6 | 28 | 168 | 8.4 | 16.8 | \$8,706.52 |
| Review of startup, shutdown, malfunction plan h | 6 | 1 | 6 | 177 | 1,062 | 53.1 | 106.2 | \$55,037.62 |
| Review of site specific test plan | N/A | | | | | | | |
| Notification of initial performance test i | 2 | 1 | 2 | 4 | 8 | 0.4 | 0.8 | \$414.60 |
| 4. Report review | | | | | | | | |
| Report of initial test | 8 | 1 | 8 | 0 | 0 | 0 | 0 | \$0 |
| Review of startup, shutdown, malfunction reports | 4 | 1 | 4 | 55 | 220 | 11 | 22 | \$11,401.39 |
| Review of semiannual reports ^j | 3 | 1 | 3 | 222 | 666 | 33.3 | 66.6 | \$34,515.12 |
| Subtotals Labor Burden and Cost | | | | | 3,842 | 192.1 | 384.2 | \$199,109.75 |
| TOTAL ANNUAL BURDEN AND COST (rounded) | | | | | | 4,418.3 4,418 (rounded) | | \$199,110 |

^a We have assumed that the average number of respondents that will be subject to this rule will be 136. There will be no new additional sources during the next three years of this ICR.

b This cost is based on the following labor rates which incorporates a 1.6 benefits multiplication factor to account for government overhead expenses: \$62.27 Managerial rate (GS-13, Step 5, \$38.92 x 1.6), \$46.21 Technical rate (GS-12, Step 1, \$28.88 x 1.6), and \$25.01 Clerical rate (GS-6, Step 3, \$15.63 x 1.6). These rates are from the Office of Personnel Management (OPM) 2010 General Schedule which excludes locality rates of pay.

- ^c We have assumed that it will take each respondent 16 hours to prepare for retesting.
- d We have assumed that 20 percent of respondents will fail the initial performance test and will have to be retested.
 e We have assumed that it will take each of the respondents two hours once per year to review the compliance status information report..
- ^f We have assumed that it will take each respondent six hours to review the compliance status information report.
- ^g We have assumed that 28 respondents will each take 6 hours to review the waiver application.
- ^h We have assumed that it will take each respondent six hours to review the startup, shutdown, malfunction plan.
- ¹ We have assumed that it will take each respondent 2 hours to review the initial performance test.
- ^j We have assumed that it will take each respondent 3 hours to review the semiannual report.