

Veterinary Services

Sheep 2011 Parasite Evaluation Collection Record DRAFT October 19, 2010

National Animal Health Monitoring System

2150 Centre Ave, Bldg B Fort Collins, CO 80526

Form Approved OMB Number 0579-0188 Expires: 6/30/2013

Thank you for participating in the NAHMS Sheep study and for taking the time to sample your sheep for parasites. In order for the test results to be accurate and of value to your operation, read all of the materials received and follow collection and shipping instructions. It will take several weeks for confidential test results from your operation to be mailed back to you.

Please review these instructions:

Samples MUST BE taken between March 1 and May 25, 2011.

The operation must collect samples from at least 6 sheep or lambs, although up to 10 animals can be sampled. Sheep from weaning to 2 years old are most likely to excrete eggs if infected; therefore, this age group should be targeted. However, samples can be taken from any age animal suspected of having parasites.

Sheep must not have been treated with a dewormer within 45 days prior to sampling.

Samples need to be fresh and collected directly from the rectum in order to eliminate environmental contamination of the sample.

Target sheep suspected of having parasites.

Shipping guidelines must be met.

- Samples must be shipped within 1 day of sampling.
- Samples must be shipped on a Monday, Tuesday, or Wednesday.

Check Kit Contents

The sampling materials will come in a small Federal Express box with the kit number and collection date range on the outside of the box. The kit contains the following:

10 pairs of gloves Ziploc vacuum starter kit Lubricating jelly Shipping box **Paperwork**

The paperwork consists of:

- These collection and shipping instructions
- > 3-part carbonless paper submission form
- > A label to attach to the sample bag
- A postage-paid envelope addressed to the NAHMS program in Fort Collins, CO.
- A prepaid/pre-addressed Federal Express airbill for the samples.

If you are missing any materials or have any questions, contact Judy Rodriguez at NAHMS by phone (970-494-7255) or email (judith.m.rodriguez@aphis.usda.gov).

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to resp

rmatior

NAHMS-250 Oct 2010

Before Collection Day

Check Federal Express Availability.

Samples will be shipped overnight via Federal Express. Contact FedEx to determine a local drop-off and hours of operation for a location that **accepts Priority Overnight** packages. 1-800-gofedex (1-800-463-3339) or www.fedex.com

Submission Form and Label

- > Write firmly so information appears on all 3 pages of the carbonless forms.
- > Enter the date you collected the samples. The State, Operation and Kit number are already recorded.
- Record the age for each animal sampled and answer the questions.
- > On the label, write in the Operation number found on the submission form.

Collection Instructions

Sample at least 6 sheep or lambs and up to 10 animals. If you have 6 to 9 animals, take as many samples as you have sheep or lambs (e.g., 8 sheep = 8 samples).

RECTAL RETRIEVAL

To avoid contamination from common organisms from the ground, rectal retrieval is best.



- 1. Apply lubricating jelly to the glove before entering the rectum.
- ➤ Lightly stroking the rectum might encourage defecation.



- 2. Retrieve a minimum of 6 pellets per animal.
 - ➤ For young sheep with small pellets 10-12 is optimal.
 - ➤ Place ALL samples into one bag.

Need sheep pic Need sheep pic

- 3. Place pellets in a Ziploc bag from the Vacuum Starter Kit.
- **4. Continue collecting samples from other sheep using a clean glove for each.**Place **all** samples in the same bag. You will get one test result for the operation.

ALTERNATIVE if you cannot collect the samples rectally.

Try to catch pellets onto a piece of clean cardboard, box or lid. Sheep have a tendency to defecate when they get up and that may be the best time to trail after with a box.



Try to collect samples on clean cardboard.

Place a small amount in a gallon size ziplock bag.

Do not collect samples off the ground.

Clean, fresh feces are required for analysis.

Prepare the Pooled Samples



- 1. Knead the bag until individual fecal pellets cannot readily be seen.
 - Add a touch of water if needed to give a consistency of thick paste.



- 2. Zip the bag closed.
- 3. Use the vacuum pump to squeeze out excess air.



- 4. Roll the sample bag up and place into another Ziploc bag supplied with the pump.
 - > Again, squeeze out excess air.



- 5. Place the label that comes with the paperwork over the zipper end of the bag to assure the vacuum holds during shipping.
 - Also place a tape over the vacuum port to prevent loss of vacuum.

Shipping Instructions – Samples must not be frozen.

If possible, box and ship samples on the same day (Monday, Tuesday, or Wednesday). Samples that are vacuum-sealed can be held for 24 hours.



1. Tape open the provided box with shipping-strength tape.



2. Place the sample in the box along with newspaper or other packing material to lightly fill in box.



3. Place the yellow copy of the submission form on the top of the material and seal the box.



- 4. Place the provided FedEx airbill on the outside of the box.
 - Drop off at a FedEx location
- **5.** Mail white copy of the submission form to NAHMS using the postage-paid envelope. Keep the pink copy for your records.

The **Sender's Copy** of the FedEx airbill can be sent to NAHMS or left with the package when dropped off.



Animal and Plant Health Inspection Service

Veterinary Services

State:

Sheep 2011 Parasite Evaluation Collection Record

Operation Number:

National Animal Health Monitoring System

Form Approved OMB Number 0579-xxxx Expires:

Samples can be stored in the refrigerator or at room temperature and cannot be held longer than 24 hours before shipping to the lab. Samples must be shipped on Monday, Tuesday, or Wednesday.

Kit Number:

Collection Date:

					(mm	n/dd/yy)				
	BE SU	RE TO COLLI	ECT SAMPLES FROI	M SHEEP THAT YOU	J SUSPECT I	HAVE PARAS	SITES.			
1.		•	a fecal sample from, lke it clear the age is	•	•					
	EXAMPLE Age 4.5 yr	Age	Age	Age	Age	Age				
		IF WEANED BU	JT LESS THAN 1 YEAR, MAI	KE IT CLEAR THAT THE AC	GE IS MONTHS.					
2.	2. What is the total number of animals you sampled? (Should equal the number of ages listed above) For the following, write in responses. If zero or none, write in 0. If you cannot									
3.	•		et applicable, pleas ese samples were take		in the marg	jin.				
	a. unw	eaned lambs a	d lambs are present?							
	b. wear		head							
	c. shee	······	head							
	d. sheep 2 years of age or greater are present?									
	Total sheep in area									
4.	What is the	total number	of sheep in your flock	?			flock tota			
			Contin	ued on next page.						

		rite in the Operation Number printed on the page in case these two pages became sepa	ırated:	Operation #			
5.	What	breed of sheep were sampled (check all that ap	oply)?				
	TBD				☐ Other breed or cross SPECIFY:		
6.	Were a.	any of the following used to select the sheep the Animal showed clinical signs				□₁Yes	□₃No
		i. IF YES, what were the signs?					
		Diarrhea $\square_1 Y_0$	es □₃No)			
		Weight loss□ ₁ Yo	es □₃No)			
		Poor hair coat $\square_1 Y_0$	es □₃No)			
		Anemic□ ₁ Yo					
		Other signs	es □₃No	(specify:		_)	
	b.	Other reasons sheep were selected for sampli (specify:	ng?)			□₁Yes	□ ₃ No
7.	-	ou using copper wire particle boluses or other n 'ES, please list:	_		ents?	□₁Yes	□₃No
8.		e today, have these sheep EVER been treated 'ES , what date were they last treated? <i>(Explain i</i>					
	IF Y	'ES, check all product(s) used.					
		\square_1 Albendazole (Valbazen®),		□₅ Levamisole (T	ramisol®, Levas	ole®, Pro	ohibit®)
		\square_2 Fenbendazole (Safeguard®, Panacur®)		\square_6 Pyrantel (Stro	ngid®)		
		□ ₃ Avermectin/Milbemycins; Ivermectin (Ivomec)®))	□ ₇ Morantel (Run	natel®)		
		□ ₄ Moxidectin (Cydectin®)					
	OR	LIST HERE:					
9.	Which	n best describes the management of the sample	ed sheep	during the past 3	30 days?		
	\square_1	Open range (large unfenced acreage)					
	\square_2	Fenced range (large fenced acreage)					
	\square_3	Fenced farm (cultivated pasture or browse)					
	□ ₄	Dry lot (pen which does not allow grazing and finishing sheep on a high-energy diet for slaug Other (specify:	Jhter)				

Send Yellow pages with samples to the lab. Send Original pages to NAHMS in Colorado using the provided postage-paid envelope. Keep the pink copy for your records.

The Sender's Copy of the FedEx airbill can be sent to NAHMS or left with the package when dropped off.