## Records ?

## **Pediatric Intestine Transplant Recipient Follow-Up Worksheet**

The revised worksheet sample is for reference purposes only and is pending OMB approval.

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI<sup>B.</sup> application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI<sup>B.</sup> application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

Decisions Information	
Recipient Information	
Name:	DOB:
SSN:	Gender:
HIC:	Tx Date:
Previous Follow-Up:	Previous Px Stat Date:
Transplant Discharge Date:	
State of Permanent Residence: *	
State of Fermanent Residence.	
Zip Code: *	
Provider Information	
Recipient Center:	
Followup Center:	
Tollowap Collection	
Physician Name: *	
NPI: *	
	Transplant Center
	Non Transplant Center Specialty Physician
Follow-up Care Provided By: *	C Britanna Cons Blancisian
	Primary Care Physician
	Other Specify
Specify:	
Donor Information	
UNOS Donor ID #:	
Donor Type:	
Patient Status	
Date: Last Seen, Retransplanted or Death ★	
	LIVING
	LIVING
Patient Status: *	• DEAD
	RETRANSPEANTED
Primary Cause of Death:	
Specify:	
opcony.	
Contributory Cause of Death:	
Specify:	
Contributory Cause of Death:	
Specify:	
Hospitalizations	
Hospitalizations:	
Has the patient been hospitalized since the last patient status date: *	C YES O NO UNK
Number of Hospitalizations:	St=
Noncompliance:	
Was there evidence of noncompliance with immunosuppression medication during this follow-up period that compromised the patient's	C VEO C NO C UNIX
recovery:	YES NO UNK
Functional Status: *	
	<ul> <li>Definite Cognitive delay/impairment (verified by IQ score &lt;70 or unambiguous behavioral observation)</li> </ul>
Cognitive Development: ★	Probable Cognitive delay/impairment (not verified or unambiguous but more likely than not, based on
	behavioral observation or other evidence)

	Questionable Cognitive delay/impairment (not judged to be more likely than not, but with some indication of cognitive delay/impairment such as expressive/receptive language and/or learning difficulties)			
	No Cognitive delay/impairment (no obvious indicators of cognitive delay/impairment)			
	Not Assessed			
	Definite Motor delay/impairment (verified by physical exam or unambiguous behavioral observation)			
	Probable Motor delay/impairment (not verified or unambiguous but more likely than not, based on behavioral observation or other evidence)			
Motor Development: *	Questionable Motor delay/impairment (not judged to be more likely than not, but with some indications of motor delay/impairment)			
	No Motor delay/impairment (no obvious indicators of motor delay/impairment)			
	Not Assessed			
	Within One Grade Level of Peers			
	Delayed Grade Level			
Academic Progress *	Special Education			
	Not Applicable < 5 years old			
	Status Unknown			
	Full academic load			
	Reduced academic load			
Academic Activity Level *	C Unable to participate in academics due to disease or condition			
	Not Applicable < 5 years old/ High School graduate			
	Status Unknown			
Primary Insurance at Follow-up: *				
Specify:				
Clinical Information  Date of Measurement: *				
Height: *	ft. in. cm %ile St=			
Weight: ★	lbs. kg %ile St=			
BMI:	kg/m <sup>2</sup> %ile			
Graft Status: ★	Functioning Failed			
If death is indicated for the recipient, and the death was a result of some other.				
TPN Dependent:	C YES C NO			
IV Dependent:	C YES C NO			
Oral Feeding:	© YES © NO			
Tube Feeding:	C YES NO			
Date of Failure:				
	© RECURRENT TUMOR			
	ACUTE REJECTION			
	CHRONIC REJECTION			
	TECHNICAL PROBLEMS			
	© INFECTION			
Primary Cause of Failure:	LYMPHOPROLIFERATIVE DISEASE			
	GVHD (Graft Versus Host Disease)			
	Ischemia / NEC (Necrotizing Entercolitis) Like Syndrome			
	PATIENT NONCOMPLIANCE			
	OTHER SPECIFY			
Other, Specify:				

Diabetes onset during the follow-up period: *	C YES O NO UNK		
Insulin dependent:	C YES O NO UNK		
Most Recent Lab date: *			
Total Bilirubin: <b>≭</b>	mg/dl St=		
Serum Albumin:	mg/dl St=		
Serum Creatinine:*	mg/dl St=		
	Yes, at least one episode treated with anti-rejection agent		
Did patient have any acute rejection episodes during the follow-up	Yes, none treated with additional anti-rejection agent		
period: *	○ No		
	C Unknown		
	6 Biopsy not done		
	Yes, rejection confirmed		
Was biopsy done to confirm acute rejection:	Yes, rejection not confirmed		
	Unknown		
Postransplant Malignancy: *	C YES ONO UNK		
Donor Related:	C YES ONO UNK		
Recurrence of Pre-Tx Tumor:	© YES © NO © UNK		
De Novo Solid Tumor:	C YES ONO UNK		
De Novo Lymphoproliferative disease and Lymphoma:	C YES NO UNK		
Treatment			
Biological or Anti-viral therapy:	☐ YES ☐ NO ☐ Unknown/Cannot disclose		
Biological of Anti-vital therapy.	TES NO S Officiowif Carriot disclose		
	Acyclovir (Zovirax)		
	Cytogam (CMV)		
	Gamimune		
	Gammagard		
	Ganciclovir (Cytovene)		
If Yes, check all that apply:	Valgancyclovir (Valcyte)		
	HBIG (Hepatitis B Immune Globulin)		
	Flu Vaccine (Influenza Virus)		
	Lamivudine (Epivir) (for treatment of Hepatitis B)		
	Valacyclovir (Valtrex)		
	Other, Specify		
Specify:			
Specify:			
Other therapies:	© YES © NO		
	Photopheresis		
If Yes, check all that apply:	Plasmapheresis		
	Total Lymphoid Irradiation (TLI)		
Immunosuppressive Information  Previous Validated Maintenance Follow-Up Medications:			
1.01.003 Validated maintenance i onow-op medications.			
Were any medications given during the follow-up period for maintenance:	Yes, same as previous validated report		
*	Yes, but different than previous validated report		
·			

	C None given						
Did the physician discontinue all maintenance immunosuppressive PYES NO NO							
Did the patient participate in any clinical research protocol for immunosuppressive medications:	C YES NO						
Specify:							
Immunosuppressive Medications							
View Immunosuppressive Medications  View Immunosuppressive Medications							
Definitions Of Immunosuppressive Follow-Up Medications							
For each of the immunosuppressant medications listed, check <b>Previous Maintenance (Prev Maint)</b> , <b>Current Maintenance (Curr Maint)</b> or <b>Anti-rejection (AR)</b> to indicate all medications that were prescribed for the recipient during this follow-up period, and for what reason. If a medication was not given, leave the associated box(es) blank. <b>Previous Maintenance (Prev Maint)</b> includes all immunosuppressive medications given during the report period, which covers the period from the last clinic visit to the current clinic visit, for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes. <b>Current Maintenance (Curr Maint)</b> includes all immunosuppressive medications given at the current clinic visit to begin in the next report for varying periods of time which may be either long-term or intermediate term with a tapering of the dosage until the drug is either eliminated or replaced by another long-term maintenance drug (example: Prednisone, Cyclosporine, Tacrolimus, Mycophenolate Mofetil, Azathioprine, or Rapamycin). This does not include any immunosuppressive medications given to treat rejection episodes. <b>Anti-rejection (AR)</b> immunosuppression includes all immunosuppressive medications given for the purpose of treating an acute rejection episode since the last clinic visit (example: Methylprednisolone, Atgam, OKT3, or Thymoglobulin). When switching maintenance drugs (example: from Tacrolimus to Cyclosporine; or from Mycophenolate Mofetil to Azathioprine) because of rejection, the drugs <u>should</u> to listed under AR immunosuppression, but <u>should</u> be listed under maintenance immunosuppression.							
Note: The Anti-rejection field refers to any anti-rejection medications since the last clinic visit, not just at the time of the current clinic visit.  If an immunosuppressive medication other than those listed is being administered (e.g., new monoclonal antibodies), select Previous Maint, or Current Maint, or AR next to Other Immunosuppressive Medication field, and enter the full name of the medication in the space provided. <b>Do not list non-immunosuppressive medications.</b>							
			0	A.D.			
Steroids (Prednisone, Methylprednisolone, Solumedrol, Medrol, Decadron)		Prev Maint	Curr Maint	AR			
Atgam (ATG)							
OKT3 (Orthoclone, Muromonab)							
Thymoglobulin							
Simulect - Basiliximab							
Zenapax - Daclizumab							
Azathioprine (AZA, Imuran)							
EON (Generic Cyclosporine)							
Gengraf (Abbott Cyclosporine)							
Other generic Cyclosporine, specify brand:							
Neoral (CyA-NOF)							
Sandimmune (Cyclosporine A)							
Mycophenolate Mofetil (MMF, Cellcept, RS61443)							
Tacrolimus (Prograf, FK506)							
Modified Release Tacrolimus FK506E (MR4)							
Sirolimus (RAPA, Rapamycin, Rapamune)							
Myfortic (Mycophenolate Sodium)							
Other Immunosuppressive Medications		Prev Maint	Curr Maint	AR			
Campath - Alemtuzumab (anti-CD52)							
Cyclophosphamide (Cytoxan)							
Leflunomide (LFL, Arava)							
Methotrexate (Folex, PFS, Mexate-AQ, Rheumatrex)							
Other Immunosuppressive Medication, Specify							
Other Immunosuppressive Medication, Specify							
Rituximab		П					
Investigational Immunosuppressive Medications							
23gaeaaeoappressive medications		Prev Maint	Curr Maint	AR			
Everolimus (RAD, Certican)							
FTY 720							