## Records ?

## **Pediatric Post-Transplant Malignancy Worksheet**

The revised worksheet sample is for reference purposes only and is pending OMB approval.

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI<sup>B.</sup> application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI<sup>B.</sup> application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

RECIPIENT INFORMATION	
Recipient name:	Date of birth:
Recipient SSN:	Recipient organ:
TRF:	Follow-up code:
Transplant date:	
Follow-up center::	
Recipient Center:	
DONOR RELATED	
Tumors transmitted from the donor	
Diagnosis date:	
	C Immunosuppression Stopped
Immunosuppression:	C Immunosuppression Reduced
	No Immunosuppression Adjustment
	Primary to the transplanted organ
Tumor type:	Not primary to the transplanted organ
Specify treatment:	
Surgical resection tumor	
Chemotherapy:	
Other specify:	
Radiation	
	G Hormonal Therapy
	C Interferon Alpha
☐ Immunotherapy:	C Prednisone
	C Rituximab
	Other, specify
Other specify:	
Other treatment specify:	
	C Alive, Free of Tumor

Outcome:	Alive with Tumor
	Dead, due to tumor
	Dead, other causes
RECURRENCE OF PRETRANSPLANT MALIGNA	NCY
Type of pre-existing tumor:	
If skin # of occurrences in follow-up period:	
Koda sa sa Balata Okaza Katalan	<b>©</b> В
If Color-rectal, Duke's Classificiation:	<b>○</b> c
	Unknown
If Lymphoma specify type:	
	AML
	C ALL
If Leukemia:	CML
	© CLL
	C Other
If other cancer, specify:	
Treatments of pre-existing tumor:  Treatment date:	
Treatment date.	
	Biopsy
☐ Surgery:	Resection
	Limited Resection; debulking
	Other, specify
Other specify:	
Chemotherapy:	
Other specify:	
Radiation	
Other treatment specify:	
Date of recurrence (post tx):	

Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
	☐ Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Treatments of recurrent tumor:	
	Biopsy
Полит	Resection
Surgery:	<ul> <li>Limited Resection; debulking</li> </ul>
	C Other, specify
Other specify:	
Chemotherapy:	
Other specify:	
Radiation	
	Hormonal Therapy
	<ul><li>Interferon Alpha</li></ul>
☐ Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Other treatment specify:	
	Alive, Free of Tumor
Outcome:	C Alive with Tumor
outcome.	C Dead, due to tumor
	C Dead, other causes
POST TRANSPLANT DE NOVO SOLID TUMOR	
Select one or more tumor types:	
Skin, squamous cell:	
Sites: Single Multiple	

Spread:	None Nodes Othe	er:
# of Occurrences:	Statu	tus:
Treatment Information:		
Site(s) affected:		
Primary organ		Regional lymph nodes
Adjacent organs		Distant metastases
Diagnosis date:		
		Immunosuppression Stopped
Immunosuppression:		Immunosuppression Reduced
		No Immunosuppression Adjustment
Specify treatment:		
		Biopsy
_		Resection
Surgery:		C Limited Resection; debulking
		Other, specify
Other specify:		
Cryotherapy (skin c	ancer)	
Chemotherapy:		
Other specify:		
		<ul> <li>Hormonal Therapy</li> </ul>
		C Interferon Alpha
Immunotherapy:		Prednisone
		C Rituximab
		Other, specify
Other specify:		
Radiation		
Other treatment:		
		Progressive disease (PD)
		Partial response (PR)
Best treatment respon	ise:	No treatment (NT)
		Too early in treatment to evaluate (TE)

	Stable disease (SD)
	Complete response (CR)
	Complete responds (city
Skin, basal cell:	
Sites: Single Multiple	
Site Location: Lips/Head/Neck Extren	nities Trunk
Spread: None Nodes Other	
# of Occurrences: Status	s:
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	C Immunosuppression Stopped
Immunosuppression:	C Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	© Biopsy
	© Resection
Surgery:	C Limited Resection; debulking
	C Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	C Hormonal Therapy
	C Interferon Alpha
Immunotherapy:	© Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	

Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	C Too early in treatment to evaluate (TE)
	C Stable disease (SD)
	Complete response (CR)
☐ Skin, melanoma:	
Sites: Single Multiple	
Site Location: Lips/Head/Neck Extren	nities T Trunk
Spread: None Nodes Other	
# of Occurrences: Status	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	☐ Immunosuppression Stopped
Immunosuppression:	☐ Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	© Biopsy
	Resection
Surgery:	C Limited Resection; debulking
	C Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	C Hormonal Therapy

☐ Immunotherapy:	Interferon Alpha
	Prednisone
	Rituximab
	Cother, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
_	
Kaposi's sarcoma: cutaneous:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	© Biopsy
_	Resection
☐ Surgery:	Limited Resection; debulking
	Cother, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	

☐ Immunotherapy:	Hormonal Therapy
	Interferon Alpha
	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
Best treatment response:	Progressive disease (PD) Partial response (PR)
	No treatment (NT)
	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
☐ Kaposi's sarcoma: visceral:  Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
☐ Surgery:	Biopsy
	Resection
	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	

Other specify:	
	← Hormonal Therapy
☐ Immunotherapy:	Interferon Alpha
	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
	Astrocytoma
	Medulloblastoma
	Glioblastoma Multiforme
	<ul> <li>Neuroblastoma</li> </ul>
Brain:	Meningioma, Malignant
	Meningioma,Benign
	<ul><li>Angioblastoma</li></ul>
	Other Specify
Other specify:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	C Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced

	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
☐ Surgery:	Resection
	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	Interferon Alpha
☐ Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
Renal carcinoma - specify site(s):	
Renal carcinoma:	
Freatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	

Immunosuppression:	Immunosuppression Stopped
	Mmunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
	Resection
☐ Surgery:	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	Interferon Alpha
☐ Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
☐ Carcinoma of vulva, perineum or penis, scrotum:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases

Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Mmunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
_	Resection
☐ Surgery:	Limited Resection; debulking
	C Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	<ul> <li>Hormonal Therapy</li> </ul>
	C Interferon Alpha
☐ Immunotherapy:	C Prednisone
	Rituximab
	Cother, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
Part to a transfer of the same	No treatment (NT)
Best treatment response:	Coo early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
	Cervix, invasive
Carcinoma of the uterus:	Cervix, in situ
	Body, endometrium
Treatment Information:	

Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
	Resection
Surgery:	<ul> <li>Limited Resection; debulking</li> </ul>
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	← Hormonal Therapy
	<ul><li>Interferon Alpha</li></ul>
Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
Post treatment recovered	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)

Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	C Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	© Biopsy
_	Resection
Surgery:	C Limited Resection; debulking
	Cother, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	C Hormonal Therapy
	Interferon Alpha
☐ Immunotherapy:	Prednisone
	© Rituximab
	Cother, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)

Testicular:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
Immunosuppression:	<ul><li>Immunosuppression Stopped</li><li>Immunosuppression Reduced</li><li>No Immunosuppression Adjustment</li></ul>
Specify treatment:	
Surgery:	<ul><li>Biopsy</li><li>Resection</li><li>Limited Resection; debulking</li><li>Other, specify</li></ul>
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
☐ Immunotherapy:	<ul><li>Hormonal Therapy</li><li>Interferon Alpha</li><li>Prednisone</li><li>Rituximab</li><li>Other, specify</li></ul>
Other specify:	
Radiation	
Other treatment:	
Best treatment response:	Progressive disease (PD) Partial response (PR) No treatment (NT) Too early in treatment to evaluate (TE) Stable disease (SD)

Co Co	mplete	response	(CR)
-------	--------	----------	------

Esophagus:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
opeony treatment.	
	Biopsy
☐ Surgery:	Resection
	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	C Interferon Alpha
Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
Best treatment response:	No treatment (NT)
	Too early in treatment to evaluate (TE)
	- 100 earry in treatment to evaluate (12)

	Stable disease (SD)
	Complete response (CR)
Stomach:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
_	Resection
Surgery:	Limited Resection; debulking
	C Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	← Hormonal Therapy
	Interferon Alpha
Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)

	Coo early in treatment to evaluate (TE)
Best treatment response:	Stable disease (SD)
	Complete response (CR)
☐ Small intestine:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	C Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
_	Resection
Surgery:	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	← Hormonal Therapy
	☐ Interferon Alpha
☐ Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)

Best treatment response:	No treatment (NT)  Too early in treatment to evaluate (TE)  Stable disease (SD)  Complete response (CR)
Pancreas:	
Treatment Information:	
Site(s) affected:	
☐ Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
	Resection
☐ Surgery:	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	Interferon Alpha
☐ Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)

	Partial response (PR)
Best treatment response:	No treatment (NT)
	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
☐ Larynx:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	☐ Immunosuppression Stopped
Immunosuppression:	☐ Immunosuppression Reduced
	No Immunosuppression Adjustment
	To minute suppression Augustinent
Specify treatment:	
	Biopsy
Surgery:	Resection
, ourgory.	C Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	Interferon Alpha
☐ Immunotherapy:	Prednisone
i illinunoutorapy.	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	

	Progressive disease (PD)
	Partial response (PR)
Best treatment response:	No treatment (NT)
best treatment response.	<ul> <li>Too early in treatment to evaluate (TE)</li> </ul>
	Stable disease (SD)
	Complete response (CR)
☐ Tongue, throat:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
Immunosuppression:	☐ Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
Specify treatment:	
	Biopsy
☐ Surgery:	Resection
	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	Interferon Alpha
Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	

Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
Thyroid:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Resection
Surgery:	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	← Hormonal Therapy
	Interferon Alpha
Immunotherapy:	© Prednisone
	© Rituximab
	Other, specify
Other specify:	,,
omer specify.	

Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
Best treatment response:	No treatment (NT)
Best treatment response.	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
☐ Bladder:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
Immunosuppression:	Immunosuppression Reduced
	<ul> <li>No Immunosuppression Adjustment</li> </ul>
Specify treatment:	
	Biopsy
_	Resection
Surgery:	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	C Interferon Alpha
Immunotherapy:	Prednisone
	Rituximab
	Other, specify

Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
Best treatment response:	No treatment (NT)
	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
☐ Breast:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	6 Biopsy
_	Resection
Surgery:	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	← Hormonal Therapy
	<ul> <li>Interferon Alpha</li> </ul>
☐ Immunotherapy:	Prednisone
	Rituximab

	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
☐ Prostate:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	☐ Immunosuppression Stopped
Immunosuppression:	Mmunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
_	Resection
☐ Surgery:	C Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
☐ Immunotherapy:	<ul><li>Interferon Alpha</li></ul>
	Prednisone

	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
	Dukes classification:
Colo-rectal:	<b>©</b> В
	<b>○</b> C
	Unknown
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	☐ Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
Е.	Resection
Surgery:	<ul> <li>Limited Resection; debulking</li> </ul>
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	

Chemotherapy:	
Other specify:	
	<ul> <li>Hormonal Therapy</li> </ul>
	Interferon Alpha
☐ Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
☐ Primary hepatic tumor:	
	☐ Hepatocellular Carcinoma
	Cholangiocarcinoma
	Epithelioid-Hemangio-Endothelioma
Specify type:	☐ Hepatoblastoma
	☐ Hemangiosarcoma
	Other
Other specify:	
Treatment Information:	
Site(s) affected:	
☐ Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	C Immunosuppression Reduced

	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
	Resection
☐ Surgery:	Limited Resection; debulking
	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	Interferon Alpha
☐ Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Progressive disease (PD)  Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
	Complete response (CK)
Metastatic liver tumor:	
	Stomach Adenocarcinoma
	Colon Adenocarcinoma
Specify original site:	Breast Carcinoma
opeony original site.	Pancreas Carcinoma
	Bronchial Carcinoma

	Carcinoid (Neuroendocrine)
	<b>Other</b>
Other specify:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	<ul> <li>No Immunosuppression Adjustment</li> </ul>
Specify treatment:	
	Biopsy
_	Resection
Surgery:	Limited Resection; debulking
	C Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	<ul> <li>Hormonal Therapy</li> </ul>
	Interferon Alpha
☐ Immunotherapy:	C Prednisone
	Rituximab
	Cother, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
Best treatment response:	Partial response (PR)
	No treatment (NT)

	Too early in treatment to evaluate (TE)
	C Stable disease (SD)
	Complete response (CR)
Lung:	Small cell Non-small cell
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	C Immunosuppression Stopped
Immunosuppression:	C Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	© Biopsy
_	Resection
Surgery:	C Limited Resection; debulking
	C Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Mormonal Therapy
	C Interferon Alpha
Immunotherapy:	Prednisone
	C Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)

	Partial response (PR)
	No treatment (NT)
Best treatment response:	C Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
	AML
	© ALL
	© MDS
Leukemia:	© CML
	© CLL
	Other
Treatment Information:	
Site(s) affected:	
☐ Primary organ	Regional lymph nodes
Adjacent organs	Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	■ Biopsy
Полит	Resection
Surgery:	Limited Resection; debulking
	Cother, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
Immunotherapy:	☐ Interferon Alpha

	© Prednisone
	Rituximab
	C Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
Sarcomas:	
Site(s):	
Specify type:	
Other specify:	
Treatment Information:	
Site(s) affected:	
☐ Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
	I Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	© Biopsy
_	© Resection
Surgery:	Limited Resection; debulking
	Cother, specify
Other specify:	
Cryotherapy (skin cancer)	
,	

Chemotherapy:	
Other specify:	
	<ul><li>Hormonal Therapy</li></ul>
	Interferon Alpha
Immunotherapy:	Prednisone
	Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
Bestferedesenter	No treatment (NT)
Best treatment response:	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
Other cancers:	
Site(s):	
Site(s):	
Site(s): Specify type:	
Site(s): Specify type: Treatment Information:	Regional lymph nodes
Site(s): Specify type: Treatment Information: Site(s) affected:	Regional lymph nodes  Distant metastases
Site(s):  Specify type:  Treatment Information:  Site(s) affected:  Primary organ	
Site(s): Specify type: Treatment Information: Site(s) affected:  Primary organ  Adjacent organs	
Site(s): Specify type: Treatment Information: Site(s) affected:  Primary organ  Adjacent organs	Distant metastases
Site(s): Specify type: Treatment Information: Site(s) affected: Primary organ Adjacent organs Diagnosis date:	Distant metastases  Immunosuppression Stopped
Site(s): Specify type: Treatment Information: Site(s) affected: Primary organ Adjacent organs Diagnosis date:	☐ Distant metastases ☐ Immunosuppression Stopped ☐ Immunosuppression Reduced
Site(s): Specify type:  Treatment Information: Site(s) affected:  Primary organ Adjacent organs Diagnosis date:  Immunosuppression:	☐ Distant metastases ☐ Immunosuppression Stopped ☐ Immunosuppression Reduced
Site(s): Specify type:  Treatment Information: Site(s) affected:  Primary organ Adjacent organs Diagnosis date:  Immunosuppression:	<ul> <li>Distant metastases</li> <li>Immunosuppression Stopped</li> <li>Immunosuppression Reduced</li> <li>No Immunosuppression Adjustment</li> </ul>

	Other, specify
Other specify:	
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
	Hormonal Therapy
	C Interferon Alpha
☐ Immunotherapy:	Prednisone
	C Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Progressive disease (PD)  Partial response (PR)
	No treatment (NT)
Best treatment response:	
	Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
Primary unknown:	
Treatment Information:	
Site(s) affected:	
Primary organ	Regional lymph nodes
Adjacent organs	☐ Distant metastases
Diagnosis date:	
	Immunosuppression Stopped
Immunosuppression:	Immunosuppression Reduced
	No Immunosuppression Adjustment
Specify treatment:	
	Biopsy
	Resection

☐ Surgery:	<ul><li>Limited Resection; debulking</li><li>Other, specify</li></ul>
Other specify:	Other, specify
Cryotherapy (skin cancer)	
Chemotherapy:	
Other specify:	
cand. openly.	
	Hormonal Therapy
_	Interferon Alpha
☐ Immunotherapy:	Prednisone
	C Rituximab
	Other, specify
Other specify:	
Radiation	
Other treatment:	
	Progressive disease (PD)
	Partial response (PR)
	No treatment (NT)
Best treatment response:	C Too early in treatment to evaluate (TE)
	Stable disease (SD)
	Complete response (CR)
	C Alive, Free of Tumor
Outcome:	C Alive with Tumor
outcome.	C Dead, due to tumor
	C Dead, other causes
POST TX LYMPHOPROLIFERATIVE DISEASE AN	ID I VMDHOMA
Diagnosis date:	ID LYWIPHOWA
	Polymorphic Hyperplasia
Pathology:	Polymorphic PTLD(lymphoma)
	Monomorphic PTLD(lymphoma)
	Mutiple Myeloma, Plasmacytoma

	Cother, Specify
Other Specify:	
	Monoclonal
Clonality:	© Polyclonal
	© Oligoclonal
	Unknown
Predominant cell type:	© B Cell
	C T Cell
	Other Specify
	C Unknown
Other specify:	
Epstein-Barr virus (EBV) status of tumor:	EBV positive EBV negative Unknown
Anatomy:	Single site Multiple sites
Lymph Nodes:	O YES O NO
Gastrointestinal	Allograft
☐ Stomach	Lung
Small intestine	Bone marrow
Colon	CNS
	Liver
Other specify:	
Ann Arbor stage:	C   C    C    C  V C Unknown
PTLD Treatment	
Abbreviations: PD-Progressive disease PR=Partial response SD-Stable disease CR-Complete response	
1. Reduction/Cessation of immunosuppression:	C YES NO
Best response:	PD SD PR CCR
2. Surgery	

	© Biopsy
	© Resection
Туре:	C Limited Resection; debulking
	No Surgery
	Other, specify
Other specify:	
Best response:	PD SD PR CCR
3. Anti-viral therapy:	© YES © NO
	C Acyclovir
Drug 1:	Cytogam
	Cytovene
	Foscarnet
Didg 1.	Ganciclovir
	C IVIG
	C Valtrex
	Other, specify
Other specify:	
Best response:	PD SD PR CR
	C Acyclovir
Drug 2:	Cytogam
	Cytovene
	Foscarnet
51dg 2.	Ganciclovir
	C IVIG
	C Valtrex
	C Other, specify
Other specify:	
Best response:	PD SD PR CR
4. Chemotherapy:	C YES NO

Drug/Regimen 1:	
Other specify:	
Best response:	PD SD PR CCR
Drug/Regimen 2:	
Other specify:	
Best response:	PD SD PR CCR
5. Radiation therapy:	C YES NO
Best Response:	O PD O SD O PR O CR
6. Immunotherapy:	C YES NO
	C Hormonal Therapy
	C Interferon Alpha
Туре:	Prednisone
	Rituximab
	Cother, specify
Other specify:	
Best response:	C PD C SD C PR C CR