Attachment B

National Youth Fitness Survey Questionnaires and Data Collection Forms

OMB No. 0920-0237

Exp. Date Nov. 30, 2012

Assurance of Confidentiality – All information which would permit identification of an individual, a practice, or an establishment will be held confidential, will be used only by NCHS staff, contractors, and agents only when required and with necessary controls, and will not be disclosed or released to other persons without the consent of the individual or establishment in accordance with section 308(d) of the Public Health Service Act (42 USC 242m) and the Confidential Information Protection and Statistical Efficiency Act (PL-107-347). By law, every employee as well as every agent has taken an oath and is subject to a jail term of up to five years, a fine of up to \$250,000, or both if he or she willfully discloses ANY identifiable information about you.

NOTICE-Public reporting burden of this collection of information is estimated to average 2.5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road, MS D-74, Atlanta, GA 30333. ATTN: PRA (0920-0237).

QUESTIONNAIRE TABLE OF CONTENTS

SECTIONS						P A G E S
SCREENER QUES						3
SCREENER	MODULE		#1		(SCQ)	4
FAMILY RELATION	NSHIP QUES	TIONNAIR				21
SCREENER	MODULE		#2		(SFQ)	22
SAMPLE QUESTIONNAIRE				PI	ERSON	37
RESPONDENT	S	SELECTION			(RIQ)	38
EARLY	CHILL				(ECQ)	43
HOSPITAL UTILIZA		ACCESS	ТО	CARE	(HUQ)	45
PHYSICAL	FUN				(PFQ)	46
MEDICAL	CON				(MCQ)	48
DIABETES					(DIQ)	50
RESPIRATORY	HEALTH	AND	DISEA	SE	(RDQ)	52
PHYSICAL ACTIVITY			S (PAQ)) (3-11	YEARS)	53

PHYSICAL	ACTIVITY AND PHYS	ICAL FITNESS (PA	Q)(12-15 YEARS)	59
	BEHAVIOR		(DBQ)	72
ACCULTUR	ATION		(ACQ)	75
DEMOGRAI			(DMQ)	79
HEALTH		SURANCE	(HIQ)	88
DIETARY	SUPPLEMENTS	AND ANTA		90
MAILING	AI	DDRESS	(MAQ)	12 1
FAMILY	NNAIRE			12 4
DEMOGRAI	PHICS		(DMQ)	12 5
INCOME			(INQ)	12 8
 MEC DAT	A COLLECTION			13

SCREENER QUESTIONNAIRE

Questionnaire: Screener Target Group: Household

NYFS SCREENER MODULE HOUSEHOLD ENUMERATION QUESTIONS

SCQ INTR

Hello, I'm {INTERVIEWER'S NAME} and we are conducting a survey for the Centers for Disease Control and Prevention (CDC).

SHOW ID CARD.

A letter was sent to you recently explaining a survey which is called the National Health and Nutrition Examination Survey and is about your family's health.

IF RESIDENT DOES NOT REMEMBER LETTER, HAND NEW COPY.

All the information that you give us is voluntary and will be kept in the strictest confidence. Your name will not be attached to any of your answers without your specific permission.

HELP SCREEN:

Information will be collected under authority of Section 306 of the Public Health Service Act (42 USC 242k) with a guarantee of strict confidence. Federal law (Section 308(d) of the Public Health Service Act (42 USC 242m), the Privacy Act of 1974 (5 USC 552a) and the Confidential Information Protection Act http://aspe.hhs.gov/datacncl/privacy/titleV.pdf,) forbids us to release any information that identifies you or your family to anyone, for any purpose, without your consent. These laws carry stiff fines (up to \$250,000) and a jail term if we violate your privacy. Public reporting burden for this collection of information is estimated to average 6.7 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC/ATSDR Reports Clearance Officer; 1600 Clifton Road, MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0237).

SCQ.070a I would like to verify your address. Please give me your complete address.

{#} {DIRECTION} {STREET NAME} {STREET/ROAD/AVENUE} {DIRECTION} {#} {PO BOX} {RURAL ROUTE #} {RURAL ROUTE BOX} {CITY} {STATE} { ZIP}

 NO (WRONG ADDRESS)......
 1 (SCQ_END5)

 YES (CORRECTIONS).......
 2 (SCQ.070b)

 YES........
 3 (SCQ.090)

SCQ.070b I would like to verify your address. Please give me your complete address.

{ADDITIONAL ADDRESS LINE}
{#} {DIRECTION} {STREET NAME} {STREET/ROAD/AVENUE} {DIRECTION}
{UNIT/APT/BLDG} {UNIT #} {PO BOX} {RURAL ROUTE #} {RURAL ROUTE BOX}
{CITY} {STATE} { ZIP}-{ZIP-4}

CAPI INSTRUCTIONS: DISPLAY THE ADDRESS COLUMNS LISTED ABOVE AND ALLOW THE INTERVIEWER TO MAKE CORRECTIONS AS NEEDED. ONCE THE INTERVIEWER IS DONE, SHE WILL PRESS THE NEXT KEY TO CONTINUE.

	THE FIELD	FOR STATE MAY NOT BE U	JPDATED.		
	IF SCQ.070	DA = 2 AND NONE OF T NSE TO SCQ.070A = 3 (YES	THE ADDRESS FIEL		DIFIED, AUTO-
SCQ.090	To begin, how many peo somewhere else.	pple live in this household?	Please do not inclu	ıde anyone wh	o usually lives
		NUMBER			
		DK RF			
SCQ.130		Il of the persons living here? ents this home. (Please re		•	
	PROBE: Any others?				
	FIRST	MIDDLE	LAST	SUFFIX	GENDER
		DK RF		9 7	

CAPI INSTRUCTIONS: WHEN THE FOCUS IS ON THE "GENDER" FIELD, DISPLAY:

ASK IF NOT OBVIOUS: Is {NAME} male or female?

MALE	1
FEMALE	2
DK	9
RF	7

CAPI INSTRUCTIONS:

HARD EDIT: IF FOCUS IS SHIFTED FROM THE "GENDER" FIELD AND NO ENTRY HAS BEEN MADE FOR GENDER, DISPLAY THE FOLLOWING HARD EDIT:

"REQUIRED VALUE MISSING FOR GENDER IN ROW {ROW IN WHICH GENDER IS MISSING}. PLEASE ENTER A VALUE."

SOFT EDIT: THE FIRST TIME DK OR RF IS ENTERED FOR GENDER, DISPLAY THE FOLLOWING:

"A MISSING VALUE HERE MAY RESULT IN INCONCLUSIVE SAMPLING. PLEASE RE-ENTER THE VALUE TO CONFIRM." $\,$

ACCEPT THE SECOND ENTRY.

ENSURE THAT EACH NAME (COMBINATION OF FIRST, MIDDLE, LAST, SUFFIX) IS UNIQUE WITHIN THE HOUSEHOLD. IF A DUPLICATE NAME IS ENTERED, DISPLAY THE FOLLOWING HARD EDIT, "NAMES MUST BE UNIQUE. PERSONS # AND # HAVE IDENTICAL NAMES RECORDED. CORRECT THE ERROR TO CONTINUE."

SCQ.145 I have {TOTAL # OF PERSONS ENUMERATED} {person/people} living here --

[READ NAMES LISTED BELOW.]

FIRST	MIDDLE	LAST	SUFFIX	GENDER	

SCQ.150

Have I missed . . .

SCQ.150 . . . any babies or small children?

SCQ.160 ... any lodgers, boarders, or persons in your employ who live here? SCQ.170 ... anyone who usually lives here but is now away from home?

SCQ.180 ... anyone else living or staying here?

YES	1	(SCQ.150N, 160N, 170N, 180N)
NO	2	(SCQ.190)
DK	9	(SCQ.190)
RF	7	(SCQ.190)

CAPI INSTRUCTIONS: THE SWEEP QUESTIONS (SCQ.150, 160, 170 AND 180) SHOULD BE DISPLAYED ON A SINGLE SCREEN. A "YES" RESPONSE TO A SWEEP QUESTION BRINGS UP THE HOUSEHOLD COMPOSITION MATRIX. BY CLICKING ON THE "INSERT ROW" BUTTON ON THIS SCREEN, A NEW ROW APPEARS FOR ENTRY OF NAME AND GENDER.

UPON EXITING THE NAME/GENDER SCREEN, THE CURSOR SHOULD RETURN TO THE SCREEN OF SWEEP QUESTIONS WITH THE CURSOR RESIDING ON THE NEXT LINE (QUESTION) THAT REQUIRES AN ANSWER.

IF ALL THE QUESTIONS HAVE BEEN ANSWERED, GO TO SCQ.190.

SCQ.150N	[Have I missed any babies or small children?] (What are their names?) PROBE: Is (he/she) a "Junior", "Senior", "the 3rd" or something like that? (What is that?) PROBE: Any others?								
	FIRST	MIDDLE	LAST	SUFFIX	GENDER				
		=							
	C	API INSTRUCTIONS: IF THE	FOCUS IS ON THE GE	NDER FIELD, DISF	PLAY:				
	ASŁ	FEMALE DK	emale?	2 9					
SCQ.160N	[Have I missed a PROBE: Any otl	any lodgers, boarders, or perso hers?	ns in your employ who l	ive here?] (What are	e their names?)				
	FIRST	MIDDLE	LAST	SUFFIX	GENDER				
	CAPI INSTRUCTIONS: IF THE FOCUS IS ON THE GENDER FIELD, DISPLAY:								
	ASh	FEMALE DK	emale?	2 9					

SCQ.170N	[Have I missed a PROBE: Any of	anyone who usually lives here bu thers?	t is now away from ho	ome?] (What are the	ir names?)
	FIRST	MIDDLE	 LAST	SUFFIX	GENDER
		DK		9	
		RF		7	
		API INSTRUCTIONS: IF THE FO	OCUS IS ON THE GEI	NDER FIELD, DISP	LAY:
	AS	K IF NOT OBVIOUS:			
		Is {NAME} male or fer			
		MALE		1	
		FEMALE		2	
		DK		9	
		RF		7	

SCQ.180N	[Have I missed anyone else living or staying here?] (What are their names?) PROBE: Any others?							
	FIRST		LAST		GENDER			
	C	API INSTRUCTIONS: IF THE	FOCUS IS ON THE GEN	IDER FIELD, DISPL	.AY:			
	ASK	(IF NOT OBVIOUS: Is {NAME} male or MALE	female?	1				
		DK		9				
SCQ.190	[VERIFY HOUSE	EHOLD MEMBERS BY READ	ING NAMES LISTED BE	LOW.]				
	FIRST	MIDDLE	 LAST	SUFFIX	GENDER			
	CAPI INSTRUCTIONS: THE APPLICATION SHOULD ALLOW THE INTERVIEWER TO ADD OR DELETE NAMES OR ROWS FROM THE HH COMPOSITION MATRIX, AS NECESSARY, BASED ON RESPONDENT'S CONFIRMATION OF THE PERSONS WHO HAVE BEEN ENUMERATED.							
	BOX 1							
	CHECK ITEM SCQ.191: APPLY THE SAMPLING ALGORITHM. IF NO PERSON IN THE HOUSEHOLD IS "POTENTIALLY ELIGIBLE" FOR THE STUDY BASED ON SAMPLING MESSAGES FOR GENDER GO TO SCQ.430; ELSE							
	GO ТО ВОХ	2.						
SCQ.195	Do {you/any of th	ne persons in this household}	have a home anywhere e	else?				
	STUDENTS LIVE	NG AWAY AT SCHOOL ARE	CONSIDERED TO HAV	E A HOME SOMEV	VHERE ELSE.			
				, ,	-			

SCQ.200 (Who is that?)

SELECT MEMBERS WITH HOME ELSEWHERE.

Name Other Home

CAPI INSTRUCTIONS: DISPLAY FIRST AND LAST NAMES OF ALL PERSONS LISTED ON THE HOUSEHOLD COMPOSITION MATRIX.

PROBE: Anyone else?

CAPI INSTRUCTIONS: THE DEFAULT FILL FOR THE "OTHER HOME" COLUMN IS "NO". HOWEVER, THE DEFAULT CAN BE TOGGLED TO "YES" BY MOVING THE CURSOR TO THE "OTHER HOME" CELL ASSOCIATED WITH THE PERSON WHO HAS A SECOND RESIDENCE, AND SELECTING "YES".

IF NONE OF THE "OTHER HOME" CELLS HAVE BEEN SET TO "YES", DISPLAY THE FOLLOWING BOX:

". You did NOT select any HH member living in another place.

Button 1: Go back and select a person

Button 2: No one living elsewhere

...

IF BUTTON #1 IS SELECTED, RETURN TO SCQ.200. IF BUTTON #2 IS SELECTED, AUTO-BACKCODE THE RESPONSE TO SCQ.195 TO "NO" AND PROCEED TO SCQ.220.

SCQ.210 Where {do you/does {NAME}} usually live and sleep; here or somewhere else?

Name Live Here

CAPI INSTRUCTIONS: DISPLAY "NAME" AND "LIVE HERE" COLUMNS. THE ANSWER CATEGORIES FOR THE LIVE HERE COLUMN ARE "HERE" (1), "SOMEWHERE ELSE" (2), "DK" (9), AND "RF" (7)

HERE	1
SOMEWHERE ELSE	2
DK	9
RF	7

CAPI INSTRUCTIONS: IF "1", "9", OR "7" IS SELECTED, LEAVE THE PERSON ON THE HH COMPOSITION MATRIX; ELSE

IF "2" IS SELECTED AND THIS IS A SINGLE PERSON HOUSEHOLD, OR IF "2" HAS BEEN SELECTED FOR ALL HOUSEHOLD MEMBERS, THE HOUSEHOLD IS "INELIGIBLE" AND THE SCREENER IS TERMINATED AFTER THE COLLECTION OF THE TELEPHONE NUMBER (SCQ.430); ELSE

IF "2" IS SELECTED FOR AT LEAST ONE PERSON AND THE HOUSEHOLD IS MORE THAN A SINGLE PERSON HOUSEHOLD AND "2" HAS **NOT** BEEN SELECTED FOR **ALL** MEMBERS OF THE HH, SET A FLAG TO INDICATE THIS PERSON'S PERMANENT RESIDENCE WAS SOMEWHERE ELSE.

THE FLAG IS AN INDICATION THAT ON ALL FUTURE DISPLAYS OF THE HH COMPOSITION MATRIX, THIS PERSON (AND ALL PERSON-LEVEL DATA) WILL NOT BE DISPLAYED.

IF THE REFERENCE PERSON IS NOT ELIGIBLE TO BE THE REFERENCE PERSON BASED ON WHERE S/HE USUALLY LIVES, IDENTIFICATION OF A NEW REFERENCE PERSON IS REQUIRED. RE-APPLY THE REFERENCE PERSON EDIT LOGIC TO IDENTIFY THE REFERENCE PERSON AS THE FIRST PERSON ON THE ENUMEARATION TABLE WHO IS \geq 18 YEARS OLD; ELSE

IF NO ONE ON THE ENUMBERATION TABLE IS AGE 18 OR OLDER, IDENTIFY THE REFERENCE PERSON AS THE OLDEST PERSON IN THE HOUSEHOLD FOR WHOM THIS IS THE PRIMARY RESIDENCE.

SCQ.250 THESE ARE THE MEMBERS OF THE DU WHO HAVE BEEN LISTED AS HH MEMBERS.

{NAME GENDER}

BOX 3A

CHECK ITEM SCQ.256:

ASK SCQ.290 THROUGH SCQ.301 FOR EACH PERSON ON HH ROSTER.

SCQ.290 What is {your/{NAME}'s} birthdate?

CAPI INSTRUCTIONS: IF DATE OF BIRTH IS SPECIFIED, CALCULATE AGE AND POST IN THE "AGE" CELL FOR THE APPROPRIATE PERSON WITH THE CURSOR RESIDING IN THAT CELL AND SCQ.291 DISPLAYED ABOVE THE HH COMPOSITION MATRIX; ELSE

GO TO SCQ.292.

SCQ.291 So {you are/{NAME} is} {AGE AS CALCULATED FROM DOB}?

IF NECESSARY, RE-ENTER CORRECT AGE.

CAPI INSTRUCTIONS: IF AGE IS RE-ENTERED BY THE INTERVIEWER, THE APPLICATION SHOULD ADJUST DOB YEAR IF VALID VALUES FOR DOB MONTH AND DAY EXIST. IF DOB MONTH, DAY AND YEAR ARE RF OR DK, DO **NOT** BACK-FILL THE DOB YEAR BASED ON THE ENTERED AGE.

SCQ.292 How old {are you/is {NAME}}?

IF AGE IS LESS THAN 12 MONTHS, ENTER 0.

SCQ.300 About how old {are you/is {NAME}}?

DISPLAY AGE RANGES

CAPI INSTRUCTIONS: DISPLAY QUESTION TEXT ABOVE THE HH COMPOSITION MATRIX WITH THE CURSOR RESIDING IN THE "AGE RANGE" CELL ON THE MATRIX.

AGE RANGES TO BE COMPLETED LATER

DISPLAY THE FOLLOWING SOFT EDIT THE FIRST TIME A DK OR RF IS ENTERED. ACCEPT THE SECOND ENTRY.

"A missing value here may result in inconclusive sampling. Please re-enter the value to confirm."

ACCEPT THE SECOND ENTRY.

SCQ.301 WARNING: REVIEW AGE FOR EACH PERSON! SAMPLING ALGORITHM WILL BE APPLIED.

{NAME AGE RANGE}

CAPI INSTRUCTIONS: DISPLAY NAME AND AGE AS DETERMINED AT SCQ291, SCQ292, OR SCQ300 FOR EACH ENUMERATED PERSON. INTERVIEWER MAY BACK-UP TO CORRECT.

BOX 5

CHECK ITEM SCQ.303:

APPLY THE SAMPLING ALGORITHM. IF NO PERSON IN THE HOUSEHOLD IS ELIGIBLE FOR THE STUDY BASED ON SAMPLING MESSAGES FOR AGE AND GENDER, GO TO SCQ.430; ELSE

CONTINUE.

SCQ.260 [Do you/Does NAME] consider [yourself/himself/herself] to be Hispanic or Latino?

READ IF NECESSARY: Where do {your/his/her} ancestors come from?
Puerto Rican
Cuban/Cuban American
Dominican (Republic)
Mexican/Mexican American
Central/South American
Other Latin American
Other Hispanic or Latino

HELP SCREEN:

SPANISH, HISPANIC OR LATINO PEOPLE MAY BE OF ANY RACE. LISTED BELOW ARE HISPANIC OR LATINO CATEGORIES/COUNTRIES.

MEXICAN

PUERTO RICAN

CUBAN

DOMINICAN REPUBLIC

CENTRAL AMERICAN:

COSTA RICAN

GUATEMALAN

HONDURAN

NICARAGUAN

PANAMANIAN

SALVADORAN

OTHER CENTRAL AMERICAN

SOUTH AMERICAN:

ARGENTINEAN

BOLIVIAN

CHILEAN

COLOMBIAN

ECUADORIAN

PARAGUAYAN

PERUVIAN

URUGUAYAN

VENEZUELAN

OTHER SOUTH AMERICAN

OTHER HISPANIC OR LATINO:

SPANIARD

SPANISH

SPANISH AMERICAN

BOX 3B

CHECK ITEM SCQ.265:

CYCLE THROUGH SCQ.270 FOR EACH PERSON LISTED ON HH ROSTER.

SCQ.270 HAND CARD #1

Please look at the categories on this card. What race or races do you consider {yourself/NAME} to be? Please select one or more.

CHECK ALL THAT APPLY.

AMERICAN INDIAN OR ALASKAN NATIVE.	1
ASIAN	2
BLACK OR AFRICAN AMERICAN	3
NATIVE HAWAIIAN OR PACIFIC ISLANDER	4
WHITE	5
OTHER	6
DK	9
RF	7

BOX 3C

CHECK ITEM SCQ.270A:

ASK FOR NEXT PERSON. IF NO NEXT PERSON, CONTINUE WITH BOX 3D.

BOX 3D

CHECK ITEM SCQ.270B:

CYCLE THROUGH BOX 3E THROUGH SCQ.280 FOR EACH PERSON ON HH ROSTER.

BOX 3E

CHECK ITEM SCQ.270C:

CHECK SCQ.260 FOR EACH PERSON. IF PERSON LISTED AS ${f NOT}$ HISPANIC (CODE 2), CONTINUE.

OTHERWISE, SKIP TO BOX 3H.

BOX 3F

CHECK ITEM SCQ.270D:

CHECK SCQ.270 – IF ANY PERSON'S RACE = CODE 6 (OTHER) AND DOES **NOT** = CODE 2 OR CODE 3 (ASIAN OR BLACK), CONTINUE.
OTHERWISE, SKIP TO BOX 3H.

BOX 3G

CHECK ITEM SCQ.270E:

ASK QUESTION SCQ.280 FOR EACH PERSON ON HH ROSTER WHO MEET THE CRITERIA SPECIFIED IN BOXES 3E AND 3F (CODE 2 IN SCQ.260 AND CODE 6 ALONE OR WITH CODE 1, 4 OR 5 IN SCQ.270.

SCQ.280

Do any of the groups on this card represent {your/NAME's} national origin or ancestry?

HAND CARD #2

SCQ.282

CAPI INSTRUCTION: ADD CODE #2 (ASIAN) AS RACE IN SCQ.270.

BOX 3H

CHECK ITEM SCQ.282A:

CYCLE THROUGH BOX 3D – SCQ.280 FOR NEXT PERSON. IF NO NEXT PERSON, CONTINUE.

SCQ.370 THIS HOUSEHOLD HAS ELIGIBLE SURVEY PARTICIPANTS.

THE ELIGIBLE PERSON(S) SAMPLED IN THIS HOUSEHOLD ARE:

{UNIQUE NAMES, GENDERS, AGES OF SAMPLED PERSONS}

CAPI INSTRUCTIONS: SINCE THE SAMPLING ALGORITHM HAS BEEN RUN FOR THE LAST TIME, BACK-UP IS NOT ALLOWED AFTER THIS SCREEN.

SCQ.420 Is {REFERENCE PERSON}'s mailing address the same as {his/her} street address? SFQ.220

	NO DK			2 (SCQ.425) 9 (SCQ.430)
SCQ.425 SFQ.225	Please give me {REFERENCE PERSON}'s {#} {DIRECTION} {STREET N {PO BOX} {RURAL ROUTE #	NAME} {STRE	ET/ROAD/AVENUE	
	CAPI INSTRUCTIONS: DIS COLLECTED IN SCQ070 OR SCQ080 A MADE, STORE THIS ADDRESS AS THE SCQ.420 TO "NO" AND CONTINUE TO SC	ND ALLOW MAILING AD	UPDATES IN ALL	
SCQ.430 SFQ.230		er in case my		k my work. - (SCQ.440a)
	NO HOME T DK	ELEPHONE		2 (SCQ.460) 9 (SCQ.460)
	CAPI INSTRUCTIONS: THE	FIELD FOR "	EXTENSION" IS AL	LOWED TO BE BLANK.
SCQ.440a SFQ.240a	In whose name is the telephone listed?			
	INTERVIEWER INSTRUCTION: SELEC ROSTER.	T NAME FO	R TELEPHONE LI	STING FROM HOUSEHOLD
		FIRST	LAST	(BOX 13)
		NOT ON LIS	T	2 (SCQ440b)
SCQ.440b SFQ.240b	[In whose name is the telephone listed?]			
3FQ.2400	INTERVIEWER INSTRUCTION: ENTER N	AME.		
	Name	{FIRST}	{LAST}	(BOX 13)

CAPI INSTRUCTIONS: THE DEFAULT FILL FOR THE "NAME" FIELD SHOULD BE THE FIRST, LAST, AND SUFFIX NAME OF THE REFERENCE PERSON. HOWEVER, MOVING THE FOCUS OF THE

CURSOR OVER THE "NAME" FILL PRODUCES A LIST DISPLAYING THE FIRST AND LAST NAMES OF ALL HH MEMBERS ON THE HH COMPOSITION MATRIX AND THE OPTIONS OF "UNLISTED", AND "NOT ON LIST".

SCQ.460	Is there another number where you can be reached?
	() OTHER TELEPHONE NUMBER (SCQ461)
	NO
	CAPI INSTRUCTIONS: THE FIELD FOR "EXTENSION" IS ALLOWED TO BE BLANK.
SCQ.461	Where is that telephone located?
	WORK
	BOX 13
	CHECK ITEM SCQ.465: IF THIS IS AN INELIGIBLE HOUSEHOLD, GO TO SCQ_END1; ELSE IF THIS IS AN ELIGIBLE HOUSEHOLD, GO TO SCQ_END2; ELSE IF THIS IS A BREAK-OF, GO TO SCQ_END3 AND REQUIRE ENTRY OF DISPOSITION; ELSE IF MISSING CRITICAL SAMPLING DATA, GO TO SCQ_END4; ELSE IF SCQ.070 (ADDRESS VERIFICATION) IS "NO (WRONG ADDRESS)"; GO TO SCQ_END 5.
SCQ_END1	Thank you.
	BOX 14
	CHECK ITEM SCQ.???: GO TO INTERPRETER MODULE – INT_END1.

SCQ_END2	Thank you. This household has eligible survey participants.
	[READ NAMES LISTED BELOW.]
	{UNIQUE NAMES, GENDERS, AGES OF SAMPLE PERSONS}
	[IF APPROPRIATE, EXPLAIN PARTICIPATION IN STUDY TO RESPONDENT.]
SCQCONT	PERFORM THE RELATIONSHIP INTERVIEW AT THIS TIME?
	YES
	CAPI INSTRUCTIONS: IF CODED "YES" (1), UPON LEAVING THIS SCREEN, LAUNCH MODULE 2 OF THE SCREENER, COLLECTING RELATIONSHIP INFORMATION.
RIQ.010	SELECT RESPONDENT FOR THE SCREENER MODULE 1 – HOUSEHOLD COMPOSITION.
	Respondent {FIRST NAME} {LAST NAME}
	CAPI INSTRUCTIONS: WHEN THE FOCUS OF THE CURSOR IS ON THE "RESPONDENT" FIELD, THE ANSWER CHOICES SHOULD BE A LIST THAT DISPLAYS FIRST AND LAST NAMES OF ALL HH MEMBERS ON THE HH COMPOSITION MATRIX.
MDUREMIN	REMINDER: PLEASE COMPLETE THE MISSED-DU PROCEDURE.
	CAPI INSTRUCTION: DISPLAY IF CASE SELECTED FOR MDU PROCEDURE.
	BOX 15
	CHECK ITEM SCQ.???: GO TO INTERPRETER MODULE – INT_END1.
SCQ_END3	Thank you.
	SCQEND3 PROGRAMMER SPEC: AFTER EXITING FROM THIS SCREEN, PRESENT THE LIST OF DISPOSITIONS AND DO NOT ALLOW EXIT FROM THE APPLICATION WITHOUT ENTRY OF A DISPOSITION.

CRITICAL INFORMATION THAT WAS NOT PROVIDED THIS TIME.]

[EXPLAIN TO RESPONDENT THAT YOU WILL NEED TO RETURN TO THE HOUSEHOLD TO COLLECT

SCQ_END4 Thank you.

SCQ_END5 Thank you.

LOCATE CORRECT ADDRESS AND RESTART SCREENER.

FAMILY RELATIONSHIP QUESTIONNAIRE

NYFS SCREENER MODULE RELATIONSHIP QUESTIONS

TO BE ADMINISTERED TO ALL ELIGIBLE HOUSEHOLDS

BOX 1

CHECK ITEM SFQ.001:

IF ONLY 1 PERSON HOUSEHOLD, CODE PERSON AS "REFERENCE PERSON", CODE RELATIONSHIP AS "SELF", ASSIGN FAMILY #1 TO PERSON AND GO TO END OF SECTION.

OTHERWISE, CONTINUE.

BOX 2

CHECK ITEM SFQ.004:

CODE FIRST PERSON LISTED ON H.H. MATRIX WHOSE AGE IS \geq 18 AND IS **NOT** FLAGGED AS LIVING "SOMEWHERE ELSE" AS "REFERENCE PERSON", HEAD OF FAMILY #1 AND RELATIONSHIP AS "SELF".

BOX 3

LOOP 1:

ASK NEW BOX 3A – SFQ.040 AS APPROPRIATE FOR EACH PERSON {P} LISTED BELOW REFERENCE PERSON ON THE HOUSEHOLD MATRIX.

NEW BOX 3A

CHECK ITEM SFQ.005:

CHECK GENDER OF {PERSON} FROM SCREENER. IF {PERSON} IS MALE, DISPLAY SFQ.006. IF FEMALE, DISPLAY SFQ.007.

SFQ.000 {The next questions are about family relationships.}

SFQ.006 What is {PERSON'S} relationship to {REFERENCE PERSON}?

HAND CARD SFQ1

CAPI DESIGN = RADIO BUTTONS

<u>RELATED</u>		NOT RELATED	
HUSBAND	O 01	HOUSEMATE/ROOMMATE	0 12
PARTNER	O 02	ROOMER/BOARDER	0 13
SON (BIOLOGICAL, SON-IN-LAW,		OTHER/NON RELATED	0 14
ADOPTIVE, FOSTER, STEP)	O 03		
SON OF PARTNER	O 04	LEGAL GUARDIAN	0 15
GRANDSON	O 05	WARD	0 16
FATHER	O 06		
BROTHER	O 07	REFUSED	77
GRANDFATHER	0 08	DON'T KNOW	0 99
LINCLE	O 00		

NEPHEWC)	10
OTHER RELATIVE)	11

CAPI INSTRUCTIONS: IF CODE 1 AND {PERSON} IS <16 YEARS OLD, DISPLAY THE FOLLOWING BOX:

{PERSON} is listed as being under 16 years old. Are you sure {PERSON} should be coded as {HUSBAND/WIFE}?

Button 1: No, change relationship

Button 2: Yes, continue

IF BUTTON #1 IS SELECTED, RETURN TO SFQ.006/007. IF BUTTON #2 IS SELECTED, CONTINUE WITH BOX 5.

SFQ.007 {The next questions are about family relationships.}

What is {PERSON'S} relationship to {REFERENCE PERSON}?

HAND CARD SFQ2

CAPI DESIGN = RADIO BUTTONS

<u>RELATED</u>		NOT RELATED	
WIFE	O 01	HOUSEMATE/ROOMMATE	0 12
PARTNER	O 02	ROOMER/BOARDER	0 13
DAUGHTER (BIOLOGICAL,		OTHER/NON RELATED	0 14
DAUGHTER-IN-LAW, ADOPTIV	E,		
FOSTER, STEP)	O 03	LEGAL GUARDIAN	0 15
DAUGHTER OF PARTNER	O 04	WARD	0 16
GRANDDAUGHTER	O 05		
MOTHER	O 06	REFUSED	77
SISTER	O 07	DON'T KNOW	0 99
GRANDMOTHER	0 08		
AUNT	O 09		
NIECE	O 10		
OTHER RELATIVE	0 11		

CAPI INSTRUCTIONS: IF CODE 1 AND {PERSON} IS <16 YEARS OLD, DISPLAY THE FOLLOWING BOX:

 $\{PERSON\}$ is listed as being under 16 years old. Are you sure $\{PERSON\}$ should be coded as $\{HUSBAND/WIFE\}$?

Button 1: No, change relationship

Button 2: Yes, continue

IF BUTTON #1 IS SELECTED, RETURN TO SFQ.006/007. IF BUTTON #2 IS SELECTED, CONTINUE WITH BOX 5.

BOX 5

CHECK ITEM SFQ.017:

IF $\{P\}$ RELATIONSHIP IN SFQ.006 or SFQ.007 = SON OR DAUGHTER (CODE 3), CONTINUE.

OTHERWISE, SKIP TO BOX 6.

	(son/daughter)-in-law?
	BIOLOGICAL (NATURAL) {SON/ DAUGHTER}
	BOX 6
	CHECK ITEM SFQ.025: IF {P} RELATIONSHIP IN SFQ.006 or SFQ.007 = FATHER OR MOTHER (CODE 6), CONTINUE. OTHERWISE, GO TO BOX 7.
SFQ.030	Is {PERSON}, {REFERENCE PERSON'S} biological (natural), adoptive, step, or foster parent or {mother/father}-in-law?
	BIOLOGICAL (NATURAL) PARENT 1
	ADOPTIVE PARENT
	STEP PARENT
	FOSTER PARENT 4
	{MOTHER/FATHER}-IN-LAW
	REFUSED
	DON'T KNOW 9
	BOX 7
	CHECK ITEM SFQ.035: IF {P} RELATIONSHIP IN SFQ. 006 or SFQ.007 = BROTHER OR SISTER (CODE 7), CONTINUE. OTHERWISE, GO TO BOX 8.
SFQ.100	Is {PERSON}, {REFERENCE PERSON'S} full, half, adoptive, step, or foster {brother/sister} or {brother/sister}-in-law?
	FULL {BROTHER/SISTER} 1
	HALF {BROTHER/SISTER}
	ADOPTED {BROTHER/SISTER} 3
	STEP {BROTHER/SISTER}4
	FOSTER {BROTHER/SISTER}5
	{BROTHER/SISTER}-IN-LAW6
	REFUSED 7
	DON'T KNOW 9

Is {PERSON}, {REFERENCE PERSON'S} biological (natural), adoptive, step, foster {son/daughter} or

SFQ.020

BOX 8

END LOOP 1:

ASK NEW BOX 3A – SFQ.040 AS APPROPRIATE FOR NEXT PERSON {P} LISTED BELOW REFERENCE PERSON OR NEXT PERSON RELATED TO HEAD OF FAMILY ON THE HOUSEHOLD MATRIX.

IF NO NEXT PERSON, GO TO BOX 9.

BOX 9

CHECK ITEM SFQ.043:

IF ALL PERSONS IN HOUSEHOLD ARE RELATED (HAVE RELATIONSHIP CODES ASSOCIATED WITH CODES 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 15, 16, 77 OR 99 IN SFQ.006 OR SFQ.007), GO TO BOX 20.

OTHERWISE, CONTINUE WITH BOX 10.

BOX 10

CHECK ITEM SFQ.045:

CODE FIRST PERSON REMAINING UNRELATED TO REFERENCE PERSON AND HEADS OF ADDITIONAL FAMILIES AND WHOSE AGE IS \geq 18 AS HEAD OF NEXT FAMILY {H OF F} AS APPROPRIATE (#2, 3, 4, ETC.), AND GO TO BOX 11. IF NO PERSONS AGE \geq 18, CODE OLDEST PERSON FROM THIS GROUP AS HEAD OF FAMILY.

BOX 11

CHECK ITEM SFQ.047:

IF MORE THAN ONE PERSON CODED AS UNRELATED, CONTINUE WITH SFQ.050.

OTHERWISE, GO TO BOX 20.

SFQ.050 Now I would like to talk about those persons in the household who are **not** related to {REFERENCE PERSON/REFERENCE PERSON OR HEADS OF FAMILY}. That is {LIST ALL PERSONS IN HOUSEHOLD NOT RELATED TO {REFERENCE PERSON/REFERENCE PERSON OR HEADS OF FAMILY}.

DISPLAY NAME OF REFERENCE PERSON IF THIS IS THE FIRST TIME THIS QUESTION IS ASKED. DISPLAY NAMES OF REFERENCE PERSON AND ALL HEADS OF ADDITIONAL FAMILIES IF THIS IS NOT THE FIRST TIME QUESTION IS ASKED.

Is {HEAD OF FAMILY #2, 3, 4, ETC} related to anyone in the household?

YES	1
NO	2 (BOX 19)
REFUSED	7
DON'T KNOW	9

SFQ.060

Who is {HEAD OF FAMILY #2, 3, 4, ETC. FROM BOX 10} related to? {DISPLAY LIST OF NAMES OF ALL PERSONS WHO ARE NOT REFERENCE PERSON, OR HEAD OF FAMILY AND WHO ARE NOT RELATED TO ANYONE ELSE IN HOUSEHOLD (DO NOT HAVE RELATIONSHIP CODE = CODE 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 15 OR 16)}.

SELECT NAMES OF PERSONS RELATED TO {REFERENCE PERSON OR HEAD(S) OF FAMILY}.

BOX 13

EMBEDDED LOOP 2A:

ASK NEW BOX 3A THROUGH SFQ.040 FOR EACH PERSON SELECTED IN SFQ.060.

BOX 18

END EMBEDDED LOOP 2A:

ASK NEW BOX 3A THROUGH SFQ.040 AS APPROPRIATE FOR NEXT PERSON SELECTED AS RELATED TO HEAD OF FAMILY IN SFQ.060. IF NO NEXT PERSON, GO TO BOX 19.

BOX 19

END LOOP 2:

IF MORE THAN 1 PERSON REMAINS UNRELATED TO THE REFERENCE PERSON OR THE HEAD OF ADDITION FAMILY:

- DESIGNATE NEXT HEAD OF FAMILY AS INSTRUCTED IN BOX 10.
- ASK NEW BOX 3A THROUGH SFQ.040 FOR NEXT HEAD OF FAMILY AND PERSONS WHO REMAIN AS UNRELATED.

IF NO NEXT PERSONS GO TO BOX 20.

BOX 20

CHECK ITEM SFQ.105:

■ IF REFERENCE PERSON OR HEAD OF FAMILY IS MARRIED (CODED AS 01 IN SFQ.006 OR SFQ.007) OR LIVING WITH A PARTNER (CODED AS UNMARRIED PARTNER IN SFQ.006 OR SFQ.007).

AND

■ REFERENCE PERSON OR HEAD OF FAMILY HAS A CHILD OR THE **PARTNER** HAS A CHILD (CODED AS 03 OR 04 IN SFQ.006 OR SFQ.007), CONTINUE.

OTHERWISE GO TO BOX 23.

BOX 21

LOOP 3:

ASK SFQ.110 FOR EACH PERSON (CHILD OF REFERENCE PERSON AND CHILD OF PARTNER – RELATIONSHIP CODE 3 OR 4).

SFQ.110 I recorded that {NAME OF MOTHER/FATHER OF CHILD – THIS IS SPOUSE OR PARTNER OF REFERENCE PERSON} is the {father/mother} of {NAME OF CHILD – THIS IS CHILD OF REFERENCE PERSON AND SPOUSE OR REFERENCE PERSON AND PARTNER OR CHILD OF PARTNER}. Is {NAME OF CHILD} {his/her} biological, adoptive, step, foster child, (son or daughter)-in-law or a non relative of {NAME OF MOTHER/FATHER}?

BIOLOGICAL CHILD	1
ADOPTIVE CHILD	2
STEP CHILD	3
FOSTER CHILD	4
(SON/DAUGHTER)-IN-LAW	5
NON RELATIVE	6
REFUSED	7
DON'T KNOW	9

BOX 22

END LOOP 3:

ASK SFQ.110 FOR NEXT PERSON (CHILD OR CHILD OF PARTNER). IF NO NEXT PERSON, CONTINUE WITH BOX 23.

BOX 23

CHECK ITEM 115:

CHECK RELATIONSHIPS. IF ALL HOUSEHOLD MEMBERS HAVE MOTHER, FATHER, AND SPOUSE OR PARTNER IDENTIFIED, GO TO BOX 31. OTHERWISE, IF ANY OF THESE RELATIONSHIPS FOR EACH PERSON IS NOT ALREADY IDENTIFIED, CONTINUE.

BOX 24

LOOP 4:

ASK SFQ.120 – SFQ.200 **AS APPROPRIATE** FOR EACH PERSON WHO DOES **NOT** HAVE A MOTHER AND FATHER AND SPOUSE OR PARTNER IDENTIFIED IN HOUSEHOLD.

R	O	Y	21

CHECK ITEM SFQ.117:

IF PERSON'S MOTHER HAS NOT BEEN IDENTIFIED, AND THERE ARE FEMALES IN THE HOUSEHOLD WHO ARE > 13 YEARS OLDER THAN PERSON, CONTINUE OTHERWISE, GO TO BOX 27.

SFQ.120 Is {PERSON'S} mother a household member? [Include mother-in-law].

IF OBVIOUS, VERIFY ONLY.

CHOOSE MOTHER OVER MOTHER-IN-LAW IF BOTH PRESENT.

YES – MOTHER IN HOUSEHOLD	1	
NO – MOTHER NOT IN HOUSEHOLD	2	(BOX 27)
LEGAL GUARDIAN IN HOUSEHOLD	3	
REFUSED	7	(BOX 27)
DON'T KNOW	9	(BOX 27)

SFQ.130 Who is that?

[SELECT PERSON FROM HOUSEHOLD MATRIX.

BOX 26

CHECK ITEM SFQ.135:

IF LEGAL GUARDIAN CODED IN SFQ.120, GO TO BOX 27.

OTHERWISE, CONTINUE.

SFQ.140 Is {NAME OF MOTHER IN SFQ.130}, {PERSON'S} biological [natural], adoptive, step, or foster mother or mother-in-law?

BIOLOGICAL MOTHER	1
ADOPTIVE MOTHER	2
STEP MOTHER	3
FOSTER MOTHER	4
MOTHER-IN-LAW	5
REFUSED	7
DON'T KNOW	a

BOX 27

CHECK ITEM SFQ.145:

IF PERSON'S FATHER HAS NOT BEEN IDENTIFIED, AND THERE ARE MALES IN THE HOUSEHOLD WHO ARE > 13 YEARS OLDER THAN PERSON. OTHERWISE, GO TO BOX 29A.

	IF OBVIOUS, VERIFY ONLY	Υ.	
	CHOOSE FATHER OVER F	FATHER-IN-LAW IF BOTH PRESENT.	
SFQ.160	Who is that? [SELECT PERSON FROM I	YES – FATHER IN HOUSEHOLD NO – FATHER NOT IN HOUSEHOLD LEGAL GUARDIAN IN HOUSEHOLD REFUSED DON'T KNOW	2 (BOX 29) 3 7 (BOX 29)
		DOV 20	
		BOX 28	
	CHECK ITEM SFQ.165: IF LEGAL GUARDIAN COTHERWISE, CONTINU	ODED IN SFQ.150, GO TO BOX 29A.	
SFQ.170	Is {NAME OF FATHER IN father-in-law?	SFQ.160}, {PERSON'S} biological (natural), ad	optive, step, or foster father or
		BIOLOGICAL FATHER	
		ADOPTIVE FATHER	2
		STEP FATHER	3
		FOSTER FATHER	4
		FATHER-IN-LAW	5
		REFUSED	
		DON'T KNOW	9
		BOX 29A	
	CHECK ITEM SFQ.175: IF PERSON'S AGE >= 1 BEEN IDENTIFIED, COI OTHERWISE, GO TO B	6 AND SPOUSE OR UNMARRIED PARTNER H NTINUE.	AS NOT
SFQ.180	Is {PERSON'S NAME} now	married, widowed, divorced, separated, never ma	arried or living with a partner?
		MARRIED	1
		WIDOWED	2 (BOX 30)
		DIVORCED	•
		SEPARATED	
		NEVER MARRIED	. (=)
		LIVING WITH PARTNER	6
		REFUSED	7 (BOX 30)
		DON'T KNOW	,

Is {PERSON'S} father a household member? [Include father-in-law].

SFQ.150

BOX 29B

CHECK ITEM SFQ.185:

IF THERE ARE PERSONS IN THE HOUSEHOLD WHO ARE > = 14 YEARS OLD, CONTINUE.

OTHERWISE, GO TO BOX 30.

SFQ.190 Is {PERSON'S} {spouse/partner} living in the household?

YES	1	
NO	2	(BOX 30)
REFUSED	7	(BOX 30)
DON'T KNOW	9	(BOX 30)

SFQ.200 Who is that?

DISPLAY LIST OF ALL NONDELETED HOUSEHOLD MEMBERS WHO ARE 14 YEARS OLD OR OLDER.

BOX 30

END LOOP 4:

ASK SFQ.120 – SFQ.200 FOR NEXT PERSON. IF NO NEXT PERSON, GO TO BOX 31.

BOX 31

CHECK ITEM SFQ.205:

- APPLY NHANES AND CPS FAMILY DEFINITIONS.
- IF MORE THAN 1 NHANES FAMILY, CONTINUE.
- IF ONLY 1 NHANES FAMILY, GO TO SFQ.210. DO **NOT** REASK SCQ.430 SCQ.461.

OTHERWISE, GO TO SFQ.210.

BOX 32

LOOP 5:

ASK MODULE 1 - SCQ.420 - SCQ.440b FOR EACH $\underline{\textbf{ADDITIONAL}}$ NHANES FAMILY.

NOTE: THE SUBJECT OF QUESTIONS SHOULD BE EACH ADDITIONAL HEAD OF NHANES FAMILY AND NUMBERED SFQ.220, SFQ.225, SFQ.230 AND SFQ.240a. DO **NOT** REASK SCQ.430 – SCQ.461 OF THE FIRST NHANES FAMILY.

SFQEND Thank you. That completes the questions about family relationships.

RIQ.010	SELECT RESPONDENT FOR THE SCREENER MODULE II – HOUSEHOLD RELATIONSHIPS.					
	Respondent					
	respondent	{FIRST NAME} {LAST NAME}				
	ANSWER CH	CTIONS: WHEN THE FOCUS OF THE CURSOR IS ON THE DICES SHOULD BE A LIST THAT DISPLAYS FIRST AN ITHE HH COMPOSITION MATRIX.				
INT.001	WAS AN INTE	RPRETER USED FOR INTERVIEW?				
		YES	1			
		NO	2 (GO TO THE END OF THE SECTION)			
		BOX #1				
	IF THIS IS	EM INT.001A: SCREENER, SKIP TO INT.003. SE, IF THIS IS RELATIONSHIP MODULE, CONTINUE WITH	BOX 2.			
		BOX #2				
	IF SCREE (SCQ_END	EM INT.001B: NER AND RELATIONSHIP COMPLETED DURING SAM D 2a = YES), SKIP TO INT.003. SE, CONTINUE.	ME SESSION			
INT.002	IS THIS THE SAME INTERPRETER THAT WAS USED FOR THE SCREENER?					
		YES	1 {CODE INTERPRETER SCREENER			
		INFORMATION	AND SKIP TO END OF			
		NO	SECTION)} 2 (CONTINUE)			
INT.003	LANGUAGE USED FOR INTERVIEW					
		AMERICAN SIGN LANGUAGE	,			
		CHINESE (CANTONESE)				
		CHINESE (MANDARIN)	-			
		FRENCH	(
		GERMAN	,			
		ITALIAN	- (-			
		JAPANESE	()			
		KOREAN	•			
		RUSSIAN	9 (SKIP TO INT.005)			

SPANISH (READER)...... 10 (SKIP TO INT.005)

	VIETNAMESE
INT.004	ENTER LANGUAGE USED FOR INTERVIEW
INT.005	HOW WAS INTERPRETER OBTAINED
	ARRANGED BY FIELD OFFICE
INT.006	SELECT INTERPRETER FROM DROP DOWN LIST OR SELECT "OTHER" AND ENTER INTERPRETER NAME
	{DROP DOWN LIST SHOULD HAVE ALL NAMES FROM EVM AND AN "OTHER SPECIFY" TO ALLOW FOR THOSE NAMES THAT HAVE NOT BEEN TRANSFERRED TO INTERVIEWER PENTOP}
	BOX #3
	CHECK ITEM INT.006A: IF OTHER (SELECTED IN INT.006) GO TO INT.009. OTHERWISE, GO TO SFQMISDU.
INT.007	SELECT INTERPRETER SOURCE
	RELATIVE LIVING IN HOUSEHOLD
INT.008	SELECT NAME OF INTERPRETER FROM HOUSEHOLD ROSTER.
	{DISPLAY CAPI PULL DOWN LIST FROM HH ROSTER}
	BOX #4
	CHECK ITEM INT.008A: GO TO END OF SECTION.
INT.009	ENTER NAME OF INTERPRETER

INT.010	ENTER PHONE # OF INTERPRETER		
INT.011	ENTER AGE RANGE OF INT	FERPRETER	
		{AGE RANGE CAN BE A PULL DOWN LIST}	
		RANGES = 18-29	
		30-59 60+	
INT.012	ENTER GENDER OF INTER	PRETER	
		MALEFEMALE	1 2

SFQMISDU REMINDER: PLEASE COMPLETE THE MISSED-DU PROCEDURE.

CAPI INSTRUCTION: DISPLAY IF CASE SELECTED FOR MDU PROCEDURE.

SAMPLE PERSON QUESTIONNAIRE

NHANES NYFS
6/23/2011 Questionnaire: SP

RESPONDENT SELECTION SECTION - RIQ - SP QUESTIONNAIRE

RIQ.010 SELECT RESPONDENT FOR THE SP QUESTIONNAIRE FOR {SP NAME}.

CAPI INSTRUCTION:

DISPLAY FAMILY ROSTER AND 'SOMEONE OUTSIDE FAMILY' AS OPTION.

BOX 1

CHECK ITEM *11RIQ.015:

- IF SP IS SELECTED AS RESPONDENT AND SP AGE IS <= 15, GO TO *11RIQ.020.
- IF SP IS SELECTED AS RESPONDENT AND SP AGE IS >= 16, GO TO RIQ.080.
- IF SP IS <u>NOT</u> SELECTED AS RESPONDENT AND SP AGE IS <= 15, GO TO BOX 2.
- IF SP IS <u>NOT</u> SELECTED AS RESPONDENT AND SP AGE IS >= 16, GO TO RIQ.030.

*11RIQ.020 INTERVIEW SHOULD BE CONDUCTED WITH A PROXY BECAUSE SP IS UNDER 16 YEARS OLD.

ENTER ONE OPTION.

SP IS AN EMANCIPATED MINOR	1	(BOX 3)
PERSON SELECTED AS		
RESPONDENT IN ERROR	2	(RIQ.010)
SP AGE ENTERED IN ERROR SP IS		
AGE 16+	3	(RIQ.080)

RIQ.030 WHY IS INTERVIEW BEING CONDUCTED WITH A PROXY?

SP HAS COGNITIVE PROBLEMS	1
SP HAS PHYSICAL PROBLEMS	
(SPECIFY)	2
OTHER (SPECIFY)	3

*11RIQ.035 DO YOU HAVE SUPERVISOR PERMISSION TO CONDUCT INTERVIEW WITH A PROXY?

YES	1	
NO	2	(RIQ.010)

BOX 2

CHECK ITEM RIQ.031:

IF 'SOMEONE OUTSIDE THE FAMILY' SELECTED AS RESPONDENT, CONTINUE. OTHERWISE, GO TO RIQ.080.

RIQ.040	WHY IS INTERVIEW BEING CONDUCTED WITH SOMEONE OUTSIDE THE HOUSEHOLD?
RIQ.050	ENTER RESPONDENT NAME.
	FIRST NAMELAST NAME
RIQ.060	ENTER RESPONDENT'S PHONE NUMBER.
	ENTER '00' IN AREA CODE IF NO PHONE.
	_ _ - _ _ AREA CODE ENTER PHONE NUMBER
RIQ.070	DESCRIBE RESPONDENT'S RELATIONSHIP TO SP.
	BOX 3
	CHECK ITEM *11RIQ.072: IF SP SELECTED AS RESPONDENT IS <12 YEARS OLD, CONTINUE. OTHERWISE, GO TO RIQ.080.
*11RIQ.074	EMANCIPATED MINOR MUST BE AT LEAST 12 YEARS OLD. PRESS 'ENTER' TO SELECT ANOTHER RESPONDENT.
	CAPI INSTRUCTION: WHEN 'ENTER' IS PRESSED, CAPI SHOULD RETURN TO RIQ.010.
RIQ.080	HAS RESPONDENT SIGNED A HOUSEHOLD INTERVIEW CONSENT FORM?
	CAPI INSTRUCTION: IF 'NO' (CODE 2), DISPLAY THE FOLLOWING MESSAGE: "EACH RESPONDENT FOR HOUSEHOLD QUESTIONNAIRE MUST SIGN A HOUSEHOLD INTERVIEW CONSENT FORM BEFORE THE INTERVIEW CAN BE ADMINISTERED" AND RETURN TO RIQ.080. NOTE: IF INTERPRETER USED, RESPONDENT MUST SIGN FORM.
	YES 1 NO 2

INT.001	WAS AN INTERPRETER USED FOR INTERVIEW?		
	YES		
INT.003	LANGUAGE USED FOR INTERVIEW		
	AMERICAN SIGN LANGUAGE		
INT.004	ENTER LANGUAGE USED FOR INTERVIEW		
INT.013	{DISPLAY INTERPRETER NAMES FROM ALL PREVIOUS INTERVIEWS: SCREENER, RELATIONSHIP, SP, FAMILY QUESTIONNAIRE}		
	ENTER INTERPRETER NAME INFO		
	SAME INTERPRETER USED IN OTHER INTERVIEW FOR HOUSEHOLD		
INT.014	{DISPLAY LIST OF INTERPRETER NAMES FROM SCREENER, RELATIONSHIP, SP AND/OR FAMILY QUESTIONNAIRES} {INCLUDE "OTHER" AS A SELECTION}		
	SELECT INTERPRETER FROM DROP DOWN LIST OR SELECT "OTHER" AND ENTER INTERPRETER NAME		
	BOX 4		

CHECK ITEM INT.014a:

IF 'OTHER' SELECTED IN INT.014, GO TO INT.005. OTHERWISE, CODE INTERPRETER INFO FROM PREVIOUS INTERVIEW AND GO TO END OF SECTION.

INT.005	HOW WAS INTERPRETER OBTAINED
	ARRANGED BY FIELD OFFICE
INT.006	SELECT INTERPRETER FROM DROP DOWN LIST OR SELECT "OTHER" AND ENTER INTERPRETER NAME
	{DROP DOWN LIST SHOULD HAVE ALL NAMES FROM EVM AND AN "OTHER SPECIFY" TO ALLOW FOR THOSE NAMES THAT HAVE NOT BEEN TRANSFERRED TO INTERVIEWER PENTOP}
	BOX 6
IF OTHE	ITEM INT.006A: ER (SELECTED IN INT.006), GO TO INT.009. WISE, GO TO END OF SECTION.
INT.007	SELECT INTERPRETER SOURCE
	RELATIVE LIVING IN HOUSEHOLD
INT.008	SELECT NAME OF INTERPRETER FROM HOUSEHOLD ROSTER.
	{DISPLAY CAPI PULL DOWN LIST FROM HH ROSTER}
CHECK	BOX 7 ITEM INT.008A:
GO TO	END OF SECTION.
INT.009	ENTER NAME OF INTERPRETER
INT.010	ENTER PHONE # OF INTERPRETER
INT.011	ENTER AGE RANGE OF INTERPRETER

{AGE RANGE CAN BE A PULL DOWN LIST}

RANGES = 18-29 30-59 60+

INT.012 ENTER GENDER OF INTERPRETER

MALE	1
FEMALE	2

6/23/2011 Questionnaire: SP

EARLY CHILDHOOD - ECQ Target Group: 3 to 15 Years

First I have some questions about {SP NAME's} birth. ECQ.020 Did {SP NAME's} biological mother smoke at any time while she was pregnant with {him/her}? YES...... 1 NO...... 2 REFUSED...... 7 DON'T KNOW...... 9 ECQ.071/ How much did {SP NAME} weigh at birth? L/O/K/M IF ANSWER GIVEN IN POUNDS ONLY, PROBE FOR OUNCES. IF ANSWER GIVEN IN EXACT POUNDS, ENTER NUMBER OF POUNDS AND 0 OUNCES. ENTER NUMBER OF POUNDS CAPI INSTRUCTION: SOFT EDIT 3-13, HARD EDIT 0-20 AND **ENTER NUMBER OF OUNCES** CAPI INSTRUCTION: HARD EDIT 0-15, NO SOFT EDIT OR __|__| ENTER NUMBER IN KILOGRAMS CAPI INSTRUCTION: SOFT EDIT 1.5-6, HARD EDIT 0-9 OR **ENTER NUMBER IN GRAMS** CAPI INSTRUCTION: SOFT EDIT 1,500-6,000, HARD EDIT 0-9,000 OR REFUSED...... 7777

WHQ.030e	Do you consider {SP} now to I	be	
		overweight,underweight, orabout the right weight?REFUSEDDON'T KNOW	2 3 7
MCQ.080e	Has a doctor or health profess	sional ever told you that {SP} was overweight?	
		YES NO REFUSED DON'T KNOW	7 (END OF SECTION)
	general practitioners as well	oth medical doctors (M.D.s) and osteopathic as specialists. It does not include persons who al surgeons, chiropractors, podiatrists, Christi tc.	do not have an M.D. or D.O.
	assist a doctor and who wor nurse practitioners, nurses, la include paramedics, medics dentists, oral surgeons, chir	onal: A person entitled by training and experiks with one or more medical doctors. Example technicians, and technicians who administer and physical therapists working with or in a oppractors, chiropodists, podiatrists, naturopatists, sychologists or social workers.	es include: doctor's assistants, shots (i.e., allergy shots). Also doctor's office. Do not include:
ECQ.150	Are you now doing anything to	o help {SP} control {his/her} weight?	
		YES NOREFUSED DON'T KNOW	2

6/23/2011 Questionnaire: SP

HOSPITAL UTILIZATION AND ACCESS TO CARE - HUQ Target Group: 3 to 15 years

HUQ.010	Next I have some general qu	uestions about {SP's} health.		
	Would you say {SP's} health	in general is		
		excellent,very good,fair, orpoor?	2 3 4 5 7	
HUQ.030	Is there a place that {SP} usually goes when {he/she is} sick or you need advice about {his/her} health?			
		YES THERE IS NO PLACE THERE IS MORE THAN ONE PLACE REFUSED DON'T KNOW	2 (End of Section)37 (End of Section)	
		clinic, doctor's office, clinic, health center, Healton or outpatient clinic, or a military health care f	_	
HUQ.040	What kind of place does {SP place?	} go to most often: is it a clinic, doctor's office, e	emergency room, or some other	
		CLINIC OR HEALTH CENTER DOCTOR'S OFFICE OR HMO HOSPITAL EMERGENCY ROOM HOSPITAL OUTPATIENT DEPARTMENT SOME OTHER PLACE REFUSED DON'T KNOW	2 3 4 5	

6/23/2011 Questionnaire: SP

PHYSICAL FUNCTIONING - PFQ Target Group: 3 to 15 years

PFQ.020	Does {SP} have an impairment or health problem that limits {his/her} ability to walk, run or play?		
	1	YES NO REFUSED DON'T KNOW	1 2 (PFQ.NEW1) 7 (PFQ.NEW1) 9 (PFQ.NEW1)
PFQ.030	Is this an impairment or health	problem that has lasted, or is expected to last	12 months or longer?
	1	YES NO REFUSED DON'T KNOW	1 2 7 9
PFQ.New1		npairment or health problem that requires {you/ wheelchair, or a hearing aid (excluding ordinar	
	1	YES NOREFUSED DON'T KNOW	2 (PFQ.041) 7 (PFQ.041)
PFQ.New2	What special equipment (do yo	ou/does he/does she} use?	
	\ ! !	BRACEWHEELCHAIRHEARING AIDOTHER (SPECIFY)REFUSEDDON'T KNOW	2 3 4 7
PFQ.041	Does {SP} receive Special Edu	cation or Early Intervention Services?	
	1	YES NO REFUSED DON'T KNOW	1 2 7 9

HELP SCREEN:

Special Education: Teaching designed to meet the needs of a child with <u>special needs and/or disabilities</u>. It is paid for by the public school system and may take place at a regular school, a special school, a private school, at home, or at a hospital.

Early Intervention Services: Services designed to meet the needs of very young children with special needs and/or disabilities. They may include but are not limited to: medical and social services, parental counseling, and therapy. They may be provided at the child's home, a medical center, a day care center, or other place. They are provided by the state or school system at no cost to the parent.

MEDICAL CONDITIONS - MCQ Target Group: 3 to 15years

MCQ.010	The following questions are about different medical conditions.		
	Has a doctor or other health professional ever told {you/SP} that {s/he/SP has} asthma		
		SPLAY "SP" AND "S/HE HAS". AY "YOU" AND "SP HAS".	
		<u>OT</u> ACCEPT SELF-DIAGNOSED OR D HEALTH PROFESSIONAL.	DIAGNOSED BY A PERSON WHO IS NOT A
		YES	1
		NO	
		REFUSED	
		DON'T KNOW	
	HELP SCREEN:		
	Asthma: Is a disease of	of the airways that carry air in and out o	of your lungs. It causes wheezing or whistling
	sounds when you breat	ne and can make you short of breath.	
MCQ.035	Does {SP} still have ast	hma (az -ma)?	
		YES	1
		NO	
		REFUSED	
		DON'T KNOW	
MCQ.040	During the past 12 mor	nths, has {SP} had an episode of asthm	na (az -ma) or an asthma attack?
		YES	1
		NO	
		REFUSED	
		DON'T KNOW	
	HELP SCREEN: Episode/attack: When y attack.	our asthma symptoms become worse	than usual it is called an asthma episode or
MCQ.051	During the past 3 mon for asthma?	ths, has {SP} taken medication prescri	bed by a doctor or other health professionals
		YES	1
		NO	2
		REFUSED	7
		DON'T KNOW	9

MCQ.140	{Does SP} have trouble seeing, even when wearing glasses or contact lenses, if {he/she} wear{s} them?
	YES
	Glasses: Includes prescription eyeglasses as well as nonprescription reading glasses purchased at drug stores or variety stores. Do <u>not</u> include safety glasses, which are worn for protection only. Do not include nonprescription sunglasses or glasses or contact lenses worn for cosmetic purposes.
	BOX 7A
	CHECK ITEM MCQ.146: IF SP AGE 8-15 AND SP IS FEMALE, CONTINUE. OTHERWISE, GO TO END OF SECTION
MCQ.149	Have {SP's} periods or menstrual (men-stral) cycles started yet?
	YES
MCQ.next	How old was {SP} when she had {her} first menstrual period?
	Years
	Hard edits: maximum of 15 and age of onset must be less than or equal to current age Soft edit: if age less than 7

6/23/2011 Questionnaire: SP
NHANES NYFS

DIABETES - DIQ Target Group: Ages 3-15

Other than during pregnancy, {have you/has SP}/{Have you/Has SP}} ever been told by a doctor or other health professional that {you have/{s/he/SP} has} diabetes or sugar diabetes?

CAPI INSTRUCTION:

IF SP AGE >= 16, DISPLAY "HAVE YOU" AND "YOU HAVE" IF SP AGE 12-15, DISPLAY "HAS $\{SP\}$ " AND "S/HE HAS" IF SP AGE <12, DISPLAY "HAVE YOU" AND " $\{SP\}$ HAS"

YES	1	
NO	2	(BOX 4)
BORDERLINE OR PREDIABETES	3	(BOX 4)
REFUSED	7	(BOX 4)
DON'T KNOW	9	(BOX 4)

DIQ.040 How old {was SP/were you} when a doctor or other health professional **first** told {you/him/her} that G/Q {you/s/he} had diabetes or sugar diabetes?

CAPI INSTRUCTION:

IF SP AGE 12-15, DISPLAY "WAS {SP}" AND "HIM/HER" AND "S/HE" IF SP AGE <12, DISPLAY "WAS {SP}" AND "YOU" AND "S/HE"

|__|_| ENTER AGE IN YEARS

LESS THAN 1 YEAR	2
REFUSED7	77
DON'T KNOW9	99

BOX 4

CHECK ITEM DIQ.159:

IF AGE < 12 OR DIQ.010 = 1 (YES) GO TO DIQ.050. IF AGE >= 12 AND DIQ.010 = 3, GO TO DIQ.050. OTHERWISE, CONTINUE.

DIQ.160	{Have you/Has SP} ever been told by a doctor or other health professional that {you have/SP has} any of the following: prediabetes, impaired fasting glucose, impaired glucose tolerance, borderline diabetes or that {your/her/his} blood sugar is higher than normal but not high enough to be called diabetes or sugar diabetes?
	HAND CARD DIQ1
	YES
	HELP SCREEN: PREDIABETES, IMPAIRED FASTING GLUCOSE, IMPAIRED GLUCOSE TOLERANCE, OR BORDERLINE DIABETES OCCURS WHEN BLOOD SUGAR (GLUCOSE) LEVELS ARE HIGHER THAN NORMAL BUT NOT HIGH ENOUGH TO BE DIABETES.
DIQ.050	{Is SP/Are you} now taking insulin?
	YES
	HELP SCREEN: Insulin: A chemical used in the treatment of diabetes. Typically, insulin is administered with a syringe by the patient.
	BOX 0 CHECK ITEM DIQ.065: IF DIQ.010 = 1 (YES) OR DIQ.160 = 1 (YES) OR DIQ.010 = 3, CONTINUE. OTHERWISE, GO TO END OF SECTION.
DIQ.070	{Is SP/Are you} now taking diabetic pills to lower {{his/her}/your} blood sugar? These are sometimes called oral agents or oral hypoglycemic agents.
	YES

RESPIRATORY HEALTH AND DISEASE - RDQ Target Group: 3 to 15 years

RDQ.100	[In the past 12 months], has {SP's} chest sounded wheezy during or after exercise or phyactivity?	ysical
	YES	
	REFUSED 7	
	DON'T KNOW9	
	HELP SCREEN: Wheezing: To breathe with difficulty, producing a hoarse whistling sound.	
RDQ.135	During the past 12 months , how much did {SP} limit {his/her} usual activities due to wheezi whistling? Would you say	ng or
	not at all, 1	
	a little,	
	a fair amount,	
	a moderate amount, or	
	a lot? 5	
	REFUSED 7	
	DON'T KNOW 9	
	HELP SCREEN: Wheezing: To breathe with difficulty, producing a hoarse whistling sound.	

PHYSICAL ACTIVITY - PAQ Target Group: SPs 3-15

CAPI INSTRUCTION: FOR PAQ SECTION ONLY, USE 'YOU' FILLS FOR SPs 12-15 YEARS OLD.

DAG 700	CHECK ITEM PAQ.702: 3-11 YEAR OLD SPS, SKIP TO PAQ.706. 12-15 YEAR OLD SPS, CONTINUE.
DA 0 700	3-11 YEAR OLD SPS, SKIP TO PAQ.706.
DA 0 700	12-15 YEAR OLD SPS, CONTINUE.
DA 0. 700	
PAQ.703	INTERVIEWER: ASK TO SEE IF {SP} IS AVAILABLE TO ANSWER PAQ QUESTIONS {HIMSELF/HERSELF}.
	SPEAKING TO {SP} 1
	{SP} NOT AVAILABLE
PAQ.706	I'd like to ask you some questions about {your/SP's} activities.
	During the past 7 days , on how many days {were you/was SP} physically active for a total of at least 60 minutes per day ? Add up all the time {you/he/she} spent in any kind of physical activity that increased {your/his/her} heart rate and made {you/him/her} breathe hard some of the time.
	0 days 0
	1 day 1
	2 days 2
	3 days 3
	4 days 4
	5 days 5
	6 days 6
	7 days 7
	REFUSED
	DON'T KNOW 99

IF SP AGE 12-15, CONTINUE.

PAQ.605 Next I am going to ask you about the time {you spend/SP spends} doing different types of physical activity in a typical week.

Think first about the time {you spend/he spends/she spends} doing work. Think of work as the things that {you have/he has/she has} to do such as paid or unpaid work, household chores, and yard work.

Does {your/SP's} work involve **vigorous**-intensity activity that causes **large increases** in breathing or heart rate like carrying or lifting heavy loads, digging or construction work for **at least 10 minutes continuously**?

YES	1	
NO	2	(PAQ.620)
REFUSED	7	(PAQ.620)
DON'T KNOW	9	(PAO.620)

PAQ.610 In a typical week, on how many days {do you/does SP} do **vigorous**-intensity activities as part of {your/his/her} work?

PROBE IF NEEDED: Vigorous-intensity activity causes large increases in breathing or heart rate and is done for at **least 10 minutes continuously**.

HARD EDIT: LESS THAN 1 DAY OR MORE THAN 7 DAYS. ERROR MESSAGE: THE NUMBER OF DAYS SHOULD BE BETWEEN 1 AND 7.

 PAQ.615 How much time {do you/does SP} spend doing **vigorous**—intensity activities at work on a typical day? Q/U

PROBE IF NEEDED: Think about a typical day when {you do/he does/she does} vigorous-intensity activities during {your/his/her} work.

PROBE IF NEEDED: Vigorous-intensity activity causes large increases in breathing or heart rate and is done for at **least 10 minutes continuously**.

SOFT EDIT: >4 HOURS.

	ERROR MESSAGE: INTERVIEWER, YOU HAVE RECORDED THAT THE SP SPENDS MORE THA 4 HOURS DOING VIGOROUS-INTENSITY ACTIVITIES AT WORK ON A TYPICAL DAY. PLEAS CONFIRM WITH SP THAT OVER 4 HOURS IS CORRECT.	
	HARD EDIT: LESS THAN 10 MINUTES OR 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE 10 MINUTES OR MORE, BUT LESS THAN 24 HOURS	3.
	 ENTER NUMBER OF MINUTES OR HOURS	
	REFUSED	
	II ENTER UNIT	
	MINUTES	
PAQ.620	Does {your/SP's} work involve moderate -intensity activity that causes small increases in breathing heart rate such as brisk walking or carrying light loads for at least 10 minutes continuously ?	or
	YES	
PAQ.625	In a typical week, on how many days {do you/does SP} do moderate -intensity activities as part {your/his/her} work?	of
	PROBE IF NEEDED: Moderate-intensity activity causes small increases in breathing or heart rate are is done for at least 10 minutes continuously .	nd
	HARD EDIT: LESS THAN 1 DAY OR MORE THAN 7 DAYS. ERROR MESSAGE: THE NUMBER OF DAYS SHOULD BE BETWEEN 1 AND 7.	
	_ ENTER NUMBER OF DAYS	
	REFUSED	

PAQ.630 Q/U How much time {do you/does SP} spend doing **moderate**-intensity activities at work on a typical day?

PROBE IF NEEDED: Think about a typical day when {you do/he does/she does} moderate-intensity activities during your work.

PROBE IF NEEDED: Moderate-intensity activity causes small increases in breathing or heart rate and is done for at **least 10 minutes continuously**.

SOFT EDIT: >4 HOURS.

ERROR MESSAGE: INTERVIEWER, YOU HAVE RECORDED THAT THE SP SPENDS MORE THAN 4 HOURS DOING MODERATE-INTENSITY ACTIVITIES AT WORK ON A TYPICAL DAY. PLEASE CONFIRM WITH SP THAT OVER 4 HOURS IS CORRECT.

HARD EDIT: LESS THAN 10 MINUTES OR 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE 10 MINUTES OR MORE, BUT LESS THAN 24 HOURS.

_ ENTER NUMBER OF MINUTES OR HOU	RS	
REFUSED DON'T KNOW		(PAQ.635) (PAQ.635)
 ENTER UNIT		
MINUTES		

PAQ.635 The next questions exclude the physical activities at work that you have already mentioned. Now I would like to ask you about the usual way {you travel/SP travels} to and from places. For example to school, for shopping, to work.

{Do you/Does SP} walk or use a bicycle for **at least 10 minutes continuously** to get to and from places?

YES	1	
NO	2	(PAQ.650)
REFUSED	7	(PAQ.650)
DON'T KNOW	9	(PAQ.650)

PAQ.640 In a typical week, on how many days {do you/does SP} walk or bicycle for **at least 10 minutes continuously** to get to and from places?

HARD EDIT: LESS THAN 1 DAY OR MORE THAN 7 DAYS. ERROR MESSAGE: THE NUMBER OF DAYS SHOULD BE BETWEEN 1 AND 7.

_ ENTER NUMBER OF DAYS		
REFUSED	77	(PAQ.650
DON'T KNOW	99	(PAO.650

PAQ.645 Q/U How much time {do you/does SP} spend walking or bicycling for travel on a typical day?

PROBE IF NEEDED: Think about a typical day when {you walk or bicycle/SP walks or bicycles} for travel.

SOFT EDIT: >4 HOURS.

ERROR MESSAGE: INTERVIEWER, YOU HAVE RECORDED THAT THE SP SPENDS MORE THAN 4 HOURS WALKING OR BICYCLING TO GET TO AND FROM PLACES ON A TYPICAL DAY. PLEASE CONFIRM WITH SP THAT OVER 4 HOURS IS CORRECT.

HARD EDIT: LESS THAN 10 MINUTES OR 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE 10 MINUTES OR MORE, BUT LESS THAN 24 HOURS.

ENTER NUMBER OF MINUTES OR HOUI	RS	
REFUSED DON'T KNOW		
L ENTER UNIT		
MINUTES		

PAQ.650 The next questions exclude the work and transport activities that you have already mentioned. Now I would like to ask you about sports, fitness and recreational activities.

{Do you/Does SP} do any **vigorous**-intensity sports, fitness, or recreational activities that cause **large increases** in breathing or heart rate like running or basketball for **at least 10 minutes continuously**?

YES	1	
NO	2	(PAQ.665)
REFUSED	7	(PAQ.665)
DON'T KNOW	9	(PAQ.665)

PAQ.655

In a typical week, on how many days {do you/does SP} do **vigorous**-intensity sports, fitness or recreational activities?

PROBE IF NEEDED: Vigorous-intensity activity causes large increases in breathing or heart rate and is done for at **least 10 minutes continuously**.

HARD EDIT: LESS THAN 1 DAY OR MORE THAN 7 DAYS. ERROR MESSAGE: THE NUMBER OF DAYS SHOULD BE BETWEEN 1 AND 7.

L ENTER NUMBER OF DAYS		
REFUSED	77	(PAQ.665)
DON'T KNOW	99	(PAQ.665)

PAQ.660 Q/U How much time $\{do\ you/does\ SP\}\ spend\ doing\ \emph{vigorous}\ -intensity\ sports,\ fitness\ or\ recreational\ activities\ on\ a\ typical\ day?$

PROBE IF NEEDED: Think about a typical day when {you do/SP does} vigorous-intensity sports, fitness or recreational activities.

SOFT EDIT: >4 HOURS.

	ERROR MESSAGE: INTERVIEWER, YOU HAVE RECORDED THAT THE SP SPENDS MORE THA 4 HOURS DOING VIGOROUS-INTENSITY RECREATIONAL ACTIVITIES ON A TYPICAL DA PLEASE CONFIRM WITH SP THAT OVER 4 HOURS IS CORRECT.		
	HARD EDIT: LESS THAN 10 MINUTES OR 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE 10 MINUTES OR MORE, BUT LESS THAN 24 HOURS.		
	 ENTER NUMBER OF MINUTES OR HOURS		
	REFUSED		
	II ENTER UNIT		
	MINUTES		
PAQ.665	{Do you/Does SP} do any moderate -intensity sports, fitness, or recreational activities that cause a small increase in breathing or heart rate such as brisk walking, bicycling, swimming, or volleyball for at least 10 minutes continuously ?		
	YES		
PAQ.670	In a typical week, on how many days {do you/does SP} do moderate -intensity sports, fitness or recreational activities?		
	PROBE IF NEEDED: Moderate-intensity sports, fitness or recreational activities cause small increases in breathing or heart rate and is done for at least 10 minutes continuously .		
	HARD EDIT: LESS THAN 1 DAY OR MORE THAN 7 DAYS. ERROR MESSAGE: THE NUMBER OF DAYS SHOULD BE BETWEEN 1 AND 7.		
	_ ENTER NUMBER OF DAYS		
	REFUSED		

PAQ.675 Q/U

How much time {do you/does SP} spend doing **moderate**—intensity sports, fitness or recreational activities on a typical day?

PROBE IF NEEDED: Think about a typical day when {you do/SP does} moderate-intensity sports, fitness or recreational activities.

PROBE IF NEEDED: Moderate-intensity sports, fitness or recreational activities cause small increases in breathing or heart rate and is done for at **least 10 minutes continuously**.

SOFT EDIT: >4 HOURS.

ERROR MESSAGE: INTERVIEWER, YOU HAVE RECORDED THAT THE SP SPENDS MORE THAN 4 HOURS DOING MODERATE-INTENSITY RECREATIONAL ACTIVITIES ON A TYPICAL DAY. PLEASE CONFIRM WITH SP THAT OVER 4 HOURS IS CORRECT.

HARD EDIT: LESS THAN 10 MINUTES OR 24 HOURS OR MORE. ERROR MESSAGE: THE TIME SHOULD BE 10 MINUTES OR MORE, BUT LESS THAN 24 HOURS.

 ENTER NUMBER OF MINUTES OR HOUI	RS	
REFUSED DON'T KNOW		(PAQ.680) (PAQ.680)
L ENTER UNIT		
MINUTES		

PAQ.680 Q/U

The following question is about sitting at school, at home, getting to and from places, or with friends including time spent sitting at a desk, traveling in a car or bus, reading, playing cards, watching television, or using a computer. Do not include time spent sleeping.

How much time {do you/does SP} usually spend sitting on a typical day?

SOFT EDIT: 18 HOURS OR MORE.

ERROR MESSAGE: PLEASE VERIFY TIMES OF 18 HOURS OR MORE.

HARD EDIT: 24 HOURS OR MORE.

ERROR MESSAGE: THE TIME SHOULD BE LESS THAN 24 HOURS.

_ ENTER NUMBER OF MINUTES OR HOU	RS	
REFUSED DON'T KNOW		
 ENTER UNIT		
MINUTES		

PAQ.710	Now I will ask you about TV	watching and computer use.
	Over the past 30 days , on Would you say	average how many hours per day did {you/SP} sit and watch TV or videos
		less than 1 hour, 0
		1 hour, 1
		2 hours
		3 hours,
		4 hours,
		5 hours or more, or 5
		none, {you don't/SP does not} watch TV or
		videos 8
		REFUSED 77
		DON'T KNOW
		2011 1 1110 111111111111111111111111111
PAQ.715		n average how many hours per day did {you/SP} use a computer or plages school? Include Playstation, Nintendo DS, or other portable video games
		less than 1 hour, 0
		1 hour, 1
		2 hours, 2
		3 hours 3
		4 hours, or 4
		5 hours or more, or 5
		{You do/SP does} not use a computer
		outside of work or school?
		REFUSED 77
		DON'T KNOW 99
	HELP SCREEN: If the SP watches T.V. or watching T.V. or video.	video at the same time as working on the computer, count this time as
PAQ.722		k about the sports, lessons, or physical activities {you/SP} may have done Please do not include things {you/he/she} did during the school day like Pl
	Did {you/SP} do any physica	al activities during the past 7 days?
		YES 1
		NO 2 (BOX 3)
		REFUSED 7 (BOX 3)
		DON'T KNOW 9 (BOX 3)
		- (=
	0.451.010751.071.011.15	

CAPI INSTRUCTION: IF SP AGE IS 3-4 YEARS OLD, DO NOT DISPLAY {(Please do not include things {you/he/she} did during the school day like PE or gym class.)}

PAQ.723 What physical activities did {you/SP} do during the **past 7 days**? [PROBE: Did {you/he/she} do any other physical activities?}

CODE ALL THAT APPLY

AEROBICS/WEIGHT TRAINING/GYM/	
EXERCISE	1
BASEBALL/SOFTBALL/CATCH/PITCHING	2
BASKETBALL	3
BIKE RIDING/DIRT BIKING/MOUNTAIN	
BIKING	4
CHEERLEADING	5
DANCE	6
FIELD HOCKEY/STREET HOCKEY/	
ROLLER HOCKEY	7
FOOTBALL	8
GOLF	9
GYMNASTICS/TUMBLING	10
HIKING	11
ICE HOCKEY	12
ICE SKATING	13
JUMPING ROPE	14
LACROSSE	15
MARTIAL ARTS (KARATE/TAE KWON DO/	
JUDO, ETC.)	16
PLAYING GAMES (PROBE: WERE YOU	
PHYSICALLY ACTIVE? IF NO, DON'T	
COUNT)	17
ROLLER BLADING/ROLLER SKATING	18
RUNNING/JOGGING	19
SCOOTER RIDING (PROBE: DOES IT HAVE	:
A MOTOR? IF YES, DON'T COUNT)	20
SKATEBOARDING	21
SOCCER	22
SWIMMING	23
TENNIS	24
TRACK & FIELD	25
VOLLEYBALL	26
WALKING	27
WRESTLING	
OTHER (SPECIFY)	91
REFUSED	77
DON'T KNOW	99

BOX 3

CHECK ITEM PAQ.726:

IF SP AGE 3-4, GO TO END OF SECTION. IF SP AGE 5-15, CONTINUE.

PAQ.730	During the past 7 days , on hance, Dance Revolution?	how many days did {you/SP} play active vid	eo games such as Wii o
		0 days	1 (BOX 4)
		1 day	
		2 days	3
		3 days	
		4 days	
		5 days	
		6 days	
		7 days	
		REFUSED	
		DON'T KNOW	
PAQ.733	On average, for how long did {	[you/SP] play these active video games?	
-			
		G/Q/U	
		ENTER NUMBER (OF MINUTES OR HOURS	o)
		DON'T KNOW	
		ENTER UNIT	
		MINUTES	1 2
	SOFT EDIT: IF THE HOURS SOFT EDIT: IF THE MINUTE:	EXCEED 4 SAY UNUSUAL, S ARE LESS THAN 10 CONFIRM THAT IT IS	MINUTES NOT HOURS.
		BOX 4	
		BOX 4	
	CHECK ITEM PAQ.736:		
	IF SP AGE 5-11, SKIP TO	PAQ.755.	
	IF SP AGE 12-15, CONTIN		

		n/her} sweat and breathe hard, such as ba fast dancing, or similar activities?	asketball, soccer, running
		0 days	1
		0 days	
		2 days	
		3 days	
		4 days	
		5 days	
		6 days	
		7 days	
		REFUSED	
		DON'T KNOW	
PAQ.678	On how many of the past muscles, such as push-ups, s	7 days did {you/SP} do exercises to strengt it-ups, or weight lifting?	then or tone {your/his/her]
		O dovo	1
		0 days	
		1 day	
		2 days	
		3 days	
		4 days	
		5 days	
		6 days	
		7 days	
		REFUSED	
		DON'T KNOW	. 99
	stions ask about activities duri activities when {you were/he w	ng the school year. If {you are/SP is} not curre /as/she was} last in school.	ently in school, think about
PAQ.740	-	school allowed to use school facilities during ymnasium, tennis courts, weight room, or track	•
		YES	1
		NO	
		REFUSED	,
		DON'T KNOW	
PAQ.742	{Do you/Does SP} use school	facilities for physical activity during school time YES NO	e? . 1
		REFUSED	
		DON'T KNOW	
		DOIN I KINOVV	. 3

On how many of the past 7 days did {you/SP} exercise or participate in physical activity for at least 20

PAQ.677

PAQ.744	{Do you/does SP} have PE or g	ym during school days?			
	1 F	YES NOREFUSED DON'T KNOW	1 2 (PAQ.755) 7 (PAQ.755) 9 (PAQ.755)		
PAQ.746	How often {do you/does SP} ha	ave PE or gym?			
	2 3 2 E F	L day a week	2 3 4 5		
PAQ.748	On average, how long is the PE	On average, how long is the PE or gym class?			
	3 M F	Less than 30 minutes	1 2 3 7 9		
PAQ.755	gym class/recess}. If {you are/s	may be done before, during, or after school SP is} not currently in school, think about {yo time school.} {Do you/Does SP} participate in	ur/his/her} activities when		
	CAPI INSTRUCTION: IF SP A	GE 5-11, DISPLAY {recess}			
	1 F	YES NO REFUSED DON'T KNOW	1 2 (BOX 5) 7 (BOX 5) 9 (BOX 5)		

CODE ALL THAT APPLY

BASEBALL/SOFTBALL	1
BASKETBALL	2
BOCCE BALL	3
CHEERLEADING	4
FOOTBALL	5
GOLF	6
GYMNASTICS	7
HOCKEY	8
LACROSSE	9
SOCCER	10
SWIMMING/DIVING	11
TENNIS	12
TRACK AND FIELD	13
VOLLEYBALL	14
WRESTLING	15
OTHER (SPECIFY)	16
REFUSED	77
DON'T KNOW	99

BOX 5

CHECK ITEM PAQ.760:

IF SP AGE 5-11, CONTINUE WITH PAQ.762. IF SP AGE 12-15, GO TO PAQ.679.

PAQ.762 {Do you/Does SP} have recess during school days?

YES	1	
NO	2	(PAQ.770)
REFUSED	7	(PAQ.770)
DON'T KNOW	9	(PAO.770)

PAQ.764 How often {do you/does SP} have recess?

1 day a week	1
2 days a week	2
3 days a week	3
4 days a week	4
Every day	5
REFUSED	7
DON'T KNOW	9

PAQ.766	On average, how long is the red	cess period?	
	1 1 1 F	Less than 10 minutes	1 2 3 4 7 9
		BOX 6	
	CHECK ITEM PAQ.768: IF SP AGE 5-11, GO TO PA	AQ.750.	
PAQ.679	for good health? (This include:	rou/does SP} think you should exercise or be ps all activities like bicycling, dancing, and play, and anywhere else {you get/he gets/she gets	aying basketball that {you
	ı	Less than 10 minutes,	1
		10-15 minutes,	2
		16-30 minutes	3
		31-45 minutes,	4
		46-60 minutes, or	5
		More than 60 minutes	6
	F	REFUSED	7
]	DON'T KNOW	9
PAQ.750		nt and I want you to let me know if you stron or strongly disagree with the statement. {I en	
CAPI INSTRUCTION: IF SP AGE 5-11, DISPLAY { {SP} enjoys participating in re			in recess}
	HAND CARD PAQ1		
	5	STRONGLY AGREE	1
		AGREE	2
		NEITHER AGREE NOR DISAGREE	3
		DISAGREE	4
	9	STRONGLY DISAGREE	5
	F	REFUSED	7
		DON'T KNOW	9

In the past year, did {you/SP} receive a Physical Fitness Test award, such as a President's Challenge or Fitnessgram award?		
	YES NO REFUSED DON'T KNOW	2 (END OF SECTION)7 (END OF SECTION)
What Physical Fitness Test aw	ard did {you/SP} receive?	
•	FITNESSGRAM and the	
	Fitnessgram President's Challenge OTHER (SPECIFY) REFUSED DON'T KNOW	2 3
	or Fitnessgram award? What Physical Fitness Test aw PROBE IF NEEDED: Examp PRESIDENT'S CHALLENGE.	Or Fitnessgram award? YES

DIET BEHAVIOR AND NUTRITION - DBQ

Target Group: 3 to 15 years

		BOX 9		
	CHECK ITEM DBQ.355: IF SP AGE GT 4, CONTIN OTHERWISE, GO TO DB			
DBQ.360	During the school year , {do y	rou/does SP} attend a kindergarten, grade scho	ol, junior or high	school?
	INTERVIEWER INSTRUCTI	ON: ENTER 'NO' IF THE SP IS HOME SCHOO	OLED.	
		YES NOREFUSED DON'T KNOW	2 (DBQ.8 7 (DBQ.8	395)
DBQ.381 G/Q	During the school year , about	t how many times a week does {SP} usually get	a complete sch	ool lunch?
	CAPI INSTRUCTION: HARD EDIT 1-5			
		L ENTER NUMBER OF TIMES		
		NONEREFUSEDDON'T KNOW	7 (DBQ.400)	
DBQ.390	Does {SP} get these lunches free, at a reduced price, or does {he/she} pay full price?			
		FREEREDUCED PRICEFULL PRICEREFUSEDDON'T KNOW	1 2 3 7 9	

DBQ.400	Does (SP's) school serve	a complete breakfast that costs the same every	day?	
		YES	1	
		NO		
		REFUSED	()	
		DON'T KNOW		
		DON'T KNOW	3 (DDQ.000	
DBQ.411 G/Q	During the school year , a	bout how many times a week does {SP} usually ge	et a complete breakfast at school?	
	CAPI INSTRUCTION:			
	HARD EDIT 1-5			
		<u> </u>		
		ENTER NUMBER OF TIMES		
		NONE	2 (DBQ.895)	
		REFUSED		
		DON'T KNOW		
DBQ.421	Does {SP} get these breakfasts free, at a reduced price, or does {he/she} pay full price?			
		FREE	1	
		REDUCED PRICE	2	
		FULL PRICE	3	
		REFUSED	7	
		DON'T KNOW	9	
			•	
DBQ.895	past 7 days, how many n	about meals. By meal, I mean breakfast, lunc neals did {SP} get that were prepared away fro es, food stands, grocery stores, or from vending m	m home in places such as	
	{Please do not include me	als provided as part of the school lunch or school	breakfast.}	
	school lunch or school bre			
		MESSAGE FOR ENTRY LARGER THAN "21." - his is more than 3 meals per day, each day during		
		LII ENTER NUMBER		
		NONE	2 (DBQ.905)	
		REFUSED		
		DON'T KNOW		

DBQ.900	How many of those meals did	d {SP} get from a fast-food or pizza place?	
		_ ENTER NUMBER	
		NONEREFUSEDDON'T KNOW	7
	ENTERED IN DBQ.895. IF N "THE NUMBER OF MEALS	D EDIT ERED IN DBQ.900 MUST BE EQUAL TO OI NOT, DISPLAY THE FOLLOWING: FROM A FAST FOOD OR PIZZA PLACE CANI ARED AWAY FROM HOME."	
DBQ.905	Some grocery stores sell "reavegetables in their salad bars	ady to eat" foods such as salads, soups, chickens and deli counters.	n, sandwiches and cooked
		w often did {SP} eat "ready to eat" foods from the cheese you buy for sandwiches and frozen or contents.	
		_ ENTER NUMBER OF TIMES (PER DAY, WE	EK, OR MONTH)
		NEVER REFUSED DON'T KNOW	7
		ENTER UNIT	
		DAY WEEK MONTH	2
DBQ.910	During the past 30 days , hexamples of frozen meals an	now often did {SP} eat frozen meals or frozen d frozen pizzas.	pizzas? Here are some
	HAND CARD DBQ4		
		 ENTER NUMBER OF TIMES (PER DAY, WE	EK, OR MONTH)
		NEVER	
		REFUSED DON'T KNOW	
		ENTER UNIT	
		DAY	1
		WEEK	2

MONTH...... 3

4/7/11 Questionnaire: SP

ACCULTURATION – ACQ Target Group: SPs 3-15

BOX 1B

CHECK ITEM ACQ.006:

- IF SP CODED HISPANIC IN SCREENER, GO TO ACQ.042.
- ELSE IF SP CODED ASIAN IN SCREENER, GO TO ACQ.049.
- \bullet $\:$ IF CODED BOTH HISPANIC AND ASIAN IN SCREENER, GO TO ACQ.042 OTHERWISE, CONTINUE.
- ACQ.011 Now I'm going to ask you about language use.

What language(s) {do you/does SP} usually speak at home?

CODE ALL THAT APPLY

ENGLISH	1
SPANISH	8
OTHER	9
REFUSED	77
DON'T KNOW	99

BOX 2

CHECK ITEM ACQ.015:

GO TO END OF SECTION.

ACQ.042	Now I'm going to ask you about language use.
---------	--

What language(s) {do you/does SP} usually speak at home? {Do you/Does he/Does she} speak only **Spanish**, more **Spanish** than English, both equally, more English than **Spanish**, or only English?

HAND CARD ACQ1

ONLY SPANISH,	1
MORE SPANISH THAN ENGLISH,	2
BOTH EQUALLY,	3
MORE ENGLISH THAN SPANISH, OR	4
ONLY ENGLISH	5
REFUSED	7
DON'T KNOW	С

BOX 3

CHECK ITEM ACQ.045:

GO TO ACQ.120.

ACQ.049 Now I'm going to ask you about language use.

What language(s) {do you/does SP} usually speak at home?

CODE ALL THAT APPLY

HAND CARD ACQ2

ENGLISH	10	
CHINESE	11	
FARSI/PERSIAN	12	
HINDI	13	
JAPANESE	14	
KHMER/CAMBODIAN	15	
KOREAN	16	
TAGALOG/FILIPINO	17	
URDU	18	
VIETNAMESE	19	
OTHER (SPECIFY)	20	
REFUSED		(ACQ.120)
DON'T KNOW		

BOX 4

CHECK ITEM ACQ.090:

IF ACQ.049 = 10 ONLY, GO TO ACQ.120.

IF ACQ.049 = 10 AND ONE OTHER RESPONSE 11-20, GO TO ACQ.110.

IF ACQ.049 DOES NOT EQUAL 10, GO TO ACQ.120

IF ACQ.049 = 10 AND TWO OR MORE OTHER RESPONSES 11-20, GO TO ACQ.101.

ACQ.101 Of these languages {ACQ.049 responses 11-20}, which {do you/does SP} speak more of at home?

CAPI INSTRUCTION:

- FILL NON-ENGLISH RESPONSE OPTIONS SELECTED IN ACQ.049 AND/OR ACQ.049OS SEPARATING WITH A COMMA. BEFORE LAST RESPONSE DISPLAY "and". FOR RESPONSE OPTION 20, DISPLAY OTHER SPECIFY TEXT.
- DISPLAY ONLY NON-ENGLISH RESPONSE OPTIONS SELECTED IN ACQ.049 AND/OR ACQ.049OS THAT WERE SELECTED.

CHINESE	11	
FARSI/PERSIAN	12	
HINDI	13	
JAPANESE	14	
KHMER/CAMBODIAN	15	
KOREAN	16	
TAGALOG/FILIPINO	17	
URDU	18	
VIETNAMESE		
{ACQ.049OS}	20	
REFUSED	77	(ACQ.120)
DON'T KNOW	99	(ACQ.120)

ACQ.110 {Do you/Does SP} speak only (NON-ENGLISH LANGUAGE), more (NON-ENGLISH LANGUAGE) than English, both equally, more English than (NON-ENGLISH LANGUAGE), or only English?

CAPI INSTRUCTION:

- IF ENGLISH AND ONE OTHER RESPONSE OPTION 11-20 WAS SELECTED IN ACQ.049, FILL NON-ENGLISH LANGUAGE WITH RESPONSE OPTION 11-20.
- IF ENGLISH AND TWO OR MORE OTHER OPTIONS 11-20 WERE SELECTED IN ACQ.049, FILL NON-ENGLISH WITH RESPONSE TO QUESTION ACQ.101.

ONLY (NON-ENGLISH LANGUAGE),	1
MORE (NON-ENGLISH), THAN ENGLISH,	2
BOTH EQUALLY,	3
MORE ENGLISH THAN (NON-ENG), OR	4
ONLY ENGLISH	5
REFUSED	7
DON'T KNOW	a

ACQ.120 In what country was {your/SP's} father born?

UNITED STATES, EXCEPT PUERTO RICO.	1
PUERTO RICO	2
CAMBODIA	3
CHINA	4
CUBA	5
DOMINICAN REPUBLIC	6
EL SALVADOR	7
INDIA	8
IRAN	9
JAPAN	10
KOREA	11
MEXICO	12
NICARAGUA	13
PAKISTAN	14
PHILIPPINES	15
VIETNAM	16
OTHER (SPECIFY)	17
REFUSED	77
DON'T KNOW	99
s} mother born?	
UNITED STATES, EXCEPT PUERTO RICO.	1

ACQ.130 In what country was {your/SP's} mother born?

UNITED STATES, EXCEPT PUERTO RICO.	1
PUERTO RICO	2
CAMBODIA	3
CHINA	4
CUBA	5
DOMINICAN REPUBLIC	6
EL SALVADOR	7
INDIA	8
IRAN	9
JAPAN	10
KOREA	11
MEXICO	12
NICARAGUA	13
PAKISTAN	14
PHILIPPINES	15
VIETNAM	16
OTHER (SPECIFY)	17
REFUSED	77
DON'T KNOW	99

4/7/11 Questionnair NYFS

DEMOGRAPHICS INFORMATION – DMQ – SP Target Group: SPs 3 to 15 years

BOX 1A

CHECK ITEM DMQ.030:

IF SP AGE >= 6, CONTINUE. OTHERWISE, GO TO DMQ.061.

DMQ.141 What is the **highest** grade or level of school {you have/SP has} **completed** or the **highest degree** {you have/s/he has} **received**?

HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY. ENTER HIGHEST LEVEL OF SCHOOL.

NEVER ATTENDED/KINDERGARTEN		
ONLY	0	(DMQ.061)
1ST GRADE	1	
2ND GRADE	2	
3RD GRADE	3	
4TH GRADE	4	
5TH GRADE	5	
6TH GRADE	6	
7TH GRADE	7	
8TH GRADE	8	
9TH GRADE	9	
10TH GRADE	10	
11TH GRADE	11	
12TH GRADE, NO DIPLOMA		
HIGH SCHOOL GRADUATE	13	
GED OR EQUIVALENT	14	
SOME COLLEGE, NO DEGREE	15	
ASSOCIATE DEGREE: OCCUPATIONAL,		
TECHNICAL, OR VOCATIONAL		
PROGRAM	16	
ASSOCIATE DEGREE: ACADEMIC		
PROGRAM	17	
BACHELOR'S DEGREE (EXAMPLE: BA,		
AB, BS, BBA)	18	
MASTER'S DEGREE (EXAMPLE: MA,		
MS, MEng, MEd, MBA)	19	
PROFESSIONAL SCHOOL DEGREE		
(EXAMPLE: MD, DDS, DVM, JD)	20	
DOCTORAL DEGREE (EXAMPLE:		
PhD, EdD)	21	
REFUSED	77	
DON'T KNOW	99	

DMQ.037	{Are you/Is SP} now		
		going to school,on vacation from school (between	
		grades), or	
		neither?	•
		REFUSED	
		DON'T KNOW	9
	HELP SCREEN: Going to School: Attending regular school system.	any type of public or private educational estab	lishment both in and out of the
DMQ.061		s about {your/SP's} name. {Do you/Does SP} us AME FROM DMQ-SPIV.040}?	sually go by another first name
	CAPI INSTRUCTION: DISPLAY "FIRST NAME:" A	ND FIRST NAME FROM DMQ-SPIV.040 AS LE	FT HEADER.
		YES	1
		NO	
		REFUSED	
		DON'T KNOW	
DMQ.071	What is this other first name	e?	
	VERIFY SPELLING		
		ENTER NAME	
		REFUSED	7
		DON'T KNOW	
		BOX 1BBB	
	CHECK ITEM DMQ.073a	a:	
	IF AGE >= 14, CONTINU		
	OTHERWISE, GO TO DI	MQ.241.	
DMQ.380	{Are you/Is SP} now married	d, widowed, divorced, separated, never married o	or living with a partner?
		MARRIED	1
		WIDOWED	2
		DIVORCED	3
		SEPARATED	4
		NEVER MARRIED	5
		LIVING WITH PARTNER	6
		REFUSED	77
		DON'T KNOW	99

DMQ.241 {Do you/Does SP} consider {yourself/himself/herself} to be Hispanic or Latino?

READ IF NECESSARY: Where {do your/do his/do her} ancestors come from?

Puerto Rican

Cuban/Cuban American Dominican Republic

Mexican/Mexican American Central/South American

Other Latin American

Other Hispanic or Latino

YES	1	
NO	2	(DMQ.263)
REFUSED	7	(DMQ.263)
DON'T KNOW	9	(DMQ.263)

HELP SCREEN:

SPANISH, HISPANIC OR LATINO PEOPLE MAY BE OF ANY RACE. LISTED BELOW ARE HISPANIC OR LATINO CATEGORIES/COUNTRIES.

MEXICAN

PUERTO RICAN

CUBAN

DOMINICAN REPUBLIC

CENTRAL AMERICAN:

COSTA RICAN

GUATEMALAN

HONDURAN

NICARAGUAN

PANAMANIAN

SALVADORAN

OTHER CENTRAL AMERICAN

SOUTH AMERICAN:

ARGENTINEAN

BOLIVIAN

CHILEAN

COLOMBIAN

ECUADORIAN

PARAGUAYAN

PERUVIAN

URUGUAYAN

VENEZUELAN

OTHER SOUTH AMERICAN

OTHER HISPANIC OR LATINO:

SPANIARD

SPANISH

SPANISH AMERICAN

DMQ.252 Please give me the number of the group that represents {your/SP's} **Hispanic/Latino** origin or ancestry. Please select 1 or more of these categories.

PROBE: Where do you/your ancestors come from?

HAND CARD DMQ2 SELECT 1 OR MORE

MEXICAN	10
PUERTO RICAN	11
CUBAN	12
DOMINICAN REPUBLIC	13
CENTRAL AMERICAN:	
COSTA RICAN	14
GUATEMALAN	15
HONDURAN	16
NICARAGUAN	17
PANAMANIAN	18
SALVADORAN	19
OTHER CENTRAL AMERICAN	20
SOUTH AMERICAN:	
ARGENTINEAN	21
BOLIVIAN	22
CHILEAN	23
COLOMBIAN	24
ECUADORIAN	25
PARAGUAYAN	26
PERUVIAN	27
URUGUAYAN	28
VENEZUELAN	29
OTHER SOUTH AMERICAN	30
OTHER HISPANIC OR LATINO:	
FILIPINO	31
SPANIARD	32
SPANISH	33
SPANISH AMERICAN	34
HISPANO/HISPANA	35
HISPANIC/LATINO	36
OTHER HISPANIC/LATINO (SPECIFY)	
REFUSED	77
DON'T KNOW	99

BOX 3L

CHECK ITEM DMQ.255:

IF 'OTHER SPECIFY' (CODE 40) IN DMQ.252, DISPLAY SOFT ERROR MESSAGE "PLEASE REVIEW THE LIST AND SELECT RESPONSE FROM LIST BEFORE TYPING. THE LIST IS MEANT TO INCLUDE **ALL** CATEGORIES" AND CAPI SHOULD RETURN TO DMQ.252.

DMQ.263 Please look at the categories on this card. What race or races {do you/does SP} consider {yourself/himself/herself} to be? Please select one or more.

HAND CARD DMQ3

CHECK ALL THAT APPLY.

AMERICAN INDIAN OR ALASKAN NATIVE.	1
ASIAN	2
BLACK OR AFRICAN AMERICAN	3
NATIVE HAWAIIAN OR PACIFIC ISLANDER	4
WHITE	5
OTHER	6
DK	9
RE	7

NEW BOX L-1

CHECK ITEM DMQ.310:

IF CODE 2 (ASIAN) IN DMQ.263, GO TO DMQ.336. OTHERWISE, GO TO **NEW BOX L-5**.

NEW BOX L-5

CHECK ITEM DMQ.330:

IF CODE 6 (OTHER) IN DMQ.263 AND CODE 1 (YES-HISPANIC) IN DMQ.241, GO TO DMQ.266.

OTHERWISE, GO TO DMQ.107.

DMQ.336 Please give me the number of the group that represents {your/SP's} Asian origin or ancestry. Please select one or more of these categories.

HAND CARD DMQ4

PROBE: Where do your ancestors come from?

ASIAN INDIAN	10
BANGLADESHI	11
BENGALESE	12
BHARAT	13
BHUTANESE	14
BURMESE	15
CAMBODIAN	16
CANTONESE	17
CHINESE	18
DRAVIDIAN	19
EAST INDIAN	20
FILIPINO	21
GOANESE	22
HMONG	23
INDOCHINESE	24
INDONESIAN	25
IWO JIMAN	26
JAPANESE	27
KOREAN	28
LAOHMONG	29
LAOTIAN	30
MADAGASCAR/MALAGASY	31
MALAYSIAN	32
MALDIVIAN	33
MONG	34
NEPALESE	35
NIPPONESE	36
OKINAWAN	37
PAKISTANI	38
SIAMESE	39
SINGAPOREAN	40
SRI LANKAN	41
TAIWANESE	42
THAI	43
VIETNAMESE	44
REFUSED	77
DON'T KNOW	99

NEW	BOX	1 -6

CHECK ITEM DMQ.340: SKIP TO DMQ.107.

DMQ.266 CODE SP ANSWER TO 'OTHER RACE'.

MEXICAN	10
PUERTO RICAN	11
CUBAN	12
DOMINICAN REPUBLIC	13
CENTRAL AMERICAN:	
COSTA RICAN	14
GUATEMALAN	15
HONDURAN	16
NICARAGUAN	17
PANAMANIAN	18
SALVADORAN	19
OTHER CENTRAL AMERICAN	20
SOUTH AMERICAN:	
ARGENTINEAN	21
BOLIVIAN	22
CHILEAN	23
COLOMBIAN	24
ECUADORIAN	25
PARAGUAYAN	26
PERUVIAN	27
URUGUAYAN	28
VENEZUELAN	29
OTHER SOUTH AMERICAN	30
OTHER HISPANIC OR LATINO:	
SPANIARD	32
SPANISH	33
SPANISH AMERICAN	34
HISPANO/HISPANA	35
HISPANIC/LATINO	36
OTHER (SPECIFY)	40
REFUSED	
DON'T KNOW	99

BOX 3M

CHECK ITEM DMQ.268:

IF 'OTHER SPECIFY' (CODE 40) IN DMQ.266, DISPLAY SOFT ERROR MESSAGE – "PLEASE REVIEW THE LIST AND SELECT RESPONSE FROM LIST BEFORE TYPING. THE LIST IS MEANT TO INCLUDE **ALL** CATEGORIES." AND CAPI SHOULD RETURN TO QUESTION DMQ.266.

DMQ.107 In what country {were you/was SP} born?

UNITED STATES	1	(END OF SECTION)
OTHER COUNTRY	2	(NEW BOX 3N)
REFUSED	7	(END OF SECTION)
DON'T KNOW	9	(END OF SECTION)

NEW BOX 3N

CHECK ITEM DMQ.108:

IF CODE 2 (ASIAN) IN DMQ.263, GO TO DMQ.125. OTHERWISE, CONTINUE.

DMQ.112 SELECT COUNTRY OF BIRTH

1	(END OF SECTION)
2	(END OF SECTION)
3	(END OF SECTION)
4	(END OF SECTION)
5	(END OF SECTION)
6	(END OF SECTION)
7	(END OF SECTION)
8	(END OF SECTION)
9	(END OF SECTION)
10	(END OF SECTION)
11	(END OF SECTION)
	(END OF SECTION)
13	(END OF SECTION)
	(END OF SECTION)
15	(END OF SECTION)
16	(END OF SECTION)
17	(END OF SECTION)
18	(END OF SECTION)
19	(END OF SECTION)
20	(END OF SECTION)
21	(END OF SECTION)
22	(END OF SECTION)
23	(END OF SECTION)
40	(END OF SECTION)
	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

CAPI INSTRUCTION:

IF 'OTHER' SELECTED, DISPLAY COUNTRY LIST IN ALPHABETICAL ORDER. INTERVIEWER SHOULD BE ABLE TO SELECT ONE FROM THE LIST.

DMQ.125 SELECT COUNTRY OF BIRTH

BANGLADESH	1
BHUTAN	2
BURMA/MYANMAR	3
CAMBODIA	4
CHINA	5
HONG KONG	6
INDIA	7
INDONESIA	8
JAPAN	
KOREA	10
LAOS	11
MACAU	12
MADAGASCAR	13
MALAYSIA	14
MALDIVES	15
NEPAL	16
PAKISTAN	17
PHILIPPINES	18
SINGAPORE	19
SRI LANKA	20
TAIWAN	21
THAILAND	22
TIBET	23
VIETNAM	24
OTHER (CAPI INSTRUCTION: DISPLAY	
DMQ.125 COUNTRY LIST.)	25

CAPI INSTRUCTION:

IF 'OTHER' SELECTED, DISPLAY COUNTRY LIST IN ALPHABETICAL ORDER. INTERVIEWER SHOULD BE ABLE TO SELECT ONE FROM THE LIST.

NHANES NYFS

4/7/11 Questionnaire: SP

HEALTH INSURANCE – HIQ Target Group: 3 to 15 years

HIQ.011 The next questions are about health insurance.

Include health insurance obtained through employment or purchased directly as well as government programs like Medicare and Medicaid that provide medical care or help pay medical bills.

Is {SP} covered by health insurance or some other kind of health care plan?

YES	1	
NO	2	(BOX 12)
REFUSED	7	(BOX 12)
DON'T KNOW	9	(BOX 12)

HIQ.031 What kind of health insurance or health care coverage does {does SP} have? **Include** those that pay for only one type of service (nursing home care, accidents, or dental care). **Exclude** private plans that only provide extra cash while hospitalized. If {you have/s/he has} more than one kind of health insurance, tell me all plans that {you have/s/he has}.

CODE ALL THAT APPLY

HAND CARD HIQ1

CAPI INSTRUCTION:

DO NOT ALLOW MORE THAN ONE ANSWER WHEN 40 (NO COVERAGE OF ANY TYPE) IS CODED.

PRIVATE HEALTH INSURANCE	14
MEDICARE	15
MEDI-GAP	16
MEDICAID ({DISPLAY STATE PLAN NAME})	17
SCHIP (CHIP/CHILDREN'S HEALTH INSURANCE PROGRAM)	18
MILITARY HEALTH CARE (TRICARE/VA/CHAMP-VA)	19
INDIAN HEALTH SERVICE	20
STATE-SPONSORED HEALTH PLAN ({DISPLAY STATE	
PLAN NAME})	21
OTHER GOVERNMENT PROGRAM	22
SINGLE SERVICE PLAN (E.G., DENTAL, VISION,	
PRESCRIPTIONS)	23
NO COVERAGE OF ANY TYPE	
REFUSED	77
DON'T KNOW	00

BOX 13

CHECK ITEM HIQ.259:

IF AGE < 65 AND (HIQ.011 = 1 (YES) AND HIQ.031 NOT = 40 (NO COVERAGE), GO TO HIQ.270.

IF AGE < 65 AND (HIQ.011 = 2, 7, OR 9 OR HIQ.031 = 40), GO TO END OF SECTION.

BOX 14

CHECK ITEM HIQ.269:

IF (HIQ.011 = 1 AND HIQ.031 NOT = 40) OR HIQ.260 = 1, CONTINUE. OTHERWISE, GO TO END OF SECTION.

DIETARY SUPPLEMENTS AND PRESCRIPTION MEDICATION – DSQ Target Group: SPs Birth +

DSQ.012 The next questions are about {your/SP's} use of dietary supplements, nonprescription antac prescription medications during the past 30 days .				
{Have you/Has SP} used or taken any vitamins, minerals, herbals or other dietary supplements in the past 30 days ? Include prescription and non-prescription supplements.				
This card lists some examples of different types of dietary supplements.				
HAND CARD DSQ1a				
YES				
{Have you/Has SP} used or taken any nonprescription antacids in the past 30 days ?				
HAND CARD DSQ1b				
YES				
HELP SCREEN: Antacids: An agent that neutralizes acidity or reduces acid production, especially in the digestive system.				
Past Month: The past 30 days. From yesterday, 30 days back.				
BOX 0				
OMITTED				

RXQ.032

In the **past 30 days**, {have you/has SP} used or taken medication for which a **prescription** is needed? Include only those products prescribed by a health professional such as a doctor or dentist. [Do not include prescription vitamins or minerals you may have already told me about.]

YES	1	(BOX 1)
NO	2	(BOX 0A)
REFUSED	7	(BOX 1)
DON'T KNOW	9	(BOX 1)

CAPI HARD EDIT CHECK #1

IF 'NO' (CODE 2) IN RXQ.032 AND 'YES' (CODE 1) IN DIQ.050 OR DIQ.070, DISPLAY THE FOLLOWING MESSAGE:

Earlier in the interview you reported currently taking insulin or a diabetic pill. If this is correct, we should count that as prescription medication you have taken in the last 30 days.

{CAPI DISPLAYS THREE QUESTIONS FOR CORRECTION}

DIQ.050 = Taking Insulin

DIO.070 = Taking Diabetic Pills

RXQ.032 = Prescription Medication in Last 30 Days

CAPI HARD EDIT CHECK #2

IF 'NO' (CODE 2) IN RXQ.032 AND 'YES' (CODE 1) IN BPQ.050a, DISPLAY THE FOLLOWING MESSAGE:

Earlier in the interview you reported currently taking prescription medication for high blood pressure. If this is correct, we should count that as prescription medication you have taken in the last 30 days.

{CAPI DISPLAYS TWO QUESTIONS FOR CORRECTION}

RXQ.032 = Prescription Medication in Last 30 Days

CAPI HARD EDIT CHECK #3

IF 'NO' (CODE 2) IN RXQ.032 AND 'YES' (CODE 1) IN BPQ.100d, DISPLAY THE FOLLOWING MESSAGE:

Earlier in the interview you reported currently taking prescription medication for high cholesterol. If this is correct, we should count that as prescription medication you have taken in the last 30 days.

{CAPI DISPLAYS TWO QUESTIONS FOR CORRECTION}

RXQ.032 = Prescription Medication in Last 30 Days

BOX	0	4
-----	---	---

CHECK ITEM DSQ.038:

IF 'NO' (CODE 2) IN RXQ.032 AND 'YES' (CODE 1) IN MCQ.051, CONTINUE OTHERWISE, GO TO BOX 1.

RXQ.040 Earlier in the interview, you reported that {you took/SP took} prescription medication for Asthma sometime in the past three months. {Have you/Has he/Has she} taken this prescription medicine for asthma in the past 30 days?

YES	1	{CODE RXQ.032
		YES - CODE 1}
NO	2	

BOX 1

CHECK ITEM DSQ.035A:

IF 'YES' (CODE 1) IN DSQ.012, RXQ.021, OR RXQ.032, CONTINUE. OTHERWISE, GO TO BOX 17A.

DSQ.042 May I please see the containers for **all** the {vitamins, minerals, herbals, and other dietary supplements}, {and} {nonprescription antacids} {and} {prescription medicines} that {you/SP} used or took in the **past 30 days**?

PRESS ENTER TO CONTINUE

CAPI INSTRUCTION:

DISPLAY {vitamins, minerals, herbals and other dietary supplements,} only if DSQ.012 = yes (1), {nonprescription antacids.} only if RXQ.021 = yes (1), {prescription medicines,} only if RXQ.032 = yes (1), and the word {"and"} only before the last product type if there is more than one product type.

BOX 1A

CHECK ITEM DSQ.045:

IF 'YES' (CODE 1) IN DSQ.012, CONTINUE WITH DSQ.047. OTHERWISE, GO TO BOX 6.

DSQ.047 I will start with the vitamins, minerals, herbals and other dietary supplements. Please show me any {you have/SP has} taken in the **past 30 days**.

CHECK PRODUCT LABEL OR ASK PRODUCT NAME. IS THIS PRODUCT ON THE LIST BELOW?

1	
2	(DSQ.052)
9	(DSQ.052)
10	
12	
13	
14	
15	
16	
18	
19	
20	
27	
28	
29	
40	
50	
51	
52	
	2 9 10 12 13 14 15 16 18 19 20 21 27 28 29 40 50 51

DSQ.049 WHICH PRODUCT IS IT? **ENTER 1 PRODUCT CODE**

DSQ.052

DSQ.060s

	WENT INOBOUT CODE				
		VITAMIN A	10		
		VITAMIN B6	12		
		VITAMIN B12	13		
		VITAMIN C (WITH OR WITHOUT ROSE			
		HIPS)	14		
		VITAMIN D			
		VITAMIN E	16		
		CALCIUM	18		
		CHROMIUM (CHROMIUM PICOLINATE)	19		
		FOLATE (FOLIC ACID)	20		
		IRON (FERROUS XXXATE)	21		
		MAGNESIUM	27		
		POTASSIUM	28		
		SELENIUM	29		
		ZINC (ZINC GLUCONATE)	40		
		VITAMINS A & D	50		
		CALCIUM & VITAMIN D	51		
		CALCIUM & MAGNESIUM	52		
		REFUSED	77	(DSQ.052))
		DON'T KNOW	99	(DSQ.052))
ı					
		BOX 1B			
	011501/17514 000 050				
	CHECK ITEM DSQ.059:				
L	GO TO DSQ.071.				
DE	EED TO DDODLICT LADE	EL(S) OR ASK RESPONDENT FOR NAME(S)	ΩE	DIETADY	CLIDDI EMENITO
		OF SUPPLEMENT, INCLUDING BRAND.	OF	DIETART	SUPPLEIVIENTS
U.	DED. LIVIER FOLL NAME	OF SOFFEEMENT, INCLUDING BRAIND.			
		ENTER SUPPLEMENT NAME			
			_		
		REFUSED	-		
		DON'T KNOW	9		
CI	API INSTRUCTION:				
	DON'T KNOW OR REFUS	AL THEN GO TO BOX 6			
		PRODUCT NAME TO SAVE THE PRODUCT	ΝΔΙ	ME AS KEV	'ED
		AL, "[]"S, AFTER THE FIRST TIME.	1 47 (1	WE AS REI	LD.
	SKI ONOOLD BL OF HOW	ic, [] o, / ii reix rile rilicor rilice.			
O۱	MITTED				
[BOX 2			
		DOX			
		OMITTED			
ı					

	DSQ.057	OMITTED
--	---------	---------

DSQ.071 INTERVIEWER: ENTER 1 RESPONSE

CAPI INSTRUCTION:

DISPLAY PRODUCT NAME AS LEFT HEADER.

BOX 2A

CHECK ITEM DSQ.074:

- IF PRODUCT WAS SELECTED FROM SPECIAL PRODUCT LIST (YES, CODE 1 IN DSO.047) AND CONTAINER SEEN, CONTINUE.
- IF PRODUCT WAS **NOT** SELECTED FROM SPECIAL PRODUCT LIST (NO, CODE 2 IN DSQ.047) AND **CONTAINER SEEN**, GO TO DSQ.077.
- OTHERWISE (IF CONTAINER NOT SEEN), GO TO DSQ.096.

DSQ.066 **SELEC** a/b/aO/bO

SELECT STRENGTH FOR {ELEMENT}

IF STRENGTH NOT ON FRONT OR UNCLEAR, TURN CONTAINER AROUND AND GET STRENGTH FROM FACTS BOX.

PRESS BS TO START LOOKUP.

PRESS ENTER TO SELECT.

CAPI INSTRUCTION:

- {ELEMENT} = DISPLAY PRODUCT ELEMENT SELECTED IN DSQ.049. IF PRODUCT SELECTED HAS MORE THAN 1 ELEMENT (EXAMPLE =), STRENGTH QUESTION SHOULD APPEAR FOR **EACH** ELEMENT.
- IF "OTHER" STRENGTH IS SELECTED, GET OTHER SPECIFY AND INTERVIEWER INSTRUCTION SHOULD READ "ENTER SUPPLEMENT STRENGTH".
- ALL OF THE STRENGTH QUESTION AND INSTRUCTION SHOULD APPEAR WHEN STRENGTH LOOKUP LIST IS DISPLAYED (NO SCROLLING). THIS MAY MEAN PRINTING ALL WORDS ON THE SCREEN FLUSH LEFT IN MULTIPLE LINES.

BOX 3	
OMITTED	

DSQ.077 WHAT IS THE FORM OF THIS PRODUCT?

OS

CAPSULES	1
TABLETS	2
CHEWABLE TABLETS	3
PILLS	4
CAPLETS	5
SOFT GELS	6
GEL CAPS	7
VEGICAPS	8
PACKAGE/PACKETS	9
LIQUID	10
POWDER	11
WAFERS	12
CHEWS/GUMMIES	13
DOTS	14
GRANULES	15
LOZENGES/COUGH DROPS	16
GEL	17
OTHER FORM (SPECIFY)	91
REFUSED	77
DON'T KNOW	99

CAPI INSTRUCTION:

DISPLAY PRODUCT NAME AS LEFT HEADER.

BOX 3A

CHECK ITEM DSQ.079:

IF PRODUCT ${f NOT}$ SELECTED FROM SPECIAL PRODUCT LIST (NO, CODE 2 IN DSQ.047), CONTINUE.

OTHERWISE, GO TO DSQ.096.

DSQ.081 ENTER MANUFACTURER/DISTRIBUTOR/STORE BRAND NAME.

ENTER AS MUCH INFORMATION AS POSSIBLE.

ENTER MANUFACTURER/DISTRIBUTOR/STORE BRAND NAME

CAPI INSTRUCTION:

FOLLOW THE BASIC FORMAT FOR THE DIETARY SUPPLEMENT LOOKUP. ONLY ALLOW ENTRY OF 1 MANUFACTURER. DISPLAY PRODUCT NAME AS A LEFT HEADER.

DSQ.084 PRESS BS TO START THE LOOKUP. SELECT MANUFACTURER FROM LIST. IF MANUFACTURER NOT ON LIST - PRESS BS TO DELETE ENTRY TYPE '**'. PRESS ENTER TO SELECT. CAPI INSTRUCTION: DISPLAY MANUFACTURER LIST. INTERVIEWER SHOULD BE ABLE TO SELECT ONLY 1 MANUFACTURER OR THE '**' OPTION. DON'T KNOW AND REFUSED SHOULD BE VALID OPTIONS. IF MANUFACTURER IS SELECTED FROM THE LOOKUP LIST, AUTOMATICALLY FILL IN THE CITY AND STATE INFORMATION (DSQ.088). DISPLAY PRODUCT NAME AS LEFT HEADER. BOX 4 **CHECK ITEM DSQ.085:** IF MANUFACTURER SELECTED FROM LOOKUP, GO TO DSQ.096. OTHERWISE, CONTINUE. DSQ.088b ENTER **CITY** NAME. ENTER AS MUCH INFORMATION AS POSSIBLE. **ENTER CITY**

DSQ.088c	ENTER STATE NAME.		
	ENTER 2-LETTER STATE ABBREVIATION.		
	PRESS ENTER TO SELECT STATE FROM LIST	·	
		ENTER STATE	
		REFUSED DON'T KNOW	
		AS A LEFT HEADER. E IN ALL DSQ.081 AND DSQ.087 FIELDS (MA G DON'T KNOW OR REFUSED, THEN SET	
DSQ.096 Q/U	For how long {have/has} {you	ı/SP} been taking {PRODUCT NAME} or a simil	ar type of product?
Ų/O		D ALLOW FOR 4 NUMERIC ENTRIES AND IN E LEFT OF THE DECIMAL AND UP TO 1 EN	
		_ _ ENTER NUMBER (OF DAYS, WEEKS, MON	THS OR YEARS)
		REFUSEDDON'T KNOW	
		ENTER UNIT	
		DAYS WEEKS MONTHS YEARS	2 3 4

DON'T KNOW...... 9

DSQ.103 In the past {30 DAYS/NUMBER AND UNIT}, on how many days did {you/SP} take {PRODUCT NAME}?

CAPI INSTRUCTION:

- {30 DAYS/NUMBER AND UNIT} = IF NUMBER AND UNIT ENTERED IN DSQ.096 >= 30 DAYS, OR REFUSED (CODE 7), OR DON'T KNOW (CODE 9), DISPLAY "30 DAYS" IN TEXT OF QUESTION. IF NUMBER AND UNIT ENTERED IN DSQ.096 IS < 30 DAYS, DISPLAY ACTUAL NUMBER AND UNIT ENTERED IN DSQ.096 IN TEXT OF QUESTION.
- {PRODUCT NAME} = PRODUCT SELECTED AT DSQ.049 OR PRODUCT ENTERED IN DSQ.052.

L ENTER NUMBER OF DAYS FROM 1-30	
REFUSED77	7
DON'T KNOW99	9

DSQ.123 On the days that {you/SP} took {PRODUCT NAME}, how much did {you/SP} usually take on a single day? Q/U/OS

CAPI INSTRUCTION:

SOFT EDIT: QUANTITY SHOULD BE LESS THAN 10. HARD EDIT: NUMBER MUST BE IN 0.20 – 60.0 RANGE.

ERROR MESSAGE: "You said {you/he/she} took {QUANTITY TAKEN}. Is that correct?"

 ENTER NUMBER	
REFUSED	
_ ENTER UNIT/FORM	
TABLETS/CAPSULES/PILLS/CAPLETS/	

SOFTGELS/GEL CAPS/VEGICAPS/		
CHEWABLE TABLETS	1	(07BOX NEW 4A)
DROPPERS	2	(07BOX NEW 4A)
DROPS	3	(07BOX NEW 4A)
INJECTIONS/SHOTS	5	(07BOX NEW 4A)
LOZENGES/COUGH DROPS	6	(07BOX NEW 4A)
MILLILITERS	7	(07BOX NEW 4A)
TABLESPOONS	11	(07BOX NEW 4A)
TEASPOONS	12	(07BOX NEW 4A)
WAFERS		(07BOX NEW 4A)
CANS	15	(07BOX NEW 4A)
GRAMS	16	(07BOX NEW 4A)
DOTS	17	(07BOX NEW 4A)
CUPS	18	(07BOX NEW 4A)
SPRAYS/SQUIRTS	19	(07BOX NEW 4A)
CHEWS/GUMMIES	20	(07BOX NEW 4A)
SCOOPS	21	(07BOX NEW 4A)
CAPFULS	23	(07BOX NEW 4A)
OUNCES	27	(07BOX NEW 4A)
PACKAGES/PACKETS	28	(CONTINUE)

CAPI INSTRUCTION:

- IF FORM CODE 1 THROUGH 8 IN DSQ.077, AUTOMATICALLY CODE THE UNIT CODE 1 AND SKIP TO 07BOX NEW 4A.
- IF FORM CODE 12 IN DSQ.077, AUTOMATICALLY CODE THE UNIT CODE 13 FOR DSQ.123U AND SKIP TO 07BOX NEW 4A.
- IF FORM CODE 13 IN DSQ.077, AUTOMATICALLY CODE THE UNIT CODE 20 FOR DSQ.123U AND SKIP TO 07BOX NEW 4A.

- IF FORM CODE 14 IN DSQ.077, AUTOMATICALLY CODE THE UNIT CODE 17 FOR DSQ.123U AND SKIP TO 07BOX NEW 4A.
- IF FORM CODE 16 IN DSQ.077, AUTOMATICALLY CODE THE UNIT CODE 6 FOR DSQ.123U AND SKIP TO 07BOX NEW 4A.
- IF FORM CODE 9 IN DSQ.077, DISPLAY THE UNIT CODES 1, 6, 7, 11, 12, 13, 15, 16, 17, 18, 20, 21, 23, 27, 28, 30, 91, 77, 99 FOR DSQ.123U.
- IF FORM CODE 10, 17 IN DSQ.077, DISPLAY THE UNIT CODES 2, 3, 5, 7, 11, 12, 15, 18, 19, 23, 27, 29, 91, 77, 99 FOR DSQ.123U.
- IF FORM CODE 11, 15 IN DSQ.077, DISPLAY THE UNIT CODES 11, 12, 15, 16, 18, 21, 23, 27, 28, 91, 77, 99 FOR DSQ.123U.
- IF FORM CODE 91, 77, 99 IN DSQ.077, DISPLAY ENTIRE PICK LIST FOR DSQ.123U.
- IF CONTAINER NOT SEEN (CODE 2 IN DSQ.071), DISPLAY ENTIRE PICK LIST FOR DSQ.123U.

DSQ.125 {Did you/Does SP} take an entire packet of {PRODUCT NAME} each time?

YES	1
NO	2
REFUSED	7
DON'T KNOW	9

07BOX NEW 4A

CHECK ITEM DSQ.105:

IF PRODUCT NOT SEEN IN DSQ.071 (CODE 2) AND DSQ.123 = 7, 11, 12, 15, 16, 18, 21, 23 OR 27, CONTINUE.

OTHERWISE, SKIP TO DSQ.124.

DSQ.110 Was that a liquid or powder?

LIQUID	1
POWDER	2
REFUSED	77
DON'T KNOW	99

DSQ.124 HAND CARD DSQ2

Looking at this card, what is the reason {you take/SP takes} {PRODUCT NAME}?

(Did {you/SP NAME} decide to take it for reasons of your own or did a doctor or other health provider tell you to take it?)

DECIDED TO TAKE IT FOR REASONS		
OF MY OWN	1	
A DOCTOR OR OTHER HEALTH		
PROVIDER TOLD ME TO	2	
REFUSED	7	(DSQ.127)
DON'T KNOW	9	(DSQ.127)

DSQ.132 {For what reason or reasons {do you/does SP} take {PRODUCT NAME}?} {For what reason or reasons did the doctor or other health professional tell {you/SP} to take {PRODUCT}?}

HAND CARD DSQ3

CODE ALL THAT APPLY.

TO:	FOR:
GET MORE ENERGY	ANEMIA, SUCH AS LOW IRON
IMPROVE MY OVERALL HEALTH 14	OSTEOPOROSIS24
MAINTAIN HEALTH (TO STAY HEALTHY) 17	EYE HEALTH 20
MAINTAIN HEALTHY BLOOD SUGAR	GOOD BOWEL/COLON HEALTH 10
LEVEL, DIABETES29	HEALTHY JOINTS, ARTHRITIS 21
PREVENT COLDS, BOOST IMMUNE	HEALTHY SKIN, HAIR, AND NAILS 22
SYSTEM 18	HEART HEALTH, CHOLESTEROL 19
PREVENT HEALTH PROBLEMS 13	KIDNEY AND BLADDER HEALTH, URINARY
SUPPLEMENT MY DIET (BECAUSE I	TRACT HEALTH 30
DON'T GET ENOUGH FROM FOOD) 16	LIVER HEALTH, DETOXIFICATION,
	CLEANSE SYSTEM
	MENOPAUSE, HOT FLASHES 28
	MENTAL HEALTH 12
	MUSCLE RELATED ISSUES, MUSCLE
	CRAMPS, MUSCLE BUILDING 32
	PREGNANCY/BREASTFEEDING
	PROSTATE HEALTH
	RELAXATION, DECREASE STRESS,
	IMPROVE SLEEP
	TEETH, PREVENT CAVITIES
	WEIGHT LOSS
OTHER SPECIFY	91
REFUSED	77
DON'T KNOW	99

CAPI INSTRUCTION:

IF CODE 1 IN DSQ.124, DISPLAY For what reason or reasons {do you/does SP} take {PRODUCT NAME}? IF CODE 2 IN DSQ.124, DISPLAY For what reason or reasons did the doctor or other health professional tell {you/SP} to take {PRODUCT}?

DSO.127 ARE THERE ANY OTHER VITAMINS, MINERALS, HERBALS OR DIETARY SUPPLEMENTS?

YES	1
NO	2

HELP SCREEN:

Dietary Supplements (Vitamins/Minerals): Dietary supplements are often labeled as "dietary supplements" and are used <u>in addition</u> to foods and beverages. Dietary supplements are not intended to replace food. Include vitamins, minerals, antacid/calcium supplement products, fiber supplements, amino acids, performance enhancers, herbs, herbal medicine products, and plant extracts used as dietary supplements. Include products that are taken orally or given by injection. Do <u>not</u> include beverages, such as tea, and skin creams. Meal replacement beverages, weight loss and performance booster drinks, and food bars are considered <u>foods</u>, not dietary supplements.

BOX 5

CHECK ITEM DSQ.129:

ASK DSQ.127 FOR NEXT VITAMIN (CODE 1 IN DSQ.127). IF NO NEXT VITAMIN (CODE 2 IN DSQ.127), CONTINUE WITH DSQ.131.

DSQ.131 REVIEW TOTAL NUMBER OF DIETARY SUPPLEMENTS AND THEIR NAMES WITH RESPONDENT.

I have listed {TOTAL NUMBER} vitamin(s), mineral(s), herbals or dietary supplement(s) that {you have/SP has} taken in the **past 30 days**: {PRODUCT NAME (STRENGTH)}

PRESS ENTER TO CONTINUE

CAPI INSTRUCTION:

DISPLAY LIST OF ALL VITAMIN AND MINERAL NAMES AND STRENGTHS SELECTED AT DSQ.060 AND ENTERED AT DSQ.052. CALCULATE TOTAL NUMBER OF ALL VITAMINS AND MINERALS SELECTED AT DSQ.060 AND ENTERED AT DSQ.052. DISPLAY NUMBER ON SCREEN.

HELP SCREEN:

Dietary Supplements (Vitamins/Minerals): Dietary supplements are often labeled as "dietary supplements" and are used in addition to foods and beverages. Dietary supplements are not intended to replace food. Include vitamins, minerals, antacid/calcium supplement products, fiber supplements, amino acids, performance enhancers, herbs, herbal medicine products, and plant extracts used as dietary supplements. Include products that are taken orally or given by injection. Do not include beverages, such as tea, and skin creams. Meal replacement beverages, weight loss and performance booster drinks, and food bars are considered foods, not dietary supplements.

BOX 6

CHECK ITEM DSQ.133:

IF 'YES' (CODE 1) IN RXQ.021, CONTINUE. OTHERWISE, GO TO NEW BOX 10AA.

RXQ.141 Now I would like to ask you some questions about {your/SP's} use of **nonprescription antacids** in the **past** 30 days.

[First I will record some information about an antacid, then I will ask you some questions about it.]

REFER TO PRODUCT LABEL(S) OR ASK RESPONDENT FOR NAME(S) OF NONPRESCRIPTION ANTACIDS USED. ENTER **FULL** BRAND NAME OF ANTACID.

CAPI INSTRUCTION:

IF DON'T KNOW OR REFUSED, THEN GO TO BOX 10AA.

SHOULD ALLOW ENTRY OF PRODUCT NAME TO SAVE THE PRODUCT NAME AS KEYED AND THAT SHOULD BE USED TO START THE LOOKUP.

[TEXT SHOULD BE OPTIONAL, "[]"S, AFTER THE FIRST TIME.

HELP SCREEN:

Antacids: An agent that neutralizes acidity or reduces acid production, especially in the digestive system.

Past Month: The past 30 days. From yesterday, 30 days back.

RXQ.150s PRESS BS TO START THE LOOKUP.

SELECT ANTACID FROM LIST.

IF ANTACID **NOT**ON LIST – PRESS BS
TO DELETE ENTRY.

TYPE '**'.

PRESS ENTER TO SELECT.

CAPI INSTRUCTION:

DISPLAY CAPI ANTACID PRODUCT LIST. INTERVIEWER SHOULD BE ABLE TO ACCEPT THE PRODUCT NAME AS IT WAS KEYED IN RXQ.141 BY TYPING IN "**". THE LOOKUP BOX SHOULD BE LOW ENOUGH ON THE SCREEN SO THAT THE INSTRUCTION ABOUT HOW TO ACCEPT THE KEYED PRODUCT NAME IS SHOWING ABOVE THE LOOKUP BOX. THE LOOKUP SHOULD ONLY SHOW THE PRODUCT NAMES WITH THE OTHER LOOKUP INFO OFF THE SCREEN TO THE RIGHT.

INTERVIEWER SHOULD BE ABLE TO ACCEPT THE KEYED NAME AS A NEW PRODUCT NAME AN UNLIMITED NUMBER OF TIMES. AFTER ENTRY, INTERVIEWER SHOULD RETURN TO THE DATA BASE LIST. IF NO MORE ENTRIES, INTERVIEWERS SHOULD HAVE A WAY OF MOVING INTO LOOP 2. ONCE A PRODUCT IS SELECTED FROM THE LIST, THE FOLLOWING INFORMATION SHOULD BE COLLECTED FROM THE LOOKUP DATABASE:

DRUG TYPE {3}
GENERIC NAME {60}
THERAPEUTIC CLASS CODE {6}

GENERIC FLAG {1}

THERE IS NO NEED TO DISPLAY THIS INFORMATION.

BOX 7	
OMITTED	

RXQ.160 INTERVIEWER: ENTER 1 RESPONSE.

CAPI INSTRUCTION:

DISPLAY PRODUCT NAME AS LEFT HEADER.

RXQ.180	For how long {have/has} {you/SP} been using or taking {PRODUCT NAME}?			
	CAPI INSTRUCTION: RESPONSE FIELD SHOULD ALLOW FOR 4 NUMERIC ENTRIES AND INCLUDE A DECIMAL. ALLOW UP TO 3 ENTRIES TO THE LEFT OF THE DECIMAL AND UP TO 1 ENTRY TO THE RIGHT OF THE DECIMAL.			
	 ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)			
	REFUSED777 DON'T KNOW999			
	ENTER UNIT			
	DAYS			
RXQ.191	In the past {30 DAYS/NUMBER AND UNIT}, on how many days did {you/SP} take {PRODUCT NAME}?			
	CAPI INSTRUCTION: ■ {30 DAYS/NUMBER AND UNIT} = IF NUMBER AND UNIT ENTERED IN RXQ.180 >= 30 DAYS, OF REFUSED (CODE 7), OR DON'T KNOW (CODE 9), DISPLAY "30 DAYS" IN TEXT OF QUESTION. IF NUMBER AND UNIT ENTERED IN RXQ.180 IS < 30 DAYS, DISPLAY ACTUAL NUMBER AND UNIT ENTERED IN DSQ.096 IN TEXT OF QUESTION. ■ {PRODUCT NAME} = PRODUCT SELECTED AT DSQ.049 OR PRODUCT ENTERED IN DSQ.052.			
	 ENTER NUMBER OF DAYS FROM 1-30			
	REFUSED7777 DON'T KNOW9999			

RXO.195 On those days that you used or took {PRODUCT NAME}, how much did {you/SP} usually take on a single Q/U/OS day? CAPI INSTRUCTION: SOFT EDIT: QUANTITY SHOULD BE LESS THAN 10. ERROR MESSAGE: "You said {you/he/she} took {QUANTITY TAKEN}. Is that correct?" **ENTER NUMBER** REFUSED......7777 (RXQ.216) DON'T KNOW.......9999 (RXQ.216) **ENTER UNIT/FORM** TABLETS/CAPSULES/PILLS/CAPLETS/ SOFTGELS/GEL CAPS/VEGICAPS/ CHEWABLE TABLETS...... 1 (07BOX NEW 8) DROPPERS...... 2 (07BOX NEW 8) DROPS...... 3 (07BOX NEW 8) INJECTIONS/SHOTS...... 5 (07BOX NEW 8) LOZENGES/COUGH DROPS......6 (07BOX NEW 8) MILLILITERS...... 7 (07BOX NEW 8) TABLESPOONS...... 11 (07BOX NEW 8) TEASPOONS....... 12 (07BOX NEW 8) WAFERS...... 13 (07BOX NEW 8) (07BOX NEW 8) GRAMS...... 16 (07BOX NEW 8) CUPS...... 18 (07BOX NEW 8) SPRAYS/SQUIRTS...... 19 (07BOX NEW 8) CHEWS/GUMMIES...... 20 (07BOX NEW 8) CAPFULS...... 23 (07BOX NEW 8) OUNCES...... 27 (07BOX NEW 8) PACKAGES/PACKETS...... 28 (CONTINUE) VIALS...... 29 (07BOX NEW 8) GUMBALLS...... 30 (07BOX NEW 8) OTHER FORM (SPECIFY)...... 91 (07BOX NEW 8) REFUSED...... 77 (07BOX NEW 8) DON'T KNOW...... 99 (07BOX NEW 8) **RXQ.200** {Do you/Does SP} take an entire packet each time?

	CHECK ITEM RXQ.205: IF RXQ.195U IS 7, 11, 12, 15, 16, 18, 21, 23, OR 27, CONTINUE. OTHERWISE, SKIP TO RXQ.215a.		
DSQ.110	Was that a liquid or powder?		
	LIQUID		
RXQ.215a	Did you take {PRODUCT NAME} as an antacid, as a calcium supplement, or both?		
	ANTACID		
RXQ.216	CHECK CONTAINERS. ARE THERE ANY OTHER NONPRESCRIPTION ANTACIDS?		
	OR ASK RESPONDENT: [Are there any other nonprescription antacids that {you/SP} used in the past 30 days?]		
	YES		
	HELP SCREEN: Antacids: An agent that neutralizes acidity or reduces acid production, especially in the digestive system		

07BOX NEW 8

BOX 9

CHECK ITEM RXQ.219:

ASK RXQ.141 FOR NEXT ANTACID (CODE 1 IN RXQ.216). IF NO NEXT ANTACID, (CODE 2 IN RXQ.216), CONTINUE WITH RXQ.221.

RXQ.221 REVIEW TOTAL NUMBER OF ANTACIDS AND THEIR NAMES WITH RESPONDENT.

I have listed {TOTAL NUMBER} nonprescription antacid(s) that {you have/SP has} taken in the past 30 days: {PRODUCT NAME(S)}

PRESS ENTER TO CONTINUE

CAPI INSTRUCTION:

DISPLAY NAMES OF ALL ANTACIDS SELECTED AT RXQ.150 AND ENTERED AT RXQ.141. CALCULATE TOTAL NUMBER OF ALL ANTACIDS SELECTED AT RXQ.150 AND ENTERED AT RXQ.141. DISPLAY NUMBER ON SCREEN.

HELP SCREEN:

Antacids: An agent that neutralizes acidity or reduces acid production, especially in the digestive system.

BOX 15
OMITTED
BOX 16
OMITTED
BOX 16A
OMITTED
BOX 10A
OMITTED
NEW BOX 10AA

CHECK ITEM RXQ.227:

IF 'YES' (CODE 1) TO RXQ.032, CONTINUE.

OTHERWISE, GO TO NEW BOX 17A.

RXQ.231 Now I would like to talk about **prescription medication** {you have/SP has} used in the **past 30 days**. Again, these are products prescribed by a health professional such as a doctor or dentist.

[First I will record some information about the medication, then I will ask you some questions about it.]

REFER TO PRODUCT LABEL(S) OR ASK RESPONDENT FOR NAME(S) OF PRESCRIPTION MEDICATIONS USED.

ENTER MEDICATION NAME

CAPI INSTRUCTION:

IF DON'T KNOW OR REFUSED, GO TO NEW BOX 17A.

SHOULD ALLOW ENTRY OF PRODUCT NAME TO SAVE THE PRODUCT NAME AS KEYED AND THAT SHOULD BE USED TO START THE LOOKUP.

TEXT SHOULD BE OPTIONAL, "[]"S, AFTER THE FIRST TIME.

RXQ.240s PRESS BS TO START THE LOOKUP.

SELECT MEDICATION FROM LIST.

IF MEDICATION **NOT**ON LIST – PRESS BS
TO DELETE ENTRY.

TYPE '**'.

PRESS ENTER TO SELECT

CAPI INSTRUCTION:

DISPLAY CAPI MEDICATION PRODUCT LIST. INTERVIEWER SHOULD BE ABLE TO ACCEPT THE PRODUCT NAME AS IT WAS KEYED IN RXQ.231 BY TYPING IN "**". THE LOOKUP BOX SHOULD BE LOW ENOUGH ON THE SCREEN SO THAT THE INSTRUCTION ABOUT HOW TO ACCEPT THE KEYED PRODUCT NAME IS SHOWING ABOVE THE LOOKUP BOX. THE LOOKUP SHOULD ONLY SHOW THE PRODUCT NAMES WITH THE OTHER LOOKUP INFO OFF THE SCREEN TO THE RIGHT.

INTERVIEWER SHOULD BE ABLE TO ACCEPT THE KEYED NAME AS A NEW PRODUCT NAME AN UNLIMITED NUMBER OF TIMES. AFTER ENTRY, INTERVIEWER SHOULD RETURN TO THE DATA BASE LIST. IF NO MORE ENTRIES, INTERVIEWERS SHOULD HAVE A WAY OF MOVING INTO LOOP 3. ONCE A PRODUCT IS SELECTED FROM THE LIST, THE FOLLOWING INFORMATION SHOULD BE

COLLECTED FROM THE LOOKUP DATABASE:

DRUG TYPE {3}
GENERIC NAME {60}
THERAPEUTIC CLASS CODE {6}
GENERIC FLAG {1}

THERE IS NO NEED TO DISPLAY THIS INFORMATION.

	BOX 10B	
	OMITTED	
	BOX 11	
	OMITTED	
RXQ.250	INTERVIEWER: ENTER 1 RESPONSE	
	CAPI INSTRUCTION: DISPLAY PRODUCT NAME AS A LEFT HEADER.	
	CONTAINER SEEN	
RXQ.260 Q/U	For how long {have/has} {you/SP} been using or taking {PRODUCT NAME}?	
Q/O	CAPI INSTRUCTION: RESPONSE FIELD SHOULD ALLOW FOR 4 NUMERIC ENTRIES AND INCLUDE A DECIF UP TO 3 ENTRIES TO THE LEFT OF THE DECIMAL AND UP TO 1 ENTRY TO THE RI DECIMAL.	
	ENTER NUMBER (OF DAYS, WEEKS, MONTHS OR YEARS)	
	REFUSED777 DON'T KNOW999	
	ENTER UNIT	
	DAYS	
	BOX 13	
	OMITTED	
RXQ.290	What is the main reason for which (you use/SP uses) {PRODUCT NAME}?	
	REFUSED	

CHECK CONTAINERS. ARE THERE ANY OTHER PRESCRIPTION MEDICATIONS? RXQ.294 OR ASK RESPONDENT: [Are there any other prescription medications that {you/SP} used in the past 30 days?] YES...... 1 NO...... 2 REFUSED...... 77 **BOX 14 CHECK ITEM RXQ.298:** ASK RXQ.231 - RXQ.294 FOR NEXT MEDICATION (CODE 1 IN RXQ.294). IF NO NEXT MEDICATION (CODE 2 IN RXQ.294), CONTINUE WITH NEW BOX 15. **NEW BOX 15 CHECK ITEM RXO.370:** IF DIO.050 = 1 AND (ANY PRODUCT SELECTED FROM LOOKUP CLASS CODES NOT EQUAL TO 215), CONTINUE WITH RXQ.372. OTHERWISE, GO TO NEW BOX 15B. RXQ.372 I have listed {TOTAL NUMBER} prescription medication(s) that {you have/SP has} taken in the past 30 days: {PRODUCT NAME(S)}. Which one is insulin? CAPI INSTRUCTION:

DISPLAY NAMES OF ALL PRESCRIPTION MEDICATIONS SELECTED AT RXQ.240 AND ENTERED AT RXQ.231.

CODE ALL THAT APPLY.

SELECT MEDICATION FROM DISPLAY OR SELECT OTHER-NEW MEDICATION

REFUSED...... 77 DON'T KNOW...... 99

NEW BOX 15A

CHECK ITEM RXQ.374:

IF NEW MEDICATION IS SELECTED, ENTER ON NEW GRID AND ASK RXQ.231 -RXQ.294 FOR THIS MEDICATION.

OTHERWISE, CONTINUE.

NEW BOX 15B

CHECK ITEM RXQ.376:

IF DIQ.070 = 1 AND (ANY PRODUCT SELECTED FROM LOOKUP CLASS CODES NOT EQUAL TO 213, 214, 216, 271, 282, 309, OR 314), THEN CONTINUE WITH RXQ.378.

OTHERWISE, GO TO NEW BOX 15D.

RXQ.378 I have listed {TOTAL NUMBER} prescription medication(s) that {you have/SP has} taken in the **past 30** days: {PRODUCT NAME(S)}. Which one {are you/is he/is she} taking for diabetes or blood sugar?

CAPI INSTRUCTION:

DISPLAY NAMES OF ALL PRESCRIPTION MEDICATIONS SELECTED AT RXQ.240 AND ENTERED AT RXQ.231.

CODE ALL THAT APPLY.

SELECT MEDICATION FROM DISPLAY
OR SELECT OTHER-NEW MEDICATION

NEW BOX 15C

CHECK ITEM RXQ.380:

IF NEW MEDICATION IS SELECTED, ENTER ON NEW GRID AND ASK RXQ.231 – RXQ.294 FOR THIS MEDICATION.

OTHERWISE, CONTINUE.

NEW BOX 15D

CHECK ITEM RXQ.382:

IF BPQ.050a = 1 AND (ANY PRODUCT SELECTED FROM LOOKUP CLASS CODES NOT EQUAL TO 41, 42, 44, 47, 48, 49, 53, 55, 56, 340, OR 342), THEN CONTINUE WITH RXO.384.

OTHERWISE, GO TO NEW BOX 15F.

RXQ.384 I have listed {TOTAL NUMBER} prescription medication(s) that {you have/SP has} taken in the **past 30** days: {PRODUCT NAME(S)}. Which one {are you/is he/is she} taking to lower {your/his/her} blood pressure?

CAPI INSTRUCTION:

DISPLAY NAMES OF ALL PRESCRIPTION MEDICATIONS SELECTED AT RXQ.240 AND ENTERED AT RXQ.231.

CODE ALL THAT APPLY.

SELECT MEDICATION FROM DISPLAY OR SELECT OTHER-NEW MEDICATION

NEW BOX 15E

CHECK ITEM RXQ.386:

IF NEW MEDICATION IS SELECTED, ENTER ON NEW GRID AND ASK RXQ.231 – RXQ.294 FOR THIS MEDICATION. OTHERWISE, CONTINUE.

NEW BOX 15F

CHECK ITEM RXQ.388:

IF BPQ.100d = 1 AND (**ANY** PRODUCT SELECTED FROM LOOKUP CLASS CODES NOT EQUAL TO 19), THEN CONTINUE WITH RXQ.390. OTHERWISE, GO TO RXO.295.

RXQ.390 I have listed {TOTAL NUMBER} prescription medication(s) that {you have/SP has} taken in the **past 30** days: {PRODUCT NAME(S)}. Which one {are you/is he/is she} taking to lower {your/his/her} cholesterol?

CAPI INSTRUCTION:

DISPLAY NAMES OF ALL PRESCRIPTION MEDICATIONS SELECTED AT RXQ.240 AND ENTERED AT RXQ.231.

CODE ALL THAT APPLY.

SELECT MEDICATION FROM DISPLAY OR SELECT OTHER-NEW MEDICATION

NEW BOX 15G

CHECK ITEM RXQ.392:

IF NEW MEDICATION IS SELECTED, ENTER ON NEW GRID AND ASK RXQ.231 – RXQ.294 FOR THIS MEDICATION.

OTHERWISE, CONTINUE.

RXQ.295 REVIEW TOTAL NUMBER OF PRESCRIBED MEDICATIONS AND THEIR NAMES WITH RESPONDENT.

I have listed {TOTAL NUMBER} prescription medication(s) that {you have/SP has} taken in the **past 30** days: {PRODUCT NAME(S)}

PRESS ENTER TO CONTINUE

CAPI INSTRUCTION:

DISPLAY NAMES OF ALL PRESCRIPTION MEDICATIONS SELECTED AT RXQ.240 AND ENTERED AT RXQ.231. CALCULATE TOTAL NUMBER OF ALL PRESCRIPTION MEDICATIONS SELECTED AT RXQ.240 AND ENTERED AT RXQ.231. DISPLAY NUMBER ON SCREEN.

BOX 17A

CHECK ITEM RXQ.500:

IF SP >= 40 YEARS OLD, CONTINUE WITH RXQ.510. OTHERWISE, GO TO BOX 18.

RXQ.510 Doctors and other health care providers sometimes recommend that {you take/SP takes) a low-dose aspirin each day to prevent heart attacks, strokes, or cancer. {Have you/Has SP} ever been told to do this?

YES	1	
NO	2	(RXQ.520)
REFUSED	7	(RXQ.520)
DON'T KNOW	9	(RXO 520)

INTERVIEWER INSTRUCTION:

IF THE RESPONDENT VOLUNTEERS THEY HAVE BEEN TOLD TO TAKE AN ASPIRIN EVERY OTHER DAY OR 'REGULARLY' FOR THESE REASONS, CODE "YES".

RXQ.515	{Are you/Is SP} now following this advice?
	YES
	HELP SCREEN: Side Effect: is an unexpected health problem that is caused by a medicine. Some side effects of aspirin are stomach problems, easy bruising or bleeding, runny nose, wheezing and skin rashes.
RXQ.520	On {your/SP's} own, {are you/is SP} now taking a low-dose aspirin each day to prevent heart attacks, strokes, or cancer?
	YES
	INTERVIEWER INSTRUCTION: IF THE RESPONDENT VOLUNTEERS THEY ARE TAKING AN ASPIRIN EVERY OTHER DAY OR 'REGULARLY' FOR THESE REASONS, CODE "YES".
RXQ.525 G/Q/U	How often {do you/does SP} take an aspirin?
GIQIO	ONE EVERY DAY 1 ONE EVERY OTHER DAY 2 OTHER, ENTER NUMBER/UNIT 3
	 ENTER NUMBER
	REFUSED

CAPI INSTRUCTION: Soft edit: if >2 per day.

ENTER UNIT

 PER DAY
 1

 PER WEEK
 2

 REFUSED
 7

 DON'T KNOW
 9

RXQ.530	What is the size or dose that {yo	ou take/SP takes}?	
	8	81 MG	1
	3	325 MG	2
		500 MG	
		OTHER (SPECIFY)	4
		REFUSED	7
	[DON'T KNOW	9
	L	MG	
	Ė	ENTER NUMBER	
		BOX 18	
	CHECK ITEM DSQ.332:		
	IF PROXY INTERVIEW IN F	RIQ, CONTINUE.	
	IF NOT PROXY INTERVIEW	/ IN RIQ, GO TO DSQ.335.	
DSQ.334	INTERVIEWER OBSERVATION	N: WAS SP PRESENT FOR ALL OR PART C	F INTERVIEW?
	,	/ES	1
	1	VO	2
DSQ.335	PRESS F10 TO EXIT BLAISE.		

HELP SCREEN FOR DSQ.012:

Dietary Supplements (Vitamins/Minerals): Dietary supplements are often labeled as "dietary supplements" and are used in addition to foods and beverages. Dietary supplements are not intended to replace food. Include vitamins, minerals, antacid/calcium supplement products, fiber supplements, amino acids, performance enhancers, herbs, herbal medicine products, and plant extracts used as dietary supplements. Include products that are taken orally or given by injection. Do not include beverages, such as tea, and skin creams. Meal replacement beverages, weight loss and performance booster drinks, and food bars are considered foods, not dietary supplements.

Health (Care) Professional: A person entitled by training and experience and possibly licensure to assist a doctor and who works with one or more medical doctors. Examples include: doctor's assistants, nurse practitioners, nurses, lab technicians, and technicians who administer shots (i.e., allergy shots). Also include paramedics, medics and physical therapists working with or in a doctor's office. Do <u>not</u> include: dentists, oral surgeons, chiropractors, chiropodists, podiatrists, naturopaths, Christian Science healers, opticians, optometrists, and psychologists or social workers.

Dentist: Medical professional whose primary occupation is caring for teeth, gums and jaws. Dental care includes general work such as fillings, cleaning, extractions, and also specialized work such as root canals, fittings for braces, etc.

Doctor: The term refers to both medical doctors (M.D.s) and osteopathic physicians (D.O.s). It includes general practitioners as well as specialists. It does not include persons who do not have an M.D. or D.O. degree, such as dentists, oral surgeons, chiropractors, podiatrists, Christian Science healers, opticians, optometrists, psychologists, etc.

Past Month: The past 30 days. From yesterday, 30 days back.

HELP SCREEN FOR RXQ.032:

Prescription Medication: Prescription medications are those ordered by a physician or other authorized medical professional through a written or verbal prescription for a pharmacist to fill. Prescription medications may also be given by a medical professional directly to a patient to take home, such as free samples.

Prescription medications do not include:

- Medication administered to the patient <u>during the event</u> in the office as part of the treatment (such as an antibiotic shot for an infection, a flu shot, or an oral medication) unless a separate bill for the medication is received;
- Diaphragms and IUD's (Intra-Uterine Devices); or
- Some state laws require prescriptions for over the counter medications. Sometimes physicians write prescriptions for over the counter medications, such as aspirin. Consider any medication a prescription medication if the respondent reports it as prescribed. If it is an over the counter medication, however, the prescription must be a written prescription to be filled by a pharmacist, not just a written or oral instruction. If in doubt, probe whether the patient got a written prescription to fill at a pharmacy.

Past Month: The past 30 days. From yesterday, 30 days back.

HELP SCREEN FOR DSQ.042:

Dietary Supplements (Vitamins/Minerals): Dietary supplements are often labeled as "dietary supplements" and are used in addition to foods and beverages. Dietary supplements are not intended to replace food. Include vitamins, minerals, antacid/calcium supplement products, fiber supplements, amino acids, performance enhancers, herbs, herbal medicine products, and plant extracts used as dietary supplements. Include products that are taken orally or given by injection. Do not include beverages, such as tea, and skin creams. Meal replacement beverages, weight loss and performance booster drinks, and food bars are considered foods, not dietary supplements.

Antacids: An agent that neutralizes acidity or reduces acid production, especially in the digestive system.

Prescription Medication: Prescription medications are those ordered by a physician or other authorized medical professional through a written or verbal prescription for a pharmacist to fill. Prescription medications may also be given by a medical professional directly to a patient to take home, such as free samples.

Prescription medications do not include:

- Medication administered to the patient <u>during the event</u> in the office as part of the treatment (such as an antibiotic shot for an infection, a flu shot, or an oral medication) <u>unless</u> a separate bill for the medication is received;
- Diaphragms and IUD's (Intra-Uterine Devices); or
- Some state laws require prescriptions for over the counter medications. Sometimes physicians write prescriptions for over the counter medications, such as aspirin. Consider any medication a prescription medication if the respondent reports it as prescribed. If it is an over the counter medication, however, the prescription must be a written prescription to be filled by a pharmacist, not just a written or oral instruction. If in doubt, probe whether the patient got a written prescription to fill at a pharmacy.

Past Month: The past 30 days. From yesterday, 30 days back.

HELP SCREEN FOR DSQ.052:

Dietary Supplements (Vitamins/Minerals): Dietary supplements are often labeled as "dietary supplements" and are used in addition to foods and beverages. Dietary supplements are not intended to replace food. Include vitamins, minerals, antacid/calcium supplement products, fiber supplements, amino acids, performance enhancers, herbs, herbal medicine products, and plant extracts used as dietary supplements. Include products that are taken orally or given by injection. Do not include beverages, such as tea, and skin creams. Meal replacement beverages, weight loss and performance booster drinks, and food bars are considered foods, not dietary supplements.

Health (Care) Professional: A person entitled by training and experience and possibly licensure to assist a doctor and who works with one or more medical doctors. Examples include: doctor's assistants, nurse practitioners, nurses, lab technicians, and technicians who administer shots (i.e., allergy shots). Also include paramedics, medics and physical therapists working with or in a doctor's office. Do <u>not</u> include: dentists, oral surgeons, chiropractors, chiropodists, podiatrists, naturopaths, Christian Science healers, opticians, optometrists, and psychologists or social workers.

Dentist: Medical professional whose primary occupation is caring for teeth, gums and jaws. Dental care includes general work such as fillings, cleaning, extractions, and also specialized work such as root canals, fittings for braces, etc.

Doctor: The term refers to both medical doctors (M.D.s) and osteopathic physicians (D.O.s). It includes general practitioners as well as specialists. It does not include persons who do not have an M.D. or D.O. degree, such as dentists, oral surgeons, chiropractors, podiatrists, Christian Science healers, opticians, optometrists, psychologists, etc.

Past Month: The past 30 days. From yesterday, 30 days back.

HELP SCREEN FOR RXQ.231:

Prescription Medication: Prescription medications are those ordered by a physician or other authorized medical professional through a written or verbal prescription for a pharmacist to fill. Prescription medications may also be given by a medical professional directly to a patient to take home, such as free samples.

Prescription medications do not include:

- Medication administered to the patient <u>during the event</u> in the office as part of the treatment (such as an antibiotic shot for an infection, a flu shot, or an oral medication) <u>unless</u> a separate bill for the medication is received;
- Diaphragms and IUD's (Intra-Uterine Devices); or
- Some state laws require prescriptions for over the counter medications. Sometimes physicians write prescriptions for over the counter medications, such as aspirin. Consider any medication a prescription medication if the respondent reports it as prescribed. If it is an over the counter medication, however, the prescription must be a written prescription to be filled by a pharmacist, not just a written or oral instruction. If in doubt, probe whether the patient got a written prescription to fill at a pharmacy.

Past Month: The past 30 days. From yesterday, 30 days back.

HELP SCREEN FOR RXQ.294/RXQ.295:

Prescription Medication: Prescription medications are those ordered by a physician or other authorized medical professional through a written or verbal prescription for a pharmacist to fill. Prescription medications may also be given by a medical professional directly to a patient to take home, such as free samples.

Prescription medications do not include:

- Medication administered to the patient <u>during the event</u> in the office as part of the treatment (such as an antibiotic shot for an infection, a flu shot, or an oral medication) <u>unless</u> a separate bill for the medication is received;
- Diaphragms and IUD's (Intra-Uterine Devices); or
- Some state laws require prescriptions for over the counter medications. Sometimes physicians write prescriptions for over the counter medications, such as aspirin. Consider any medication a prescription medication if the respondent reports it as prescribed. If it is an over the counter medication, however, the prescription must be a written prescription to be filled by a pharmacist, not just a written or oral instruction. If in doubt, probe whether the patient got a written prescription to fill at a pharmacy.

MAILING ADDRESS – MAQ Target Group: SPs Birth + Placing: Just After Blaise Closes

MAQ.005	Processing E	Extended SF	^o Questionnaire.	Please Wait.				
MAQ.020	The National Center for Health Statistics, part of the Centers for Disease Control and Prevention, may wish to contact {you/SP} again. Please give me {your/SP's} complete mailing address.							
	CRITICAL IN	IFORMATIC	ON – CHECK CAF	REFULLY.				
	USE PEN OF	R PRESS 'T	AB' KEY TO MO	VE TO THE NEXT	ENTRY FIELD.			
	TAP 'NEXT' I	BUTTON O	R PRESS 'ENTE	R' KEY WHEN FIN	IISHED VERIFYI	NG ADDRES	S.	
	CAPS – AS I	HE SCREEI T DOES IN	IVQ.	ADDRESS INFORI			APPEAR IN ALL	
	STREET #	DIR PRE	STREE	ET NAME	ST/RD/AVE	DIR POST	APT/LOT #	
	PO BOX #	RR #	RR BOX	CITY		STATE	ZIP	
MAQ.040	I have record	led						
	{DISPLAY ADDRESS ENTERED IN MAQ.020 IN UPPER CASE}							
	Is that correc	t?						
			_			1 (MAQ.09	90)	
MAQ.060		ENTER CORRECTED MAILING ADDRESS INFORMATION. PROBE FOR MAILING ADDRESS CORRECTIONS, IF NECESSARY.						
		USE PEN OR PRESS 'TAB' KEY TO MOVE TO THE NEXT ENTRY FIELD. TAP 'NEXT' BUTTON OR PRESS 'ENTER' KEY WHEN CORRECTIONS COMPLETED.						
	{DISPLAY ALL ADDRESS FIELDS AND INFORMATION ENTERED IN MAQ.020 IN UPPER CASE. ALLOW CORRECTIONS.}							

MAQ.080	I now have {your/SP's} mailing address as				
	{DISPLAY CORRECTED ADDRESS FROM MAQ.060 IN UPPER CASE}				
	Is that correct?				
	YES				
	BOX 2				
	CHECK ITEM MAQ.090: IF 'NO' IN MAQ.080, RETURN TO MAQ.060. DISPLAY CORRECTED ADDRESS INFORMATION IN MAQ.060. OTHERWISE, CONTINUE.				
MAQ.090	INTERVIEWER INSTRUCTION: SPECIFY LANGUAGE IN WHICH HARD COPY MATERIALS SHOULD BE MAILED.				
	ENGLISH				
	BOX 3 CHECK TELEPHONE NUMBER LISTED IN SCREENER (SCQ.430). IF NO HOME TELEPHONE (CODE 2), REF (CODE 9), OR DK (CODE 7), CONTINUE. OTHERWISE, GO TO BOX 4.				
MAQ.100	Please give me your home telephone number in case my office wants to check my work.				
	CAPI INSTRUCTION: ONLY ALLOW 10 DIGIT PHONE NUMBER. DISPLAY HARD RANGE CHECK MESSAGE IF NOT 10 DIGITS.				
	NO HOME TELEPHONE				

MAQ.110	Is there another number where you can be reached?				
	CAPI INSTRUCTION: ONLY ALLOW 10 DIGIT PHONE NUMBER. DISPLAY HARD RANGE ERROR IF NOT 10 DIGITS				
		NOREFUSEDDON'T KNOW	7 (BOX 4)		
MAQ.115	I have recorded				
	(DISPLAY PHONE ENTERED	IN MAQ.110 AS (XXX) XXX-XXXX}			
	Is that correct?				
		YES	1 2 (MAQ.110)		
MAQ.120	Where is that phone located?				
		WORK RELATIVE'S HOME NEIGHBOR'S HOME CELL PHONE OTHER REFUSED DON'T KNOW	3 4 5		
		BOX 4			
MAQ.150	{Do you/does your child} have	a cell phone?			
	CAPI INSTRUCTION: DISPLAY "DO YOU/YOUR" IF	SP AGE >= TO 16. DISPLAY "DOES YOUR G	CHILD" IF SP AGE 12-15.		
		YES NOREFUSED DON'T KNOW	1 2 (MAQ.130) 7 (MAQ.130) 9 (MAQ.130)		

This is the end of the health interview. Thank you very much for your cooperation.

MAQ.130

FAMILY QUESTIONNAIRE

DEMOGRAPHIC BACKGROUND/OCCUPATION - DMQ - fam

Target Group: ■ Head of household

DMQ.107 In what country {were you/was NON-SP Head} born?

UNITED STATES	1	(DMQ.141)
OTHER COUNTRY	2	
REFUSED		` ` '
DON'T KNOW	9	(DMQ.141)

DMQ.113 SELECT COUNTRY OF BIRTH

ARGENTINA	1
BANGLADESH	2
BELIZE	3
BHUTAN	4
BOLIVIA	5
BRAZIL	6
BURMA/MYANMAR	7
CAMBODIA	8
CHILE	9
CHINA	10
COLOMBIA	11
COSTA RICA	12
CUBA	
DOMINICAN REPUBLIC	14
ECUADOR	15
EL SALVADOR	16
GUATEMALA	17
HONDURAS	18
HONG KONG	19
INDIA	
INDONESIA	
JAPAN	
KOREA	
LAOS	
MACAU	
MADAGASCAR	
MALAYSIA	
MALDIVES	
MEXICO	
NEPAL	
NICARAGUA	
PAKISTAN	
PANAMA	
PARAGUAY	
PERU	
PHILIPPINES	
PUERTO RICO	37
SINGAPORE	38
SPAIN	
SRI LANKA	
TAIWAN	
TAIWANTAIWAN	
TIBET	
URUGUAY	
VENEZUELAVIETNAM	
OTHER COUNTRY (CAPI INSTRUCTION:	40
	E0
DO NOT SPECIFY)	50

DMQ.141 What is the **highest** grade or level of school {you have/NON-SP Head has} **completed** or the **highest degree** {you have/he/she has} **received**?

HAND CARD DMQ1 READ HAND CARD CATEGORIES IF NECESSARY ENTER HIGHEST LEVEL OF SCHOOL.

NEVER ATTENDED/KINDERGARTEN	
ONLY	0
1ST GRADE	1
2ND GRADE	2
3RD GRADE	3
4TH GRADE	4
5TH GRADE	5
6TH GRADE	6
7TH GRADE	7
8TH GRADE	8
9TH GRADE	9
10TH GRADE	10
11TH GRADE	11
12TH GRADE, NO DIPLOMA	
HIGH SCHOOL GRADUATE	13
GED OR EQUIVALENT	14
SOME COLLEGE, NO DEGREE	15
ASSOCIATE DEGREE: OCCUPATIONAL,	
TECHNICAL, OR VOCATIONAL	
PROGRAM	16
ASSOCIATE DEGREE: ACADEMIC	
PROGRAM	17
BACHELOR'S DEGREE (EXAMPLE: BA,	
AB, BS, BBA)	18
MASTER'S DEGREE (EXAMPLE: MA,	
MS, MEng, MEd, MBA)	19
PROFESSIONAL SCHOOL DEGREE	
(EXAMPLE: MD, DDS, DVM, JD)	20
DOCTORAL DEGREE (EXAMPLE:	
PhD, EdD)	
REFUSED	
DON'T KNOW	99

INCOME – INQ Target Group: Family, Household

INQ.200 The next questions are about your family's income. When answering these questions, please remember that by "family income", I mean your income **plus** the income of {NAMES OF OTHER **NHANES** FAMILY MEMBERS} for {LAST CALENDAR YEAR}.

Now I am going to ask about the **total income** for {you/NAME(S) OF OTHER FAMILY/you and NAMES OF FAMILY MEMBERS} in {LAST CALENDAR YEAR}, including income from all sources listed on this card such as wages, salaries, help from relatives and so forth. Can you tell me that amount before taxes?

HAND CARD INQ1

CAPI INSTRUCTIONS:

- DISPLAY "YOU" IF ONLY 1 PERSON IN THE FAMILY.
- DISPLAY "NAMES OF FIRST/NEXT FAMILY MEMBERS" IF THERE IS MORE THAN 1 PERSON IN THE FAMILY.

\$	_ (GO	TO BOX 9)
REFUSED	777777777	(INQ.220)
DON'T KNOW	999999999	(INO 220)

CAPI INSTRUCTION:

- REQUIRE DOUBLE ENTRY OF INCOME.
- SCREEN SHOULD READ:
 - "INCOME FOR {NAMES OF FAMILY MEMBERS} HAS BEEN RECORDED AS {INCOME ENTERED IN INQ.200} DOUBLE ENTRY OF INCOME REQUIRED."
- IF ENTRIES DO NOT MATCH, DISPLAY BOTH ENTRIES. INTERVIEW SHOULD SELECT ENTRY TO CORRECT.

INQ.220 You may not be able to give us an exact figure for {your/NAME(S) OF OTHER FAMILY/you and NAMES OF FAMILY MEMBERS} income, but can you tell me if this income in {LAST CALENDAR YEAR} was...

PROBE: Income is important in using the health information we collect. For example, it helps us to learn whether persons in one income group use certain types of medical services or have certain health conditions more or less often than those in another income group.

CAPI INSTRUCTIONS:

- DISPLAY "YOUR" IF ONLY 1 PERSON IN THE FAMILY.
- DISPLAY "NAMES OF FIRST/NEXT FAMILY MEMBERS" IF THERE IS MORE THAN 1 PERSON IN THE FAMILY.

\$20,000 or more, or	1	
less than \$20,000?	2	
REFUSED	7	(BOX 9)
DON'T KNOW	9	(BOX 9)

INQ.230 a/b Of these income groups, can you tell me which letter **best** represents {your/NAME(S) OF OTHER FAMILY/you and NAMES OF FAMILY MEMBERS} income in {LAST CALENDAR YEAR}?

HAND CARD {INQ2 AND INQ3}

ENTER LETTER(S) CORRESPONDING TO TOTAL COMBINED FAMILY INCOME.

CAPI INSTRUCTIONS:

- DISPLAY "YOUR" IF ONLY 1 PERSON IN THE FAMILY.
- DISPLAY "NAMES OF FIRST/NEXT FAMILY MEMBERS" IF THERE IS MORE THAN 1 PERSON IN THE FAMILY.
- IF \$20,000 OR MORE, DISPLAY HAND CARD INQ2.
- IF LESS THAN \$20,000, DISPLAY HAND CARD INQ3.

Α	I	Q	Υ	GG	00
В	J	R	Z	HH	PP
С	K	S	AA	II	QQ
D	L	T	BB	JJ	RR
E	M	U	CC	KK	SS
F	N	V	DD	LL	TT
G	Ο	W	EE	MM	UU
Н	Р	X	FF	NN	VV
					WW
		REFUSED			77
		DON'T KNOV	N		99

BOX 9

CHECK ITEM INQ.240:

IF THERE IS MORE THAN ONE NHANES FAMILY IN THE HOUSEHOLD, CONTINUE.

OTHERWISE, GO TO END OF SECTION.

BOX 9A

CHECK ITEM INQ.new1:

HOUSEHOLD INCOME (iNq.250, 260, 270) SHOULD ONLY BE ASKED ONCE OF THE FIRST FAMILY TO COMPLETE THE FAMILY QUESTIONNAIRE. IT SHOULD NOT BE ASEKD TWICE FOR A HOUSEHOLD AND SHOULD NOT BE MISSED IF ONE FAMILY DOES NOT COMPLETE THE FAMILY QUESTIONNAIRE.

	CALENDAR YEAR}, including income from all sources we have just talked about such as wa salaries, Social Security or retirement benefits, help from relatives and so forth. Can you tell me amount before taxes?	_
	\$ _ _ _ _ _ (GO TO END OF SECTION	ON)
	REFUSED	
	 CAPI INSTRUCTION: ■ REQUIRE DOUBLE ENTRY OF INCOME. ■ SCREEN SHOULD READ: "INCOME FOR YOUR HOUSEHOLD HAS BEEN RECORDED AS {INCOME ENTEREINQ.250} DOUBLE ENTRY OF INCOME REQUIRED." ■ IF ENTRIES DO NOT MATCH, DISPLAY BOTH ENTRIES. INTERVIEW SHOULD SELIENTRY TO CORRECT. 	
INQ.260	You may not be able to give us an exact figure for your total household income, but can you tell rethis income in {LAST CALENDAR YEAR} was	ne i
	PROBE: Income is important in analyzing the health information we collect. For example, information helps us to learn whether persons in one income group use certain types of med services or have certain conditions more or less often than those in another group.	

Now I am going to ask you about the total **household** income for the persons we have talked about plus {NAMES OF ALL OTHER PERSONS IN ADDITIONAL NHANES FAMILIES} in {LAST

INQ.250

INQ.270 Of these income groups, can you tell me which letter **best** represents your total household income in {LAST CALENDAR YEAR}?

HAND CARD (INQ2 AND INQ3)

ENTER LETTER(S) CORRESPONDING TO TOTAL COMBINED HOUSEHOLD INCOME.

Α	I	Q	Υ	GG	00
В	J	R	Z	HH	PP
С	K	S	AA	II	QQ
D	L	Т	BB	JJ	RR
Е	M	U	CC	KK	SS
F	N	V	DD	LL	TT
G	Ο	W	EE	MM	UU
Н	Р	X	FF	NN	VV
					WW
		REFUSED			. 77
		DON'T KNO	W		. 99

CAPI INSTRUCTION:

IF \$20,000 OR MORE, DISPLAY HAND CARD INQ2.

IF LESS THAN \$20,000, DISPLAY HAND CARD INQ3.

NYFS MEC DATA COLLECTION FORMS

NYFS EXAMINATION DATA COLLECTION FORMS

Anthropometry
Dietary Interview
Endurance Performance—Treadmill
General Exclusion Questions
Lower Body Muscle Strength
MEC Interview Private Questions for 12-15 Year Olds
Modified pull-up
Physical Activity Monitor
Plank
Test of Gross Motor Development (TGMD)
Upper Body Muscle Strength

^{*}No data collection forms for physical activity monitor

ANTHROPOMETRY NYFS (Ages 3-15)

AMPUTATION QUESTIONS: Information is recorded during the body measurement examination for all ages. Questions may be asked if the information is not obvious to the examiner. The responses are used to interpret body measurement results, particularly the body weight data.

Are there any amputations? Recorder codes YES/NO IF YES to the amputation question, continue with information on the site(s) of the amputation(s):

Target Age Groups: Anthropometry Measurements and Questions

4-7 years	8-15 years
Weight	Weight
Standing height	Standing height
Upper arm length	Upper arm length
Mid-upper arm circumference	Mid-upper arm circumference
Waist circumference	Waist circumference
	Upper leg length
Triceps, medial calf and subscapular skinfolds	Triceps, medial calf and subscapular skinfolds
Would you like to know your height and weight?	Would you like to know your height and weight?

DIETARY INTERVIEW (3-15)

24-Hour Dietary Recall Interview

Information will be obtained on all foods and beverages that were consumed during a 24-hour time period (midnight to midnight). The information that is obtained for foods and beverages includes the following:

- a. Time of day -Time when the food was eaten
- b. Meal name code The name of the eating occasion is selected from a list of options.
- c. Meal place Whether the meal was eaten at home.
- d. Food item name The name of the food is either typed in or selected from a list of food item names.
- e. Food item description Detailed description of the food including information about commercial product name (if applicable), preparation method, and major recipe ingredients.
- f. Fat added in preparation A preparation fat probe is asked for certain foods. The type of fat used during food preparation is specified as well.
- g. Amount of food eaten The amount of food consumed by the respondent.
- h. Food source The place where the food was obtained is selected from a list of options

24-Hour Dietary Recall Interview Scripts - In-Person Interview:

A. Introduction script

First, we'll make a list of the foods you/SP ate and drank yesterday, *Monday*. It may help you remember what you/SP ate by thinking about where you/he/she were, who you/he/she were with, or what you/he/she were doing, like working, eating out, or watching television.

Please tell me everything you/SP had to eat and drink all day yesterday, Monday, from midnight to midnight. Include everything you/he/she had at home and away, even snacks, coffee, soft drinks, water, and alcoholic beverages. I'll ask you for specific details and amounts of the foods in a few minutes. At this time, just tell me what you/SP had.

B. Forgotten food probes script

Your answers are important, so we'd like this list to be as complete as possible.

In addition to the foods you have/SP has already told me about, did you have any coffee, tea, soft drinks, milk or juice?

Beer, m, cocktails or other drinks?
Cookies, candy, ice cream or other sweets?
Chips, crackers, popcorn, pretzels, nuts, or other snack foods?
Fruits, vegetables, or cheese?
Bread, rolls or tortillas?
Anything else?

C. Food detail probes script

Now we're going to fill in your list with more detail. When I ask how much {you/SP} ate, you can tell me the amount by using the models on the table and in the racks.

You may use the grid for rectangular or square shapes and the circles for circular or round shapes. Use the wedge for wedge shaped foods.

You can use the thickness bars to show me the thickness of a food and the bean bags and mounds to describe the amounts of solid foods.

When you use the cups, bowls, and glasses, please show me which line best describes the portion {you/SP/he/she} ate or drank. When you use any of the spoons, please tell me the quantity in LEVEL spoonfuls.

Post-dietary Recall Questions

MUCH MORE THAN USUAL	.1
USUAL	.2
MUCH LESS THAN USUAL	.3
REFUSED	.7
DON'T KNOW	.9

REC.265 When you drink tap water, what is the main source of the tap water? Is the city water supply (community water supply); a well or rain cistern; a spring; or something else?

COMMUNITY WATER..1
A WELL OR RAIN CISTERN 2
A SPRING.................3
NEVER DRINK TAP WATER 4
REFUSED.......................7
DON'T KNOW..................9
OTHER (SPECIFY).......91

[RECORD Drinking fountain AS COMMUNITY WATER SUPPLY.]

REC.325 Now I'll be asking some questions about {your/NAME's} use of table salt.

What type of salt {do you/does NAME} usually add to {your/his/her} food at the table? Would you say it is ordinary or seasoned salt, lite salt, or a salt substitute?

ORDINARY, SEA, SEASONED, OR OTHER FLAVORED SALT

[includes regular iodized salt,

sea salt and seasoning salts

made with regular salt]	1	
LITE SALT	2	
SALT SUBSTITUTE	3	
NONE	4	(REC.335)
REFUSED	7	(REC.335)
DON'T KNOW	9	(REC.335)

REC.330 How often {do you/does NAME} add {REC325 ANSWER} to {your/his/her} food at the table? Is it rarely, occasionally, or very often?

RARELY,	1
OCCASIONALLY	2
VERY OFTEN	3
REFUSED	7
DON'T KNOW	9

REC.335 How often is ordinary salt or seasoned salt added in cooking or preparing foods in your household? Is it never, rarely, occasionally, or very often?

NEVER	1
RARELY	2
OCCASIONALLY	3
VERY OFTEN	4
REFUSED	7
DON'T KNOW	9

[THIS QUESTION APPLIES ONLY TO USE OF ORDINARY SALT OR SEASONED SALT AND NOT TO LITE SALT OR SALT SUBSTITUTES.]

REC.340 {Are you/Is NAME} currently on any kind of diet, either to lose weight or for some other health-related reason?

YES......1
NO......2 (Box 1)
REFUSED.......7 (Box 1)
DON'T KNOW....9 (Box 1)

REC.345 What kind of diet {are you/is NAME} on?

[READ AS NEEDED: Is it a weight loss or low calorie diet; low fat or cholesterol diet; low salt or sodium diet; diabetic diet; or another type of diet?]

WEIGHT LOSS OR LOW CALORIE DIET	1
LOW FAT OR CHOLESTEROL DIET	2
LOW SALT OR SODIUM DIET	3
SUGAR FREE OR LOW SUGAR DIET	4
LOW FIBER DIET	5
HIGH FIBER DIET	6
DIABETIC DIET	7
LOW CARBOHYDRATE DIET	
HIGH PROTEIN DIET	9
WEIGHT GAIN DIET	10
OTHER	91
(SPECIFY) REFUSED	77
DON'T KNOW	

24-Hour Dietary Supplements Recall Interview

Information will be obtained on all vitamins, minerals, herbals and other dietary supplements that were consumed during a 24-hour time period (midnight to midnight). The information that is obtained for dietary supplements includes the following:

- a. Verifying that dietary supplement(s) reported during the Dietary Supplement Section in the Household Interview
 was also taken during the 24-Hour time period. Dietary supplement information is collected during the SP
 Household Interview. The interviewer will first ask if the supplements reported during the Household Interview
 were also taken during the 24-Hour time period.
- b. Dietary supplement Name The name of any new/additional dietary supplements are typed and selected from a list of dietary supplement names.
- c. Amount of dietary supplement taken The amount of dietary supplement consumed by the respondent during the 24-Hour time period.

<u>24-Hour Dietary Supplement Recall Interview Scripts – In-Person Interview:</u>

1. Script for respondents that <u>reported taking</u> a dietary supplement or antacid during the Dietary Supplements Section in the Household Interview:

The next questions are about {your/SPs} use of dietary supplements, vitamins, minerals and herbals all day yesterday, {day}, between midnight and midnight. This includes prescription and over the counter dietary supplements.

During the interview in your home {you/SP reported taking} {supplement}.

Did {you/SP} take this supplement yesterday {day}. (between midnight and midnight)?

Was {supplement} a {form}?

You said {you/SP} took ____, is that correct? Was that a liquid or powder? Between midnight and midnight, how much did {you/SP} take?

It was also reported {you/SP} took {supplement}.

All day yesterday, {day}, between midnight and midnight, did {you/SP} take any other vitamins, minerals, herbals or other dietary supplements? Include any prescription and over the counter dietary supplements.

What is the name of the supplement {you/SP} took?

Between midnight and midnight, how much did {you/SP} take?

Any others?

The next guestions are about {your/SPs} use of non-prescription antacids.

During the interview in your home {you/SP reported taking} {antacid}.

Did {you/SP} take this antacid yesterday (between midnight and midnight)?

Between midnight and midnight how much did {you/SP} take?

It was also reported {you/SP} took {antacid}.

All day yesterday, {day}, between midnight and midnight did {you/SP} take any other antacids?

What is the name of the antacid {you/SP} took?

Between midnight and midnight how much did {you/SP} take?

Any others?

Script for respondents that did not report taking a dietary supplement or antacid during the Dietary Supplement Section in the Household Interview:

> The next questions are about {your/SPs} use of dietary supplements, including prescription and over the counter supplements. All day yesterday, {day}, between midnight and midnight did {you/SP} take any vitamins, minerals, herbals or other dietary supplements?

What is the name of the supplement {you/SP} took? Between midnight and midnight how much did {you/SP} take? Any others?

The next questions are about {your/SPs} use of non-prescription antacids All day yesterday, {day}, between midnight and midnight did {you/SP} take any antacids?

What is the name of the antacid {you/SP} took? Between midnight and midnight how much did {you/SP} take? Any others?

ENDURANCE PERFORMANCE—TREADMILL (AGES 6-15)

Test protocol (ages 6-11)

Each participant will perform to volitional fatigue. The protocol involves maintaining a fairly constant speed with an increase in incline by 2.5% at 2 minute stages. The main goals of the protocol are: 1) the child will be able to perform the test for 5-12 minutes, and 2) the maximum incline will not exceed 12%. To ensure that most children will be able to perform the test, the protocol will start slowly with walking and then increase in speed at the later stages for very fit children. After a 2 minute warm-up walk, 6-7 year old children will walk at an average speed of 2.75 mph with an increasing incline; 8-9 year old children will walk at an average speed of 3.25 mph, increase to a run of 4.5 mph at the last two stages, with an increasing incline; and 10-11 year old children will walk at an average speed of 3.5 mph, increase to a run of 5.0 mph at the last two stages, with an increasing incline. The protocol includes 7-8 stages as well as warm up and recovery/cool down stages. Children are not expected to be able to complete all stages.

Data collected: Heart rate (before the test and at the end of each stage), treadmill speed and grade, total duration on the treadmill, reasons why participant stopped exercising

ENDURANCE PERFORMANCE—TREADMILL (AGES 6-15) continued

Test protocol (ages 12-15)

The speed and grade for participants 12-15 will be identical to those in the NHANES cardiovascular fitness component from 1999-2006 and based on age, gender, BMI and self reported physical activity level. There will be 4 stages: warm up, stage 1, stage 2 and cool down.

Data collected: Heart rate (before the test and at the end of each stage), treadmill speed and grade, reasons why participant stopped exercising and perceived exertion level during each stage.

Exclusion Criteria (AGES 3-15)

All exclusion questions will be asked of the parent/guardian at the check-in to the examination center to identify children who cannot participate in survey components. Pregnant girls will be excluded from the health examination. All other children will be able to participate in the dietary recall interview.

Exclusion criteria	Exclusions
Parents/guardians of girls ages 8-11 years who are menstruating and all girls 12-15 years will be asked: Is your child pregnant? Parents/guardians of girls 8-11 years will be asked in the household interview if the participant had started menstruating, and if yes, when she began.	Pregnant girls will be excluded from all examination center components.
2. Is the participant in a wheelchair (observation only)?	If Yes, exclude from the treadmill, lower body muscle strength, modified pull-up, plank, and gross motor skills components.
3. Has a doctor ever said your child should not participate in sports or other activities because of a health condition?	If Yes, Refused, or Don't Know, exclude from the treadmill, lower body muscle strength, grip strength, modified pull-up, plank, and gross motor skills components.
Has a doctor ever said that your child should only do sports or other physical recommended by a doctor?	If Yes, Refused, or Don't Know, exclude from the treadmill, lower body muscle strength, grip strength, modified pull-up, plank, and gross motor skills components.
5. Have any of your child's close biological relatives, that is, blood relatives including grandparents, father, mother, sisters or brothers, died of heart problems or sudden death before the age of 35?	If Yes, Refused, or Don't Know, exclude from the treadmill component.
6. Does your child have any amputations other than toes? If Yes, where is the amputation?	If Yes, Refused, or Don't Know, exclude from modified pull-up, plank, and gross motor skills components.
	If yes and the amputation is of a leg or foot, exclude from the treadmill component.
	If yes and both legs or feet have been amputated, exclude from the lower body muscle strength component.
	If yes and both arms, hands, or thumbs have been amputated, exclude from the grip strength component.
	If yes and both arms have been amputated, exclude from the physical activity monitor component.
7. Does your child have a pacemaker or automatic defibrillator?	If Yes, Refused, or Don't Know, exclude from

	the treadmill component.
8. Does your child lose {his/her} balance because of dizziness?	If Yes, Refused, or Don't Know, exclude from the treadmill component.
9. Does your child ever lose consciousness?	If Yes, Refused, or Don't Know, exclude from the treadmill component.
10. Has your child ever been told that {he/she} has exercise induced asthma?	* See below.
11. Since the interview in your home on {date of household interview}, is your child taking any additional prescription medications?	** See below.
12. Does your child have a bone or joint problem that could be made worse by walking?	If Yes, Refused, or Don't Know, exclude from the treadmill component.
13. Do you know of any reason why your child should not walk or run on a treadmill?	If Yes, Refused, or Don't Know, exclude from the treadmill component.
14. Has your child had any surgery on {his/her} hands, wrists, arms, or shoulders in the past three months?	If Yes, Refused, or Don't Know, exclude from the modified pull-up, plank, and gross motor skills components.
	If Yes and surgery was conducted on both hands, both wrists, or both arms, exclude from the grip strength component.
15. Does your child have any paralysis of the {his/her} hands, wrists, or arms?	If Yes, Refused, or Don't Know, exclude from modified pull-up, plank, and gross motor skills components.
	If Yes and both hands, wrists, or arms are paralyzed, exclude from the grip strength component.
	If Yes and both hands, wrists, or arms are paralyzed, exclude from the physical activity monitor component.
16. We will be asking your child to pull {himself/herself} up off the ground using {his/her} arms and holding the position. Do you know of any reason why your child should not do this test?	If Yes, Refused, or Don't Know, exclude from the modified pull up and plank components
17. We will be asking your child to push {his/her} legs as hard as {he/she} can against an object. Do you know of any reason why your child should not do this test?	If Yes, Refused, or Don't Know, exclude from the lower body muscle strength component
18. Body weight of 500 pounds or greater as measured in the Body Measurements component.	Exclude from the treadmill component.

- * If the answer to the question is 'Yes,' 'Don't Know,' or 'Refused,' the nurse practitioner/physician's assistant at the examination center will review the question with the parent/guardian to determine if the participant should be excluded from the treadmill test based on the response to the question. If the nurse practitioner/physician's assistant determines that there is no indication for exclusion to the treadmill test, the child will be included in the test. Albuterol will be available in Emergency Supplies to treat exercised-induced asthma that may have been undiagnosed.
- ** The nurse practitioner/physician's assistant will review the list of medications taken by the child with the parent/guardian to determine if the participant should be excluded from the treadmill test. If the nurse practitioner/physician's assistant determines that there is no indication for exclusion to the treadmill test, the child will be included in the test. However, if the participant has exercised-induced asthma for which he/she regularly takes albuterol, but does not bring the inhaler to the examination, the participant will be excluded from the treadmill test. The list of exclusionary medications for the treadmill test is provided below.

Exclusionary Medications	Class Codes (RXQ240C)
Anti Arrhythmics Amiodarone (Cordarone) Bretylium (Bretylol) Disopyramide (Norpace) Encainide (Enkaid) Ethmozine (Moricizine) Flecanide (Tambocor) Lidocaine (Xylocaine, Xylocard) Mexiletine (Mexitil) Moricizine (Ethmozine) Posicor (Mibefradil) Procainamide (Pronestyl, Procan SR) Propafenone (Rhythmol) Quinidine (Quinora, Quinalan, Cardioquin, Quinidex, Quinaglute) Tocainide (Tonocard)	350500, 351000, 352000, 353000, 354000, 355000

Exclusionary Medications	Class Codes (RXQ240C)
Beta Blockers	331000, 332000, 333000
Acebutolol (Sectral)	
Atenolol (Tenormin)	
Betagan	
Betaxolol (Kerlone)	
Bisoprolol (Zebeta)	
Carteolol (Cartrol)	
Carvedilol (Coreg)	
Esmolol (Brevibloc)	
Labetalol (Normodyne)	
Levobunolol	
Metoprolol Succinate (Toprol-XL)	
Metoprolol Tartrate (Lopressor)	
Nadolol (Corgard)	
Oxprenolol (Trasicor, Slow Trasicor)	
Penbutolol (Levatol)	
Pindolol (Visken)	
Propranolol (Inderal)	
Sotolol (Betapace)	
Timolol (Blocadren)	
Trandate	
Beta Blockers/Diuretic Combinations	369920
Corzide	
Inderide	
Lopressor Hydrochlorothiazide	
Tenorectic	
Timolide	
Ziac	
Digitalis	312000
Digoxin (Lanoxin)	
Eye Drops/ Beta Blockers	862500, 862599
Betagen Eye Drops	
Betoptic Eye Drops	
Levobunolol Eye Drops	
Metipranolol (Optipranolol)	
Timoptic Eye Drops	
Nitrates and Nitroglycerin	321000
Isosorbide Dinitrate (Isordil, Diltrate)	
Isosorbide Mononitrate (Isordii, Militate)	
Nitroglycerin, Translingual (Nitrostat, Nitrolingual	
Spray)	
Spray) Nitroglycerin, Transmucosal (Nitrogard)	
Nitroglycerin, Transmucosai (Nitrogard) Nitroglycerin, Topical (Nitrol, Nitro-Bid, Transderm	
Nitro, Nitro-Dur II, Nitrodisc, Minitran, Deponit,	
Nitro, Nitro-Dur II, Nitrodisc, Millitrali, Depolit, Nitroderm)	
Nitroderm) Nitroglycerin, Sustained Release (Nitrong,	
Nitrocine, Nitroglyn)	
Pentaerythritol Tetranitrate (Cardilate)	

LOWER BODY MUSCLE STRENGTH- QUADRICEPS/HAMSTRINGS (AGES 6-15)

One exclusion question specific to the lower body muscle strength (asked of parents or guardians of children):

In this test, we will be asking your child to push {his/her} legs as hard as {he/she} can against an object. Do you know of any reason why your child should not do the test?

1 Yes (EXCLUDE FROM EXAM)
2 No
3 REFUSED (EXCLUDE FROM EXAM)
4 DON'T KNOW (EXCLUDE FROM EXAM)

IF YES, SPECIFY REASON

Test protocol

Children will be tested in a sitting position. Maximum isometric knee extension will be measured using a hand held dynamometer (HHD). The knee will be positioned in approximately 90 degrees of flexion and the dynamometer placed just below the shoe top on the shin. The participant's hips and thigh will be secured to the chair with straps. The participant presses into the HHD slightly to stabilize the device. Participants will then be asked to take 1 or 2 seconds to come to maximum effort, during which they are to push as hard as possible into the HHD. The counterforce to the knee extension force is supplied by a strap with stabilization by a staff person through the HHD. Participants will be given encouragement and asked to stop after 4 to 5 seconds. Participants will be given three tests of each lower extremity.

Data collected: Peak force in pounds/kilograms.

MEC INTERVIEW PRIVATE QUESTIONS FOR 12-15 YEAR OLDS

TOBACCO – SMQ Target Group: SPs 12-15

	The following questions are about cigarette smok	ing.	
SMQ.621	About how many cigarettes have you smoked in	your entire life ?	
	Please check box by answer		
	1 or more puffs bu 1 cigarette	xed, not even a puff	Go to PAGE 2 Go to PAGE 2 Go to PAGE 2
SMQ.631 SMQ.631a	How old were you when you smoked a whole cig Please write zero for never smoked a whole o		
SMQ.640	During the past 30 days , on how many days did Please enter a number or enter zero for none.	you smoke cigarettes?	
	_ ENTER NUMBER I refuse to answer	OF DAYS77	
		99	

ALCOHOL USE - ALQ Target Group: SPs 12-15

The following questions ask about alcohol use. This includes beer, wine, wine coolers, and liquor such as rum, gin, vodka, or whiskey. This does not include drinking a few sips of wine for religious purposes.

ALQ.010 How old were you when you had your **first** drink of alcohol, other than a few sips?

Please select one of the following choices.

ALQ.031

	9		
	I have never had a drink of alcohol other		
	than a few sips		☐ Go to PAGE 3
	8 years old or younger		
	9 or 10 years old	3	
	11 or 12 years old	4	
	13 or 14 years old	5	
	15 or 16 years old		
	17 years old or older	7	
	I refuse to answer	77	☐ Go to PAGE 3
	I don't know	99	☐ Go to PAGE 3
During the past 30 days, on h	ow many days did you have at least one drink o	of al	cohol?
Please select one of the f	ollowing choices.		
	0 days	1	
	1 or 2 days	2	
	3 to 5 days	3	
	6 to 9 days	4	
	10 to 19 days	5	
	20 to 29 days	6	
	All 30 days	7	
	I refuse to answer	77	
	I don't know	99	

DRUG USE - DUQ Target Group: SPs 12-15

The following questions ask about use of drugs not prescribed by a doctor. Please remember that your

	answers to these questions are strictly confidential.
DUQ.200	The first questions are about marijuana and hashish. Marijuana is also called pot or grass. Marijuana is usually smoked, either in cigarettes, called joints, or in a pipe. It is sometimes cooked in food. Hashish is a form of marijuana that is also called "hash." It is usually smoked in a pipe. Another form of hashish is hash oil.
	Have you ever , even once, used marijuana or hashish?
	Please select
	Yes
DUQ.230	During the past 30 days , on how many days did you use marijuana or hashish?
	Please enter a number.
	_ ENTER A NUMBER I refuse to answer

MODIFIED PULL UP (AGES 5-15 YEARS)

One exclusion question specific to the modified pull-up (asked of parents or guardians of children)

In this test, we will be asking your child to pull {himself/herself} up off the ground using their arms and holding the position. Do you know of any reason why your child should not do the test?

1	Yes	(EXCLUDE FROM EXAM)
2	No	
3	REFUSED	(EXCLUDE FROM EXAM)
4	DON'T KNOW	(EXCLUDE FROM EXAM)

IF YES, SPECIFY REASON _____

Test protocol

With the participant lying on his/her back on a flat surface, the horizontal bar should be positioned about 1-2 inches above the participant's outstretched arms. The participant is asked to clasp the horizontal bar with an overhand grasp, palms facing away from the body. When the participant is ready, the examiner gives the signal "Go." On hearing the signal "Go," the participant raises his/her body by flexing the arm until the chest touches an elastic band or plate that hangs 8 inches down from the horizontal bar. The body should be kept straight with the hips up and only the heels touching. Then the participant lowers back to the starting position. This procedure should be repeated as many times as possible. The test will stop when the participant pauses for two or more seconds.

Data collected: Number of pull-ups completed

PLANK (AGES 3-15 YEARS)

Test protocol

Participants will be tested with the front plank. For this exercise, the participant lies face down on a mat resting on the forearms with palms on the floor. Then the participant pushes off the floor, raising up onto toes and resting on the elbows. The back is kept straight without the stomach dropping or the hips rising up.

Participants should maintain the position for as long as possible. Participants will be able to self-select when they want to stop the test; no undue stress or pressure will be placed on the participant. The test ends when a straight back can no longer be maintained and the hips drop toward the floor, or the participant requests to stop.

Data collected: number of seconds the plank position is held

TOTAL GROSS MOTOR DEVELOPMENT (AGES 3-5 YEARS)

Test protocol

The Test of Gross Motor Development – Second Edition (TGMD-2) will be used for the motor skills test. The TGMD-2 is a norm-referenced measure of common gross motor skills that develop early in life. The TGMD-2 is made up of 12 skills (six for each subtest):

- Locomotor: run, gallop, hop, leap, horizontal jump, slide
- Object Control: striking a stationary ball, stationary dribble, kick, catch, overhand throw, and underhand roll

Data Collected: Each gross motor skill includes several behavioral components which are presented as performance criteria. For example, performance criteria for the run skill are 1) arms move in opposition to legs, elbows bent, 2) brief period where both feet are off the ground, 3) narrow foot placement landing on heel or toe (i.e., not flat-footed), and 4) nonsupport leg bent approximately 90 degrees (i.e., close to buttocks). If the child performs a behavioral component correctly, DHANES staff will record a 1, if the child does not perform a behavioral component correctly, the staff will record a 0. A partial score, such as 0.5 to show that the child displays the criterion, but is inconsistent, is not allowed.

After recording the result for each of the two trials, staff will total the scores of the two trials to obtain a raw skill set score for each behavioral component. The skill scores add up to a raw subtest score (Locomotor, Object control), which is converted to a standard score using a table in the TGMD-2 Examiner's Manual. Then these standard scores are combined and converted to an overall Gross Motor Quotient.

UPPER BODY MUSCLE STRENGTH (Age 6-15 years)

I. Pre-Test Questions:

Participants are excluded from this component if they are unable to hold the dynamometer with both hands (e.g., missing both arms, hands, or thumbs on both hands, or paralysis of both hands). Participants who are able to grip the dynamometer with one hand will still perform the component. Participants who had surgery on either hand or wrist in the last three months will not be tested on that particular hand.

The following pre-test questions are asked about the hand or hands that are eligible for the Grip Test.

MGQ.050	Have you ever had surgery on your hands or wrists for arthritis or carpal tunnel syndrome ? If Yes,which hand.
MGQ.070	Have you had any pain, aching or stiffness in your right hand in the past 7 days? If Yes ask the next two questions.
MGQ.080	Is the pain, aching or stiffness in your right hand caused by arthritis , tendonitis , or carpal tunnel syndrome ?
MGQ.090	Has the pain, aching or stiffness in your right hand gotten worse in the past 7 days ?
MGQ.100	Have you had any pain, aching or stiffness in your left hand in the past 7 days? If Yes ask the next two questions.
MGQ.110	Is the pain, aching or stiffness in your left hand caused by arthritis, tendonitis, or carpal tunnel syndrome?
MGQ.120	Has the pain, aching or stiffness in your left hand gotten worse in the past 7 days?
MGQ.130	Are you right-handed, left-handed, or do you use both hands equally?

II. Grip Test:

Three data points per hand are captured and the results are recorded in kilograms (kg) to one digit after the decimal point.

Right hand grip strength (readings 1, 2, and 3)	kg
Left hand grip strength (readings 1, 2, and 3)	kg