

ATTACHMENT 21  
SCREENER AND RECONTACT SCRIPTS

**SCQAskNumberInHH**

**Item number:** SCQ1010

**Item tag:** SCQ1010

**Item type:** Question

**Type class:** Integer

**Field kind:** Datafield

**Answers allowed:** 1

**Help tag:**

**Answer type:** {Continuous Answer.}

**FieldSize:** 18

**Min value:** 1

**Max value:** 25

**ArrayMin:**

**ArrayMax:**

**English text:** [Enter continuous answer.]

---

**English text:** Including yourself, how many people live in this household and have no usual residence elsewhere?  
**Notes:** Start date of enumeration timing here.

**Spanish text:** Incluyéndose usted mismo(a), ¿cuántas personas viven en este hogar y no tienen un sitio de residencia habitual en otro lugar?  
**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

---

**Number Label**

**Route**

1 [Continuous answer.]

SCQ1015 - Route : If Then

---

**Attribute**

**Route**

Refusal

SCQ1015 - Route : If Then

**Route : If Then**

**Item**      **number:**

SCQ1015    **Item**

**tag:**    SCQ1015

**Item**      **type:**

---

**Route details:** The following variables - name, respondent, gender, age, age range, ethnicity, race, military status, and the misreported field (SCQ1020-SCQ1090) - should appear as a grid. All enumeration information is entered in this grid.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

## SCQNameHHM

<b>Item number:</b> SCQ1020	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 25
<b>Item tag:</b> SCQ1020	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type class:</b> String	<b>Answer type:</b> {Continuous Answer }	

---

**English text:** [A] What is the first name of the person, or one of the persons, who is living in the household who owns or rents this home?

[B] Next, please tell me the names of all other members of this household (starting with your spouse, if applicable).

[C] Please tell me the names of all other members of this household.

[HOUSEHOLD (HH) MEMBERS INCLUDE PEOPLE WHO THINK OF THIS HH AS THEIR PRIMARY PLACE OF RESIDENCE. IT INCLUDES PEOPLE WHO USUALLY STAY IN THE HH BUT ARE TEMPORARILY AWAY ON BUSINESS, VACATION, IN A HOSPITAL, OR LIVING AT SCHOOL IN A DORM, FRATERNITY OR SORORITY.]

[DO NOT INCLUDE COLLEGE STUDENTS LIVING IN OFF-CAMPUS HOUSING AS HH MEMBERS.]

[PRESS THE DOWN ARROW KEY TO MOVE TO THE NEXT BLANK LINE. WHEN ALL NAMES ARE ENTERED, USE UP AND RIGHT ARROW KEYS TO GET TO NEXT QUESTION.]

**Spanish text:** [A] ¿Cuál es el nombre de la persona, o de una de las personas, que está viviendo en el hogar y que es dueña de esta vivienda o la arrienda?

[B] A continuación, por favor dígame los nombres de todos los demás miembros de este hogar (empezando por su esposo(a), si corresponde).

[HOUSEHOLD (HH) MEMBERS INCLUDE PEOPLE WHO THINK OF THIS HH AS THEIR PRIMARY PLACE OF RESIDENCE. IT INCLUDES PEOPLE WHO USUALLY STAY IN THE HH BUT ARE TEMPORARILY AWAY ON BUSINESS, VACATION, IN A HOSPITAL, OR LIVING AT SCHOOL IN A DORM, FRATERNITY OR SORORITY.]

[DO NOT INCLUDE COLLEGE STUDENTS LIVING IN OFF-CAMPUS HOUSING AS HH MEMBERS.]

[PRESS THE DOWN ARROW KEY TO MOVE TO THE NEXT BLANK LINE. WHEN ALL NAMES ARE ENTERED, USE UP AND RIGHT ARROW KEYS TO GET TO NEXT QUESTION.]

---

Number Label	Route
1 [Continuous answer.]	SCQ1025 - SCQWholsRespondent

---

**English text:** [Enter continuous answer.]

---

**Display instructions:** This variable should appear as the first column on the grid.

For the first line on the grid, display text A. For the second line, display text B. For all

**SCQNameHHM**

subsequent lines, display text C.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQWholsRespondent**

<b>Item number:</b> SCQ1025	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1025	<b>Answers allowed:</b> 1	<b>Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

---

**English text:** [ENTER '1' NEXT TO THE RESPONDENT.]

[IF NOT OBVIOUS, ASK: Thank you for telling me about all the people who live in this household. Now, I need to ask your name, so I know which household member you are.]

**Spanish text:** [ENTER '1' NEXT TO THE RESPONDENT.]

[IF NOT OBVIOUS, ASK: Gracias por decirme todas las personas que \_\_\_\_\_]

**Number Label**

**Route**

1 Respondent

SCQ1030 - Route : If Then

**English text:** RESPONDENT

---

**Display instructions:** This variable should appear as the second column on the grid.

**Notes:** Allow only one response to this question.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

## SCQAnyoneElse

**Item number:**

SCQ1027 Item

Field kind: Datafield

**FieldSize:**

**Min value:**

**tag:**

**Answers allowed:** 1

**Max**

**Item type:** Question

**Help tag:**

**value:**

**Type class:**

**Answer type:** {User Defined.}

**ArrayMin:**

Enumerated

English text: Anyone else?

[HOUSEHOLD (HH) MEMBERS INCLUDE PEOPLE WHO THINK OF THIS HH AS THEIR PRIMARY PLACE OF RESIDENCE. IT INCLUDES PEOPLE WHO USUALLY STAY IN THE HH BUT ARE TEMPORARILY AWAY ON BUSINESS, VACATION, IN A HOSPITAL, OR LIVING AT SCHOOL IN A DORM, FRATERNITY OR SORORITY.]

[DO NOT INCLUDE COLLEGE STUDENTS LIVING IN OFF-CAMPUS HOUSING AS HH MEMBERS.]

Spanish text: ¿Otros nombres?

**Number Label**

**Route**

1 YES

SCQ1020 - SCQNameHHM

**English text:** YES

2 NO

SCQ1030 - Route : If Then

**English text:** NO

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Route : If Then**

**Item**      **number:**

SCQ1030    **Item**

**tag:**    SCQ1030

**Item**      **type:**

---

**Route details:** For each household member, go through items SCQ1040-SCQ1095 (following appropriate skips). Complete all items for each household member before going to the next household member.

Start with the reference person (first row in SCQ1020) and ask questions about additional household members in the order in which the household members were reported.

If there are no additional household members, go to SCQ1102.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**



## SCQGender

<b>Item number:</b> SCQ1040	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1040	<b>Answers allowed:</b> 1	<b>Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

---

**English text:** [CODE GENDER. IF NOT OBVIOUS, ASK: {Are you/Is NAME} male or

---

**Spanish text:** [CODE GENDER. IF NOT OBVIOUS, ASK: ¿Es {usted/NAME} de  
sexo femenino o masculino?]

---

Number Label	Route
1 Male	SCQ1050 - SCQAge
<b>English text:</b> MALE	
2 Female	SCQ1050 - SCQAge
<b>English text:</b> FEMALE	

Attribute	Route
Don't know	SCQ1050 - SCQAge
Refusal	SCQ 1050 - SCQAge

**Display instructions:** This variable should appear as the third column on the grid.

For {Are you/Is NAME}, if asking about screener respondent, display "Are you". Else, display "Is NAME".

SPANISH DISPLAY:

For {usted/NAME}, if asking about screener respondent, display "usted". Else, display "NAME".

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

## SCQAge

<b>Item number:</b> SCQ1050	<b>Field kind:</b> Datafield	<b>FieldSize:</b>	
<b>Item tag:</b> SCQ1050	<b>Answers allowed:</b> 1	<b>18</b>	0
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Min</b>	13
<b>Type class:</b> Integer	<b>Answer type:</b> {Continuous Answer.}	<b>value:</b>	0
		<b>Max</b>	

**English text:** How old {are you/is NAME}?

[IF UNDER 1 YEAR, ENTER AS "0"]

**Spanish text:** ¿Qué edad tiene (usted/NAME)?

[IF UNDER 1 YEAR, ENTER AS "0"]

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	SCQ1055 - Check : Soft
<b>English text:</b> [Enter continuous answer.]	

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ 1060 - SCQAgeRange
Refusal	SCQ 1060 - SCQAgeRange

**Display instructions:** This variable should appear as the fourth column on the grid.

For {are you/is NAME}, if asking about screener respondent, display "are you". Else, display "is NAME".

SPANISH DISPLAY:

For {usted/ NAME}, if asking about screener respondent, display "usted". Else, display "NAME".

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Check : Soft**

**Item number:** SCQ1055

**Item tag:** SCQ1055

**Item type:** Check

**Type class:** Soft

---

**Check details:** Associated variable: SCQ1050

**English text:** If outside the range of 0 to 99, display the following: "I just need to check that {your/NAME's} age is {SCQ1050}. Is this right?"

**Spanish text:** If outside the range of 0 to 99, display the following: "Solamente necesito verificar que la edad de {usted/NAME} es {SCQ1050}. ¿Es correcto?"

---

**Number Label**

**Route**

---

1 [Check executed.]

SCQ1075 - SCQEthnicity

---

**Notes:**

For {your/NAME's}, if asking about screener respondent, display "your". Else, display "NAME".

SPANISH DISPLAY:

For {usted/NAME}, if asking about screener respondent, display "usted". Else, display "NAME".

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**SCQAgeRange**

**Item number:** SCQ1060      **Field kind:** Datafield      **FieldSize:** Min  
**Item tag:** SCQ1060      **Answers allowed:** 1      **value:**  
**Item type:** Question      **Help tag:**      **Max**  
**Type class:** Enumerated      **Answer type:** {User Defined.}      **value:**

**English text:** {Are you/Is NAME}...

**Spanish text:** ¿Tiene {usted/NAME}..

Number	Label	Route
1	<u>Under18YearsOld</u> <b>English text:</b> Under 18 years old? <b>Spanish text:</b> menos de 18 años	SCQ1075 - SCQEthnicity
2	<u>F18To29YearsOld</u> <b>English text:</b> 18 to 29 years old? <b>Spanish text:</b> 18 a 29 años de	SCQ1075 - SCQEthnicity
3	<u>F30To39YearsOld</u> <b>English text:</b> 30 to 39 years old? <b>Spanish text:</b> 30 a 39 años de	SCQ1075 - SCQEthnicity
4	<u>F40To49YearsOld</u> <b>English text:</b> 40 to 49 years old? <b>Spanish text:</b> 40 a 49 años de	SCQ1075 - SCQEthnicity
5	<u>F50To59YearsOld</u> <b>English text:</b> 50 to 59 years old? <b>Spanish text:</b> 50 a 59 años de	SCQ1075 - SCQEthnicity
6	<u>F60To69YearsOld</u> <b>English text:</b> 60 to 69 years old? <b>Spanish text:</b> 60 a 69 años de	SCQ1075 - SCQEthnicity
7	<u>F70YearsOldOrOlder</u> <b>English text:</b> 70 years old or older? <b>Spanish text:</b> 70 años de edad o más?	SCQ1075 - SCQEthnicity

Attribute	Route
Don't know	SCQ1075 - SCQEthnicity
Refusal	SCQ1075 - SCQEthnicity

**Display instructions:** This variable should appear as the fifth column on the grid.

For {Are you/Is NAME}, if asking about screener respondent, display "Are you". Else, display "Is NAME".

SPANISH:

For {usted/ NAME}, if asking about screener respondent, display "usted". Else, display "NAME".

## SCQ Ethnicity

**Item number:** SCQ 1075      **Field kind:** Datafield      **FieldSize:**  
**Item tag:** SCQ1075      **Answers allowed:** 4      **e: Min**  
**Item type:** Question      **Help tag:**      **value:**  
**Type class:** Enumerated      **Answer type:** {User Defined.}      **Max**  
**value:**

---

### English text: SHOW CARD 1

Do any of the following groups represent {your/NAME's} national origin or ancestry? Mexican/Mexican-American, Puerto Rican, Cuban, other Hispanic or Latino? You can select more than one answer.

[SELECT ALL THAT APPLY.]

---

### Spanish text: SHOW CARD 1

¿Alguno de los siguientes grupos representa el origen nacional o ancestro {suyo/de NAME}? ¿Mexicano/mexicoamericano, puertorriqueño, cubano, otro hispano o latino? Puede seleccionar más de una respuesta.

[SELECT ALL THAT APPLY.]

---

Number Label	Route
1 <u>MexicanOrMexicanAmerican</u>	SCQ1080 - Check : Hard
<b>English text:</b> MEXICAN/MEXICAN-AMERICAN	
2 <u>PuertoRican</u>	SCQ1080 - Check : Hard
<b>English text:</b> PUERTO RICAN	
3 <u>Cuban</u>	SCQ1080 - Check : Hard
<b>English text:</b> CUBAN	
4 <u>OtherHispanicOrLatino</u>	SCQ1080 - Check : Hard
<b>English text:</b> OTHER HISPANIC OR LATINO	
5 <u>NotHispanic</u>	SCQ1080 - Check : Hard
<b>English text:</b> NOT HISPANIC	

---

Attribute	Route
Don't know	SCQ 1077 - Route : If Then
Refusal	SCQ 1077 - Route : If Then

---

**Display instructions:** This variable should appear as the sixth column on the grid.

For {your/NAME's}, if asking about screener respondent, display "your". Else, display "NAME's".

SPANISH DISPLAY:

For {suyo/de NAME}, if asking about screener respondent, display "suyo". Else, display "de NAME".

**Route : If Then**

**Item number:**

SCQ1077 **Item**

**tag:**

**Item type:** Route

---

**Route details:** If SCQ 1075 = DK or RF for Screener respondent,  
go to SCQ1078. Else, go to SCQ1080.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**RespondentEthnicObs**

<b>Item number:</b> SCQ1078	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> Item	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type:</b>	<b>Answer type:</b> {User Defined.}	

**English text:** [RECORD RESPONDENT'S ETHNICITY BY OBSERVATION, IF POSSIBLE.]

**Spanish text:** [RECORD RESPONDENT'S ETHNICITY BY OBSERVATION, IF POSSIBLE.]

<b>Number Label</b>	<b>Route</b>
1 HispanicOrLatino	SCQ1085 - SCQRace
<b>English text:</b> HISPANIC OR LATINO	
2 NotHispanic	SCQ1085 - SCQRace
<b>English text:</b> NOT HISPANIC	

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ 1085 - SCQRace

**Display instructions:** This variable should appear as the seventh column on the grid.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Check : Hard**

**Item number:** SCQ1080

**Item tag:** SCQ1080

**Item type:** Check

**Type class:** Hard

---

**Check details:**

**English text:** If SCQ1075=5 in combination with another other response, display:  
"I'm sorry, but NOT HISPANIC is not allowed with any other response."

**Spanish text:** If SCQ1075=5 and another response, display: "Lo lamento, pero NO HISPANO no se permite con ninguna otra respuesta."

---

**Number Label**

**Route**

---

1 [Check executed.]

SCQ1085 - SCQRace

---

THIS ITEM IS PROPRIETARY/CONFIDENTIAL



## SCQRace

<b>Item number:</b> SCQ1085	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1085	<b>Answers allowed:</b> 5	<b>Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

**English text:** SHOW CARD 2

What race do you consider {yourself/NAME} to be? White, Black or African American, Asian, Native Hawaiian or other Pacific Islander, or American Indian or Alaska Native? You can select more than one answer.

[SELECT ALL THAT APPLY.]

**Spanish text:** SHOW CARD 2

¿De qué raza considera que es {usted/NAME}? Blanca, negra o afroamericana, asiática, nativa de Hawái, o de otra isla del Pacífico, o india americana o nativa de Alaska? Puede seleccionar más de una respuesta.

[SELECT ALL THAT APPLY.]

<b>Number Label</b>	<b>Route</b>
1 <u>White</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> WHITE	
2 <u>BlackOrAfricanAmerican</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> BLACK/AFRICAN AMERICAN	
3 <u>Asian</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> ASIAN	
4 <u>NativeHawaiian PacificIslander</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> NATIVE HAWAIIAN/PACIFIC ISLANDER	
5 <u>AmericanIndianOrAlaskan</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> AMERICAN INDIAN/ALASKA NATIVE	

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ 1087 - Route : If Then
Refusal	SCQ 1087 - Route : If Then

**Display instructions:** This variable should appear as the eighth column on the grid.

For {yourself/NAME}, if asking about screener respondent, display "yourself". Else, display "NAME".

SPANISH DISPLAY:

For {usted/NAME}, if asking about screener respondent, display "usted". Else, display "NAME".

**Route : If Then**

**Item number:**

SCQ1087 **Item**

**tag:**

**Item type:** Route

---

**Route details:** If SCQ 1085 = DK or RF for Screener respondent,  
go to SCQ 1088. Else, go to SCQ1089.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**RespondentRaceObs**

<b>Item number:</b> SCQ1088 Item	<b>Field kind:</b> Datafield	<b>FieldSize:</b> MM
<b>tag:</b>	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item type:</b> Question Type	<b>Help tag:</b>	<b>Max value:</b>
<b>class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	

**English text:** [RECORD RESPONDENT'S RACE BY OBSERVATION, IF POSSIBLE.]

**Spanish text:** [RECORD RESPONDENT'S RACE BY OBSERVATION, IF POSSIBLE.]

<b>Number Label</b>	<b>Route</b>
1 <u>White</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> WHITE	
2 <u>Black_AfricanAmerican</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> BLACK/AFRICAN AMERICAN	
3 <u>Asian</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> ASIAN	
4 <u>NativeHawaiian PacificIslander</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> NATIVE HAWAIIAN/PACIFIC ISLANDER	
5 <u>AmericanIndian AlaskaNative</u>	SCQ1089 - SCQActiveMilitary
<b>English text:</b> AMERICAN INDIAN/ALASKA NATIVE	

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ 1089 - SCQActiveMilitary

**Display instructions:** This variable should appear as the ninth column on the grid.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

## SCQActiveMilitary

**Item number:** SCQ1089      **Field kind:** Datafield      **FieldSize:** MM  
**Answers allowed:** 1  
**Item tag:**      **Help tag:**      **value:**  
**Item type:** Question      **Answer type:** {User Defined.}      **Max value:**

**English text:** {Are you/Is NAME} currently serving on active duty in the U.S. Armed Forces, Military Reserves or National Guard?

[ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION.]

**Spanish text:** ¿Está {usted/NAME} sirviendo actualmente en el servicio activo de las Fuerzas Armadas, Reservas Militares o la Guardia Nacional de Estados Unidos?

[ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION.]

Number Label	Route
1 <u>YES</u>	SCQ1090 - SCQMisreport
2 <u>NO</u>	SCQ1090 - SCQMisreport

Attribute	Route
Don't know	SCQ 1090 - SCQMisreport
Refused	SCQ 1090 - SCQMisreport

**Display instructions:** This variable should appear as the tenth column on the grid.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQMisreport**

<b>Item number:</b> SCQ1090	<b>Field kind:</b> Datafield	<b>FieldSize:</b> <b>Min</b>
<b>Item tag:</b> SCQ1090	<b>Answers</b>	<b>value:</b>
<b>Item type:</b> Instruction	<b>allowed:</b> 1	<b>Max</b>
<b>Type class:</b>	<b>Help tag:</b>	<b>value:</b>
	<b>Answer type:</b> TContinue	

---

**English text:** [LEAVE EMPTY UNLESS PERSON WAS MISREPORTED AND IS NOT A HOUSEHOLD MEMBER. IF MISREPORTED, ENTER "X".]

---

**Spanish text:** [LEAVE EMPTY UNLESS PERSON WAS MISREPORTED AND IS NOT A HOUSEHOLD MEMBER. IF MISREPORTED, ENTER "X".]

---

<b>Number Label</b>	<b>Route</b>
1 MISREPORTED	SCQ1095 - Route : If Then
<b>English text:</b> MISREPORTED	

---

**Display instructions::** Do not allow "MISREPORT" as an option on the first line of the grid (reference person).

If a person is marked as "MISREPORTED," all other fields on the grid associated with this person should be "show only."

This variable should appear as the eleventh

column on the grid. **Notes:** The default for this field is blank - it

will only be filled if necessary.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Route : If Then**

**Item number:**

SCQ1095 **Item**

**tag:** SCQ1095

**Item type:**

---

**Route details:** If additional household members, go to SCQ1040. Ask questions about the household members in the order in which they were originally reported. Else, go to SCQ1102.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**Route : If Then**

**Item**      **number:**

SCQ1102    **Item**

**tag:**    SCQ1102

**Item**      **type:**

---

**Route details:** Check enumeration grid to ensure that all necessary items have been answered. If any required fields are blank, return to grid. Else, go to SCQ1105.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQAnyoneElse**

<b>Item number:</b> SCQ1105	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1105	<b>Answers allowed:</b> 1	<b>e: Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

---

**English text:** We have listed {NUMBER} household member{s}:

{NAME/GENDER/AGE}

Have we missed any other...

- members of this household who are related to {you/REFERENCE PERSON}?
- people living here who are not related to {you/REFERENCE PERSON}, including friends or boarders?
- household members who usually live here but are not here currently, such as someone away on vacation, business, in a hospital, or a student living in

**Spanish text:** Tenemos anotado {NUMBER} miembro(s) del hogar :

{NAME/GENDER/AGE}

¿Hemos olvidado

- algún otro miembro de este hogar que esté emparentado con {usted/REFERENCE PERSON}?
- alguna otra persona que viva aquí que no esté emparentada con {usted/REFERENCE PERSON}, incluyendo amigos o huéspedes?
- algún otro miembro del hogar que usualmente viva aquí pero que actualmente no esté aquí, tal como alguien que esté lejos de vacaciones,

<b>Number Label</b>	<b>Route</b>
1 Yes	SCQ1020 - SCQNameHHM
<b>English text:</b> YES	
2 No	SCQ1110 - Route : If Then
<b>English text:</b> NO	

---

**Display instructions::** For {NUMBER}, display the number of household members collected in the enumeration grid.

For member{s}, if household contains one person, display "member". Else, display "members".

For {NAME/GENDER/AGE}, display the name, gender and age of each household member collected in the grid.



## SCQAnyoneElse

For {you/REFERENCE PERSON}, if screener respondent = reference person, display "you". Else, display name of first person on grid in "REFERENCE PERSON".

SPANISH DISPLAY:

For {usted/REFERENCE PERSON}, if screener respondent = reference person, display "usted". Else, display name of first person on grid in "REFERENCE PERSON".

**Notes:** The number of household members collected in the enumeration grid is the value that should be stored as household size.

End enumeration timing here when SCQ1105=2.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Route : If Then**

<b>Item</b>	<b>number:</b>
SCQ1110	<b>Item</b>
<b>tag:</b>	SCQ1110
<b>Item</b>	<b>type:</b>

---

**Route details:** Insert sampling messages here.

If an SP has been selected, then go to SCQ1111. Else, go to SCQ1124.

**Notes:** Eligibility is determined at the time enumeration is completed. SCQ1105 is the final enumeration question that must be answered to determine eligibility.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQIdentifySP**

<b>Item number:</b> SCQ1111	<b>Field kind:</b> Datafield <b>Answers</b>	<b>FieldSize:</b> <b>Min</b>
<b>Item tag:</b> SCQ1111	<b>allowed:</b> 1	<b>value:</b>
<b>Item type:</b> Instruction <b>Type</b> <del>class: Enumerated</del>	<b>Help tag:</b>	<b>Max</b>
	<b>Answer type:</b> TContinue	<b>value:</b>

---

**English text:** Based on the information you have provided, we have selected {SP FILL 1} {and SP FILL 2} to participate in the study.

[PRESS 1 AND ENTER TO CONTINUE.]

---

**Spanish text:** Basados en la información que usted ha proporcionado, hemos seleccionado a {SP FILL 1} {y SP FILL 2} para participar en el estudio.

[PRESS 1 AND ENTER TO CONTINUE.]

---

<b>Number Label</b>	<b>Route</b>
1 Continue	SCQ1112 - Route : Begin Loop

---

**English text:** CONTINUE

---

**Display instructions:** SP FILL 1 = display SP #1

NAME/AGE/GENDER If second SP selected,

display SP FILL 2. Else, blank. SP FILL 2 =

display SP #2 NAME/AGE/GENDER

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Route : Begin Loop**

**Item**      **number:**  
SCQ1112    **Item**  
**tag:**    SCQ1112  
**Item**      **type:**

---

**Route details:** Ask SCQ1113 for each household member reported on enumeration grid in relation to SP #1. Repeat for SP #2, as needed.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

## RelationshipSP

<b>Item number:</b> SCQ1113	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1113	<b>Answers allowed:</b> 1	<b>e: Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

**English text:** What is {NAME's/your} relationship to {SP/you}? For example: wife or husband, son, daughter, son-in-law, sister, foster son, partner, lodger, lodger's wife, etc. IF NEEDED: In other words, {NAME} is {SP}'s..

**Spanish text:** ¿Cual es {la relación o parentesco de NAME/su relación o parentesco} con {SP/usted}? Por ejemplo, esposa o esposo, hijo, hija, yerno, hermana, hijo en adopción temporal, pareja, esposa del inquilino, etc. IF NEEDED:

Number Label	Route
1 SP	SCQ1116 - Route : If Then
<b>English text:</b> SP	
2 HusbandWife	SCQ1116 - Route : If Then
<b>English text:</b> {HUSBAND/WIFE}	
3 DomesticPartner	SCQ1116 - Route : If Then
<b>English text:</b> DOMESTIC PARTNER	
4 BoyfriendGirlfriend	SCQ1116 - Route : If Then
<b>English text:</b> {BOYFRIEND/GIRLFRIEND}	
5 NaturalBloodChild	SCQ1116 - Route : If Then
<b>English text:</b> {SON/DAUGHTER} (NATURAL OR BLOOD)	
6 AdoptedChild	SCQ1116 - Route : If Then
<b>English text:</b> ADOPTED {SON/DAUGHTER}	
7 StepchildFoster	SCQ1116 - Route : If Then
<b>English text:</b> STEP {SON/DAUGHTER}/FOSTER {SON/DAUGHTER}	
8 SoninlawDaughterinlaw	SCQ1116 - Route : If Then
<b>English text:</b> {SON-IN-LAW/DAUGHTER-IN-LAW}	
9 Grandchild	SCQ1116 - Route : If Then
<b>English text:</b> GRAND {SON/DAUGHTER}	
10 BrotherSister:r	SCQ1116 - Route : If Then
<b>English text:</b> {BROTHER/SISTER}	
11 StepBrotherSister	SCQ1116 - Route : If Then
<b>English text:</b> {STEP-BROTHER/STEP-SISTER}	
12 BrotherSisterinLaw	SCQ1116 - Route : If Then
<b>English text:</b> {BROTHER-IN-LAW/SISTER-IN-LAW}	
13 MotherFather	SCQ1116 - Route : If Then
<b>English text:</b> {MOTHER/FATHER}	
14 StepMotherFather	SCQ1116 - Route : If Then
<b>English text:</b> {STEP-MOTHER/STEP-FATHER}	

## RelationshipSP

15	MotherFatherinLaw	SCQ1116 - Route : If Then
	<b>English text:</b> {MOTHER-IN-LAW/FATHER-IN-LAW}	
16	Grandparent	SCQ1116 - Route : If Then
	<b>English text:</b> GRAND {MOTHER/FATHER}	
17	Cousin	SCQ1116 - Route : If Then
	<b>English text:</b> COUSIN	
18	UncleAunt	SCQ1116 - Route : If Then
	<b>English text:</b> {UNCLE/AUNT}	
19	NephewNiece	SCQ1116 - Route : If Then
	<b>English text:</b> {NEPHEW/NIECE}	
20	OtherRelative	SCQ1116 - Route : If Then
	<b>English text:</b> OTHER RELATIVE	
21	RoommateHousemate	SCQ1116 - Route : If Then
	<b>English text:</b> ROOMMATE/HOUSEMATE	
22	RoomerBoarder	SCQ1116 - Route : If Then
	<b>English text:</b> ROOMER/BOARDER	
23	OtherNonrelative	SCQ1116 - Route : If Then
	<b>English text:</b> OTHER NONRELATIVE	

Attribute	Route
Don't know	SCQ1116 - Route : If Then
Refusal	SCQ 1116 - Route : If Then

**Display instructions:** For {NAME'S/your}, when collecting information for Screener respondent, display "your". Else, display name of each household member collected in enumeration grid in "NAME's".

For {SP/you}, if screener respondent = SP, display "you". Else, display SP name in "SP".

For response options, if SCQ1040=1, display: 2=husband; 4=boyfriend; 5=son (natural or blood); 6=adopted son; 7=stepson/foster son; 8=son-in-law; 9=grandson; 10=brother; 11=step-brother; 12=brother-in-law; 13=father; 14=step-father; 15=father-in-law; 16=grandfather; 18=uncle; 19=nephew

Else, display 2=wife; 4=girlfriend; 5=daughter (natural or blood); 6=adopted daughter; 7=stepdaughter/foster daughter; 8=daughter-in-law; 9=granddaughter; 10=sister; 11=stepsister; 12=sister-in-law; 13=mother; 14=step-mother; 15=mother-in-law; 16=grandmother; 18=aunt; 19=niece

SPANISH DISPLAY:

For {la relación o parentesco de NAME/su relación o parentesco}, when collecting information for Screener respondent, display "su relación o parentesco". Else, display name of each household member collected

## **RelationshipSP**

Notes: When collecting information for screener respondent, if screener respondent = SP, assign '01' and go to next name in enumeration grid.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**Route : If Then**

**Item**      **number:**  
SCQ1116    **Item**  
**tag:**    SCQ1116  
**Item**      **type:**

---

**Route details:** Review SCQ1075 and SCQ1085 for SP #1 (and SP #2) only:

If SCQ1075 = DK or RF, then go to SCQ1117.  
Else if SCQ1085 = DK or RF, then go to  
SCQ1121. Else, go to SCQ1124.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**



## SCQSPEthnicity

<b>Item number:</b> SCQ1117	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
<b>Item tag:</b> SCQ1117	<b>Answers allowed:</b> 7	<b>value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>value:</b>

---

### English text: SHOW CARD 1

Because {you were/NAME was} selected for this study, it is very important that we collect some demographic information about {you/him/her}. Please remember that anything you tell me is completely private.

Do any of the following groups represent {your/NAME's} national origin or ancestry? Mexican/Mexican-American, Puerto Rican, Cuban, other Hispanic or Latino? You can select more than one answer.

[SELECT ALL THAT APPLY.]

---

### Spanish text: SHOW CARD 1

Dado que {usted/NAME } fue seleccionado(a) para este estudio, es muy importante que reunamos información demográfica sobre {usted/él/ella}. Recuerde que cualquier cosa que usted me diga se mantendrá completamente privado.

¿Representa alguno de los siguientes grupos el origen nacional o ancestro {suyo/de NAME}? Mexicano/mexicoamericano, puertorriqueño, cubano, otro hispano o latino? Puede seleccionar más de una respuesta.

---

Number Label	Route
1 Mexican_Mexican_American	SCQ1118 - Check : Hard
<b>English text:</b> MEXICAN/MEXICAN-AMERICAN	
2 PuertoRican	SCQ1118 - Check : Hard
<b>English text:</b> PUERTO RICAN	
3 Cuban	SCQ1118 - Check : Hard
<b>English text:</b> CUBAN	
4 OtherHispanicOrLatino	SCQ1118 - Check : Hard
<b>English text:</b> OTHER HISPANIC OR LATINO	
5 NotHispanic	SCQ1118 - Check : Hard
<b>English text:</b> NOT HISPANIC	

---

Attribute	Route
Don't know	SCQ1119 - SCQEthnicityObserve
Refusal	SCQ1119 - SCQEthnicityObserve

**Display instructions:** For {you were/NAME was}, if screener respondent = SP, display "you were". Else, display "NAME was".

## SCQSPEthnicity

For {you/him/her}, if screener respondent = SP, display "you". Else, if SCQ1040 for SP = 1, display "him". Else, display "her".

SPANISH DISPLAY:

For {usted/NAME}, if screener respondent = SP, display "usted". Else, display "NAME".

For {usted/él/ella}, if screener respondent = SP, display "usted". Else, if SCQ1040 for SP = 1, display "él". Else, display "ella".

**Notes:** If SP = Screener respondent and SCQ1078 was already answered for SP, go to SCQ1120.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Check : Hard**

**Item number:** SCQ 1118

**Item tag:** SCQ 1118

**Item type:** Check

**Type class:** Hard

---

**Check details:**

**English text:** If SCQ1117=5 in combination with any other response, display: "I'm sorry, but NOT HISPANIC is not allowed with any other response."

**Spanish text:** If SCQ1117=5 and another response, display: "Lo lamento, pero NO HISPANO no se permite con ninguna otra respuesta."

---

**Number Label**

**Route**

---

I [Check executed.]

SCQ1120 - Route : If Then

---

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQEthnicityObserve**

<b>Item number:</b> SCQ1119	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1119	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	

---

**English text:** [RECORD SP'S ETHNICITY BY OBSERVATION, IF POSSIBLE.]

**Spanish text:** [RECORD SP'S ETHNICITY BY OBSERVATION, IF POSSIBLE.]

---

<b>Number Label</b>	<b>Route</b>
1 HispanicOrLatino	SCQ1120 - Route : If Then
<b>English text:</b> HISPANIC OR LATINO	
2 NotHispanic	SCQ1120 - Route : If Then
<b>English text:</b> NOT HISPANIC/LATINO	

<b>Attribute</b>	<b>Route</b>
<b>Don't know</b>	SCQ1120 - Route : If Then

---

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**Route : If Then**

**Item number:**

SCQ1120 **Item**

**tag:** SCQ1120

**Item type:**

---

**Route details:** If SCQ1085 = DK or RF for SP #1 or #2, go to SCQ1121. Else, go to SCQ1124.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

## SCQSPRace

<b>Item number:</b> SCQ1121	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
<b>Item tag:</b> SCQ1121	<b>Answers allowed:</b> 7	<b>value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>value:</b>

**English text:** SHOW CARD 2

What race do you consider {yourself/NAME} to be? White, Black or African American, Asian, Native Hawaiian or other Pacific Islander, or American Indian or Alaska Native? You can select more than one answer.

[SELECT ALL THAT APPLY.]

**Spanish text:** SHOW CARD 2

¿De que raza considera que es {usted/NAME}? blanca, negra o afroamericana, asiática, nativa de Hawái, o de otra isla del Pacifico, o india americana o nativa de Alaska? Puede seleccionar más de una respuesta.

[SELECT ALL THAT APPLY.]

Number Label	Route
1 White	SCQ1123 - Route : If Then
<b>English text:</b> WHITE	
2 Black AfricanAmerican	SCQ1123 - Route : If Then
<b>English text:</b> BLACK/AFRICAN AMERICAN	
3 Asian	SCQ1123 - Route : If Then
<b>English text:</b> ASIAN	
4 NativeHawaiianPacificIslander	SCQ1123 - Route : If Then
<b>English text:</b> NATIVE HAWAIIAN/PACIFIC ISLANDER	
5 AmericanIndianAlaskaNative	SCQ1123 - Route : If Then
<b>English text:</b> AMERICAN INDIAN/ALASKA NATIVE	

Attribute	Route
Don't know	SCQ 1122 - SCQRaceObserve
Refusal	SCQ 1122 - SCQRaceObserve

**Display instructions:** For {yourself/NAME}, if screener respondent = SP, display "yourself". Else, display "NAME".

SPANISH DISPLAY:

For {USTED/NAME}, if screener respondent = SP, display "usted". Else, display "NAME".

Notes: If SP = Screener respondent and SCQ1088 was already answered for this SP, go to SCQ1123.

**SCQRaceObserve**

<b>Item number:</b> SCQ1122	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1122	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	

**English text:** [RECORD SP'S RACE BY OBSERVATION, IF POSSIBLE.]

**Spanish text:** [RECORD SP'S RACE BY OBSERVATION, IF POSSIBLE.]

<b>Number Label</b>	<b>Route</b>
1 White	SCQ1123 - Route : If Then
<b>English text:</b> WHITE	
2 Black AfricanAmerican	SCQ1123 - Route : If Then
<b>English text:</b> BLACK/AFRICAN AMERICAN	
3 Asian	SCQ1123 - Route : If Then
<b>English text:</b> ASIAN	
4 NativeHawaiianPacificIslander	SCQ1123 - Route : If Then
<b>English text:</b> NATIVE HAWAIIAN/PACIFIC ISLANDER	
5 AmericanIndian AlaskaNative	SCQ1123 - Route : If Then
<b>English text:</b> AMERICAN INDIAN/ALASKA NATIVE	

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ1123 - Route : If Then

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Route : If Then**

**Item number:**

SCQ1123 **Item**

**tag:**

**Item type:** Route

---

**Route details:** If household contains second SP, go to SCQ1116. Else, go to SCQ1124.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL



**SCQRespondentPhone**

**Item number:** SCQ1124      **Field kind:** Datafield      **FieldSize:**  
**Item tag:** SCQ1124      **Answers allowed:** 1      **Min**  
**Item type:** Question      **Help tag:**      **value:**  
**Type class:** Enumerated      **Answer type:** {User      **Max**  
Defined.}      **value:**

---

**English text:** What is your telephone number (in case my office wants to check my

**Spanish text:** ¿Cuál es el número de teléfono de su hogar (en caso que alguien en mi oficina quiera verificar mi trabajo)?

---

<b>Number Label</b>	<b>Route</b>
1 EnterPhoneNumber	SCQ1125 - SCQCollectRespondentPhone
<b>English text:</b> ENTER PHONE NUMBER	
2 NoPhoneNumber	SCQ1150 - SCQOtherNumber
<b>English text:</b> NO PHONE NUMBER	

---

<b>Attribute</b>	<b>Route</b>
Refusal	SCQ1150 - SCQOtherNumber

---

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

### SCQCollectRespondentPhone

<b>Item number:</b> SCQ1125	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1125	<b>Answers allowed:</b> 1	<b>18 Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value: Max</b>
<b>Type class:</b> Integer	<b>Answer type:</b> {Continuous Answer.}	<b>value:</b>

---

**English text:** [What is your telephone number (in case my office wants  
to check my work)?] ENTER THE AREA CODE AND NUMBER.

---

**Spanish text:** [¿Cuál es el número de teléfono de su hogar (en caso que alguien en mi  
oficina quiera verificar mi trabajo)?]  
ENTER THE AREA CODE AND NUMBER.

### Number Label

---

1 [Continuous answer.] SCQ1140 - SCORPhoneConfirm

---

**English text:** [Enter continuous answer.]

---

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQRPhoneConfirm**

<b>Item number:</b> SCQ1140	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1140	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	

**English text:** I have your phone number as:

{(xxx)xxx-xxxx} Is this correct?

**Spanish text:** Tengo anotado que su número de teléfono es:

{(xxx)xxx-xxxx} ¿Correcto?

<b>Number Label</b>	<b>Route</b>
1 Yes	SCQ1145 - SCQRPhoneLocation
<b>English text:</b> YES	
2 No	SCQ1125 - SCQCollectRespondentPhone
<b>English text:</b> NO	

**Display instructions:** For {(xxx)xxx-xxxx}, display response from SCQ1125.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQRPhoneLocation**

<b>Item number:</b> SCQ1145 Item	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>tag:</b>	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question Type	<b>Help tag:</b>	<b>Max value:</b>
	<b>Answer type:</b> {User Defined.}	

**English text:** Where is this phone located? Is it in your home, at work, someplace else, or is it a cellular or mobile phone?

**Spanish text:** ¿De dónde es este número? ¿Es de su hogar, del trabajo, de otro lugar o es de

<b>Number Label</b>	<b>Route</b>
1 Home	SCQ1150 - SCQOtherNumber
<b>English text:</b> HOME	
2 Work	SCQ1150 - SCQOtherNumber
<b>English text:</b> WORK	
3 CellMobile	SCQ1150 - SCQOtherNumber
<b>English text:</b> CELLULAR OR MOBILE PHONE	
91 OthSpecify	SCQ1150 - SCQOtherNumber
<b>English text:</b> OTHER, SPECIFY	

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQOtherNumber**

**Item number:** SCQ1150      **Field kind:** Datafield      **FieldSize:**  
**Item tag:** SCQ1150      **Answers allowed:** 1      **e: Min**  
**Item type:** Question      **Help tag:**      **value:**  
**Type class:** Enumerated      **Answer type:** {User Defined.}      **Max value:**

---

**English text:** Is there {a/another} telephone number where {you/SP} could be reached?

**Spanish text:** ¿Hay {un/otro} número de teléfono donde nos podamos comunicar con

---

Number Label	Route
1 Yes	SCQ1155 - SCQCollectOtherNumber
<b>English text:</b> YES	
2 NoOtherPhone	SCQ1200
<b>English text:</b> NO OTHER PHONE	

---

Attribute	Route
Refusal	SCQ1200

---

**Display instructions:** If SCQ1124=1, display "another". Else, display "a".

If an SP was selected, and SP is not screener respondent, display name of SP in "SP". Else, display "you". Repeat for SP #2 if applicable.

SPANISH DISPLAY:

If SCQ1124=1, display "otro". Else, display "un"

If an SP was selected, and SP is not screener respondent, display name of SP in "SP". Else, display "usted". Repeat for SP #2 if applicable.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**SCQCollectOtherNumber**

**Item number:** SCQ1155      **Field kind:** Datafield      **FieldSize:**  
**Item tag:** SCQ1155      **Answers allowed:** 1  
**Item type:** Question      **Help tag:**      **18 Min value:**  
**Type class:** Integer      **Answer type:** {Continuous Answer.}      **Max value:**  
**ArrayMin:**

---

**English text:** [What is that phone number?]

ENTER THE AREA CODE AND NUMBER.

---

**Spanish text:** [¿Cuál es ese número de teléfono?]

ENTER THE AREA CODE AND NUMBER.

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	SCQ1170 - SCQOtherConfirmPhone
<b>English text:</b> [Enter continuous answer.]	

---

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQOtherConfirmPhone**

<b>Item number:</b> SCQ1170	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1170	<b>Answers allowed:</b> 1	<b>Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

---

**English text:** I have that phone number as:  
  
{(xxx)-xxx-xxxx} Is this correct?

---

**Spanish text:** Tengo anotado que ese número de teléfono es:  
  
{(xxx)-xxx-xxxx} ¿Correcto?

---

<b>Number Label</b>	<b>Route</b>
1 Yes	SCQ1180 - SCQOtherPhoneLocated
<b>English text:</b> YES	
2 No	SCQ1155 - SCQCollectOtherNumber
<b>English text:</b> NO	

**Display instructions:** For {(xxx)xxx-xxxx}, display response from SCQ1155.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

## SCQOtherPhoneLocated

<b>Item number:</b> SCQ1180	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ1180	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help:</b>	<b>Max value:</b>

**English text:** Where is this phone located? Is it in your home, at work, someplace else, or is it a cellular or mobile phone?

**Spanish text:** ¿De dónde es este número? ¿Es de {su hogar/del hogar de SP1}, del trabajo, de otro lugar o es de un teléfono celular?

Number Label	Route
1 Home	SCQ1200 - MailingAddressDifferent
<b>English text:</b> HOME	
2 Work	SCQ1200 - MailingAddressDifferent
<b>English text:</b> WORK	
3 CellMobile	SCQ1200 - MailingAddressDifferent
<b>English text:</b> CELLULAR OR MOBILE PHONE	
910 OthSpecify	SCQ1200 - MailingAddressDifferent
<b>English text:</b> OTHER, SPECIFY	

Attribute	Route
Don't know	SCQ1200
Refusal	SCQ1200

THIS ITEM IS PROPRIETARY/CONFIDENTIAL



**MailingAddressDifferent**

<b>Item number:</b> SCQ1200	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b>	<b>allowed:</b> Answers	<b>Min value:</b>
<b>Item type:</b>	<b>Help tag:</b>	<b>Max value:</b>
<b>Question Type</b>	<b>Answer type:</b> {User Defined.}	- ...

---

**English text:** Is your mailing address the same as your street address?

**Spanish text:** ¿Es su dirección postal igual que la dirección de su vivienda?

---

<b>Number Label</b>	<b>Route</b>
1 YES	SCQ2005 - SCQScreeenerLanguage
<b>English text:</b> YES	
2 No	SCQ1205 - MailingAddress
<b>English text:</b> NO	

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ2005 - SCQScreeenerLanguage
Refusal	SCQ2005 - SCQScreeenerLanguage

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**MailingAddress**

<b>Item number:</b> SCQ1205 <b>Item</b>	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255 <b>Min</b>
<b>tag:</b>	<b>Answers allowed:</b> 1	<b>value: Max</b>
<b>Item type:</b> Question <b>Type</b>	<b>Help tag:</b>	<b>value:</b>
	<b>Answer type:</b> {Continuous Answer.}	<b>ArrayMin:</b>

---

**English text:** What is your mailing address (in case my office needs to follow-up with

**Spanish text:** ¿Cuál es su dirección postal (en caso de que mi oficina necesite volver a

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	SCQ2005 - SCQScreeenerLanguage

---

**Display instructions:** Entry should include the following fields:

- House Number
- Directional
- Prefix Street  
Name
- Street Type
- Unit Type
- Unit Number
- Directional
- Suffix City
- State
- Zipcode

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQScreeenerLanguage**

<b>Item number:</b> SCQ2005	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b> SCQ2005	<b>Answers allowed:</b> 1	<b>Min</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>value:</b>
<b>Type class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

**English text:** [THIS SCREENER INTERVIEW WAS CONDUCTED IN:]

**Spanish text:** [THIS SCREENER INTERVIEW WAS CONDUCTED IN:]

<b>Number Label</b>	<b>Route</b>
1 English <b>English text:</b> ENGLISH	SCQ2010 - Route : If Then
2 Spanish <b>English text:</b> SPANISH	SCQ2010 - Route : If Then
3 Korean <b>English text:</b>	SCQ2010 - Route : If
4 Mandarin <b>English text:</b> MANDARIN	SCQ2010 - Route : If Then
5 Cantonese <b>English text:</b> CANTONESE	SCQ2010 - Route : If Then
6 Vietnamese <b>English text:</b> VIETNAMESE	SCQ2010 - Route : If Then
910 OthSpecify <b>English text:</b> OTHER, SPECIFY	SCQ2010 - Route : If Then

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**Route : If Then**

**Item number:**

SCQ2010 **Item**

**tag:**

**Item type:** Route

---

**Route details:** If household contains one SP and Screener R = SP, then go to SCQ3010.  
Else if household contains two SPs and Screener R = SP #1 or SP #2, go to SCQ2015 and ask about SP who is not the Screener R.  
Else, ask SCQ2015 for each SP.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**SCQAUDADISLanguage**

<b>Item number:</b> SCQ2015 Item	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
<b>tag:</b>	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item type:</b> Question Type	<b>Help tag:</b>	<b>Max</b>
	<b>Answer type:</b> {User Defined.}	<b>value:</b> - ...

---

**English text:** Is {SP} able to speak English well enough to complete an interview in  
**Spanish text:** ¿Puede {SP} hablar inglés lo suficientemente bien como para hacer la

---

<b>Number Label</b>	<b>Route</b>
1 Yes	SCQ3010 - Route : If Then
<b>English text:</b> YES	
2 No	SCQ2020 - SCQSPLangPreference
<b>English text:</b> NO	

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ3010 - Route : If Then

**Display instructions:** Repeat for SP #2 as needed.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQSPLangPreference**

<b>Item number:</b>	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
SCQ2020 Item	<b>Answers allowed:</b> 1	<b>Min</b>
<b>tag:</b>	<b>Help tag:</b>	<b>value:</b>
<b>Item type:</b>	<b>Answer type:</b> {User Defined.}	<b>Max</b>
Question Type		<b>value:</b>
<del>class: Enumerated</del>		

**English text:** In what language would {SP} be able to complete the interview?

**Spanish text:** ¿En que idioma podría {SP} hacer la entrevista?

<b>Number</b>	<b>Label</b>	<b>Route</b>
1	<u>Spanish</u> <b>English text:</b> SPANISH	SCQ3010 - Route : If Then
2	<u>Korean</u> <b>English text:</b> KOREAN	SCQ3010 - Route : If Then
3	<u>Mandarin</u> <b>English text:</b> MANDARIN	SCQ3010 - Route : If Then
4	<u>Cantonese</u> <b>English text:</b> CANTONESE	SCQ3010 - Route : If Then
5	<u>Vietnamese</u> <b>English text:</b> VIETNAMESE	SCQ3010 - Route : If Then
91	<u>OthSpecify</u> <b>English text:</b> OTHER, SPECIFY	SCQ3010 - Route : If Then

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ3010 - Route : If Then

**Display instructions:** For each SP, if screener R = SP, then display response to SCQ2005 as preferred AUDADIS language on Browse Case and Browse Person screens of IMS.

If SCQ2015 = 1, then display ENGLISH as preferred AUDADIS language on Browse Case and Browse Person screens of IMS.

Else if SCQ2015 = 2, then display response to SCQ2020 as preferred AUDADIS language on Browse Case and Browse Person screens of IMS.

**Notes:** Do not display response from SCQ2005 as an option here.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**Route : If Then**

**Item number:**  
SCQ3010 **Item**  
**tag:** SCQ3010  
**Item type:**

---

**Route details:** If hidden DU procedure is required, go  
to SCQ3012. Else, go to SCQ3015.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

## SCQHiddenDU

**Item number:** SCQ3012      **Field kind:** Datafield      **FieldSize:**  
**Item tag:** SCQ3012      **Answers allowed:** 1      **e: Min**  
**Item type:** Question      **Help tag:**      **value:**  
**Type class:** Enumerated      **Answer type:** {User      **Max**  
Defined.}      **value:**

---

**English text:** We want to be sure that every household in this area has been given a chance to participate in this important study. Are there any other living quarters attached to this unit, like a basement or other apartment, that we might have missed?

IF NO, CODE 2

IF YES, DO THE DUS THAT R MENTIONED APPEAR ON THE LISTING SHEETS?

IF YES, CODE 2

IF NO, DO DUS MEET DEFINITION OF DU? (PERSONS LIVE/EAT SEPARATELY AND HAVE ENTRANCE DIRECTLY FROM OUTSIDE OR THROUGH COMMON HALL)

IF YES, CODE 1

---

**Spanish text:** Queremos asegurarnos de que a todos los hogares en esta zona se les ha dado la oportunidad de participar en este importante estudio. ¿Hay alguna otra vivienda en esta unidad, como por ejemplo un sótano u otro apartamento, que no hayamos incluido?

IF NO, CODE 2

IF YES, DO THE DUS THAT R MENTIONED APPEAR ON THE LISTING SHEETS?

IF YES, CODE 2

IF NO, DO DUS MEET DEFINITION OF DU? (PERSONS LIVE/EAT SEPARATELY AND HAVE ENTRANCE DIRECTLY FROM OUTSIDE OR THROUGH COMMON HALL)

IF YES, CODE 1

---

<b>Number Label</b>	<b>Route</b>
1 ConductHDUProcedure	SCQ3013 - SCQ3013
<b>English text:</b> CONDUCT HIDDEN DU PROCEDURE	
2 HDUProcedureNotRequired	SCQ3013 - SCQ3013
<b>English text:</b> HIDDEN DU PROCEDURE NOT REQUIRED	

---

<b>Attribute</b>	<b>Route</b>
Don't know	SCQ3013 - SCQ3013

---

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**



### SCQ3013

<b>Item number:</b> SCQ3013	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
<b>tag:</b> Item	<b>allowed:</b> 1	<b>value:</b> Max
<b>Item type:</b> Instruction	<b>Help tag:</b> Type	<b>value:</b> Max
<b>class:</b> Enumerated	<b>Answer type:</b> TContinue	

**English text:** If SCQ3012 is YES then update tblCaseInfo.HiddenCasePendingYN to Y; If SCQ3012 is DK then update tblCaseInfo.HiddenCasePendingYN to Y; If

<b>Number Label</b>	<b>Route</b>
1 Continue	SCQ3015 - Route : If Then
<b>English text:</b> CONTINUE	

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**Route : If Then**

**Item**      **number:**  
SCQ3015    **Item**  
**tag:**    SCQ3015  
**Item**      **type:**

---

**Route details:** If an SP was identified, go to SCQ4005.

Else, go to SCQ 4010.

THIS ITEM IS PROPRIETARY/CONFIDENTIAL

**SCQCompleteSP**

<b>Item number:</b> SCQ4005	<b>Field kind:</b> Datafield	<b>FieldSize:</b> <b>e: Min</b>
<b>Item tag:</b> SCQ4005	<b>Answers</b>	<b>value:</b>
Item type: Instruction	<b>allowed:</b> 1	<b>Max</b>
<b>Type class:</b> <b>Enumerated</b>	<b>Help tag:</b>	<b>value:</b>
	<b>Answer type:</b> TContinue	

---

**English text:** [END OF SCREENER. PROVIDE \$10 INCENTIVE TO {RESPONDENT NAME}]

[ATTEMPT TO ADMINISTER AUDADIS WITH {SP NAME} {OR SP NAME} . IF {SP NAME} {OR SP NAME} NOT AVAILABLE, SET APPOINTMENT.]

[PRESS 1 AND ENTER TO CONTINUE.]

**Spanish text:** [END OF SCREENER. PROVIDE \$10 INCENTIVE TO {RESPONDENT NAME}]

[ATTEMPT TO ADMINISTER AUDADIS WITH {SP NAME} {OR SP NAME}. IF {SP NAME} {OR SP NAME} NOT AVAILABLE, SET APPOINTMENT.]

[PRESS 1 AND ENTER TO CONTINUE.]

---

<b>Number</b>	Label	Route
1	Continue	

---

English text: CONTINUE

---

**Display instructions:** For {RESPONDENT NAME}, display name of

  Screener respondent. For {SP NAME}, display name of

  SP #1.

  For {AND/OR SP NAME}, if household contains SP #2, display name of SP#2. Else, blank.

**Notes:** End instrument timing here.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**REC BestTime Specific**

<b>Item number:</b> REC1005	<b>Field kind:</b> Datafield	<b>Field size:</b> Min
<b>Item tag:</b> SC04010	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Instruction class:</b> Enumerated	<b>Answer type:</b> {User Defined.}	

**English text:** Think many businesses for your organization. Based on the importance of quality control, we have a program to ensure that our highest priority is to provide the following procedures. The form you may be contacted will still receive \$100 to follow up on this participating. [PROVIDE \$10 INCENTIVE.]  
 What would be the best time in general to contact you - weekdays, evenings or weekends?

**Spanish text:** Muchas gracias por el tiempo que me ha dado hoy. Basado en la informacion que nos ha dado,

- |                               |              |                               |
|-------------------------------|--------------|-------------------------------|
| <b>Number</b>                 | <b>Label</b> | <b>Route</b>                  |
| 1                             | Weekdays     | REC1010 - RECBestTimeSpecific |
| <b>English text:</b> WEEKDAYS |              |                               |
| 2                             | Evenings     | REC1010 - RECBestTimeSpecific |
| <b>English text:</b> EVENINGS |              |                               |

- |                               |              |                               |
|-------------------------------|--------------|-------------------------------|
| <b>Number</b>                 | <b>Label</b> | <b>Route</b>                  |
| 1                             | Weekends     | REC1010 - RECBestTimeSpecific |
| <b>English text:</b> WEEKENDS |              |                               |

**Attribute** **Route**  
 Don't know REC1025 - Route : If Then

**Notes:** End input on this time here.

**THIS ITEM IS PROPRIETARY/CONFIDENTIAL**

**RECBestTimeSpecific**

**Item number:** REC 1010      **Field kind:** Datafield      **FieldSize:** 255  
**Item tag:**      **Answers allowed:** 1      **Min value:**  
**Item type:** Question      **Help tag:**      **Max value:**  
**Type class:** String      **Answer type:** {Continuous Answer.}      **ArrayMin:**  
**ArrayMax:**

---

**English text:** Is there a specific day or time that is best to contact you?

---

<b>Number</b>	<b>Label</b>	<b>Route</b>
1	[Continuous answer.]	

---

**Route : If Then**

**Item number:**

REC1025 **Item**

**tag:**

**Item type:** Route

---

**Route details:** IF SP=SCREENER R AND SCQ1124=1, GO TO

REC1030. ELSE, GO TO REC1035.

**RECScreenerPhoneCorrect**

**Item number:** REC1030 **Item tag:** Question **Item type:** Type  
**Field kind:** Datafield **Answers allowed:** 1 **Help tag:** **Answer type:** {User Defined.}  
**FieldSize:** **Min value:** **Max value:**

---

**English text:** Based on information you provided earlier, I have your {TYPE} phone number as {NUMBER}. {I

---

Number Label	Route
1 Yes	REC1065 - RECRelValConsent
<b>English text:</b> YES	
2 No	REC1035 - RECBestNumberAvailable
<b>English text:</b> NO	

---

Attribute	Route
Don't know	REC1035 - RECBestNumberAvailable
Refusal	REC1035 - RECBestNumberAvailable

---

**Display instructions:** TYPE = SCQ 1170 (home/work/cell or mobile/other) NUMBER = SCQ1155  
TYPE2 = SCQ 1145 (home/work/cell or mobile/other) NUMBER2 = SCQ1125  
IF SCQ1150=1, display 2nd sentence. Else, blank.

**RECBestNumberAvailable**

<b>Item number:</b> REC1035	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
<b>Item tag:</b>	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max</b>
<b>Type</b>	<b>Answer type:</b> {User Defined.}	<b>value:</b>

**English text:** What is the best phone number to reach you?

<b>Number Label</b>	<b>Route</b>
1 EnterPhoneNumber	REC1040 - RECBestNumberSpecific
<b>English text:</b> ENTER PHONE NUMBER	
2 NoPhoneNumber	REC1065 - RECRElValConsent
<b>English text:</b> NO PHONE NUMBER	

<b>Attribute</b>	<b>Route</b>
Don't know	REC1065 - RECRElValConsent
Refusal	REC1065 - RECRElValConsent



**RECBestNumberSpecific**

<b>Item number:</b> REC1040	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>Item tag:</b>	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type</b>	<b>Answer type:</b> {Continuous Answer.}	<b>ArrayMin :</b> - --

---

**English text: ENTER PHONE NUMBER, INCLUDING AREA CODE.**

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1045 - RECBestNumberLocation

---

## RECBestNumberLocation

<b>Item number:</b>	<b>Field kind: Datafield</b>	<b>FieldSize: Min</b>
REC1045 Item	<b>Answers allowed: 1</b>	<b>value:</b>
<b>tag:</b>	Help tag:	<b>Max</b>
<b>Item type:</b>	<b>Answer type:</b> {User	<b>value:</b>
Question Type	Defined.}	- ...

**English text:** Is this in your home, at work, someplace else, or is it a cellular or mobile phone?

Number Label	Route
1 HOME	REC1050 - RECSecondNumberAvailable
<b>English text:</b> HOME	
2 Work	REC1050 - RECSecondNumberAvailable
<b>English text:</b> WORK	
3 CellularMobilePhone	REC1050 - RECSecondNumberAvailable
<b>English text:</b> CELLULAR OR MOBILE PHONE	
91 OthSp	REC1050 - RECSecondNumberAvailable
<b>English text:</b> OTHER, SPECIFY	

Attribute	Route
Don't know	REC1050 - RECSecondNumberAvailable
Refusal	REC1050 - RECSecondNumberAvailable

**RECSecondNumberAvailable**

<b>Item number:</b> REC1050	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
<b>Item tag:</b>	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item type:</b> Question Type	<b>Help tag:</b>	<b>Max</b>
	<b>Answer type:</b> (User Defined.)	<b>value:</b>

---

**English text:** Is there a second telephone number where you could be called?

---

Number Label	Route
1 EnterPhoneNumber	REC1055 - RECSecondNumberSpecific
<b>English text:</b> ENTER PHONE NUMBER	
2 NoSecondNumber	REC1065 - RECRElValConsent
<b>English text:</b> NO SECOND NUMBER	

Attribute	Route
Don't know	REC1065 - RECRElValConsent
Refusal	REC 1065 - RECRElValConsent

**RECSecondNumberSpecific**

<b>Item number:</b> REC1055	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>Item tag:</b> Item	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type</b>	<b>Answer type:</b> {Continuous Answer.}	<b>ArrayMin:</b> - --

---

**English text: ENTER PHONE NUMBER, INCLUDING AREA CODE.**

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1060 - RECSecondNumberLocation

---

**RECSecondNumberLocation**

<b>Item number:</b>	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
REC1060	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item tag:</b>	<b>Help tag:</b>	<b>Max</b>
<b>Item type:</b>	<b>Answer type:</b> {User Defined.}	<b>value:</b>
Question		

**English text:** Is this in your home, at work, someplace else, or is it a cellular or mobile phone?

<b>Number</b>	<b>Label</b>	<b>Route</b>
1	<u>Home</u>	REC1065 -
	<b>English text:</b>	
2	<u>Work</u>	REC1065 -
	<b>English text:</b>	
3	<u>CellularMobilePhone</u>	REC1065 -
	<b>English text:</b> CELLULAR OR MOBILE PHONE	

<b>Attribute</b>	<b>Route</b>
Don't know	REC 1065 - RECRElValConsent
Refusal	REC1065 - RECRElValConsent

**RECRelValConsent**

Item number: REC  
1065 **Item tag:**  
Item type: Question  
Type class:  
Enumerated

**Field kind: Datafield**  
**Answers allowed: 1**  
**Help tag:**  
**Answer type:** {User  
Defined.}

**FieldSi**  
**ze: Min**  
**value:**  
**Max**  
**value:**

---

**English text:** HAND RECONTACT CONSENT FORM TO SP. READ CONSENT FORM  
ALoud. CONSENT FORM TEXT TO BE INSERTED ONCE FINALIZED.

---

**Number Label**

**Route**

1 Yes

REC1070 - Route : If Then

---

**English text:** YES, AGREE TO PARTICIPATE

2 No

REC1160 - RECThankYou

---

**English text:** NO, DO NOT AGREE TO PARTICIPATE

---

## **Route : If Then**

Item number:

REC1070 Item

tag:

**Item type:** Route

---

Route details: IF REC1040 IS BLANK OR REC1030 = NO, GO TO REC1075. ELSE, GO TO REC1090.

## RECValidityNumberAvailable

<b>Item number:</b> REC1075	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
<b>Item tag:</b>	<b>Answers allowed:</b> I	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type:</b> Enumerated	<b>Answer type:</b> {User Defined.}	

**English text:** One of the follow-up interviews must be conducted over the telephone. Is there a telephone number where we could reach you to conduct this interview,

<b>Number Label</b>	<b>Route</b>
1 Yes	REC1080 - RECValidityNumberSpecific
<b>English text:</b> YES	
2 No	REC1090 - RECValidityBest
<b>English text:</b> NO	



**RECValidityNumberSpecific**

<b>Item number:</b> REC1080 Item	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>Answers allowed:</b> 1	<b>Help tag:</b>	<b>Min value:</b>
<b>tag:</b>	<b>Answer type:</b> {Continuous Answer.}	<b>Max value:</b>
<b>Item type:</b> Question Type		<b>ArrayMin:</b> - --

---

**English text: ENTER PHONE NUMBER, INCLUDING AREA CODE.**

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1085 - RECValidityNumberLocation

---

## RECValidityNumberLocation

<b>Item number:</b> REC1085	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
<b>Item tag:</b>	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item type:</b> Question Type	<b>Help tag:</b>	<b>Max</b>
	<b>Answer type:</b> {User Defined.}	<b>value:</b>

---

**English text:** Is this in your home, at work, someplace else, or is it a cellular or mobile phone?

---

Number Label	Route
1 Home	REC1090 - RECValidityBest
<b>English text:</b> HOME	
2 Work	REC1090 - RECValidityBest
<b>English text:</b> WORK	
3 CellularMobile	REC1090 - RECValidityBest
<b>English text:</b> CELLULAR OR MOBILE PHONE	
91 OthSp	REC1090 - RECValidityBest
<b>English text:</b> OTHER, SPECIFY	
<b>Attribute</b>	<b>Route</b>
Don't know	REC1090 - RECValidityBest
Refusal	REC1090 - RECValidityBest

## RECValidityBest

**Item number:** REC 1090

**Field kind:** Datafield

**FieldSize:**

**Item tag:**      **Answers allowed:**      **1**

**Min value:**

**Item type:** Question

**Help tag:**

**Max value:**

**Type class:** Enumerated      **Answer type:** {User Defined.}

**ArrayMin:**

**ArrayMax:**

---

**English text:** If selected, which telephone number should we call for this interview?

---

### Number Label

### Route

---

1 Numbers

REC 1100 - RECEmail

---

**English text:** NUMBERS COLLECTED PREVIOUSLY

---

2 OtherNumber

REC1095 - RECValidityBestSpecific

---

**English text:** OTHER NUMBER

---

3 NoNumber

REC1100 - RECEmail

---

**English text:** NO NUMBER

---

**Display instructions:** DISPLAY ALL TELEPHONE NUMBERS COLLECTED/CONFIRMED IN REC1030, REC1035, REC1050 AND/OR REC1080 AS RESPONSE OPTIONS.

**RECValidityBestSpecific**

<b>Item number:</b> REC1095	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>Item tag:</b>	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type</b>	<b>Answer type:</b> {Continuous Answer.}	<b>ArrayMin:</b> - --

---

**English text: ENTER PHONE NUMBER, INCLUDING AREA CODE.**

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1100 - RECEmail

---

## RECEmail

<b>Item number:</b> REC1100	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>Item tag:</b>	<b>Answers allowed:</b> 1	<b>Min value:</b> Max
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type</b>	<b>Answer type:</b> {Continuous Answer.}	<b>ArrayMin:</b>

---

**English text:** If we are unable to reach you at that phone number, we may need another way to contact you. What is your email address?

---

Number Label	Route
1 [Continuous answer.]	REC1105 - RECRelativeName

---

Attribute	Route
Refusal	REC1105 - RECRelativeName

---

**RECRelativeName**

**Item number:** REC1105      **Field kind:** Datafield      **FieldSize:** 255  
**Item tag:**      **Answers allowed:** 1      **Min value:**  
**Item type:** Question      **Help tag:**      **Max value:**  
**Type class:** String      **Answer type:** {Continuous Answer.}      **ArrayMin:**  
**ArrayMax:**

---

**English text:** In case we are unable to reach you directly, please give me the name and telephone number of a close relative or friend who would know how to reach you. Please begin with that person's first name.

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1110 - RECRelativeRelationship

---

<b>Attribute</b>	<b>Route</b>
Don't know	REC1130 - RECPlanMove
Refusal	REC1130 - RECPlanMove

---

**Display instructions:** RESPONSE AREA SHOULD HAVE 2 LABELED FIELDS:

FIRST NAME:  
LAST NAME:

**RECRelativeRelationship**

<b>Item number:</b>	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
REC1110	<b>Answers allowed:</b> 1	<b>value:</b>
<b>Item tag:</b>	<b>Help tag:</b>	<b>Max</b>
Item type: Question	<b>Answer type:</b> {User Defined.}	<b>value:</b>
<b>Type class:</b>		
Enumerated		

**English text:** What is that person's relationship to you?

<b>Number Label</b>	<b>Route</b>
1 Parent	REC1120 - RECRelativeNumberAvailable
<b>English text:</b> PARENT	
2 Child	REC1120 - RECRelativeNumberAvailable
<b>English text:</b> CHILD	
3 OtherRelative	REC1120 - RECRelativeNumberAvailable
<b>English text:</b> OTHER RELATIVE	
4 Friend	REC1120 - RECRelativeNumberAvailable
<b>English text:</b> FRIEND	
91 OthSp	REC1120 - RECRelativeNumberAvailable
<b>English text:</b> OTHER, SPECIFY	

<b>Attribute</b>	<b>Route</b>
Refusal	REC1120 - RECRelativeNumberAvailable

**RECRelativeNumberAvailable**

<b>Item number:</b> REC	<b>Field kind:</b> Datafield	<b>FieldSize:</b>
1120	<b>Answers allowed:</b> 1	<b>Min</b>
<b>Item tag:</b>	<b>Help tag:</b>	<b>value:</b>
<b>Item type:</b>	<b>Answer type:</b> {User	<b>Max</b>
Question	Defined.}	<b>value:</b>
<b>Type</b>		
<b>class:</b>		
<b>Enumerated:</b>		

**English text:** What is that person's telephone number?

<b>Number Label</b>	<b>Route</b>
1 EnterPhoneNumber	REC1125 - RECRelativeNumberSpecific
<b>English text:</b> ENTER PHONE NUMBER	
2 NoPhoneNumber	REC1130 - RECPlanMove
<b>English text:</b> NO PHONE NUMBER	

<b>Attribute</b>	<b>Route</b>
Don't know	REC1130 - RECPlanMove
Refusal	REC1130 - RECPlanMove



**RECRelativeNumberSpecific**

<b>Item number:</b> REC 1125	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>Item tag:</b> Answers allowed: 1	<b>Help tag:</b>	<b>Min value:</b>
<b>Item type:</b> Question Type	<b>Answer type:</b> {Continuous Answer.}	<b>Max value:</b>
<b>class:</b> String		<b>ArrayMin:</b> - --

---

**English text: ENTER PHONE NUMBER, INCLUDING AREA CODE.**

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1130 - RECPlanMove

---

**Display instructions:** MASKED ENTRY FIELD.

**RECPIanMove**

<b>Item number:</b> REC1130 <b>Item</b>	<b>Field kind:</b> Datafield	<b>FieldSi</b>
<b>tag:</b>	<b>Answers allowed:</b> 1	<b>ze: Min</b>
<b>Item type:</b> Question <b>Type</b>	<b>Help tag:</b>	<b>value:</b>
	<b>Answer type:</b> {User Defined.}	<b>Max</b>
		<b>value:</b>

---

**English text:** Do you plan to move within the next 6 weeks?

---

<b>Number</b>	<b>Label</b>	<b>Route</b>
1	Yes	REC1135 - RECMoveDate
<b>English text:</b> YES		
2	No	REC1160 - RECThankYou
<b>English text:</b> NO		

<b>Attribute</b>	<b>Route</b>
Don't know	REC1160 - RECThankYou
Refusal	REC 1160 - RECThankYou

**RECMoveDate**

**Item number:**

REC1135 Item

**tag:**

Question Type

Question Type

**Field kind: Datafield**

**Answers allowed:** 1

**Help tag:**

**Answer type:** {Continuous Answer.}

**FieldSize:**

255 Min

**value: Max**

**value:**

**ArrayMin:**

---

**English text:** When do you plan to move?

ENTER DATE.

---

**Number Label**

1 [Continuous answer.]

**Route**

REC1140 - RECFutureAddressAvailable

---

**Attribute**

**Route**

Don't know REC1140 - RECFutureAddressAvailable

---

Refusal REC 1140 - RECFutureAddressAvailable

---

**RECFutureAddressAvailable**

**Item number:** REC 1140 **Item tag:** **Field kind:** Datafield **FieldSize:**  
**Item type:** Question **Answers allowed:** 1 **e: Min**  
**Type** **Help tag:** **value:**  
**class:** Enumerated **Answer type:** {User Defined.} **Max**  
**value:**

---

**English text:** Do you know what your new address will be?

---

<b>Number</b>	<b>Label</b>	<b>Route</b>
1	Yes	REC1145 -
<b>English text:</b> YES		
2	No	REC1150 - RECFutureNumberAvailable
<b>English text:</b> NO		
<b>Attribute</b>	<b>Route</b>	
Refusal	REC1150 - RECFutureNumberAvailable	

---

**RECFutureAddressSpecific**

<b>Item number:</b> REC 1145	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>Item tag:</b>	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question	<b>Help tag:</b>	<b>Max value:</b>
<b>Type</b> class: String	<b>Answer type:</b> {Continuous Answer.}	<b>ArrayMin:</b>

---

**English text:** ENTER FUTURE ADDRESS

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1150 - RECFutureNumberAvailable

---

**Display instructions:** MASKED ENTRY FIELD

**RECFutureNumberAvailable**

<b>Item number:</b>	<b>Field kind:</b> Datafield	<b>FieldSize:</b> Min
REC1150 Item	<b>Answers allowed:</b> 1	<b>value:</b>
<b>tag:</b>	<b>Help tag:</b>	<b>Max</b>
<b>Item type:</b>	<b>Answer type:</b> {User Defined.}	<b>value:</b>
<b>Question Type</b>		- - -

**English text: Do you know what your new telephone number will be?**

<b>Number</b>	<b>Label</b>	<b>Route</b>
1	<u>Yes</u> <b>English text:</b> YES	REC1155 - -----
2	<u>No</u> <b>English text:</b> NO	REC1160 - RECThankYou -----
3	<u>NumberUnchanged</u> <b>English text:</b> NUMBER UNCHANGED	REC1160 - RECThankYou -----
<b>Attribute</b>	<b>Route</b>	
Refusal	REC 1160 - RECThankYou	-----

**RECFutureNumberSpecific**

<b>Item number:</b> REC1155 Item	<b>Field kind:</b> Datafield	<b>FieldSize:</b> 255
<b>tag:</b>	<b>Answers allowed:</b> 1	<b>Min value:</b>
<b>Item type:</b> Question Type	<b>Help tag:</b>	<b>Max value:</b>
	<b>Answer type:</b> {Continuous Answer.}	<b>ArrayMin:</b> - --

---

**English text: ENTER NEW TELEPHONE NUMBER AFTER MOVE, INCLUDING AREA**

---

<b>Number Label</b>	<b>Route</b>
1 [Continuous answer.]	REC1160 - RECThankYou

---

RECThankYou

<b>Item number:</b> REC1160	<b>Field kind:</b> Datafield	<b>FieldSi</b>
<b>Item tag:</b>	<b>Answers</b>	<b>ze: Min</b>
<b>Item type:</b> Instruction	<b>allowed:</b> 1	<b>value:</b>
<b>Type</b>	<b>Help tag:</b>	<b>Max</b>
	<b>Answer type:</b> TContinue	<b>value:</b>

---

**English text:** Thank you. Now we'll move to the next part  
of the interview. [PROVIDE SP WITH AUDADIS]

---

<b>Number Label</b>	<b>Route</b>
---------------------	--------------

---

**1 Continue**

**English text:** CONTINUE

---