

**Table X.1 OTP Survey: Percentage Distribution of Opioid Treatment Programs by Selected Facility Characteristics, by Facility Mean Methadone Maintenance Dose, March 31, 2011**

|   | Total, All Facilities | Facility Mean Methadone Maintenance Dose |          |           |         |
|---|-----------------------|--|----------|-----------|---------|
|   |                       | <40 mg                                   | 40-79 mg | 80-119 mg | 120+ mg |
| <b>Number of Facilities</b>                                     | 12,000                |  |          |           |         |
| <b>Facility Size</b>  | 100.0 %               | 100.0 %                                  | 100.0 %  | 100.0 %   | 100.0 % |
| Small (1-120 methadone clients)                                 |                       |  |          |           |         |
| Medium (121-265 methadone clients)                              |                       |  |          |           |         |
| Large (>265 methadone clients)                                  |                       |  |          |           |         |
| <b>Ownership</b>  | 100.0 %               | 100.0 %                                  | 100.0 %  | 100.0 %   | 100.0 % |
| Private for-profit  |                       |  |          |           |         |
| Private non-profit  |                       |  |          |           |         |
| State, local, and tribal government                             |                       |  |          |           |         |
| Federal government  |                       |  |          |           |         |
| <b>Urbanicity</b>   | 100.0 %               | 100.0 %                                  | 100.0 %  | 100.0 %   | 100.0 % |
| MSA large metro (>1 million population)                         |                       |  |          |           |         |
| MSA medium metro (250,000-1 million population)                 |                       |  |          |           |         |
| Small metro (<250,000 population)                               |                       |  |          |           |         |
| Non-metro   |                       |  |          |           |         |
| <b>Certification Type</b>                                       | 100.0 %               | 100.0 %                                  | 100.0 %  | 100.0 %   | 100.0 % |
| State alcohol or drug abuse agency                              |                       |  |          |           |         |
| State mental health agency                                      |                       |  |          |           |         |
| State department of health agency                               |                       |  |          |           |         |
| Hospital licensing authority                                    |                       |  |          |           |         |
| Commission on Accreditation of Rehabilitation Facilities (CARF) |                       |  |          |           |         |
| The Joint Commission  |                       |  |          |           |         |
| Other state or local agency or other organization               |                       |  |          |           |         |

Source: 2011 Opioid Treatment Program Survey, Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration. (SAMHSA)

**Table X.2 OTP Survey: Percentage Distribution of Opioid Treatment Programs by Facility Mean Methadone Maintenance Dose, by Selected Facility Characteristics, March 31, 2011**

|   | Total, All Facilities | Facility Mean Methadone Maintenance Dose |          |           |         |
|---|-----------------------|--|----------|-----------|---------|
|   |                       | <40 mg                                   | 40-79 mg | 80-119 mg | 120+ mg |
| <b>Number of Facilities</b>                                     | 12,000                |  |          |           |         |
| <b>Percent of Facilities</b>                                    | 100.0 %               |  |          |           |         |
| <b>Facility Size</b>  |                       |  |          |           |         |
| Small (1-120 methadone clients)                                 | 100.0 %               |  |          |           |         |
| Medium (121-265 methadone clients)                              | 100.0 %               |  |          |           |         |
| Large (>265 methadone clients)                                  | 100.0 %               |  |          |           |         |
| <b>Ownership</b>  |                       |  |          |           |         |
| Private for-profit  | 100.0 %               |  |          |           |         |
| Private non-profit  | 100.0 %               |  |          |           |         |
| State, local, and tribal government                             | 100.0 %               |  |          |           |         |
| Federal government  | 100.0 %               |  |          |           |         |
| <b>Urbanicity</b>   |                       |  |          |           |         |
| MSA large metro (>1 million population)                         | 100.0 %               |  |          |           |         |
| MSA medium metro (250,000-1 million population)                 | 100.0 %               |  |          |           |         |
| Small metro (<250,000 population)                               | 100.0 %               |  |          |           |         |
| Non-metro   | 100.0 %               |  |          |           |         |
| <b>Certification Type</b>                                       |                       |  |          |           |         |
| State alcohol or drug abuse agency                              | 100.0 %               |  |          |           |         |
| State mental health agency                                      | 100.0 %               |  |          |           |         |
| State department of health agency                               | 100.0 %               |  |          |           |         |
| Hospital licensing authority                                    | 100.0 %               |  |          |           |         |
| Commission on Accreditation of Rehabilitation Facilities (CARF) | 100.0 %               |  |          |           |         |
| The Joint Commission  | 100.0 %               |  |          |           |         |
| Other state or local agency or other organization               | 100.0 %               |  |          |           |         |

Source: 2011 Opioid Treatment Program Survey, Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration. (SAMHSA)

**Table X.3 OTP Survey: Percentage Distribution of Methadone Maintenance Clients in Opioid Treatment Programs by Facility Mean Methadone Maintenance Dose, by Selected Client Characteristics, March 31, 2011**

|   | Total, All<br>Methadone<br>Maintenance<br>Clients | Facility Mean Methadone Maintenance Dose |          |           |         |
|---|---|--|----------|-----------|---------|
|   |   | <40 mg                                   | 40-79 mg | 80-119 mg | 120+ mg |
| <b>Number of Clients</b>                  |   |  |          |           |         |
| <b>Percent of Clients</b>                 | 100.0 %   |  |          |           |         |
| <b>Gender</b>                             |   |  |          |           |         |
| Male                                      | 100.0 %   |  |          |           |         |
| Female                                    | 100.0 %   |  |          |           |         |
| Unknown                                   | 100.0 %   |  |          |           |         |
| <b>Race/ethnicity</b>                     |   |  |          |           |         |
| White                                     | 100.0 %   |  |          |           |         |
| Black                                     | 100.0 %   |  |          |           |         |
| Hispanic                                  | 100.0 %   |  |          |           |         |
| Asian                                     | 100.0 %   |  |          |           |         |
| American Indian or Alaska Native          | 100.0 %   |  |          |           |         |
| Native Hawaiian or Other Pacific Islander | 100.0 %   |  |          |           |         |
| Two or more races                         | 100.0 %   |  |          |           |         |
| Unknown                                   | 100.0 %   |  |          |           |         |
| <b>Age (in years)</b>                     |   |  |          |           |         |
| <18                                       | 100.0 %   |  |          |           |         |
| 18-34                                     | 100.0 %   |  |          |           |         |
| 35-54                                     | 100.0 %   |  |          |           |         |
| 55+                                       | 100.0 %   |  |          |           |         |
| Unknown                                   |   |  |          |           |         |
| <b>Veteran Status</b>                     |   |  |          |           |         |
| Veteran                                   | 100.0 %   |  |          |           |         |
| Non Veteran                               | 100.0 %   |  |          |           |         |
| Unknown                                   | 100.0 %   |  |          |           |         |

Source: 2011 Opioid Treatment Program Survey, Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration. (SAMHSA)

**Table X.4 OTP Survey: Mean Number of Clinical Staff and Mean Client-to-Clinical Staff Ratios in Opioid Treatment Programs, by Facility Mean Methadone Maintenance Dose, March 31, 2011**

|   | Total, All Facilities | Facility Mean Methadone Maintenance Dose |          |           |         |
|---|-----------------------|--|----------|-----------|---------|
|   |                       | <40 mg                                   | 40-79 mg | 80-119 mg | 120+ mg |
| <b>Number of Facilities</b>   | 12,000                |  |          |           |         |
| <b>Percent of Facilities</b>  | 100.0 %               |  |          |           |         |
| <b>Total Number of Clinical Staff</b>                                       |                       |  |          |           |         |
| <b>Percent of Clinical Staff</b>  | 100.0 %               |  |          |           |         |
| <b>Mean Number of Clinical Staff per Facility</b>                           |                       |  |          |           |         |
| <b>Mean Number of Clinical Staff per Facility, by category:</b>             |                       |  |          |           |         |
| <b>All direct-care staff</b> (medical and counseling)                       |                       |  |          |           |         |
| <b>Medical staff</b>  |                       |  |          |           |         |
| Physicians (MD, DO, Psychiatrist, etc.)                                     |                       |  |          |           |         |
| Registered nurses (RN)  |                       |  |          |           |         |
| Licensed practical nurses (LPN)   |                       |  |          |           |         |
| Mid-level medical personnel (Nurse practitioner, Physician assistant, etc.) |                       |  |          |           |         |
| Pharmacists   |                       |  |          |           |         |
| <b>Counselors</b> (degreed and non-degreed)                                 |                       |  |          |           |         |
| Doctoral level counselors (Psychologist, etc.)                              |                       |  |          |           |         |
| Masters level counselors (MSW, etc.)  |                       |  |          |           |         |
| Other degreed counselors (BA, BS)   |                       |  |          |           |         |
| Associate degree or non-degreed counselors                                  |                       |  |          |           |         |
| <b>Client-to-Clinical Staff Ratio (Facility Mean)</b>                       |                       |  |          |           |         |
| Clients to all clinical staff   |                       |  |          |           |         |
| Clients to medical staff  |                       |  |          |           |         |
| Clients to all counselors   |                       |  |          |           |         |
| Clients to degreed counselors   |                       |  |          |           |         |

Source: 2011 Opioid Treatment Program Survey, Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration. (SAMHSA)

**Table X.5 OTP Survey: Percentage Distribution of Opioid Treatment Programs by Facility Mean Buprenorphine Maintenance Dose, by Selected Facility Characteristics, March 31, 2011**

|   | Total, All Facilities | Facility Mean Buprenorphine Maintenance Dose |         |          |          |        |
|---|-----------------------|--|---------|----------|----------|--------|
|   |                       | <8 mg  | 8-16 mg | 17-24 mg | 25-32 mg | 33+ mg |
| <b>Number of Facilities</b>                                     | 12,000                |  |         |          |          |        |
| <b>Percent of Facilities</b>                                    | 100.0 %               |  |         |          |          |        |
| <b>Facility Size</b>  |                       |  |         |          |          |        |
| Small (1-120 methadone clients)                                 | 100.0 %               |  |         |          |          |        |
| Medium (121-265 methadone clients)                              | 100.0 %               |  |         |          |          |        |
| Large (>265 methadone clients)                                  | 100.0 %               |  |         |          |          |        |
| <b>Ownership</b>  |                       |  |         |          |          |        |
| Private for-profit  | 100.0 %               |  |         |          |          |        |
| Private non-profit  | 100.0 %               |  |         |          |          |        |
| State, local, and tribal government                             | 100.0 %               |  |         |          |          |        |
| Federal government  | 100.0 %               |  |         |          |          |        |
| <b>Urbanicity</b>   |                       |  |         |          |          |        |
| MSA large metro (>1 million population)                         | 100.0 %               |  |         |          |          |        |
| MSA medium metro (250,000-1 million population)                 | 100.0 %               |  |         |          |          |        |
| Small metro (<250,000 population)                               | 100.0 %               |  |         |          |          |        |
| Non-metro   | 100.0 %               |  |         |          |          |        |
| <b>Certification Type</b>                                       |                       |  |         |          |          |        |
| State alcohol or drug abuse agency                              | 100.0 %               |  |         |          |          |        |
| State mental health agency                                      | 100.0 %               |  |         |          |          |        |
| State department of health agency                               | 100.0 %               |  |         |          |          |        |
| Hospital licensing authority                                    | 100.0 %               |  |         |          |          |        |
| Commission on Accreditation of Rehabilitation Facilities (CARF) | 100.0 %               |  |         |          |          |        |
| The Joint Commission  | 100.0 %               |  |         |          |          |        |
| Other state or local agency or other organization               | 100.0 %               |  |         |          |          |        |

Source: 2011 Opioid Treatment Program Survey, Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration. (SAMHSA)

**Table X.6 OTP Survey: Percentage Distribution of Buprenorphine Maintenance Clients in Opioid Treatment Programs by Facility Mean Buprenorphine Maintenance Dose, by Selected Client Characteristics, March 31, 2011**

|   | Total, All<br>Buprenorphine<br>Maintenance<br>Clients | Facility Mean Buprenorphine Maintenance Dose |         |          |          |        |
|---|---|--|---------|----------|----------|--------|
|   |   | <8 mg  | 8-16 mg | 17-24 mg | 25-32 mg | 33+ mg |
| <b>Number of Clients</b>                  |   |  |         |          |          |        |
| <b>Percent of Clients</b>                 | 100.0 %   |  |         |          |          |        |
| <b>Gender</b>                             |   |  |         |          |          |        |
| Male                                      | 100.0 %   |  |         |          |          |        |
| Female                                    | 100.0 %   |  |         |          |          |        |
| Unknown                                   | 100.0 %   |  |         |          |          |        |
| <b>Race/ethnicity</b>                     |   |  |         |          |          |        |
| White                                     | 100.0 %   |  |         |          |          |        |
| Black                                     | 100.0 %   |  |         |          |          |        |
| Hispanic                                  | 100.0 %   |  |         |          |          |        |
| Asian                                     | 100.0 %   |  |         |          |          |        |
| American Indian or Alaska Native          | 100.0 %   |  |         |          |          |        |
| Native Hawaiian or Other Pacific Islander | 100.0 %   |  |         |          |          |        |
| Two or more races                         |   |  |         |          |          |        |
| Unknown                                   |   |  |         |          |          |        |
| <b>Age (in years)</b>                     |   |  |         |          |          |        |
| <18                                       | 100.0 %   |  |         |          |          |        |
| 18-34                                     | 100.0 %   |  |         |          |          |        |
| 35-54                                     | 100.0 %   |  |         |          |          |        |
| 55+                                       | 100.0 %   |  |         |          |          |        |
| Unknown                                   | 100.0 %   |  |         |          |          |        |
| <b>Veteran Status</b>                     |   |  |         |          |          |        |
| Veteran                                   | 100.0 %   |  |         |          |          |        |
| Non Veteran                               | 100.0 %   |  |         |          |          |        |

Source: 2011 Opioid Treatment Program Survey, Center for Behavioral Health Statistics and Quality (CBHSQ), Substance Abuse and Mental Health Services Administration. (SAMHSA)



