## MAY 2011 FOLLOW-UP QUESTIONNAIRE v1-27-11\_9-4-10

(2010-2011 Tobacco Use Supplement to the CPS series)

OMB #: 0925-0368 Expires: March 31, 2013

Public reporting burden for this collection of information is estimated to average 6 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to: NIH Project Clearance Branch, 6705 Rockledge Drive, MSC 7974, Bethesda, MD 20892-7974, ATTN: PRA (0925-0368). Do not return the completed form to this address.

<u>SECTIONS</u>	<u>Page</u>
SECTION A. SCREENING FOR EVER/EVERY DAY/SOMEDAY SMOKING	4
SECTION B. EVERY-DAY SMOKER HISTORY/CONSUMPTION SERIES	5
SECTION C. SOME-DAY SMOKER SERIES	10
SECTION D. PAST 12-MONTH QUIT ATTEMPTS FOR CURRENT EVERY-DAY AND SOME-DAY SMOKERS	16
SECTION E. METHODS USED DURING PAST (12-MONTH) QUIT ATTEMPTS (EVERY-DAY AND SOME-DAY SMOKERS)	20
SECTION F. DOCTOR/DENTIST ADVICE TO STOP SMOKING CURRENT AND SOME-DAY SMOKERS	23
SECTION G. STAGES OF CHANGE – EVERY DAY/SOME-DAY SMOKERS	25
SECTION H. FORMER SMOKER SECTION	26
SECTION J. OTHER TOBACCO USE – ALL RESPONDENTS	35
SECTION JJ. NEW TOBACCO RELATED PRODUCTS	49
SECTION K. WORKPLACE POLICY, HOME RULES, PUBLIC OPINION ABOUT	50

#### MAY 2011 Follow – Up Tobacco Use Supplement to the CPS

All skip paths should go to the next item unless otherwise instructed. All item questions accept don't know and refused as response. All <D> and <R> pre-codes are to be blind coded. Use blind coded <L> to go to END.

Allow Proxy interviews on the 4th callback.

# PRESUP This month we would also like to ask a few questions about your thoughts and experiences concerning tobacco use. I need to ask each individual, age 18 years old and older, these questions. ENTER (1) TO PROCEED

LIVIER (1) TO TROCEED

ENTER (I) FOR IMPORTANCE OF RESPONDING

H\_SUPP\_I If Respondent says "I answered these last year — why are you asking again?" FR REPLY:

We want to be able to see if anything has changed. Also, the new set of questions is much shorter.

If Respondent asks more generally why we are asking about tobacco, or who will use the data, or how the data will be used, FR REPLY with the more general statement:

Your answers to the tobacco questions are very important. The National Institutes of Health, CDC, and other researchers will use this information to measure changes in tobacco use and to help with services and policymaking.

PRESS ENTER TO CONTINUE

NXTPR	ENTER LINE NO:   _  FOR [fill name]	HOUSEHOLD ROSTER
	I (also) need to talk with [fill name/READ	LN Q NEED NAME M AGE 01 (Person 1)
	LIST OF NEEDED PERSONS]. Is he/she at home now/Are either of them at home now/Are any of them at home now)?	02 (Person 2) 03 (Person 3)
	NO ONE ELIGIBLE, SKIP TO FIN (F10) IF ANSWERED, JUMP FORWARD (F3)	
	GET SELF RESPONSE ONLY. WHEN DONE, F10 FOR CALLBACKS CALLBACK #: [fill number]	
	(CNTRL-R) Respondent Refused for someone else	
	ENTER LINE NUMBER FOR INTERVIEW:   _	
NXTPR3	DO NOT ASK, INTERVIEWER CHECK ITEM	Л
	(ONLY TAKE A PROXY IF THIS IS THE 4TH NOT RETURN BEFORE CLOSEOUT OR THE IRRITATED.)	
	Is this a Self or Proxy response?	
	(1) Self [GO TO A1] (2) Proxy	
EPROXY	DO NOT ASK	
	POSSIBLE ERROR You have picked PROXY for [fill name] even the respondent.	nough [fill name] is the current
	Are you currently talking to [fill name]?	
	<ul><li>(1) Yes, SELF interview [GO TO A1]</li><li>(2) No</li></ul>	

NXT	ΓPER5	DO NOT ASK	HOUSEHOLD ROSTER
		ENTER LINE NUMBER OF	LN NAME
		CURRENT RESPONDENT	01 (Person 1)
			02 (Person 2)
		II	03 (Person 3)
SECT	TION A.	SCREENING FOR EVER/EVER	Y DAY/SOMEDAY SMOKING
<b>A1</b>	(Have/	Has) (you/name) smoked at least 1	00 cigarettes in (your/his/her) entire life?
	[FR NO	OTE: 100 CIGARETTES = APPRO	XIMATELY 5 PACKS]
	(1) YE	ES [GO TO A3]	
	` ,	) [GO TO SECTION J]	
	(_) - : -	[55 25 52 52 53 53	
	[DON	T KNOW OR REFUSED: GO TO	SECTION J]
<b>A</b> 3	(Do/Do	oes) (you/name) now smoke cigare	ttes every day, some days, or not at all?
	(1) Ev	ery day	
	, ,	me days	
	(3) No		
		В	OX 1
	IF	SELF RESPONDENT <u>AND</u> :	
		= (1) EVERY DAY SMOKERS ©G	
		= (2) SOME-DAY SMOKERS [] GO	
		= (3) NOT-AT-ALL SMOKERS ©C	GO TO SECTION H
	A3	= D, R 🛮 GO TO SECTION J	
	ı		

IF PROXY RESPONDENT [] GO TO SECTION J

## SECTION B. EVERY-DAY SMOKER HISTORY/CONSUMPTION SERIES

<b>B</b> 1	On the average, about how many cigarettes do you now smoke each day?
	(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)
	ENTER NUMBER OF CIGARETTES PER DAY (1-99)
	BOX 2  IF B1 = D, R    GO TO B1a  IF B1 > 40    GO TO B1v  ELSE   GO TO B2
B1a	Would you say that, on average, you now smoke more or less than 20 cigarettes each day?
	(1) MORE (2) LESS (3) ABOUT 20 (ONE PACK)
	[1, 2, OR 3: GO TO B2] [Don't Know OR Refused: GO TO B2]
B1v	I have recorded that on the average, you now smoke [fill entry B1] cigarettes a day. Is that correct?
	(1) Yes [GO TO B2] (2) No [GO TO B1]
	[Don't Know OR Refused: GO TO B2]
<b>B</b> 2	Do you usually smoke menthol or non-menthol cigarettes?
	<ul><li>(1) Menthol</li><li>(2) Non-menthol</li><li>(3) NO USUAL TYPE</li></ul>
	ALL GO TO B5a

	(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS) ENTER (0) IF RESPONDENT INSISTS IT VARIES
B5anu	m ENTER NUMBER (0 – 90)
B5aun	t ENTER UNIT REPORTED    (1) Minutes (2) Hours
	BOX 5
	IF B5a = 0, D, R 🛮 GO TO B5b ELSE GO TO BA6a
B5b	Would you say you smoke your first cigarette of the day within the first 30 minutes?
	(1) Yes (2) No (3) Varies— DO NOT READ
	[1, 2, OR 3: GO TO BA6a] [Don't know OR Refused: GO TO BA6a]
BA6a	Do you USUALLY BUY your own cigarettes?
	(1) Yes [GO TO B6a]
	(2) No [GO TO B6e1]
	[Don't Know OR Refused: GO TO B6e1]
B6a	<b>Do you USUALLY buy your cigarettes by the pack or by the carton? [FR:</b> A CARTON HAS 10 PACKS]
	<ul><li>(1) Pack</li><li>(2) Carton</li><li>(3) Buy both packs and cartons</li></ul>
	GO TO B6d/B6d1

How soon after you wake up do you typically smoke your first cigarette of the day?

B5a

## B6d/B6d1 Did you buy your LAST (fill appropriate term here from B6a responses (=1 or 3 or DK or R fill "pack"; =2 fill "carton") of cigarettes in (fill respondent's state of residence) or in some other state?

- (1) In respondent's state of residence
- (2) In some other state (including DC)
- (3) BOUGHT SOME OTHER WAY (Internet, other country, ...)

#### BOX 7

IF B6d1 =1 ENTER AUTOMATICALLY RESPONDENT'S STATE OF RESIDENCE IN B6d2 → GO TO B6d3

ELSE IF B6d =  $2 \rightarrow 0$  GO TO B6d2

ELSE IF B6d1 =  $3 \rightarrow$  GO TO B6d3

ELSE GO TO B6e1

In what other state did you buy your LAST (fill appropriate term here from B6a responses (=1, 3, DK or R fill "pack"; =2 fill "carton") of cigarettes?

|\_\_|\_| ENTER STATE ABBREVIATION –TEXT OF AT MOST 2 CHARACTERS -

#### **GO TO B6d3**

B6d3 Did you buy your LAST (fill appropriate term here from B6a responses (=1,

3, DK or R fill "pack"; =2 fill "carton") of cigarettes from an Indian

reservation?

- (1) YES- GO TO B6e1
- (2) NO GO TO B6e1

[DON'T KNOW OR REFUSED, GO TO B6e1]

B6e1 In the LAST 2 months, have you bought **or traded for** any SINGLE or INDIVIDUAL cigarettes?

[FR: RESPONDENT MAY REFER TO IT AS A "LOOSIE" OR "LOOSE OUT OF THE PACK;" "TRADED" INCLUDES BARTER OR EXCHANGE OF SOMETHING OTHER THAN MONEY FOR CIGARETTES.]

- (1) Yes, bought
- (2) No, did not buy

	(3) Traded
IF B2	2 = 1, GO TO B8; ELSE IF B2 =2, 3, R, OR DK, GO TO B7c2MD
B7c2	2 MD During the PAST 12 months have you smoked MENTHOL cigarettes for 6 months or more?
	(1) Yes (2) No
	<u>  </u>
GO T	го ва
В8	Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?
	(1) Every day IF B8=1 <b>GO TO B9</b> (2) Some days IF B8=2 <b>GO TO B10a</b> (3) Not at all IF B8 =3 <b>GO TO D1R (2nd QUESTION IN SECTION D)</b>
	IF B8=DK, R GO TO B11
В9	Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?
	(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)
	ENTER NUMBER OF CIGARETTES PER DAY (1-99)
	BOX 7C  IF B9 = D, R, GO TO <b>B11</b> IF B9 > 40, GO TO B9v  ELSE GO TO <b>B11</b>
B9v	I have recorded that on the average, you smoked [fill entry B9] cigarettes a day 12 months ago. Is that correct?

(1) Yes (2) No GO TO B9

	$ \_ $ IF B9v =1 OR B9v = D, R $\rightarrow$ GO TO B11
B10a	Around this time 12 MONTHS AGO, on how many of the 30 days in the month did you smoke cigarettes?
	ENTER (0) FOR NONE
	Range 0-30
	BOX 7D  IF B10a = 0 OR 30  GO TO B10av  ELSE GO TO B10b
B10av	You said that you smoked cigarettes some days. Is that correct?
	(1) Yes (2) No
	BOX 7E  IF (B10av = 1 <u>AND</u> B10a= 30 ), OR B10av = DK, R
B10b	On the average, on those [If B10a = 1-30 (Fill entry B10a days) If B10a=D, R (Fill days you smoked)], how many cigarettes did you usually smoke each day?
	WE ARE STILL TALKING ABOUT "AROUND THIS TIME 12 MONTHS AGO"
	_ ( 1-99 ) IF ☐ 40 ☐ GO TO <b>B11; ELSE IF B10b = D, R→B11</b>
B10bv	I have recorded that on the average, when you smoked on those [fill entry B10a] days, you smoked [fill entry B10b] cigarettes a day. Is that correct?
	(1) Yes (2) No I GO TO B10b
B11	Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?
	<ul><li>(1) Menthol</li><li>(2) Non-menthol</li><li>(3) NO USUAL TYPE</li></ul>

EVERY-DAY SMOKERS (A3=1) GO TO <u>D1R</u> (2nd QUESTION IN SECTION D)

## SECTION C. SOME-DAY SMOKER SERIES

C1	On how many of the past 30 days did you smoke cigarettes?
	ENTER (0) FOR NONE
	(0-30)
	BOX 9
	IF C1 = 0 OR 30
C1v	You said that you smoked cigarettes some days. Is that correct?
	(1) Yes (2) No
	BOX 10  IF $C1v = 1$ AND $C1 = 30$ GO TO $C1a$ IF $C1v = 1$ AND $C1 = 0$ GO TO $C2$ IF $C1v = 2$ GO TO A3  IF $C1v = DK$ , R GO TO $C1a$
C1i	Would you say you smoked on AT LEAST 12 DAYS in the past 30 days?
	(1) Yes (2) No
C1a	On the average, on those [C1 days IF entry for C1 NE D/R. OR "AT LEAST 12 days" I C1i = 1 YES] days, how many cigarettes did you usually smoke each day?
	_   IF
	[IF >40, GO TO C1av] [Don't Know OR Refused: GO TO C2]

C1av	I have recorded that on the average, when you smoked on those [C1 / AT LEAST 12] days, you smoked [C1a] cigarettes a day. Is that correct?
	(1) Yes [GO TO C2] (2) No [GO TO C1a]
	[Don't Know OR Refused: GO TO C2]
<b>C2</b>	Do you usually smoke menthol or non-menthol cigarettes?
	<ul><li>(1) Menthol</li><li>(2) Non-menthol</li><li>(3) NO USUAL TYPE</li></ul>
	ALL GO TO C5anum/unt
C5anu	m/unt On the days that you smoke, how soon after you wake up do you typically smoke your first cigarette of the day?
	(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS) ENTER (0) IF RESPONDENT INSISTS IT VARIES
C5anu	m ENTER NUMBER (0 – 90)
C5aun	t ENTER UNIT REPORTED     (1) Minutes (2) Hours
	BOX 13 IF C5a = 0, D, R GO TO C5b ELSE GO TO CA6a
C5b	On the days that you smoke, would you say you smoke your first cigarette of the day within the first 30 minutes?
	(1) Yes (2) No (3) Varies— DO NOT READ
	[GO TO CA6a]

Do you OSOALL I DO I your own agarettes:
(1) Yes ( <b>GO TO C6a</b> )
(2) No (GO TO C6e1)
[Don't Know OR Refused: GO TO C6e1]
Do you USUALLY buy your cigarettes by the pack or by the carton? [FR: A CARTON HAS 10 PACKS]
<b>(1)</b> Pack
(2) Carton
(3) Buy both packs and cartons
GO TO C6d1
<b>Did you buy your LAST</b> (fill appropriate term here from C6a responses (=1, 3, DK or R fill "pack"; =2 fill "carton") <b>of cigarettes in</b> [fill respondent's state of residence] <b>or in some other state?</b>
<ul><li>(1) In respondent's state of residence</li><li>(2) In some other state (including DC)</li></ul>
(3) BOUGHT SOME OTHER WAY (Internet, other country,)
BOX 15
IF C6d1 =1, ENTER AUTOMATICALLY RESPONDENT'S STATE OF
RESIDENCE IN C6d2 AND <b>GO TO C6d3</b> ELSE IF C6d1 = 2, <b>GO TO C6d2</b>
ELSE IF C6d1 = 3, <b>GO TO C6d3</b>
ELSE GO TO <b>C6e1</b>
<b>In what other state did you buy your LAST (</b> fill appropriate term here: <b>pack/carton</b> from C6a responses (=1, 3, DK or R fill "pack"; =2 fill "carton") <b>of cigarettes?</b>
_  ENTER 2 CHARACTER STATE ABBREVIATION GO TO C6d3

C6d3	Did you buy your LAST (fill appropriate term here from C6a responses (=1, 3, DK or R fill "pack"; = 2 fill "carton") of cigarettes from an Indian reservation?
	(1)YES (2)NO
	ALL GO TO C6e1
	e LAST 2 months, have you bought or traded for any SINGLE or INDIVIDUAL rettes?
TRA	ONDENT MAY REFER TO IT AS A "LOOSIE" OR "LOOSE OUT OF THE PACK." DED INCLUDES BARTER OR EXCHANGE OF SOMETHING OTHER THAN MONEY CIGARETTES.]
	<ul><li>(1) Yes, bought</li><li>(2) No, did not buy</li><li>(3) Traded</li></ul>
ALL	GO TO C7amod
Past Smokin	g Behavior for Some-Day Smokers
C7amod Du mont	ring the PAST 12 months have you smoked cigarettes EVERY DAY for at least 6 ths?
(1) Y (2) N	
GO TO IF	statement ahead of C7d2md
IF C2 =1 G	O TO C8; ELSE IF C2=2, 3, D, R, GO TO C7d2md
C7d2md	During the PAST 12 months, have you smoked MENTHOL cigarettes for 6 months or more?
,	) Yes ) No
ALL	. GO TO C8

<b>C8</b>	Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or
	not at all?

(1) Every day
 (2) Some days
 (3) Not at all
 IF C8 = 1 → GO TO C9
 IF C8 = 2 → GO TO C10a
 IF C8 = 3 → GO TO BOX 18

IF C8 = DK,  $R \rightarrow GO TO C11$ 

C9 Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?

(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)

ENTER NUMBER OF CIGARETTES PER DAY (1-99)

BOX16B IF C9 = D, R, GO TO C11 IF C9 > 40, GO TO C9v ELSE GO TO C11

## C9v I have recorded that on the average, you smoked [fill entry C9] cigarettes a day 12 months ago. Is that correct?

- (1) Yes **→** GO TO C11
- (2) No → GO TO C9

#### DK, $R \rightarrow GO TO C11$

**C10a** Around this time 12 MONTHS AGO, on how many of the 30 days in the month did you smoke cigarettes?

ENTER (0) FOR NONE

 $|\_|$  (0-30)

BOX 16C IF C10a = 0 OR 30  $\rightarrow$  GO TO C10av If C10a=D, R, GO TO C10b ELSE GO TO C10b

C10av	You said that you smoked cigarettes some days. Is that correct?
	(1) Yes (2) No
C401	BOX 16D  IF (C10av = 1 AND C10a= 30), OR C10av = DK, R, GO TO C10b  ELSE IF C10av = 1 AND C10a= 0, GO TO C11  ELSE IF C10av = 2, GO TO C8 AND CORRECT  ELSE GO TO C10b
C10b	On the average, on those [fill entry C10a days; If C10a=D, R, then fill with "days you smoked"], how many cigarettes did you usually smoke each day?
	We are still talking about "around this time 12 months ago."
	(1-99)
IF C10	0b □□□ 40, GO TO C11; ELSE IF C10b = D, R → GO TO C11; IF C10b > 40, GO TO C10bv
C10bv	I have recorded that on the average, when you smoked on those [fill entry C10a days; If C10a=D, R, then fill with "days you smoked"], you smoked [fill entry C10b] cigarettes a day. Is that correct?
	<ul><li>(1) Yes</li><li>(2) No → GO TO C10b AND CORRECT</li></ul>
C11	Around this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol cigarettes?
	(1) Menthol (2) Non-menthol (3) NO USUAL TYPE
	BOX 18  IF ENTRY IN C1 12 DAYS IN THE PAST 30 DAYS, $\rightarrow$ <b>D1R</b> (2nd question in Section D)  ELSE IF C1i = 1 (Yes) $\rightarrow$ D1R (2nd question in Section D)  ELSE IF C1i = 2 (NO), OR C1i = DK, R $\rightarrow$ Da  ELSE IF C1 < 12 $\rightarrow$ Da

## SECTION D. PAST 12-MONTH QUIT ATTEMPTS FOR CURRENT EVERY-DAY AND SOME-DAY SMOKERS

## PAST 12-MONTH QUIT ATTEMPTS FOR SOME-DAY SMOKERS SMOKING <12 DAYS IN THE PAST 30 DAYS

Da	During the PAST 12 MONTHS, have you TRIED to QUIT smoking COMPLETELY?
	(1) Yes [GO TO D3] (2) No [GO TO F1a]
	[Don't Know OR Refused: GO TO F1a]
	T 12-MONTH QUIT ATTEMPTS FOR EVERY-DAY AND SOME-DAY SMOKERS (some nokers smoking >=12 days during the past 30 days)
Quit a	attempts of 1 day or longer:
D1R	During the PAST 12 MONTHS, have you stopped smoking for ONE DAY or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?
	(1) Yes [GO TO D3] (2) No [GO TO D7R]
	[Don't Know OR Refused: GO TO D7R]
<b>D</b> 3	How many TIMES during the past 12 months have you stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?
	FR READ CHOICES
	<ul><li>(1) Once (1 time)</li><li>(2) 2-3 times</li><li>(3) 4 or more times</li></ul>
	BOX 19  IF D3 = DK/REF, GO TO D3b
	ELSE GO TO <b>D4</b>

D3b	Would you say that during the past 12 months it was MORE THAN 3 TIMES that you have stopped smoking for one day or longer BECAUSE YOU WERE TRYING TO QUIT SMOKING?				
	(1) Yes (2) No				
	[GO TO <b>D4</b> ]				
D4	The LAST TIME you stopped smoking during the PAST 12 months because you were TRYING to quit, how long did you stop for?				
D4nu	m ENTER NUMBER (1 – 365)				
D4un	t ENTER UNIT REPORTED				
	<ul><li>(1) Days</li><li>(2) Weeks</li><li>(3) Months</li><li>(4) Years</li></ul>				
	<u>  </u>				
	IF D4num AND/OR D4unt = DK/REF IGO TO D4b IF D4num >18 AND D4unt = 2 IGO TO D4v IF D4num > 12 AND D4unt = 3 IGO TO D4v IF D4num >2 AND D4unt = 4 IGO TO D4v ELSE GO TO D4c				
D4v	I have recorded that the LAST TIME you stopped smoking in the past 12 months BECAUSE YOU WERE TRYING TO QUIT SMOKING was for a duration of [fill entry D4num AND D4unt]? Is that correct?				
	<ul> <li>(1) Yes →GO TO D4cmon/day/yr</li> <li>(2) No → GO TO D4 and correct</li> </ul>				

D4b	Was it more or less than one week?
	(1) More
	(2) Less
	(3) One week
D4cm	on/day/yr When was the approximate END date of this LAST QUIT ATTEMPT that lasted [fill response to D4num, D4unt OR fill response to D4b—(more than/less than equal to) 1 week]?
D4cmo D4cda D4cyr	` ` `
D5	Was [fill entry D4num AND D4unt / OR D4b] the LONGEST you went without smoking in the past 12 months?
	(1) Yes → GO TO SECTION E (2) No
D6	During the PAST 12 MONTHS, what is the [LENGTH / LONGEST length: If D3 = 1, fill with "LENGTH;" ELSE fill with "LONGEST Length"] of time you stopped smoking because you were TRYING to quit smoking?
	[FR NOTE: IF QUIT ATTEMPT BEGAN MORE THAN 12 MONTHS AGO BUT ENDED WITHIN THE PAST 12 MONTHS, COUNT ALL OF IT.]
D6num	ENTER NUMBER (1 - 365)
D6unt	ENTER UNIT REPORTED
	(1) Days
	(2) Weeks
	(3) Months (4) Years
	(., 25)

	IF D6num AND/OR D6unt = DK/REF, GO TO D6b IF D6num >18 <u>AND</u> D6unt = 2, GO TO D6v IF D6num > 12 <u>AND</u> D6unt=3, GO TO D6v IF D6num >2 AND D6unt = 4, GO TO D6v ELSE GO TO SECTION E	
D6v	I have recorded that the LONGEST length of time you stopped smoking in the paramonths because you were TRYING to quit smoking was [fill entry D6num and D6unt]? Is that correct?	ıst 12
	(1) Yes [GO TO SECTION E, Box 21] (2) No [GO TO D6/D6num/unt]	
	[Don't Know OR Refused: GO TO D6b]	
D6b	Was it more or less than one week?	
	<ul><li>(1) More</li><li>(2) Less</li><li>(3) One week</li></ul>	
	[GO TO SECTION E, Box 21]	
Quit a	ttempts of less than a day (if no quit attempts lasting for one DAY or more):	
D7R	DURING THE PAST 12 MONTHS, have you made a serious attempt to st smoking because you were TRYING to quit – even if you stopped for less t day?	_
	(1) Yes <b>[GO TO SECTION E, Box 21]</b> (2) No <b>[GO TO F1a]]</b>	
	[Don't Know OR Refused: GO TO F1a]	

BOX 20

## SECTION E. METHODS USED DURING PAST (12-MONTH) QUIT ATTEMPTS (EVERY-DAY AND SOME-DAY SMOKERS)

#### BOX 21

IF D3 = 1, THEN FILL E1a, E1b, E1c AND E2 WITH "The TIME" ELSE FILL E1a, E1b, E1c AND E2 WITH "The LAST TIME"

E1a Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months. Did you use ANY of the following PRODUCTS:

[F	FR: REPEAT THE STEM OF THE QUESTION AS NECESSARY]	
	(1) Yes (2) No	
E1a1 E1a2 E1a3	A nicotine patch A nicotine gum or nicotine lozenge A nicotine nasal spray or nicotine inhaler	
E1abn1/u1	In total, during the LAST TIME/time you tried to QUIT smoking, how lo did you use [fill with EACH E1a 1, 2, 3 = 1 (YES) OR IF all three are =1-YES, then fill with "ANY of these" ]	ng
	_ number- n1[1-99]     units-u1 [1= Days, 2= Weeks, 3= Months]	
	nking back to the (LAST TIME/time) you tried to QUIT smoking in the past ths. Did you use ANY of the following PRODUCTS:	12
	(1) Yes (2) No	
E1a7a	A prescription pill, called Chantix or Varenicline ?	
E1a7b	A prescription pill, called Zyban, Bupropion, or Wellbutrin?	
E1a7c	Another prescription pill	
	IF E1a7c = YES, GO TO E1a7cs; ELSE GO TO E1acn1/u1.	
E1a7cs	Please specify the other type of prescription pill:[FR: ENTER THE OTHER TYPE OF	
	PRESCRIPTION PILL USING TEXT OF AT MOST 20 CHARACTERS]	

E1acn	In total, during the LAST TIME/time you tried to QUIT smoking, how long did you use [fill with EACH E1a7a,b,c =1 (YES) OR IF ALL E17a ,7b , AND 7c are =1- YES, then fill with "ANY of these prescription PILLS?" ]
	numbern1 [1-99]    unit u1 [1= Days, 2= Weeks, 3= Months]
E1b	Thinking back to the (LAST TIME/time) you tried to QUIT smoking in the past 12 months:
	<b>Did you use ANY of the following: [FR NOTE: </b> FOR THIS QUESTION, RE-READ STEM PERIODICALLY]
	(1) Yes (2) No
E1b1 E1b2	A telephone help line or quit line    One-on-one counseling
E1b3	A stop smoking clinic, class, or support group
E1b4	Help or support from friends or family
E1b5 E1b6 E1b7 E1b7	Internet or web-based program    Books, pamphlets, videos, or other materials    Acupuncture or hypnosis IF E1b7 = 1 (YES), THEN GO TO a; ELSE GO TO E1c
E1b7	
	<ul><li>(1) Acupuncture</li><li>(2) Hypnosis</li><li>(3) Both</li></ul>

The (LAST TIME / time) you tried to QUIT smoking in the past 12 months: Did you E<sub>1</sub>c do ANY of the following: [FR NOTE: FOR THIS QUESTION, RE-READ STEM PERIODICALLY] (1) Yes (2) No |\_\_| Try to quit by GRADUALLY cutting back on cigarettes? E1c1 E1c2 |\_\_ | Try to quit by SWITCHING to smokeless tobacco such as chewing tobacco, snuff, or snus? |\_\_| Try to quit by SWITCHING to regular cigars, cigarillos, little filtered E1c2b cigars or pipes filled with tobacco? |\_\_| Did you SWITCH to a "lighter" cigarette in order to TRY TO QUIT? **E1c3** IF B2 OR C2=2 (NON-MENTHOL), 3, DK, OR R, GO TO E1c3b; ELSE IF B2 OR C2=1, GO TO E1c3c E1c3b | | Did you SWITCH to menthol cigarettes in order to TRY TO **OUIT?----**[IF RESPONDENT SAYS THEY WERE ALREADY SMOKING 'MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO" THEY DIDN'T SWITCH TO TRY TO QUIT] IF B2 OR C2=2 (NON-MENTHOL), THEN GO TO E1c4; ELSE GO TO E1c3c E1c3c | | Did you switch to non-menthol cigarettes in order to TRY TO QUIT? [IF RESPONDENT SAYS THEY WERE ALREADY SMOKING "NON-MENTHOL" CIGARETTES WHEN THEY TRIED TO QUIT-- THEN THE ANSWER IS "NO" THEY DIDN'T SWITCH TO TRY TO QUIT] E1c4 |\_\_ | Did you try to give up cigarettes ALL at ONCE IF E1c4 = 1 (YES), GO TO E1d; ELSE GO TO F1a E1d Please tell me which one statement is true about this most recent quit attempt where you

**READ THE 4 RESPONSE CATEGORIES** 

- (1) I tried to guit as soon as I made the decision.
- (2) I planned the quit for later the same day.
- (3) I planned the quit for a date in the future.
- (4) I decided to quit after having **NOT** smoked for some other reason

tried to give up cigarettes all at once: [IF NEEDED, We are still talking about the past 12 months.]

E1e When you tried to quit all at once, would you say you TRIED TO QUIT "cold turkey?

- (1) YES
- (2) NO

IF NEEDED: "COLD TURKEY" IS STOPPING ALL AT ONCE WITHOUT ANY AIDS

<u>|\_\_|</u>

(All responses GO TO F1a)

## SECTION F. DOCTOR/DENTIST ADVICE TO STOP SMOKING --- CURRENT AND SOME-DAY SMOKERS

F1a	In the PA	AST 12 MONTHS have you SEEN a medical doctor?
1 14		•
	(1) Yes (2) No	GO TO F1b GO TO F2a
	[Don't K	Know OR Refused: GO TO F2a]
F1b	During the	e PAST 12 MONTHS, did any medical doctor ADVISE you to stop smoking?
	• /	GO TO F1c GO TO F2a
	[Don't K	Know OR Refused: GO TO F2a]
	(1) Yes (2) No	tor also: [REPEAT THE STEM OF THE QUESTION AS NEEDED.]  uggest that you call or use a telephone help line or quit line?
		uggest that you use a smoking cessation class, program, or
		ecommend or Prescribe a nicotine product such as patch, gum nge, nasal
or \	Wellbutri	spray or inhaler? rescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, n uggest that you set a specific date to stop smoking?
	GO TO F	2a
F2a	In the PAS	ST 12 MONTHS have you SEEN a dentist?
	(1) Yes (2) No	GO TO F2b GO TO G1
	<u> _ </u>	

[Don't Know OR Refused: GO TO G1]

F2b Duri	ng the PAST 12 MONTHS, did any dentist ADVISE you to stop smoking?
	Yes GO TO F2c
(2) N	No GO TO G1
[Dor	n't Know OR Refused: GO TO G1]
smoking	n the PAST 12 MONTHS, when a dentist advised you to quit g, did e dentist also:
(1) \( (2) \) I	
	Suggest that you call or use a telephone help line or quit line?   Suggest that you use a smoking cessation class, program, or ling?
	Recommend or Prescribe a nicotine product such as a patch,
F2c4  _ or Well	Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion,
	Suggest that you set a specific date to stop smoking?
Al	II responses GO TO G1

SE	CTION G.	STAGES OF	CHANGE	– EVERY	DAY/SOM	E-DAY SI	MOKERS	

G1	Are you seriously considering quitting smoking within the next 6 months?
	(1) Yes [GO TO G2] (2) No [GO TO G3]
	[Don't Know OR Refused: GO TO G3]
G2	Are you planning to quit within the next 30 days?
	(1) Yes (2) No
	All responses GO TO G3
G3	Overall, on a scale from 1 to 10 where 1 is NOT AT ALL interested and 10 is EXTREMELY interested, how interested are you in quitting smoking?
	IF G3 = 1, GO TO SECTION J; ELSE GO TO G4
G4	If you did try to quit smoking altogether in the next 6 months, how LIKELY do you think you would be to succeed not at all, a little likely, somewhat likely or very likely?
	<ul><li>(1) Not at all</li><li>(2) A little likely</li><li>(3) Somewhat likely</li><li>(4) Very likely</li></ul>

ALL EVERY DAY/SOME DAY SMOKERS (A3=1, 2) GO TO SECTION J

#### SECTION H. FORMER SMOKER SECTION

H1NUM/UNT About how long has it been since you COMPLETELY quit smoking cigarettes?
H1NUM ENTER NUMBER (1-99)
H1UNT ENTER UNIT REPORTED
<ul><li>(1) Days</li><li>(2) Weeks</li><li>(3) Months</li><li>(4) Years</li></ul>
<u>  </u>
BOX 24  IF H1NUM> 18 <u>AND</u> H1UNT= 2, GO TO H1v  IF H1NUM > 30 <u>AND</u> H1UNT = 3, GO TO H1v  IF H1NUM > = AGE <u>AND</u> H1UNT= 4, GO TO H1ERR  ELSE GO TO BOX H2 UNIVERSE
H1ERR *** DO NOT READ ***
It was reported that this person is (fill AGE). Response of [fill entry H1NUM/UNT] is inconsistent with person's age.
(B) Back to correct
H1v I have recorded that it has been about [fill entry H1NUM and H1UNT] since you complete quit smoking cigarettes? Is that correct?
(1) Yes [ <b>GO TO Box H2 Universe</b> ]] (2) No [GO TO H1NUM]

BOX H2 UNIVERSE: IF H1NUM/H1UNT < 7 MONTHS, 28 WEEKS, 99 DAYS, GO TO H2Mod; ELSE GO TO BOX 26.

[Don't Know OR Refused: GO TO **Box H2 Universe**]

H2Mod	During the PAST 12 months, have you smoked cigarettes EVERY DAY for at least 6 months?
	(1) Yes [GO TO BOX 26] (2) No [GO TO BOX 26]
	[Don't Know OR Refused: GO TO BOX 26]
	BOX 26 IF H1 □□□□1 YEAR (12 MONTHS, 52 WEEKS, 99 DAYS), GO TO H6 ELSE → SECTION J
Н6	Around this time 12 MONTHS AGO, were you smoking cigarettes every day, some days, or not at all?
	<ul> <li>(1) Every day IF H6 = 1→ GO TO H6A</li> <li>(2) Some days IF H6 = 2 → GO TO H6B</li> <li>(3) Not at all</li> </ul>
	[IF H6 = 3, GO TO H6C4md UNIVERSE; ELSE IF H6 = DK, R <b>GO TO H6Ci</b> ]]
H6A	Around this time 12 MONTHS AGO, on the average, about how many cigarettes did you smoke each day?
	(ONE PACK USUALLY EQUALS 20 CIGARETTES. IF CONVERTING PACKS TO CIGARETTES, ALWAYS VERIFY CALCULATION WITH RESPONDENT.)
	ENTER NUMBER OF CIGARETTES PER DAY (1-99)
	BOX26A

IF H6A = D, R, **GO TO H6Ci** IF H6A > 40, GO TO H6Av

ELSE GO TO H6Ci

H6Av	I have recorded that on the average, you smoked [fill entry H6A] cigarettes a day 12 months ago. Is that correct?
	<ul> <li>(1) Yes → GO TO H6Ci</li> <li>(2) No → GO TO H6A to CORRECT</li> <li>  </li> </ul>
	IF $H6Av = DK$ , $R \rightarrow H6Ci$
Н6В	Around this time 12 MONTHS AGO, on how many of 30 days in the month did you smoke cigarettes?
	ENTER (0) FOR NONE
	(0-30)
	BOX 26B IF H6B = 0 OR 30, GO TO H6Bv ELSE GO TO H6C
H6Bv	You said that you smoked cigarettes some days. Is that correct?
	(1) Yes (2) No
	BOX 26C IF (H6Bv = 1 <u>AND</u> H6B = 30 ), OR H6Bv = DK, R, GO TO H6C ELSE IF H6Bv = 1 <u>AND</u> H6B = 0, <b>GO TO BOX H6C4MDUNIVERSE</b> ELSE IF H6Bv = 2, GO TO H6
Н6С	On the average, on those [fill entry H6B] days, how many cigarettes did you usually smoke each day?
	WE ARE STILL TALKING ABOUT "AROUND THIS TIME 12 MONTHS AGO"
	_   IF < = 40, <b>GO TO H6Ci</b> ; ELSE IF H6C = D, R <b>→ GO TO H6Ci</b>
H6Cv	I have recorded that on the average, when you smoked on those [fill entry H6B] days, you smoked [fill entry H6C] cigarettes a day. Is that correct?
	(1) Yes (2) No GO TO H6C
	(Don't Know or Refused GO TO H6Ci)

H6Ci	Around cigaret	d this time 12 MONTHS AGO, were you usually smoking menthol or non-menthol tes?
		nthol n-menthol OUSUAL TYPE
	<u>  </u>	
		[IF H6Ci = 1, GO TO H6d1;] [ELSE IF H6Ci = 2, 3, DK, R, GO TO BOX H6C4MD UNIVERSE]
		MD UNIVERSE: IF H1NUM/H1UNT < 7 MONTHS/ 28 WEEKS ASK H6C4MD; ELSE GO TO H6d1
H6C4	MD	During the PAST 12 MONTHS, have you smoked MENTHOL cigarettes for 6 months or more?
	(1) Yes (2) No	
ALL	GO T	O H6d1
H6d1		would like to ask about HOW you went about completely quitting smoking. you quit smoking completely, did you use ANY of the following PRODUCTS:
		(1) Yes (2) No
H6d1 H6d2 H6d3		A nicotine patch A nicotine gum or nicotine lozenge A nicotine nasal spray or nicotine inhaler
H6dnı	um/unt	In total, how long did you use [fill with EACH H6d 1, 2, 3 = 1 (YES) OR IF all three are =1- YES, then fill with "ANY of these" ] during your last quit attempt when you stopped smoking completely
		_  <b>num [1-99]</b>     <b>unt [</b> 1= Days, 2= Weeks, 3= Months

	PRODUCTS:
	(1) Yes (2) No
H6d7a	A prescription pill, called Chantix or Varenicline ?
H6d7b	A prescription pill, called Zyban, Bupropion, or Wellbutrin?
H6d7c	Another prescription pill    IF H6d7c = YES, GO TO H6d7sp
H6d7s <sub>I</sub>	P Please specify the other prescription used: FR: ENTER A TEXT OF AT MOST 20 CHARACTERS
H6d7d	num/unt In total, how long did you use [fill with EACH H6d7a,b,c =1 (YES) OR IF ALL7a and 7b and 7c are =1- YES, then fill with "ANY of these prescription PILLS" ] during your last quit attempt when you stopped smoking completely?
	num [1-99]    unt [1= Days, 2= Weeks, 3= Months
	When you quit smoking completely, did you use ANY of the following: [FR: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]
	(1) Yes (2) No
H6e1 H6e2 H6e3 H6e4 H6e5 H6e6	A telephone help line or quit line    One-on-one counseling    A stop smoking clinic, class, or support group    Help or support from friends or family    The Internet or a web-based program    Books, pamphlets, videos, or other materials    Acupuncture or hypnosis

H6d7a When you quit smoking completely, did you use ANY of the following

34

[IF YES to H6e7, GO TO H6e7a; ELSE GO TO H6Fa1

H6e7a    ] Which: acupuncture or hypnosis or both? (1) Acupuncture (2) Hypnosis (3) Both
H6Fa1 When you quit smoking completely, did you do ANY of the following: Please mention ALL methods, whether or not you think they were effective: [FR: FOR THIS QUESTION, RE-READ STEM PERIODICALLY]
(1) Yes (2) No
H6Fa1     Try to quit by GRADUALLY cutting back on cigarettes?  H6Fa2  _   Try to quit by SWITCHING to smokeless tobacco such as chewing tobacco, snuff, or snus?  H6Fa2b  _   Try to quit by SWITCHING to regular cigars, cigarillos, little filtered cigars or pipes filled with tobacco?  H6Fa3  _   Did you SWITCH to a "lighter" cigarette in order to TRY TO QUIT?
IF H6Ci = 2 (NON-MENTHOL), 3, DK, R, GO TO H6Fa3b; ELSE IF H6C4MD = 2, DK, R, GO TO H6Fa3b; ELSE GO TO H6Fa3c.
H6Fa3b  _  Did you SWITCH to menthol cigarettes in order to TRY TO QUIT?
<b>FR</b> : IF RESPONDENT SAYS THEY WERE ALREADY SMOKING MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT THEN THE ANSWER IS "NO, THEY DIDN'T SWITCH TO TRY TO QUIT."
IF H2Ci = 2 (NON-MENTHOL), THEN GO TO H6Fa4; ELSE GO TO H6Fa3c.
H6Fa3c  _  Did you SWITCH to non-menthol cigarettes in order to TRY TO QUIT?
FR: IF RESPONDENT SAYS THEY WERE ALREADY SMOKING NON-MENTHOL CIGARETTES WHEN THEY TRIED TO QUIT THEN THE ANSWER IS "NO, THEY DIDN'T SWITCH TO TRY TO QUIT."
H6Fa4    Did you try to give up cigarettes all at once?
IF H6Fa4 = 1 (YES), GO TO H6f1; ELSE GO TO H61a

H6f1	Please tell me which is true about when you completely quit smoking by giving up cigarettes all at once:
	READ THE 4 RESPONSE OPTIONS
	<ul> <li>(1) I tried to quit as soon as I made the decision.</li> <li>(2) I planned the quit for later the same day.</li> <li>(3) I planned the quit for a date in the future.</li> <li>(4) I decided to quit after having NOT smoked for some other reason</li> </ul>
H6f2 W	When you completely stopped smoking by quitting ALL AT ONCE, would you say you QUIT "COLD TURKEY"?
	(1) Yes (2) No
<b>FR: "</b> C	COLD TURKEY" IS STOPPING ALL AT ONCE WITHOUT ANY AIDS
	DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking, did you SEE a medical doctor?
	2) YES GO TO H61b 2) NO GO TO H62a
	DON'T KNOW OR REFUSED GO TO H62a
	DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking , did any medical doctor ADVISE you to stop smoking?
_	)YES GO TO H61c )NO GO TO H62a
	DON'T KNOW OR REFUSED <b>GO TO H62a</b>

 $H61c1\ DURING$  the 12 MONTHS BEFORE you COMPLETELY quit smoking , when a medical doctor advised you to quit smoking, did the doctor also:

H61c1 Suggest that you call or use a telephone help line or quit line? H61c2 Suggest that you use a smoking cessation class, program, or counselina? H61c3 Recommend or prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler? H61c4 Prescribe a pill such as Chantix, Varenicline, Zyban, Bupropion, or Wellbutrin? H61c5 Suggest that you set a specific date to stop smoking? GO TO H62a H62a DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking, did you SEE a dentist? (1) YES **GO TO H62b** (2) NO **GO TO H8a** [DON'T KNOW OR REFUSED **GO TO H8a**] H62b DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking, did any dentist ADVISE you to stop smoking? (1) YES **GO TO H62C (2)** NO GO TO H8a [DON'T KNOW OR REFUSED **GO TO H8a**] H62c1 DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking, when a dentist advised you to quit smoking, did the dentist also: H62c1 |\_| Suggest that you call or use a telephone help line or quit line? H62c2 | | Suggest that you use a smoking cessation class, program, or counseling? H62c3 | | Recommend or Prescribe a nicotine product such as patch, gum, lozenge, nasal spray or inhaler? H62c4 | | Prescribe a pill such as Chantix, Varenicline, Zyban, **Bupropion, Wellbutrin?** H62c5 | | Suggest that you set a specific date to stop smoking?

GO TO H8aNUM/UNT

H8aNU	J <b>M</b> /	I/UNT DURING the 12 MONTHS BEFORE you COMPLETELY quit smoking how soon after you woke up did you typically smoke your first cigarette the day?	_
		F NECESSARY, ASK FOR BEST ANSWER IN MINUTES OR HOURS) NTER (0) IF RESPONDENT INSISTS IT VARIES	
H8aNU	M	ENTER NUMBER (0 – 90) 	
H8aUN	Т	ENTER UNIT REPORTED     (1) Minutes (2) Hours	
		BOX 29 IF H8aNUM = 0, D, R, GO TO H8b ELSE GO TO Section J	
		URING the 12 MONTHS BEFORE you COMPLETELY quit smoking , would you sayou smoked your first cigarette of the day within the first 30 minutes of awakening?	ÿ
	(2) I	) Yes ) No ) Varies— DO NOT READ _	

[GO TO Section J]

#### SECTION J. OTHER TOBACCO USE – ALL RESPONDENTS

J	The next questions are about the use of tobacco other than in cigarettes. PRESS 1 TO CONTINUE
J1a	(Have/Has) (you/name) EVER used any of the following EVEN ONE TIME?
	(1) Yes (2) No
	J1a1 A regular cigar or cigarillo (in Spanish use "medium size cigar" instead of the word "cigarillo") OR a little filtered cigar?
FR:	Regular cigars are different from little filter cigars. They can be <u>large cigars</u> , or

**FR:** Regular cigars are different from little filter cigars. They can be <u>large cigars</u>, or smaller in size such as <u>cigarillos</u> (in Spanish use "medium size cigars" instead of the <u>word "cigarillos" here</u>.) They are usually sold individually or in packs of 5 or 8. Some common brands are Black and Mild's, Swisher Sweets cigarillos, and Phillies Blunts, but there are others.

FR: <u>Little filtered cigars</u> are different from regular cigars and cigarillos (in <u>Spanish use</u> "medium size cigars" instead of word "cigarillos" here). They resemble cigarettes in size, and are often sold in packs of 20. They are usually brown in color and have a spongy filter like a cigarette. Some common brands are Prime Time little filter cigars and Winchester little filter cigars, but there are others.

J1a2	A regular pipe filled with tobacco

**FR:** IF ASKED, "pipe smoking" ONLY INCLUDES PIPE TOBACCO. IT DOES NOT INCLUDE SMOKING HASHISH, MARIJUANA, CRACK, OR OTHER SUBSTANCES IN A PIPE. DO NOT INCLUDE WATER PIPES/HOOKAHS {who - kahs OR OTHER NAMES: SHISHA/NARGHILE/ARGILEH, OR HUBBLE-BUBBLE}

J1a3 A water pipe or hookah {pronounced: who-kah} pipe filled with tobacco?

FR: IF ASKED, "water pipe or hookah {who -kah} pipe smoking" ONLY INCLUDES PIPE TOBACCO. IT DOES NOT INCLUDE SMOKING HASHISH, MARIJUANA, CRACK, OR OTHER SUBSTANCES IN A PIPE. A WATER PIPE OR HOOKAH {who -kah} PIPE IS ALSO REFERRED TO AS A SHISHA, NARGHILE, ARGILEH OR HUBBLE-BUBBLE.

# The next question is about smokeless tobacco products which are used in the mouth --

- J1a4 (Have/Has) (you/name) EVER used any of the following EVEN ONE TIME? (1) Yes
  - (2) No

### J1a4 SMOKELESS tobacco, such as moist snuff, dip, spit, chew tobacco or snus?

**FR: Snuff or dip** is commonly placed between the gum and lip and sold in round cans in --a loose form or a pouch that looks like a small tea-bag; common brands are Skoal, Copenhagen and Grizzley but there are others.

**Chewing or spit tobacco** (also twist, plug or scrap) is usually placed in the side of your mouth and chewed and often sold in wallet-sized pouches; common brands are Redman, Levi- Garret, and Beech-nut, but there are others.

**Snus** is a spitless tobacco product that may be sold in a tin or slidepak in a loose form or in small teabag-like pouches; common brands are Camel Snus, Marlboro Snus, and Skoal Snus.

BOX 31

IF ((J1a1 THROUGH J1a4 = NO, DK or R) <u>AND</u>:

IF PROXY RESPONDENT GO TO S78

IF SELF RESPONDENT GO TO BOX 34)

ELSE IF ANY J1a1, 2, 3, 4 = YES (1) GO TO J2a1-4 FOR THOSE

PRODUCTS

BOX 32 ASK J2a FOR <u>EACH</u> YES ENTRY IN J1a1 THROUGH <u>J1a4</u>

J2a/J2a1-4 (Do you/Does [name]) NOW (smoke/use) [fill entry in J1a] every day, some days or not at all? [J1a1-4 entries: smoke regular cigars, or cigarillos or little filtered cigars..../ smoke a regular pipe.../ use a water pipe or hookah pipe filled with tobacco..../use smokeless tobacco....]

- (1) Every day
- (2) Some days
- (3) Not at all

FR NOTE: IF RESPONDENT MENTIONS THAT HE/SHE ONLY USED A GIVEN NON-CIGARETTE TOBACCO PRODUCT ONE OR TWO TIMES, STILL ASK THE CORRESPONDING QUESTION FOR THE J2A1-4 SERIES AND INDICATE THEIR RESPONSE TO THAT QUESTION AS APPROPRIATE.

IF (J2a2 = 1 OR 2) AND (J2a3 = 1 OR 2), THEN ASK J2a3v; ELSE GO TO BOX 33.

J2a3v Do you currently smoke BOTH regular pipes AND water pipes or hookah {who-kah} pipes?

- (1) YES
- (2) NO- GO TO J2a2 and J2a3 to correct and then proceed to BOX 33

GO TO BOX 33

BOX 33

IF J2a = 1 OR 3:

IF PROXY: IF LAST ENTRY FROM **J1a** IGO TO S78

ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 - 4

IF J2a=1:

IF SELF: IF J2a4 (SMOKELESS) IS 1 (EVERY DAY) AND LAST ENTRY FROM J1a

→ GO TO Ja

ELSE IF J2a1 (CIGARS) IS 1 (EVERY DAY) AND LAST ENTRY FROM J1a

→ GO TO Jb

ELSE LAST YES ENTRY FROM J1a1-4, GO TO JdA

ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1-4

IF J2a=3;

IF SELF: IF LAST ENTRY FROM J1a, GO TO JdA

ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 – 4

FOR EACH ENTRY J2a1-4 = 3 (NOT AT ALL), ASK THE APPROPRIATE QUESTIONS IN THE Jd SERIES (HOW MANY TIMES/ HOW LONG HAS IT BEEN SINCE YOU COMPLETELY STOPPED SMOKING//USING .......

CIGARS/PIPES//SMOKELESS TOBACCO→Q JdA

IF J2a = 2: (Someday Smokers)

IF PROXY: IF LAST YES ENTRY FROM J1a 1-4, GO TO S78

ELSE REPEAT J2a FOR NEXT YES ENTRY IN J1a1 -4

IF SELF: GO TO J2b

IF J2a= DK/REF (-2 or -3), GO BACK TO J2a for next item (ie. cigars, etc.)

IF J2a= DK/REF (-2 or -3) AND IF LAST ENTRY FROM J1a1-4, GO TO BOX 34

### J2b/J2b1-4 On how many of the past 30 days did you (smoke/use) [fill entry J1a1-4]? [ASK SEPARATELY FOR EACH "YES" ENTRY IN J1a WITH J2a = 2]

ENTER NUMBER OF DAYS ENTER (0) FOR NONE (0-30)

 $|\underline{\ \ }|$  IF [entry in J2b = 0 <u>OR</u> 30] | IGO TO J2b1-4v; ELSE AFTER OBTAINING ALL RELEVANT RESPONSES TO THIS QUESTION, IF SMOKELESS CURRENT USE, GO TO Ja; ELSE IF CIGAR CURRENT USE, GO TO Jb; ELSE GO TO JdA.,

# **J2b1-4v** You said that you (smoked/used) [fill entry J1a] some days. Is that correct? [ASK SEPARATELY FOR EACH "YES" ENTRY IN J1a WITH J2b = (0) <u>OR</u> 30]

- (1) Yes
- (2) No [GO TO RELEVANT J2a1-4 AND CORRECT]

NOTE: THE J2a, J2b, and J2bv (as needed) SERIES IS REPEATED FOR EACH YES ENTRY IN J1a1-4 AS APPROPRIATE

AFTER OBTAINING ALL RELEVANT RESPONSES TO THIS QUESTION, IF SMOKELESS CURRENT USE, GO TO Ja; ELSE IF CIGAR CURRENT USE, GO TO Jb; **ELSE GO TO JdA**.

Ja During the PAST 30 days, what BRAND of smokeless tobacco [IF necessary: moist snuff, dip, spit, chew or snus] did you use MOST OFTEN?

Allow for filling in code number OR ENTER Brand NAME by clicking on it—

Ja | | (1-22)

### IF BRAND IS NOT ON THE LIST, ENTER "22" for OTHER in Ja.

#### THE UNREAD CODES FOR INTERVIEWER ENTRY ARE:

- 1 BEECH-NUT
- 2 CAMEL SNUS
- 3 COPE
- 4 COPENHAGEN
- 5 COUGAR
- 6 GRIZZLY
- 7 HAWKEN
- 8 HUSKY
- 9 KAYAK
- 10 KODIAK
- 11 LEVI GARRETT
- 12 LONGHORN
- 13 MARLBORO SNUS
- 14 RED MAN
- 15 RED SEAL
- 16 ROOSTER
- 17 SILVER CREEK
- 18 SKOAL
- 19 SKOAL SNUS
- 20 TAYLOR'S PRIDE
- 21 TIMBER WOLF
- 22 OTHER

[NOTE: THESE brands are 96% of the market share]

**IF Ja = 22, GO TO Jaspc; ELSE IF J2a1 = 1 or 2 GO TO Jb--- [ If 'cigars" is NOW smoked every day or some days, ask Jb and Jc ]—ELSE GO TO JdA.** 

Jaspc Please specify the other brand: \_\_\_\_\_ FR ENTER A TEXT OF AT MOST 20 CHARACTERS.

IF J2a1 = 1 or 2 GO TO Jb--- [ If 'cigars" is NOW smoked every day or some days, ask Jb and Jc ]—ELSE GO TO JdA.

Jb During the PAST 30 days, what type of CIGAR did you use MOST OFTEN?

READ the 3 CHOICES

- (1) Regular/large cigars
- (2)"Cigarillos" (in Spanish use "medium size cigars" instead of the word "cigarillos here")
- (3) Little, filtered cigars

Jc During the PAST 30 days, what BRAND of CIGAR did you smoke MOST OFTEN?

ENTER CODE FOR BRAND (1-15). ENTER 15 for OTHER BRAND NOT ON THE LIST

NOTE: List of major brands for Coding SEE BELOW. IF indicates "need to prompt with F/U question", ask FU question Jcpro after asking main question Jc It does this for certain brands that produce regular and little cigars.

#### THE UNREAD CODES FOR INTERVIEWER ENTRY ARE:

- 1 Al Capone (makes regular and little/small cigars== **prompt**)
- 2 Backwoods (regular only)
- 3 Black & Milds (makes regular and *cigarillo*-medium size cigars (in Spanish use "medium size cigars "instead of the word "cigarillo" here) with plastic hard filters) ===prompt)
- 4 Captain Black (little only)
- 5 Dutch Masters (regular/large cigar)
- 6 Dutch Treats (little cigar)
- 7 Erik (little only)
- 8 Hav-a-tampa (makes regular and little/small cigars== **prompt**)
- 9 King Edward(makes regular and little/small cigars== **prompt)**
- 10 Muriel (makes regular and little/small cigars== **prompt**)
- 11 Phillies (makes regular and little/small cigars== **prompt**)
- 12 Prime Time (little only)
- 13 Smoker's Choice (little only)
- 14 Swisher Sweet\* (makes regular and little/small cigars== **prompt**)

15	Other	(prompt	1
10	Ouici	DIGILIP	

Jcpro—Is that a regular or little cigar? Little cigars are cigarette size with a filter.

- (1) Regular cigar
- (2)Little/small cigars

**UNREAD** codes:

- (3) None of the above;
- (4) Nore than one of the above;

DK; R

Jcflavr—During the past 30 days, did you USUALLY smoke flavored cigars? By flavored we mean fruit, candy, alcohol, clove or any other flavorings

- (1) Yes
- (2) No

ASK JdA SEPARATELY FOR EACH OF THE 4 NON-CIGARETTE OTHER TOBACCO PRODUCTS WITH A J2a 1-4=1, 2, OR 3

JdA1-4 About how many times in your life have you smoked/used [fill entry J1a1-4]? [ASK SEPARATELY FOR EACH "YES" ENTRY IN J1a WITH J2a = 1, 2 OR 3]

- (1) 1-9 times
- (2) 10-19 times
- (3) 20-49 times
- (4) 50 or more times ---

FOR ANY JdA 1-4 =4 (50 OR MORE TIMES) IMMEDIATELY ASK CORRESPONDING JdB1-4. THEN RETURN TO ASKING JdA1-4 FOR THE NEXT APPROPRIATE PRODUCT. WHEN HAVE COMPLETED ASKING JdA1-4 AND JdB 1-4 AS APPROPRIATE, GO TO Box Jd.

JdB1-4 Was the number as many as 100 or more times!

- (1) Yes
- (2) No

Box Jd	
FOR EA	CH ENTRY J2a1 OR 4 = 3 (NOT AT ALL) AND CORRESPONDING JdA = 2, 3, OR 4, GO TO JdC; ELSE GO TO BOX 34.
JdC1, 4	Thinking about how long it has been since you COMPLETELY quit smoking cigars, cigarillos, or little filtered cigars // smokeless tobacco, WAS it within the PAST 12 months, that is since May 2010?
	(1) Yes (2) No
[FR NOT	E: IF RESPONDENT ASKS IF COUNT QUITTING IN MAY 2010, SAY YES.]
IF JdC 1	OR 4 = 1 (YES), GO TO CORRESPONDING Jd1/2_1, 4; ELSE GO TO BOX 34.
Jd1/2_1,	4 About how long has it been since you COMPLETELY quit smoking cigars, cigarillos, or little filtered cigars //using smokeless tobacco?
	111/4   _  NUMBER (1-99) 12 1/4    UNITS (1) Days (2) Weeks (3) Months

**BOX 34** 

FOR PROXY RESPONDENT: GO TO S78

FOR SELF RESPONDENT:

IF CURRENT SMOKER OF CIGARETTES (A3=1 OR 2) → GO TO SECTION JJ

ELSE IF J1a1-4 = NO  $\underline{OR}$  J2a = DK/Refused  $\underline{OR}$  ANY COMBINATION OF THESE THREE STIPULATIONS FOR ALL FOUR "OTHER" TOBACCO PRODUCTS FOR ALL ENTRIES, GO TO SECTION  $\mathbf{JJ}$ 

ELSE IF ONLYONE PRODUCT IS SMOKED NOW EVERY DAY OR SOME DAYS AND THAT PRODUCT IS a WATER PIPE (HOOKAH)], THEN GO TO SECTION JJ

**ELSE GO TO BOX 39** 

**BOX 39** 

IF ONLY ONE PRODUCT MENTIONED IN J2a IS NOW USED "EVERY DAY" OR "SOME DAYS [J2a =1 OR J2a =2\* (\* means > = 12 days used product within the last 30 days)] AND THAT PRODUCT IS J2a1, 2 OR 4 (CIGARS, REGULAR PIPES, OR SMOKELESS) FILL J3a AS "smoke your first cigar" // " smoke your first pipe" // "use smokeless tobacco";

ELSE IF > 1 PRODUCT MENTIONED IN J2a, AND IF J2a=1,2\* INDICATES NOW SMOKES CIGARS AND ONE OR BOTH PIPE PRODUCTS (J2a1 =1, 2\* AND J2a2 OR 3 = 1,2\*) FILL J3a AS "smoke your first cigar or pipe"; OR IF SMOKES ONLY BOTH TYPES OF PIPES FILL J3a AS "smoke your first pipe";

ELSE IF <u>J2a1-4</u> indicates NOW USES THESE COMBINATIONS of two or more non-cigarette tobacco products -- cigars AND smokeless; pipes (regular or hookah) AND smokeless; OR cigars, pipes (regular or hookah) AND smokeless) FILL J3a AS "use any of your non-cigarette tobacco products for the first time";

IF respondent insists it VARIES in response to J3a1, record an "0" for VARIES and ask J3d.

ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1- 4] AND [Jd1/2 LESS THAN OR EQUALTO 1 YEAR EQUIVALENCE, 12 MONTHS, 52 WEEKS, 99 DAYS Or use instead JdC =1) FOR ONLY ONE "OTHER TOBACCO PRODUCT" J1a1OR 4] AND [ ( IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, OR 99 DAYS -- EQUIVALENCE) OR (IF A1=2) | THEN GO TO J3f.

How soon after you wake up do you typically [fill with appropriate stem and ending based on responses to J2a1-4 as directed in Box39]..... "smoke your first cigar" // "smoke your first pipe"; "first use smokeless tobacco"; "smoke your first cigar or pipe"; " use any of your non-cigarette tobacco products for the first time"?

(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS) ENTER (0) in J3a1 IF RESPONDENT INSISTS IT VARIES

J3a1	ENTER NUMBER (0 - 9	O)

J3a2	ENTER UNIT REPORTED    (1) Minutes (2) Hours
	IF J3a1/2 = 0, D, or R, THEN GO TO J3d; ELSE GO TO BOX 39A.
J3d	Would you say you first smoke a cigar/ pipe// use smokeless tobacco// smoke a cigar or pipe //(other combination of ) non-cigarette tobacco products within the first 30 minutes of awakening?
	(1) Yes (2) No (3) Varies— <b>DO NOT READ</b>
	GO TO BOX 39A
J3f1/2	In the 12 months BEFORE YOU COMPLETELY QUIT smoking (cigars// using smokeless tobacco), how soon after you woke up did you typically [fill with appropriate stem and ending based on responses to J2a1,OR 4] smoke your first cigar —// - use smokeless tobacco?
	(IF NECESSARY, FR ASK FOR BEST ANSWER IN MINUTES OR HOURS) ENTER (0) in J3f1 IF RESPONDENT INSISTS IT VARIES
J3f1	ENTER NUMBER (0 - 90)
J3f2	ENTER UNIT REPORTED    (1) Minutes (2) Hours
	IF J3f1/2 = 0, D or R, THEN GO TO J3g; ELSE GO TO BOX 39A
J3g	Would you say you first used cigars/ smokeless tobacco// within the first 30 minutes of awakening?
	(1) Yes (2) No (3) Varies— <b>DO NOT READ</b>
1 1	

### BOX 39A \_

# IF A3 = 1 OR 2 (CURRENT CIGARETTE SMOKER) GO TO SECTION JJ- DO NOT ASK J4-J7

ELSE IF J2a3 = 1 OR 2, THEN GO TO SECTION JJ (DO NOT ASK J4 – J7 FOR WATER PIPES (HOOKAHS)

ELSE IF **ONLY ONE PRODUCT** MENTIONED IN J2a (J2a 1,2, 4) IS NOW USED "EVERY DAY" OR "SOME DAYS [J2a =1 <u>OR</u> J2a =2\*)]THAT PRODUCT IS USED FOR J4-J7—GO TO J4

ELSE IF > 1 PRODUCT MENTIONED IN J2a [J2a =1 <u>OR</u> J2a =2\*], GO TO SECTION JJ

ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1, 2,4] AND [Jd1/2 LESS THAN OR EQUAL TO 1 YEAR EQUIVALENCE, 12 MONTHS, 52 WEEKS, 99 DAYS Or use instead JdC =1) FOR ONLY ONE "OTHER TOBACCO PRODUCT" J1a1OR 4] AND [ (IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, 99 DAYS OR OTHER EQUIVALENCE) OR (IF A1=2) ] THEN GO TO Box J7a.

ELSE IIIGO TO SECTION JJ

- J4 During the PAST 12 MONTHS, have you stopped smoking/using [fill entry BOX 39A—cigars/pipes/ smokeless tobacco] for one day or longer BECAUSE YOU WERE TRYING TO QUIT?
  - (1) Yes → GO TO J**5**
  - (2) No → GO TO SECTION JJ

IF J4 = D, R  $\rightarrow$  GO TO SECTION **JJ** 

J5num/unt The LAST TIME you stopped smoking/using [fill entry Box 39A] in the Past 12 Months BECAUSE YOU WERE TRYING TO QUIT, how long did you stop for?

J5num ENTER NUMBER (1 - 99)

1 1 1

J5unt		ENTER UNIT REPORTED
		<ul><li>(1) Days</li><li>(2) Weeks</li><li>(3) Months</li></ul>
		IF (J5unt = 2 AND J5num >18) OR (J5num >12 AND J5unt = 3), GO TO J5v; ELSE IF J5num/unt = D or R, GO TO QUESTION J7a1; ELSE GO TO J6a.
J5v		I have recorded that the LAST TIME you stopped smoking/using [fill entry Box 39 A cigars/ pipes/ used smokeless] in the past 12 months because you were TRYING to quit was [fill entry J5num/J5unt]? Is that correct?
		(1) Yes (2) No GO TO J5num/Junt TO CORRECT
		I_I
J6a	_	ill entry J5num/unt] the LONGEST you went without smoking/using [fill entry PA- cigars/ pipes/ using smokeless tobacco] in the past 12 months?
	(1) Yes (2) No	GO TO Question J7a1
	II	
J 6b	smokii	the past 12 MONTHS, what is the LONGEST length of time you stopped ng/using [fill entry Box 39 cigars/ pipes/ used smokeless] because you were G to quit?
J6bnur	m	ENTER NUMBER (1 -96)
	_ _	_1
J6bunt		ENTER UNIT REPORTED
		<ul><li>(1) Days</li><li>(2) Weeks</li><li>(3) Months</li></ul>
	II	IF (J6num >18 AND J6bunt = 2) OR (J6bnum >12 AND J6bunt = 3) <b>9</b> GO TO J6bv; ELSE

J6bv

I have recorded that the LONGEST length of time you stopped smoking/using [fill entry Box 39—cigars/ pipes/ using smokeless tobacco] in the past 12 months because you were TRYING to quit was [fill entry J6bnum/J6bunt]? Is that correct?

- (1) Yes GO TO QUESTION J7a1
- (2) No GO TO J6bnum/unt TO CORRECT

I\_\_I

J7a-- For J7a - J7c-- Use alternative wording for those who met criteria in BOX 39A for recent former users of one "other tobacco product": ELSE IF [(J2a=3 OR J1a = 2) FOR ALL J1a1- 4] AND [Jd1/2 LESS THAN OR EQUAL TO 1 YEAR EQUIVALENCE, 12 MONTHS, 52 WEEKS, 99DAYS Or use instead JdC =1) FOR ONLY ONE "OTHER TOBACCO PRODUCT"J1a1OR 4] AND [ ( IF A3 =3 AND H1NUM/UNT > 1 YEAR, 12 MOS., 52 WEEKS, OR EQUIVALENCE) OR (IF A1=2) ] THEN GO TO QUESTION J7a1 USING ALTERNATIVE WORDING AS DIRECTED in this BOX BELOW.)

J7a-c "Now I would like to ask about HOW you went about completely quitting smoking...cigars//using smokeless tobacco. When you COMPLETELY quit smoking cigars/ using smokeless tobacco, did you use ANY of the following PRODUCTS?—For J7b and J7c alternative wording is: "When you COMPLETELY quit smoking cigars// using smokeless tobacco, did......?

J 7a1 Thinking back about the last time you tried to quit [fill entry Box 39A—smoking cigars/smoking pipes/ using smokeless tobacco] in the past 12 months .....// SUBSTITUTE ALTERNATIVE WORDING FOR RECENT FORMER USER OF OTHER TOBACCO PRODUCT--CRITERIA FROM BOX 39A/ BOX J7a-- above//.....:

Did you use any of the following PRODUCTS:

- (1) Yes
- (2) No

J7a1	A nicotine patch	
J7a2	A nicotine gum or lozenge	
J7a3	A nicotine nasal spray or inhaler	
J7a7a	A prescription pill called Chantix or Varenicline?	
J7a7b	A prescription pill, called Zyban, Bupropion, or Wellbutrin?	<u> </u>
.I7a7c	Another prescription pill ?	

### IF YES TO J7a7c (J7a7c=1) GO TO J7aspc; ELSE GO TO J7b1

J7asp	OC	Specify other pill: MOST 40 CHARACTERS	FR: ENTER TEXT OF AT
J7b1	pipes/		x 39A/Box J7a—smoking cigars/smoking ANY of the following://USE ALTERNTAIVE THER TOBACCO PRODUCT//:
[FR	NOTE:	FOR THIS QUESTION, RE-REA	D STEM PERIODICALLY]
	(1) Yes (2) No		
J7b1 J7b2 J7b3 J7b4 J7b5 J7b6 J7b6b	O    A    H    T	telephone help line or quit line? ne-on-one counseling? stop smoking clinic, class, or support elp or support from friends or family? he Internet or web-based program? Books, pamphlets, videos, or other Acupuncture or hypnosis?	
	IF J7	b6b = 1 (YES), THEN GO TO	J7b6c; ELSE GO TO Jb7.
J7b6	c  _	Which one? (1) Acupuncture (	2) Hypnosis (3) Both
J7b7	A	dvice from a medical doctor, dentist o	or other health professional?
	IF J7b	7 = 1 (YES), THEN GO TO J7	b7a; ELSE GO TO J7c.
J7b7a	I_I	Which ?- (1) Doctor (2) Dentist (3) O previous choices	ther health professional (4) More than one of the
		FR: SPECIFY DOCTOR, DENTIST, OTHI	ER BY ENTERING THE APPROPRIATE CHOICES (1-4)
J7c	pipes/u	sing smokeless tobacco) in the past 12	x 39A/BOX J7a—smoking cigars /smoking 2 months//, did you do ANY of the following: // RMER USER OF OTHER TOBACCO PRODUCT//:
	(1) Yes (2) No		
J7c1	I_I		on (fill entry Box 39A/J7a) smoking ss tobacco in order to TRY TO QUIT?
J7c2	1 1	Did you TRY GIVING IT UP ALL AT ON	ICE?

### IF YES TO J7c2, ask J7c2a; ELSE GO TO SECTION JJ

J7c2a	Would you say you TRIED TO QUIT "cold turkey?
FR: "C	COLD TURKEY" IS STOPPING ALL AT ONCE WITHOUT ANY AIDS
	(1) Yes (2) No

### **SECTION JJ. New Tobacco Related Products**

(ASK ALL CURRENT CIGARETTE SMOKERS, OR CURRENT USERS OF OTHER TOBACCO PRODUCTS, OR--- RECENT FORMER USERS OF ANY TOBACCO PRODUCT (CIGARETTES OR OTHER TOBACCO PRODUCTS)-- WHO STOPPED USING THAT PRODUCT WITHIN THE LAST THREE YEARS (H1NUM/UNT <equal 3 years, 36 months, 99 weeks, or 99 days **OR JdC1, or 4 = 1 (YES- stopped within the PAST 12 months)** –

# JJ1MOD Have you EVER TRIED a product called an electronic cigarette or e-cigarette, such as "Smoking Everywhere," "NJOY," or other brands?"

[FR: IF FURTHER INFO IS NEEDED: THESE BATTERY POWERED PRODUCTS DON'T CONTAIN TOBACCO BUT DELIVER NICOTINE THROUGH A VAPOR.]

- **(1)** Yes
- (2) No

IF YES TO JJ1MOD, ASK JJ2MOD; ELSE GO TO Section K

# JJ2MOD Have you ever used e-cigarettes to help you: FR READ THE 4 CHOICES TO THE RESPONDENT

- (1) quit smoking cigarettes or other tobacco products? OR
- (2) help you when you couldn't smoke regular cigarettes or other tobacco products?
- (3) both of these?
- (4) none of these?

\_\_\_

### **GO TO SECTION K**

# SECTION K. WORKPLACE POLICY, HOME RULES, PUBLIC OPINION ABOUT CLEAN INDOOR AIR POLICIES

#### - ALL RESPONDENTS

BOX 41 -- **CONTEXT FOR K1 same as always been:** IF NOT RETIRED <u>AND</u> HAVE BEEN WORKING FOR PAY OR EMPLOYED IN PAST WEEK AND ARE NOT SELF-EMPLOYED:

- K1a The next questions are about your place of work.
- [FR NOTE: IF RESPONDENT HAS MORE THAN 1 JOB, HAVE THEM ANSWER FOR THEIR MAIN JOB.]
- K1a. Do you mainly work indoors or outdoors?

**[FR NOTE:** DO NOT READ THE FIRST 2 CATEGORIES UNLESS NECESSARY. NEVER READ THE REMAINING CATEGORIES.]

- (1) Indoors [GO TO K1b]
- (2) Outdoors [GO TO K4]
- (3) About equally indoors and outdoors [**GO TO K1b2**]
- (4) Works mainly indoors in a non-traditional environment such as warehouse or other similar large semi-structured area --[**GO TO K1b1**]
- (5) Mainly travel around to different clients or sites or mainly in a motor vehicle /bus /train /boat /airplane /underground /in a mine, etc. [GO TO K4]
- (6) Varies **[GO TO K4**]

- K1b Do you mainly work in an office building, in your own home, in someone else's home, or in another indoor place?
  - (1) Office building [GO TO K1b1]
  - (2) Own home **[GO TO K4]**
  - (3) Someone else's home **[GO TO K4]**
  - (4) Another indoor place [GO TO K1b1]

K1b1 In which State (including DC), do you work?

DON'T KNOW OR REFUSED [SKIP TO K1b1]

_	FR: ENTER 2 LETTER ABBREVIATION FOR THE STATE.

GO TO K2a

K1b2.	. When you work INDOORS: Do you mainly work in an office building, in your ow home, in someone else's home, or in another indoor place?		
	(1)Office building [GO TO K1c] (2) Own home [GO TO K4] (3) Someone else's home [GO TO K4] (4) Another indoor place [GO TO K1c]		
	DON'T KNOW OR REFUSED [GO TO K1c]		
K1c	In which State (including DC), do you work on your main <u>indoor</u> job or business?		
	_ _  ENTER 2 LETTER STATE ABBREVIATION		
K2a.	Is smoking restricted in ANY WAY at your place of work?		
	[ <b>READ IF NECESSARY</b> ]: "By 'restricted', we mean any limitation on smoking, regardless of who is responsible for that restriction (including owner, employer, gov't, union, etc.).		
	(1) YES (2) NO [GO TO K4]		
	DON'T KNOW OR REFUSED <b>[GOTO K4]</b>		
K3a	Which of these best describes the smoking policy at your place of work for INDOOR PUBLIC OR COMMON AREAS, such as lobbies, rest rooms, and lunch rooms?		
	READ THE FIRST 3 ANSWER CATEGIES ONLY		
	<ul><li>(1) Not allowed in ANY public areas</li><li>(2) Allowed in SOME public areas</li><li>(3) Allowed in ALL public areas</li></ul>		
	ENTER (4) IF NOT APPLICABLE		
	<u> _ </u>		
K3b	Which of these best describes the smoking policy at your place of work for INDOOR WORK AREAS?		
	EAD THE FIRST 3 ANSWER CATEGIES ONLY		
	<ul><li>(1) Not allowed in ANY work areas</li><li>(2) Allowed in SOME work areas</li><li>(3) Allowed in ALL work areas</li></ul>		

**ENTER (4)** IF NOT APPLICABLE

# K4 The final set of questions are about your home and other places.

**K4** Which statement best describes the rules about smoking INSIDE YOUR HOME?

[READ IF NECESSARY]: "HOME" IS WHERE YOU LIVE. "RULES" INCLUDE ANY UNWRITTEN "RULES" AND PERTAIN TO ALL PEOPLE WHETHER OR NOT THEY RESIDE IN THE HOME OR ARE VISITORS, WORKMEN, ETC.

- (1) No one is allowed to smoke anywhere INSIDE YOUR HOME
- (2) Smoking is allowed in some places or at some times INSIDE YOUR HOME
- (3) Smoking is permitted anywhere INSIDE YOUR HOME

**K6g Inside casinos,** do you THINK that smoking SHOULD be allowed in all areas, allowed in some areas, or not allowed at all?

- (1) Allowed in all areas
  - (2) Allowed in some areas
  - (3) Not allowed at all

1 1

**K6h** Inside a car, when there are other people present, do you THINK that smoking SHOULD...

- (1) Always be allowed,
- (2)Be allowed under some conditions, or
- (3) Never be allowed?

GO TO K7 IF B2=1 OR C2=1 (MENTHOL SMOKER); ELSE GO TO SINTTP

# K7 If menthol cigarettes were no longer sold, which of the following would you <u>MOST</u>

LIKELY do:

- (1) Switch to non-menthol cigarettes
- (2) Switch to some other tobacco product; or
- (3) Quit smoking and not use any other tobacco product

DO NOT READ CATEGORY #4.

(4) NONE OF THE ABOVE

IF K7 = 4 (NONE OF THE ABOVE), GO TO K7SPC; ELSE GO

K7SPC	Please specify what you would MOST cigarettes were no longer sold	
	characters)	
SINTTP	*** DO NOT READ ***	
In	what language was the interview conducted for this person?	
(1)	English	
(2)	Spanish	
(3)	Chinese	
(4)	Korean	
(5)	Vietnamese	
(6)	Khmer	
(7)	Other Asian or Asian unspecified	
(8)	Other	