

Attachment C

Paperwork Reduction Act Submission

OMB # 0938 – 0944

CMS-10142

Summary of Changes

The following revisions are in response to Lessons Learned feedback (from industry, bid reviewers and internal CMS) and contract year 2012 effective provisions of the Medicare Advantage and Prescription Drug Program. They do not result in a change to the estimated burden.

1) Updated labels: Annual update of labels/parameters (ex: CY2011 → CY2012).

Locations: PD Worksheet 1 cell N3, F5, C29:C32

PD Worksheet 7 cell B9, C10:C12

MA Worksheet 1 cell Q3, D8

MA Worksheet 4 cell AH20:AH24

MA Worksheet 5 cell L16

MA Worksheet 6 cell E14

MSA Worksheet 1 cell P3, D8

MSA Worksheet 4 cell H48, H53

MA Ratebook sheet (used in MA Workbook 5)

MA Statutory Rates sheet (used in MA Workbook 5)

MSA Ratebook sheet (used in MSA Workbook 3)

Reason: Update BPT to reference Contract Year 2012 information.

2) Change input cells to be non-input (calculated) cells.

Locations: PD Worksheet 1 cell I11

MA Worksheet 1 cell G55, G56, G59

MA Worksheet 6 cell L25, L26

Reason: To improve accuracy/clarity of BPT for CY2012.

3) Remove input cells.

Locations: PD Worksheet 1 cell I15

PD Worksheet 3 cell J26

MA Worksheet 1 cell G58, G60

Reason: To improve accuracy/clarity of BPT for CY2012.

4) Remove non-input (calculated) cells.

Locations: PD Worksheet 3 cell N31

Reason: To improve accuracy/clarity of BPT for CY2012.

5) Revise formula logic in non-input (calculated) cells.

Locations: PD Worksheet 3 cell I33, J33, N33

PD Worksheet 4 cell K33

PD Worksheet 5 cell K36

MA Worksheet 2 cell O20:O36

MA Worksheet 4 cell K20, K21

MA Worksheet 5 cell M16, E24, M36

Reason: To improve accuracy/clarity of BPT for CY2012.

6) Add non-input (calculated) cells.

Locations: PD Worksheet 3 cell L12

PD Worksheet 4 cell E61

PD Worksheet 5 cell G73

PD Worksheet 6A cell F11:K21, F35:K35, F49:K49, E53, E54

PD Worksheet 7 cell F30

MA Worksheet 1 cell Q8, D57:F57, F61:G61, D64:G65, G66:G67

MA Worksheet 5 cell L26

Reason: To improve accuracy/clarity of BPT for CY2012.

7) Add input cells.

Locations: PD Worksheet 6A cell F25:K34, F39:K48

MA Worksheet 1 cell D55:F56, D59:F59, D61:E61

MA Worksheet 3 cell H67, K67, N67

MA Worksheet 5 cell L24, L25

MA Worksheet 5 cell R13, R14

MSA Worksheet 3 cell I12

Reason: To improve accuracy/clarity of BPT for CY2012.

8) Revise labels.

Locations: MA Worksheet 1 cell N24, N25

MA Worksheet 3 cell D36

MA Worksheet 4 cell O124, O125

Reason: To improve accuracy/clarity of BPT for CY2012.