

**SUPPORTING STATEMENT
ENVIRONMENTAL PROTECTION AGENCY**

NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal)

1. Identification of the Information Collection

1(a) Title of the Information Collection

NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal), EPA ICR Number 1086.09, OMB Control Number 2060-0120

1(b) Short Characterization/Abstract

The New Source Performance Standards (NSPS) for Onshore Natural Gas Processing Plants, published at 40 CFR part 60, subpart KKK, were proposed on January 20, 1984, and promulgated on June 24, 1985. These standards apply to the following affected facilities located at onshore natural gas processing plants: compressors in equipment leaks of Volatile Organic Compound (VOC) service or in wet gas service, and the groups of all equipment (except compressors) within a process unit. Affected facilities commenced construction, modification, or reconstruction after the date of proposal. A process unit is defined as the equipment assembled for extraction of natural gas liquids from field gas, fractionation of liquids into natural gas products, or other processing of natural gas products. This information is being collected to assure compliance with 40 CFR part 60, subpart KKK.

The New Source Performance Standards (NSPS) for Onshore Natural Gas Processing - SO₂ Emissions- (40 CFR part 60, subpart LLL) were proposed on January 20, 1984, and promulgated on October 1, 1985. These standards apply to the following affected facilities located at onshore natural gas processing plants: each sweetening unit, and each sweetening unit followed by a sulfur recovery unit. Affected facilities commenced construction, modification, or reconstruction after the date of proposal. A sweetening unit is defined as a process device that separates the hydrogen sulfide and carbon dioxide (CO₂) contents from the sour natural gas stream. The provisions of subpart LLL do not apply to sweetening facilities that produce acid gas that is completely re-injected into oil or gas bearing geologic strata or that is otherwise not released to the atmosphere. The control and monitoring requirements of subpart LLL do not apply to affected facilities with design capacities of less than two long tons per day (LT/D) of hydrogen sulfide in the acid gas, expressed as sulfur. This information is being collected to assure compliance with 40 CFR part 60, subpart LLL.

In general, all NSPS standards require initial notifications, performance tests, and periodic reports by the owners/operators of the affected facilities. They are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. These notifications, reports, and records are essential in determining compliance, and are required of all sources subject to NSPS.

Any owner or operator subject to the provisions of this part shall maintain a file of these measurements, and retain the file for at least two years following the date of such measurements, maintenance reports, and records. All reports are sent to the delegated state or local authority. In the event that there is no such delegated authority, the reports are sent directly to the United States Environmental Protection Agency (EPA) regional office.

Based on our consultations with industry representatives, there is an average of four affected facilities at each plant site for subpart KKK, along with one affected facility at each plant site for subpart LLL, and that each plant site has only one respondent (i.e., the owner/operator of the plant site).

All of these sources subject to subpart LLL are also subject to subpart KKK. Over the next three years, an average of 563 sources per year will be subject to subpart KKK, and it is estimated that one additional source per year will become subject to the standard in the next three years. There are approximately 79 of these sources that are currently subject to subpart LLL, and it is estimated that three additional sources will become subject to the standard in the next three years.

There are approximately 563 onshore natural gas processing plants in the United States, which are all publicly owned and operated by the onshore natural gas processing industry. None of the 563 plants in the United States are owned by either state, local, tribal, or the Federal government. They are all owned and operated solely by privately owned for-profit businesses. The burden to the “Affected Public” may be found in Table 1: Annual Respondent Burden and Cost, NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL). The burden to the “Federal government” is attributed entirely to work performed by Federal employees or government contractors; this burden may be found in Table 2: Annual Agency Burden and Cost, NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL).

The Office of Management and Budget (OMB) approved the currently active Information Collection Request (ICR) with the following Terms of Clearance (TOC):

As part of its submission, EPA should verify that the wage rates referenced in sections 6(b) and 6(c) of the supporting statement have been updated to current values and properly loaded to include overhead, consistent with current EPA and OMB guidelines.

The EPA has addressed these terms of clearance for this ICR by using the most recent wage rates updated to current values, and properly loaded to include overhead, consistent with current EPA and OMB guidelines.

2. Need for and Use of the Collection

2(a) Need/Authority for the Collection

The EPA is charged under section 111 of the Clean Air Act (CAA), as amended, to establish standards of performance for new stationary sources that reflect:

. . . application of the best technological system of continuous emissions reduction which (taking into consideration the cost of achieving such emissions reduction, or any non-air quality health and environmental impact and energy requirements) the Administrator determines has been adequately demonstrated. Section 111(a)(1).

The Agency refers to this charge as selecting the best demonstrated technology (BDT). Section 111 also requires that the Administrator review and, if appropriate, revise such standards every four years.

In addition, section 114(a) states that the Administrator may require any owner or operator subject to any requirement of this Act to:

(A) Establish and maintain such records; (B) make such reports; (C) install, use, and maintain such monitoring equipment, and use such audit procedures, or methods; (D) sample such emissions (in accordance with such procedures or methods, at such locations, at such intervals, during such periods, and in such manner as the Administrator shall prescribe); (E) keep records on control equipment parameters, production variables or other indirect data when direct monitoring of emissions is impractical; (F) submit compliance certifications in accordance with Section 114(a)(3); and (G) provide such other information as the Administrator may reasonably require.

In the Administrator's judgment, VOC and sulfur dioxide emissions from onshore natural gas processing plants either cause or contribute to air pollution that may reasonably be anticipated to endanger public health or welfare. Therefore, the NSPS was promulgated for this source category at 40 CFR part 60, subparts KKK and LLL.

2(b) Practical Utility/Users of the Data

The recordkeeping and reporting requirements in the standards ensure compliance with the applicable regulations which were promulgated in accordance with the Clean Air Act. The collected information is also used for targeting inspections and as evidence in legal proceedings.

Performance tests are required in order to determine an affected facility's initial capability to comply with the emission standard. Continuous emission monitors are used to ensure compliance with the standard at all times. During the performance test, a record of the operating parameters under which compliance was achieved may be recorded and used to determine compliance in place of a continuous emission monitor.

The notifications required in the standard are used to inform the Agency or delegated authority when a source becomes subject to the requirements of the regulations. The reviewing authority may then inspect the source to check if the pollution control devices are properly installed and operated, that leaks are being detected and repaired, and that the standard is being met. The performance test may also be observed.

The required semiannual and quarterly reports are used to determine periods of excess emissions, identify problems at the facility, verify operation/maintenance procedures, and for compliance determinations.

3. Non-duplication, Consultations, and Other Collection Criteria

The requested recordkeeping and reporting are required under 40 CFR part 60, subparts KKK and LLL.

3(a) Non-duplication

If the subject standards have not been delegated, the information is sent directly to the appropriate EPA regional office. Otherwise, the information is sent directly to the delegated state or local agency. If a state or local agency has adopted its own similar standards to implement the Federal standards, a copy of the report submitted to the state or local agency can be sent to the Administrator in lieu of the report required by the Federal standards. Therefore, no duplication exists.

3(b) Public Notice Required Prior to ICR Submission to OMB

An announcement of a public comment period for the renewal of this ICR was published in the Federal Register (75 FR 30812) on June 2, 2010. No comments were received on the burden published in the Federal Register.

3(c) Consultations

Several consultations were conducted during a previous renewal of this ICR. In estimating the affected number of sources and the growth rate of onshore natural gas processing plants subject to this standard, EPA contacted Ms. Lynn Reed at (918) 588-7380, ONEOK, Incorporated, Mr. Lance Lodes at (405) 557-6846, OGE-Enogex, Incorporated, and Mr. Johnny Dreyer, (918) 493-3872, Gas Processors Association (GPA). These contacts, in turn, consulted a limited number of its members. Additionally, we reviewed information available from the Online Tracking Information System (OTIS) which is the primary source of information regarding the number of existing sources. OTIS data was used in conjunction with industry consultation to verify the number of sources and the industry growth rate. It was determined that an average of 563 facilities per year will be subject to the standard over the next three years, with one additional source per year becoming subject to the standard.

For this renewal, Mr. Dreyer of GPA was contacted again, but did not provide comments regarding the accuracy of EPA's burden estimations.

3(d) Effects of Less Frequent Collection

Less frequent information collection would decrease the margin of assurance that facilities are continuing to meet the standards. Requirements for information gathering and recordkeeping are useful techniques to ensure that good operation and maintenance practices are applied and emission limitations are met. If the information required by these standards was collected less frequently, the proper operation and maintenance of control equipment and the possibility of detecting violations would be less likely.

3(e) General Guidelines

These reporting or recordkeeping requirements do not violate any of the regulations promulgated by OMB under 5 CFR part 1320, section 1320.5.

3(f) Confidentiality

Any information submitted to the Agency for which a claim of confidentiality is made will be safeguarded according to the Agency policies set forth in title 40, chapter 1, part 2, subpart B - Confidentiality of Business Information (CBI) (see 40 CFR 2; 41 FR 36902, September 1, 1976; amended by 43 FR 40000, September 8, 1978; 43 FR 42251, September 20, 1978; 44 FR 17674, March 23, 1979).

3(g) Sensitive Questions

The reporting or recordkeeping requirements in the standard do not include sensitive questions.

4. The Respondents and the Information Requested

4(a) Respondents/SIC Codes

The respondents to the recordkeeping and reporting requirements are onshore natural gas processing plants. The United States Standard Industrial Classification (SIC) codes for the respondents affected by the standards are SIC codes 311 and 1321, which correspond to the North American Industry Classification System (NAICS) codes 211111 and 211112 for onshore natural gas processing plants.

40 CFR Part 60, Subparts KKK and LLL	SIC Codes	NAICS Codes
Crude Petroleum and Natural Gas Extraction	1311	211111
Natural Gas Liquid Extraction	1321	211112

4(b) Information Requested

None of these reporting or recordkeeping requirements violate any of the regulations

established by OMB at 5 CFR part 1320, section 1320.5.

(i) Data Items

In this ICR, all the data that is recorded or reported is required by the New Source Performance Standards for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL).

A source must make the following reports:

Notifications	
Notification of construction or reconstruction	60.7(a)(1)
Notification of actual startup date	60.7(a)(3)
Notification of modification	60.7(a)(4)
Notification of demonstration of continuous monitoring system	60.7(a)(5)
Notification of initial performance test	60.8(d)
Semiannual reports of excess emissions (subparts KKK and LLL)	60.7(c)
Performance test results (subparts KKK and LLL)	60.8(a), 60.636(a), 60.487(e)
Semiannual reports (subpart KKK)	60.636(a)-(c), 60.487(a)
Semiannual report on excess emissions from and performance of continuous monitoring system, and/or summary report forms (subpart LLL)	60.647(b)

A source must keep the following records:

Recordkeeping	
Maintain records of startups, shutdowns, malfunctions of affected facilities; malfunctions of control devices; and periods where the continuous monitoring system is inoperative.	60.7(b)
Keep records of measurements, performance evaluations, calibration checks, adjustments and maintenance related to continuous monitoring systems.	60.7(f)
Keep records of parts of closed vent systems designated as unsafe or difficult to inspect (subpart KKK).	60.632(a), 60.482-10(l)(1), (2)
Keep records of inspections of closed vent systems during which no leaks are detected (subpart KKK).	60.632(a), 60.482-10(l)(4), (5)
Perform attachment of identification numbers to leaking equipment (subpart KKK).	60.635(a), (b)
Keep records of leak detection and repair (subpart KKK).	60.632(a), 60.635(a), (b), 60.482-10(l)(3) 60.486(c)

Recordkeeping	
Keep records of design requirements for and operation of closed vent systems and control devices (subpart KKK).	60.635(a), 60.486(d)
Keep records listing all equipment subject to subpart KKK.	60.635(a), (b), 60.486(e)
Keep records of compliance tests (subpart KKK).	60.635(a), 60.486(e)(4)
Keep records of valves designated as unsafe or difficult to monitor (subpart KKK).	60.635(a), 60.486(f)
Keep records of design criterion that indicate failure (subpart KKK).	60.635(a), 60.486(h)
Keep records of parts not in VOC service or otherwise exempt (subpart KKK).	60.635(a), (c), 60.486(j)
Keep records of calculations and measurements (subpart LLL).	60.647(a)
Facilities that choose to comply with 60.646(e) shall keep, for the life of the facility, records demonstrating that the facility design capacity is less than 150 long tons per day (LT/D) of hydrogen sulfide expressed as sulfur (subpart LLL).	60.647(d)

Electronic Reporting

Some of the respondents are using monitoring equipment that automatically records parameter data. Although personnel at the affected facility must still evaluate the data, internal automation has significantly reduced the burden associated with monitoring and recordkeeping at a plant site.

Also, regulatory agencies in cooperation with the respondents, continue to create reporting systems to transmit data electronically. However, electronic reporting systems are still not widely used. At this time, it is estimated that approximately 10 percent of the respondents use electronic reporting.

(ii) Respondent Activities

Respondent Activities
Read instructions.
Write the notification and reports listed above.
Enter information required to be recorded above.
Submit the required reports developing, acquiring, installing, and utilizing technology and systems for the purpose of collecting, validating, and verifying information.
Develop, acquire, install, and utilize technology and systems for the purpose of processing and maintaining information.
Develop, acquire, install and utilize technology and systems for the purpose of disclosing and providing information.
Adjust the existing ways to comply with any previously applicable instructions and requirements.

Respondent Activities
Train personnel to be able to respond to a collection of information.
Transmit, or otherwise disclose the information.
Perform initial performance test, reference the methods discussed in the rule language, and repeat performance tests if necessary. Applicable if controls are used (subpart KKK).
Monitor control devices to ensure that they are operated and maintained in conformance with design. Applicable if controls are used (subpart KKK).
Perform monthly monitoring of pumps in light liquid service and valves in gas/vapor service or in light liquid service (subpart KKK).
Repair pump, compressor, valve, and vapor collection system leaks (subpart KKK).
Perform weekly visual inspections of pumps in light liquid service (subpart KKK).
Monitor pressure relief devices in gas/vapor service for no detectable emissions, following pressure release (subpart KKK).
Monitor or repair leaks in pumps or valves in heavy liquid service, pressure relief devices in light or heavy liquid service, and connectors (subpart KKK).
Conduct annual inspections of vapor collection systems (subpart KKK).
Install, calibrate, maintain and operate CMS for: (a) total sulfur emission rate; and (b) exhaust gas temperature for oxidation control systems or reduction control systems that are followed by an incinerator (subpart LLL).
Install, calibrate, maintain, and operate CMS for reduced sulfur compound emission rate for reduction control systems that are not followed by an incinerator (subpart LLL)
Perform initial performance test, reference the methods discussed in the rule language, and repeat performance tests if necessary (subpart LLL).
Perform daily monitoring of: (a) accumulation of sulfur product; and (b) H ₂ S concentration in the acid gas from the sweetening unit (subpart LLL).
Perform hourly monitoring of acid gas flow rate from the sweetening unit and calculate the daily average (subpart LLL).
Calculate: (a) daily sulfur feed rate; and (b) daily required SO ₂ emission reduction efficiency (subpart LLL).

Currently, sources are using monitoring equipment that provide parameter data in an automated way e.g., continuous parameter monitoring system. Although personnel at the source still need to evaluate the data, this type of monitoring equipment has significantly reduced the burden associated with monitoring and recordkeeping.

5. The Information Collected: Agency Activities, Collection Methodology, and Information Management

5(a) Agency Activities

EPA conducts the following activities in connection with the acquisition, analysis, storage, and distribution of the required information.

Agency Activities

Agency Activities
Audit facility records.
Input, analyze, and maintain data in the Air Facility System (AFS).

5(b) Collection Methodology and Management

Following notification of startup, the reviewing authority could inspect the source to determine whether the pollution control devices are properly installed and operated. Performance test reports are used by the Agency to discern a source's initial capability to comply with the emission standard and note the operating conditions under which compliance was achieved. Data and records maintained by the respondents are tabulated and published for use in compliance and enforcement programs. The semiannual reports are used for problem identification, as a check on source operation and maintenance, and for compliance determinations.

Information contained in the reports is entered into the AFS which is operated and maintained by the EPA Office of Compliance. AFS is the EPA database for the collection, maintenance, and retrieval of compliance data for approximately 125,000 industrial and government-owned facilities. EPA uses the AFS for tracking air pollution compliance and enforcement by local and state regulatory agencies, EPA regional offices, and EPA headquarters. EPA and its delegated Authorities can edit, store, retrieve, and analyze the data.

The records required by this regulation must be retained by the owner/operator for two years.

5(c) Small Entity Flexibility

The majority of the respondents are large entities (i.e., large businesses). After reviewing relevant available background documents related to the standard, an estimate of the number of small entities affected could not be determined. However, the impact on small entities (i.e., small businesses) was taken into consideration during the development of the regulation. Due to technical considerations involving the process operations and the types of control equipment employed, the recordkeeping and reporting requirements are the same for both small and large entities. The Agency considers these to be the minimum requirements needed to ensure compliance and, therefore, cannot reduce them further for small entities. To the extent that larger businesses can use economies of scale to reduce their burden, the overall burden will be reduced.

5(d) Collection Schedule

The specific frequency for each information collection activity within this request is shown in below Table 1: Annual Respondent Burden and Cost, NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal).

6. Estimating the Burden and Cost of the Collection

Table 1 documents the computation of individual burdens for the recordkeeping and reporting requirements applicable to the industry for each of the subparts included in this ICR. The individual burdens are expressed under standardized headings believed to be consistent with the concept of burden under the Paperwork Reduction Act. Where appropriate, specific tasks and major assumptions have been identified. Responses to this information collection are mandatory.

The Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number.

6(a) Estimating Respondent Burden

The average annual burden to industry over the next three years from these recordkeeping and reporting requirements is estimated to be 149,180 labor hours. The recordkeeping hours shown below in Table 1 are 128,979. The reporting requirement hours shown below in Table 1 are 20,201. These hours are based on Agency studies and background documents from the development of the regulation, Agency knowledge and experience with the NSPS program, the previously approved ICR, and any comments received.

6(b) Estimating Respondent Costs

(i) Estimating Labor Costs

This ICR uses the following labor rates:

Managerial	\$116.05 (\$55.26 + 110%)
Technical	\$97.21 (\$46.29 + 110%)
Clerical	\$48.87 (\$23.27 + 110%)

These rates are from the U. S. Department of Labor, Bureau of Labor Statistics, March 2010, "Table 2. Civilian Workers, by Occupational and Industry group." The rates are from column 1, "Total Compensation." The rates have been increased by 110 percent to account for the benefit packages available to those employed by private industry.

(ii) Estimating Capital/Startup and Operation and Maintenance Costs

The only costs to the regulated industry resulting from information collection activities required by subpart KKK are labor costs. There are no capital/startup or operation and maintenance costs.

The type of industry costs associated with the information collection activities in subpart LLL are both labor costs, which are addressed elsewhere in this ICR, and the costs associated with continuous monitoring. The capital/startup costs are one-time costs when a facility becomes subject to the regulation. The annual operation and maintenance costs are the ongoing costs to maintain the monitor and other costs such as photocopying and postage.

(iii) Capital/Startup vs. Operation and Maintenance (O&M) Costs

Capital/Startup vs. Operation and Maintenance (O&M) Costs						
(A) Continuous Monitoring Device	(B) Capital/ Startup Cost for One Respondent	(C) Number of New Respondents	(D) Total Capital/Startu p Cost, (B×C)	(E) Annual O&M Costs for One Respondent ^a	(F) Number of Respondents with O&M ^b	(G) Total O&M, (E×F)
SO ₂ CEM, control outlet (only for subpart LLL)	\$73,000	3	\$219,000	\$17,100	7	\$119,700

Assumptions:

^a Costs reflect installation and maintenance of an in-situ SO₂ CEM after the control device and assume installation occurred during the construction of the facility.

^b After consultation with the industry, we believe that the number of respondents needing continuous monitoring is seven.

The total capital/startup costs for this ICR are \$219,000. This is the total of column D in the above table.

The total operation and maintenance (O&M) costs for this ICR are \$119,700. This is the total of column G.

The average annual cost for capital/startup and operation and maintenance costs to industry over the next three years of the ICR is estimated to be \$338,700.

6(c) Estimating Agency Burden and Cost

The only costs to the Agency are those costs associated with analysis of the reported information. The EPA overall compliance and enforcement program includes activities such as the examination of records maintained by the respondents, periodic inspection of sources of emissions, and the publication and distribution of collected information.

The average annual Agency cost during the three years of the ICR is estimated to be \$571,832.

This cost is based on the average hourly labor rate as follows:

Managerial	\$62.27 (GS-13, Step 5, \$38.92 + 60%)
Technical	\$46.21 (GS-12, Step 1, \$28.88 + 60%)
Clerical	\$25.01 (GS-6, Step 3, \$15.63 + 60%)

These rates are from the Office of Personnel Management (OPM), 2010 General Schedule, which excludes locality rates of pay. The rates have been increased by 60 percent to account for the benefit packages available to government employees. Details upon which this estimate is based appear below in Table 2: Annual Agency Burden and Cost, NSPS for Onshore Natural

Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal).

6(d) Estimating the Respondent Universe and Total Burden and Costs

Based on our research for this ICR, on average over the next three years, approximately 563 existing respondents will be subject to the standard. It is estimated that an additional one respondent per year will become subject to subpart KKK and three for subpart LLL over the next three years. The overall average number of respondents, as shown in the table below is 563 per year.

The number of respondents is calculated using the following table that addresses the three years covered by this ICR.

Number of Respondents					
	Respondents That Submit Reports		Respondents That Do Not Submit Any Reports		
Year	(A) Number of New Respondents ^a	(B) Number of Existing Respondents	(C) Number of Existing Respondents that keep records but do not submit reports	(D) Number of Existing Respondents That Are Also New Respondents	(E) Number of Respondents (E=A+B+C-D)
Subpart KKK ^b					
1	113	561	0	112	562
2	113	562	0	112	563
3	113	563	0	112	564
Average	113	562	0	112	563
Subpart LLL ^c					
1	3	79	3	0	85
2	3	82	3	0	88
3	3	85	3	0	91
Average	3	82	3	0	88

Assumptions:

^a New respondent include sources with constructed, reconstructed, and modified affected facilities. In this standard, existing respondents submit initial notifications.

^b Based on industry consultation, EPA believes that approximately 20 percent of existing respondents for subpart KKK will construct one new affected facility per year.

^c Affected facilities with design capacities of less than two long tons per day (LT/D) of hydrogen sulfide (H₂S) in the acid gas, expressed as sulfur, have no reporting requirements pursuant to subpart LLL. Three respondents have sources capacities below this threshold.

Column D is subtracted to avoid double-counting respondents. As shown above, the average Number of Respondents over the three-year period of this ICR is 563 (all sources subject to LLL are also subject to subpart KKK).

The total number of annual responses per year is calculated using the following table:

Total Annual Responses				
(A) Information Collection Activity	(B) Number of Respondents	(C) Number of Responses	(D) Number of Existing Respondents That Keep Records But Do Not Submit Reports	(E) Total Annual Responses E=(B×C)+D
Subpart KKK				
Notification of construction/reconstruction	57	1	N/A	57
Notification of modification	56	1	N/A	56
Notification of anticipated startup	113	1	N/A	113
Notification of actual startup	113	1	N/A	113
Notification of demonstration of continuous monitoring system	0	1	N/A	0
Notification of initial performance tests	0	1	N/A	0
Semiannual reports	563	2	N/A	1,126
Subpart LLL				
Notification of construction/reconstruction	1.5	1	N/A	1.5
Notification of anticipated startup	3	1	N/A	3
Notification of actual startup	3	1	N/A	3
Notification of initial performance test	3	1	N/A	3
Notification of CMS demonstration	3	1	N/A	3
CMS demonstration report	3	0.2	N/A	0.6
Semiannual report	82	2	N/A	164
TOTAL (rounded)				1,643

N/A – Not Applicable.

The number of Total Annual Responses is 1,643.

The total annual labor costs are \$13,996,939. Details regarding these estimates may be found below in Table 1: Annual Respondent Burden and Cost, NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL)(Renewal).

6(e) Bottom Line Burden Hours and Cost Tables

The detailed bottom line burden hours and cost calculations for the respondents and the Agency are shown in Tables 1 and 2 below, respectively, and summarized below.

(i) Respondent Tally

The total annual labor hours are 149,180. Details regarding these estimates may be found below in Table 1: Annual Respondent Burden and Cost, NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal). Furthermore, the annual public reporting and recordkeeping burden for this collection of information is estimated to average 91 hours per response.

The total annual capital/startup and O&M costs to the regulated entity are \$338,700. The cost calculations are detailed above in Section 6(b)(iii), Capital/Startup vs. Operation and

Maintenance (O&M) Costs.

(ii) The Agency Tally

The average annual Agency burden and cost over next three years is estimated to be 12,689 labor hours at a cost of \$571,832. See below Table 2: Annual Agency Burden and Cost, NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal).

6(f) Reasons for Change in Burden

There is no change in the labor hours, or capital/startup and operation and maintenance costs in this ICR compared to the previous ICR. This is due to two considerations: 1) the regulations have not changed over the past three years and are not anticipated to change over the next three years; and 2) the growth rate for the industry is very low, negative, or non-existent.

It should be noted that the wage rates in this ICR have been updated resulting in an overall increase in the labor cost.

6(g) Burden Statement

The annual public reporting and recordkeeping burden for this collection of information is estimated to average 91 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a valid OMB Control Number. The OMB Control Numbers for EPA regulations are listed at 40 CFR part 9 and 48 CFR chapter 15.

To comment on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including the use of automated collection techniques, EPA has established a public docket for this ICR under Docket ID Number EPA-HQ-OECA-2010-0363. An electronic version of the public docket is available at <http://www.regulations.gov/> which may be used to obtain a copy of the draft collection of information, submit or view public comments, access the index listing of the contents of the docket, and to access those documents in the public docket that are available electronically. When in the system, select "search," then key in the docket ID number identified in this document. The documents are also available for public viewing at the Enforcement and Compliance Docket and Information Center in the EPA Docket Center (EPA/DC), EPA West,

Room 3334, 1301 Constitution Ave., NW, Washington, DC. The EPA Docket Center Public Reading Room is open from 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number for the Reading Room is (202) 566-1744, and the telephone number for the Enforcement and Compliance Docket and Information Center is (202) 566-1752. Also, you can send comments to the Office of Information and Regulatory Affairs, Office of Management and Budget, 725 17th Street, NW, Washington, DC 20503, Attention: Desk Officer for EPA. Please include the EPA Docket ID Number EPA-HQ-OECA-2010-0363 and OMB Control Number 2060-0120 in any correspondence.

Part B of the Supporting Statement

This part is not applicable because no statistical methods were used in collecting this information.

Table 1: Annual Respondent Burden and Cost, NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal)

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Reporting/Recordkeeping Requirements	Person-hours per occurrence	No. of occurrences per respondent per year	Person-hours per respondent per year (C = A×B)	Respondents per year ^a	Technical person-hours per year (E = C×D)	Management person-hours per year (E×0.05)	Clerical person-hours per year (E×0.1)	Total Hours/Year (H = E + F + G)	Cost (\$) ^b
1. Applications	N/A								
2. Survey and Studies	N/A								
3. Reporting requirements									
A. Read instructions									
Subpart KKK	1	1	1.00	563	563.00	28.15	56.30	647.45	\$60,747.42
Subpart LLL	1	1	1.00	82	82.00	4.10	8.20	94.30	\$8,847.76
B. Required activities									
Subpart KKK									
Notification of construction/reconstruction ^c	2	1	2.00	57	114.00	5.70	11.40	131.10	\$12,300.54
Notification of modification ^c	8	1	8.00	56	448.00	22.40	44.80	515.20	\$48,338.98
Notification of anticipated startup ^d	2	1	2.00	113	226.00	11.30	22.60	259.90	\$24,385.29
Notification of actual startup ^d	2	1	2.00	113	226.00	11.30	22.60	259.90	\$24,385.29
Notification of electing to comply with alternative standards for valves ^e	8	1	8.00	0	0.00	0.00	0.00	0.00	\$0.00
Notification of initial performance test ^f	2	1	2.00	0	0.00	0.00	0.00	0.00	\$0.00
Semiannual reports ^g	8	2	16.00	563	9,008.00	450.40	900.80	10,359.20	\$971,958.70
Subpart LLL									
Initial performance test	60	1	60.00	3	180.00	9.00	18.00	207.00	\$19,421.91
Repeat performance test	60	0.2	12.00	3	36.00	1.80	3.60	41.40	\$3,884.38
Demonstration of CEMS	80	0.2	16.00	3	48.00	2.40	4.80	55.20	\$5,179.18
Repeat Demonstration of CEMS	80	0.2	16.00	3	48.00	2.40	4.80	55.20	\$5,179.18
C. Create Information									
Subpart KKK									
Initial performance test	N/A								
Subpart LLL	See 3B								
D. Gather existing information									
Subpart KKK	N/A								
Subpart LLL	See 3B								

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Reporting/Recordkeeping Requirements	Person-hours per occurrence	No. of occurrences per respondent per year	Person-hours per respondent per year (C = A×B)	Respondents per year ^a	Technical person-hours per year (E = C×D)	Management person-hours per year (E×0.05)	Clerical person-hours per year (E×0.1)	Total Hours/Year (H = E + F + G)	Cost (\$) ^b
E. Write report									
Subpart KKK	See 3B								
Subpart LLL									
Notification of construction/reconstruction ^c	2	1	2.00	1.5	3.00	0.15	0.30	3.45	\$323.70
Notification of modification	N/A								
Notification of anticipated startup ^h	2	1	2.00	3	6.00	0.30	0.60	6.90	\$647.40
Notification of actual startup ^h	2	1	2.00	3	6.00	0.30	0.60	6.90	\$647.40
Notification of initial performance test ^h	2	1	2.00	3	6.00	0.30	0.60	6.90	\$647.40
Notification of CMS demonstration ^h	2	1	2.00	3	6.00	0.30	0.60	6.90	\$647.40
CMS demonstration	See 3B								
Semiannual report ⁱ	40	2	80.00	82	6,560.00	328.00	656.00	7,544.00	\$707,820.72
<i>Reporting Subtotal</i>								20,201	\$1,895,363
4. Recordkeeping requirements									
A. Read instructions									
Subpart KKK	See 4C								
Subpart LLL	See 3A								
B. Plan activities	See 3E								
Subpart KKK	See 4C								
Subpart LLL	N/A								
C. Implement activities	See 3E								
Subpart KKK									
Filing and maintaining records ^j	80	1	80.00	563	45,040.00	2,252.00	4,504.00	51,796.00	\$4,859,793.48
Startup, shutdown, or malfunction ^k	80	1	80.00	112	8,960.00	448.00	896.00	10,304.00	\$966,779.52
Recalibrate monitors	4	12	48.00	563	27,024.00	1,351.20	2,702.40	31,077.60	\$2,915,876.09
Method 21 performance evaluation	2	2	4.00	563	2,252.00	112.60	225.20	2,589.80	\$242,989.67
Subpart LLL	N/A								
D. Develop record system									
Subpart KKK	See 4C								
Subpart LLL ¹	40	1	40.00	3	120.00	6.00	12.00	138.00	\$12,947.94
E. Time to enter information									
Subpart KKK	See 4C								

	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)
Reporting/Recordkeeping Requirements	Person-hours per occurrence	No. of occurrences per respondent per year	Person-hours per respondent per year (C = A×B)	Respondents per year ^a	Technical person-hours per year (E = C×D)	Management person-hours per year (E×0.05)	Clerical person-hours per year (E×0.1)	Total Hours/Year (H = E + F + G)	Cost (\$) ^b
Subpart LLL									
Records of startup, shutdown, or malfunction	1.5	12	18.00	3	54.00	2.70	5.40	62.10	\$5,826.57
Records of continuous recording	0.5	700	350.00	82	28,700.00	1,435.00	2,870.00	33,005.00	\$3,096,715.65
Records of capacity data	2	1	2.00	3	6.00	0.30	0.60	6.90	\$647.40
F. Train personnel									
Subpart KKK	See 4C								
Subpart LLL	N/A								
G. Audits									
Subpart KKK	N/A								
Subpart LLL	N/A								
<i>Recordkeeping Subtotal</i>								128,979	\$12,101,576
TOTAL ANNUAL BURDEN AND COST								149,180	\$13,996,939

N/A - Not Applicable.

Assumptions:

^a We have assumed that the average number of respondents that will be subject to subpart KKK will be 563 with one new source becoming subject to the rule over the three-year period of this ICR. It is also assumed that the average number of respondents that will be subject to subpart LLL will be 82 with one additional source becoming subject to the rule over the three-year period of this ICR.

^b This ICR uses the following labor rates: \$116.05 per hour for Executive, Administrative, and Managerial labor; \$97.21 per hour for Technical labor, and \$48.87 per hour for Clerical labor. These rates are from the United States Department of Labor, Bureau of Labor Statistics, March 2010, "Table 2. Civilian Workers, by Occupational and Industry group." The rates are from column 1, "Total Compensation." The rates have been increased by 110 percent to account for the benefit packages available to those employed by private industry.

^c We have assumed that one-half of new facilities are the result of construction or reconstruction, and the other half are the result of modifications of existing facilities.

^d We have assumed that 20 percent of existing respondents will construct one new facility per year.

^e We have assumed that no respondent is expected to use the alternative standards.

^f We have assumed that while this subpart includes the option of using closed vent systems and control devices to demonstrate compliance, no respondent is expected to use this option. Therefore, no respondent is expected to submit the associated notifications and reports.

^g We have assumed that each respondent will take 8 hours, two times per year to write semiannual reports.

^h We have assumed that each respondent will take two hours to complete reports.

ⁱ We have assumed that each respondent will take 40 hours, two times per year to write semiannual reports.

^j We have assumed that each respondent will take 80 hours to file and maintain records.

^k We have assumed that 20 percent of respondents will take 80 hours to implement this activity.

^l We have assumed that each respondent will take 40 hours to develop record system.

Table 2: Annual Agency Burden and Cost , NSPS for Onshore Natural Gas Processing Plants (40 CFR Part 60, Subparts KKK and LLL) (Renewal)

Activity	(A) EPA person- hours per occurrence	(B) No. of occurrence s per plant per year	(C) EPA person- hours per plant per year (C = A×B)	(D) Plants per year ^a	(E) Technical person- hours per year (E = C×D)	(F) Managemen t person- hours per year (E×0.05)	(G) Clerical person- hours per year (E×0.1)	(H) Total Hours/Year (H = E + F + G)	(I) Cost (\$) ^b
Subpart KKK									
Notification of construction/reconstruction ^c	2	1	2.00	56	112.00	5.60	11.20	128.80	\$5,804.34
Review notification of modification ^c	2	1	2.00	56	112.00	5.60	11.20	128.80	\$5,804.34
Review notification of anticipated startup ^d	2	1	2.00	112	224.00	11.20	22.40	257.60	\$11,608.69
Review notification of actual startup ^d	2	1	2.00	112	224.00	11.20	22.40	257.60	\$11,608.69
Notification of demonstration of CEMS	2	1	2.00	0	0.00	0.00	0.00	0.00	\$0.00
Review initial CEMS demonstration report	2	1	2.00	0	0.00	0.00	0.00	0.00	\$0.00
Review notification of performance test	2	1	2.00	0	0.00	0.00	0.00	0.00	\$0.00
Review results of performance test	2	1	2.00	0	0.00	0.00	0.00	0.00	\$0.00
Review semiannual reports ^e	8	2	16.00	563	9,008.00	450.40	900.80	10,359.20	\$466,835.10
Report Review Subtotal								11,132	\$501,661
Subpart LLL									
Review notification of construction/reconstruction ^f	2	1	2.00	1.5	3.00	0.15	0.30	3.45	\$155.47
Review notification of modification ^f	2	1	2.00	1.5	3.00	0.15	0.30	3.45	\$155.47
Review notification of anticipated startup ^g	2	1	2.00	3	6.00	0.30	0.60	6.90	\$310.95
Review notification of actual startup ^g	2	1	2.00	3	6.00	0.30	0.60	6.90	\$310.95
Review notification of demonstration of CEMS ^g	2	1	2.00	3	6.00	0.30	0.60	6.90	\$310.95
Review of CEMS demonstration report ^g	2	1	2.00	3	6.00	0.30	0.60	6.90	\$310.95
Review notification of initial performance test ^g	2	1	2.00	3	6.00	0.30	0.60	6.90	\$310.95
Review of semiannual reports ^e	8	2	16.00	82	1,312.00	65.60	131.20	1,508.80	\$67,993.74
Review results of performance test	2	1	2.00	3	6.00	0.30	0.60	6.90	\$310.95
Report Review Subtotal								1,557	\$70,170
TOTAL ANNUAL BURDEN								12,689	\$571,832

Assumptions:

^a We have assumed that the average number of respondents that will be subject to subpart KKK will be 563 with one new source per year becoming subject to the rule over the three-year period of this ICR. It is also assumed that the average number of respondents that will be subject to subpart LLL will be 82 with one additional source becoming subject to the rule over the three-year period of this ICR.

^b The cost is based on the following labor rate which incorporates a 1.6 benefits multiplication factor to account for government overhead expenses. Managerial rates of \$62.27 (GS-13, Step 5, $\$38.92 \times 1.6$), Technical rate of \$46.21 (GS-12, Step 1, $\$28.88 \times 1.6$), and Clerical rate of \$25.01 (GS-6, Step 3, $\$15.63 \times 1.6$). These rates are from the Office of Personnel Management (OPM), 2010 General Schedule, which excludes locality rates of pay.

^c We have assumed that one-half of new facilities are the result of construction or reconstruction, and the other half are the result of modifications of existing facilities.

^d We have assumed that 20 percent of respondents will each take two hours to review notifications.

^e We have assumed that it will take each respondent eight hours, two times per year to review semiannual reports.

^f We have assumed that one-half of new respondents will review notification of construction/reconstruction and the other half will review notification of modification.

^g We have assumed that each of the new respondents will take two hours to review notification.