

**Attachment 4****CDC NHBS Publications**

1. Abdul-Quader AS, Heckathorn DD, McKnight C, Bramson H, Nemeth C, Sabin K, Gallagher K, Des Jarlais DC. Effectiveness of respondent-driven sampling for recruiting drug users in New York City: Findings from a pilot study. *J Urban Health* 2006; 83(3):459-476.
2. Allen DR, Finlayson T, Abdul-Quader A, Lansky A. The role of formative research in the National HIV Behavioral Surveillance System. *Public Health Rep.* 2009 Jan-Feb;124(1):26-33.
3. Centers for Disease Control and Prevention (CDC). HIV prevalence, unrecognized infection, and HIV testing among men who have sex with men--five U.S. cities, June 2004-April 2005. *MMWR Morb Mortal Wkly Rep.* 2005 Jun 24; 54(24):597-601.
4. Centers for Disease Control and Prevention (CDC). HIV-associated behaviors among injecting-drug users--23 Cities, United States, May 2005-February 2006. *MMWR Morb Mortal Wkly Rep.* 2009 Apr 10; 58(13):329-32.
5. Centers for Disease Control and Prevention (CDC). Prevalence and awareness of HIV infection among men who have sex with men --- 21 Cities, United States, 2008. *MMWR Morb Mortal Wkly Rep.* 2010 Sep 24; 59(37):1201-1207.
6. Centers for Disease Control and Prevention Sanchez T, Finlayson T, Drake A, Behel S, Cribbin M, Dinunno E, Hall T, Kramer S, Lansky A. Human immunodeficiency virus (HIV) risk, prevention, and testing behaviors--United States, National HIV Behavioral Surveillance System: Men who have sex with men, November 2003-April 2005. *MMWR Surveill Summ.* 2006 Jul 7; 55(6):1-16.
7. Gallagher KM, Sullivan PS, Lansky A, Onorato IM. Behavioral surveillance among people at risk for HIV infection in the U.S.: the National HIV Behavioral Surveillance System. *Public Health Rep.* 2007;122 Suppl 1:32-8.
8. Lansky A, Brooks JT, DiNunno E, Heffelfinger J, Hall HI, Mermin J. Epidemiology of HIV in the United States. *J Acquir Immune Defic Syndr.* 2010; 55 Suppl 2:S64-S68.
9. Lansky A and Mastro TD. Using respondent-driven sampling for behavioural surveillance: Response to Scott. *International Journal of Drug Policy* 19 (2008) 241–243
10. Lansky A, Abdul-Quader AS, Cribbin M, Hall T, Finlayson TJ, Garfein RS, Lin LS, Sullivan PS. Developing an HIV behavioral surveillance system for injecting drug users: the National HIV Behavioral Surveillance System. *Public Health Rep.* 2007;122 Suppl 1:48-55.

11. Lansky A, MacKellar D, Gallagher KM, Lin LS, Sullivan PS, Onorato IM. Evaluation of the new National HIV Behavioral Surveillance System (NHBS) is imperative. *Sex Transm Dis.* 2006 Apr;33(4):272-3; author reply 274-5.
12. MacKellar DA, Gallagher KM, Finlayson T, Sanchez T, Lansky A, Sullivan PS. Surveillance of HIV risk and prevention behaviors of men who have sex with men—a national application of venue-based, time-space sampling. *Public Health Rep.* 2007;122 Suppl 1:39-47.
13. Sullivan PS, Salazar L, Buchbinder S, Sanchez TH. Estimating the proportion of HIV transmissions from main sex partners among men who have sex with men in five US cities *AIDS.* 2009; 23(9): 1153-1162.
14. Tai E, Sanchez T, Lansky A, Mahle K, Heffelfinger J and Workowski K. Self-reported syphilis and gonorrhoea testing men who have sex with men: national HIV behavioural surveillance system, 2003-2005. *Sex Transm Infect.* 2008;84(6):478-482.

**NHBS Sites' Publications**  
**January 24, 2011**

1. Arnold MP, Raymond HF, McFarland W. Socioeconomic position and HIV risk-relevant behavior among lower-income heterosexuals in San Francisco. *AIDS Behav.* Epub 2010 Jul 1.
2. Bernstein KT, Liu KL, Begier EM, Koblin B, Karpati A, Murrill C. Same -sex attraction disclosure to health care providers among New York City men who have sex with men: implications for HIV testing approaches. *Arch Intern Med.* 2008;168(13):1458-64.
3. Berry M, Raymond HF, McFarland W. Same race and older partner selection may explain higher HIV prevalence among black men who have sex with men. *AIDS.* 2007;21(17):2349-2350.
4. Berry M, Raymond HF, Kellog T, McFarland W. The Internet, HIV serosorting and transmission risk among men who have sex with men, San Francisco. *AIDS.* 2008; 22(6):787-789.
5. Bohl D, Raymond HF, Arnold, MP, McFarland W. Concurrent sexual partnerships and racial disparities in HIV infection among men who have sex with men. *Sex Transm Inf.* 2009;85(5):367-369.
6. Bohl, D., Katz, K., Bernstein, K., Raymond, H.F., Klausner, J.D.,McFarland, W. (2009). Prevalence and correlates of HSV-2 infection among men who have sex with men, San Francisco, 2008. *Sexually Transmitted Diseases.* Forthcoming.
7. Burt RD, Hagan H, Sabin K, Thiede H. Evaluating respondent driven sampling in a major metropolitan area: Comparing the injection drug using study populations of the 2005 Seattle area National HIV Behavioral Surveillance System with injector in the RAVEN and Kiwi studies. *Ann Epidemiol.* 2010;20(2):159-167.
8. Burt RD, Thiede H, Hagan H. Serosorting for hepatitis C status in the sharing of injection equipment among Seattle Area IDU. *Drug Alcohol Depend.* 2009;105(3):215–220.
9. Chen YH, McFarland W, Raymond HF. Behavioral Surveillance of Heterosexual Exchange-Sex Partnerships in San Francisco: Context, Predictors and Implications. *AIDS Behav.* Epub 2010 Mar 5.
10. Chen YH, Raymond HF, McFarland W, Truong HM. HIV risk behaviors in heterosexual partnerships: Female knowledge and male behavior. *AIDS Behav.* 2010;1:87-91.

11. Crosby R, Holtgrave DR, Stall R, Peterson, Shouse L. Differences in HIV risk behaviors among black and white men who have sex with men. *Sex Transm Dis.* 2007;34(10):744-8.
12. Mackellar DA, Hou SI, Whalen CC, Samuelson K, Sanchez T, Smith A, Denson D, Lansky A, Sullivan P; for the WHBS Study Group. Reasons for Not HIV Testing, Testing Intentions, and Potential Use of an Over-the-Counter Rapid HIV Test in an Internet Sample of Men Who Have Sex With Men Who Have Never Tested for HIV. *Sex Transm Dis.* 2010 Dec 22. [Epub ahead of print]
13. Forrest DW, Metsch LR, LaLota M, Cardenas G, Beck DW, Jeanty Y. Crystal Methamphetamine Use and Sexual Risk Behaviors among HIV-Positive and HIV-Negative Men Who Have Sex with Men in South Florida. *J Urban Health* 2010; 87(3):480-485.
14. Gindi RM, Sifakis F, Sherman SG, Towe VL, Flynn C, Zenilman JM. The geography of heterosexual partnerships in Baltimore City adults. *Sex Transm Dis* 2010; 37(12):1-7.
15. Hagan H, Jenness SM, Wendel T, Murrill CR, Neaigus A, Gelpi-Acosta C. Prevalence of Herpes Simplex Virus Type 2 among New York City Heterosexuals living in high-risk areas. *Int J STD AIDS.* 2010; 21: 580-583.
16. Holtgrave DR, Crosby R, Shouse RL. Correlates of Unprotected Anal Sex with Casual Partners: A Study of Gay Men Living in the Southern United States. *AIDS Behav.* 2006;10(5):575-8
17. Jenness SM, Murrill CS, Liu KL, Wendel T, Begier E, Hagan H. Missed opportunities for HIV testing among high-risk heterosexuals. *Sex Transm Dis.* 2009; 36(11):704-710.
18. Jenness SM, Neaigus A, Hagan H, Wendel T, Gelpi-Acosta, C, et al. Reconsidering the Internet as an HIV/STD Risk for Men who Have Sex with Men. *AIDS Behav.* Epub 2010 Jul 28.
19. Jenness SM, Begier EM, Neaigus A, Murrill C, Wendel T, Hagan H. Unprotected Anal Intercourse and Sexually Transmitted Diseases in High-Risk Heterosexual Women. *Am J Public Health.* Epub 2010 Jun 17.
20. Jenness SM, et al. Heterosexual HIV and Sexual Partnerships Between Injection Drug Users and Noninjection Drug Users. *AIDS Patient Care STDs.* 2010; 24(3):175-181.
21. Jenness SM, et al. Association of Syringe Source and Syringe Sharing in New York City, in press at *Substance Use and Misuse.*

22. Jenness SM, Neaigus A, Murrill CS, Wendel T, Forgione & Hagan H. Estimated HIV Incidence Among High-risk Heterosexuals in New York City, 2007. *J Acquir Immune Defic Syndr*, 2011; 56(2): 193-7.
23. Koblin BA, Murrill CS, Camacho M, Xu G, Liu KL, Raj-Singh S & Torian L. Amphetamine Use and Sexual Risk Among Men Who Have Sex With Men: Results From the National HIV Behavioral Surveillance Study - New York City. *Subst. Use Misuse* 2007; 42(10):1613-1328.
24. Kral AH, Malekinejad M, Vaudrey J, Martinez AN, Lorvick J, McFarland W, Raymond HF. Comparing Respondent-Driven Sampling and Targeted Sampling Methods of Recruiting Injection Drug Users in San Francisco. *J Urban Health*. 2010 87(5):839-850.
25. Lalota M, Beck DW, Metsch LR, Brewer TH, Forrest DW, Cardenas GA, Liberti TM. HIV Seropositivity and Correlates of Infection Among Heterosexually Active Adults in High-Risk Areas in South Florida. *AIDS Behav*. 2010 Dec 10. [Epub ahead of print].
26. Lieb S, Trepka MJ, Thompson DR, Arons P, Liberti T, Maddox L, Metsch L, LaLota M, Fallon SJ. Men who have sex with men: Estimated population sizes and mortality rates by race/ethnicity, Miami-Dade County, Florida. *J Acquir Immune Defic Syndr*. 2007;46 (4):485-490.
27. Magnus M, Kuo I, Shelley K, Rawls A, Peterson J, Montanez L, West-Ojo T, Hader S, Hamilton F, Greenberg AE. Risk factors driving the emergence of a generalized heterosexual HIV epidemic in Washington, District of Columbia networks at risk. *AIDS* 2009;23(10):1277-1284.
28. Magnus M, Kuo I, Phillips G, Shelley K, Rawls A, Montanez L, Peterson J, West-Ojo T, Hader S, Greenberg AE. Elevated HIV Prevalence despite Lower Rates of Sexual Risk Behaviors among Black Men in the District of Columbia Who Have Sex with Men. *AIDS Patient Care STDs* 2010; 24(10):615-622.
29. Prachand NG and Benbow N. Clarifying the ethnographer's role in Chicago's HIV behavioural surveillance-injecting drug users cycle, 2005: Response to Scott. *International Journal of Drug Policy* 19 (2008) 244–245.
30. Raymond HF, Bingham T, McFarland W. Locating unrecognized HIV infections among men who have sex with men: San Francisco and Los Angeles. *AIDS Educ Prev*. 2008;20(5):408-419.
31. Raymond HF, Chen YH, Stall RD, McFarland W. Adolescent experiences of discrimination, harassments, connectedness to community and comfort with sexual orientation reported by adult men who have sex with men as a predictor of adult HIV status. *AIDS Behav*. Epub 2009 Nov 14.

32. Raymond HF, Chen S, Truong HM, Knapper KB, Klausner JD, Choi KH, McFarland W. Trends in Sexually Transmitted Diseases, Sexual Risk Behavior, and HIV Infection among Asian/Pacific Islander Men Who Have Sex with Men, San Francisco, 1999-2005. *Sex Transm Dis* 2007; 34(5):262-264.
33. Raymond HF, Rebchook G, Curotto A, Vaudrey J, Amsden M, Levine D, McFarland W. Comparing Internet-based and venue-based methods to sample MSM in the San Francisco Bay Area. *AIDS Behav* 2010;14(1):218-224.
34. Raymond HF, Hughes A, O'Keefe K, Stall RD, McFarland W. Hepatitis C among HIV-positive MSM in San Francisco. *Sex Transm Dis*. Epub 2010 Oct 8.
35. Risser J, Cates A, Rehman H, Risser W. Gender differences in social support and depression among injection drug users in Houston, Texas. *Am J Drug Alcohol Abuse*. 2010;36(1):18-24.
36. Risser JMH, Padgett P, Wolverton M & Risser WL. Relationship between heterosexual anal sex, injection drug use and HIV infection among black men and women. *Int J STD AIDS*. 2009; 20(5):310-314.
37. Robinson WT, Risser JM, McGoy S, Becker AB, Rehman H, Jefferson M, Griffin V, Wolverton M, Tortu S. Recruiting injection drug users: a three-site comparison of results and experiences with respondent-driven and targeted sampling procedures. *J Urban Health*. 2006;83(6 Suppl):i29-38.
38. Salazar LF, Crosby RA, Head, S & Steigler, A. Male injection drug users in the deep south: Bisexual behavior is a marker for elevated HIV risk. *Int J STD AIDS*. Forthcoming.
39. Salazar LF, Crosby RA, Holtgrave DR, Head S, Haddock B, Todd J & Shouse RL. Homelessness and HIV-associated risk behavior among African American men who inject drugs and reside in the urban south of the United States. *AIDS Behav*. 2007;11(6 Suppl):70-7.
40. Scott HM, Bernstein KT, Raymond HF, Kohn R, Klausner JD. Racial/ethnic and sexual behavior disparities in rates of sexually transmitted infections, San Francisco, 1999-2008. *BMC Public Health*. 2010;10(1):315. <http://www.biomedcentral.com/1471-2458/10/315>
41. Snowden J, Raymond HF, McFarland W. Prevalence of seroadaptive behaviors of men who have sex with men: San Francisco, 2004. *Sex Transm Infect*. 2009; 85(6): 469-476.
42. Snowden, Raymond, McFarland. Seroadaptive behaviors among men who have sex with men in San Francisco: The situation in 2008. *Sex Transm Infect*. In press

43. Tieu HV, Murrill C, Xu G, Koblin BA. Sexual Partnering and HIV Risk among Black Men Who Have Sex with Men: New York City. *J Urban Health* 2010; 87(1):113-121.
44. Towe VL, Sifakis F, Gindi RM, Sherman SG, Flynn C, Hauck H, Celentano DD. Prevalence of HIV Infection and Sexual Risk Behaviors Among Individuals Having Heterosexual Sex in Low Income Neighborhoods in Baltimore, MD: The BESURE Study. *J Acquir Immune Defic* 2010; 53(4):522-528.
45. Vaudrey J, Raymond HF, Chen S, Hecht J, Ahrens K, McFarland W. Indicators of use of methamphetamine and others substances among men who have sex with men, San Francisco 2003-2006. *Drug Alcohol Depend*. 2007;90(1):97-100.
46. Wei C, Raymond HF. Preference for and maintenance of anal sex roles among men who have sex with men. *Arch Sex Behav*. Epub 2010 May 13.
47. Wei C, Raymond HF, McFarland W, Buchbinder S, Fuchs JD. What is the potential impact of adult male circumcision on the HIV epidemic among men who have sex with men in San Francisco? *Sexually Transmitted Diseases*. E Pub 2010 Nov 16.

### **Other NHBS Publications**

1. Broadhead RS. Notes on a cautionary (tall) tale about respondent-driven sampling: A critique of Scott's ethnography. *International Journal of Drug Policy* 19 (2008) 235–237.
2. Ouellet, LJ. Cautionary comments on an ethnographic tale gone wrong. *International Journal of Drug Policy* 19 (2008) 238–240
3. Scott, G. “They got their program, and I got mine”: A cautionary tale concerning the ethical implications of using respondent-driven sampling to study injection drug users. *International Journal of Drug Policy*, 2008: 19(1), 42–51.
4. Scott G. Responses on a cautionary tale concerning the ethics of using respondent-driven sampling to study injection drug users. *International Journal of Drug Policy* 19 (2008) 246–247.