

# **Attachment B1-1:**

## **Target Populations, Sampling Universes, Estimated Sample Sizes, and Sampling Methods**

**NIDA'S STUDY OF SUBSTANCE ABUSE DOC.COM MODULE PROJECT**

April 2011

**Attachment B1-1: Target Populations, Sampling Universes, Estimated  
Sample Sizes, and Sampling Methods**

<b>Proposed Samples and Sampling Methods</b>				
<b>Study</b>	<b>Target Populations</b>	<b>Sampling Universes</b>	<b>Estimated Sample Sizes</b>	<b>Sampling Methods</b>
1	Medical students in Liaison Committee on Medical Education (LCME) accredited U.S. medical schools during first clinical year	18,390 (AAMC) <a href="http://www.aamc.org/data/facts/charts1982to2010.pdf">http://www.aamc.org/data/facts/charts1982to2010.pdf</a>	400	All medical students at University of Pennsylvania School of Medicine (Penn Med) and Drexel University College of Medicine (DUCOM) during their first clinical year.
2	Residents in Accreditation Council for Graduate Medical Education (ACGME) accredited residency training programs in internal medicine and family medicine during years 1 to 3 of training.	32,628 (ACGME) <a href="http://www.acgme.org/adspublic/">http://www.acgme.org/adspublic/</a>	308	All residents (PGY1, 2 and 3) in family medicine and internal medicine residency training programs that are affiliated with Penn Med and all residents (PGY1, 2, and 3) in internal medicine residency training programs that are affiliated with DUCOM. Eligible residents must be working in outpatient clinics during the period that the study is actively enrolling subjects.