

References:

Section A.2. - Cohort Study

1. Wenzlau JM, Liu Y, Yu L, Moua O, Fowler KT, Rangasamy S, Walters J, Eisenbarth GS, Davidson HW, Hutton JC. A common nonsynonymous single nucleotide polymorphism in the SLC30A8 gene determines ZnT8 autoantibody specificity in type 1 diabetes. *Diabetes* 2008 Oct;57(10):2693-7.
2. Sosenko JM, Palmer JP, Greenbaum CJ, Mahon J, Cowie C, Krischer JP, Chase HP, White NH, Buckingham B, Herold KC, Cuthbertson D, Skyler JS. Patterns of metabolic progression to type 1 diabetes in the Diabetes Prevention Trial-Type 1. *Diabetes Care* 2006;29(3):643-9.
3. Albers JJ, Marcovina SM, Imperatore G, Snively BM, Stafford J, Fujimoto WY, Mayer-Davis EJ, Petitti DB, Pihoker C, Dolan L, Dabelea DM. Prevalence and determinants of elevated apolipoprotein B and dense low-density lipoprotein in youths with type 1 and type 2 diabetes. *J Clin Endocrinol Metab* 2008 Mar;93(3):735-42.
4. Heding LG. Radioimmunological determination of human C-peptide in serum. *diabetol* 1975 Dec;11(6):541-8.
5. Mayer-Davis EJ, Beyer J, Bell RA, Dabelea D, D'Agostino R, Jr., Imperatore G, Lawrence JM, Liese AD, Liu L, Marcovina S, Rodriguez B. Diabetes in African American youth: prevalence, incidence, and clinical characteristics: the SEARCH for Diabetes in Youth Study. *Diabetes Care* 2009 Mar;32 Suppl 2:S112-S122.
6. Mayer-Davis E, Nichols M, Liese AD, Bell R, Dabelea D, Johansen J, Pihoker C, Rodriguez BL, Thomas J, Williams DE. Dietary Intake Among Youth With Diabetes: the SEARCH for Diabetes in Youth Study. *JADA* 2006 May;106(5):689-97.
7. Cheng YJ, Gregg EW, Geiss LS, Imperatore G, Williams DE, Zhang X, Albright AL, Cowie CC, Klein R, Saaddine JB. Association of A1C and fasting plasma glucose levels with diabetic retinopathy prevalence in the U.S. population: Implications for diabetes diagnostic thresholds. *Diabetes Care* 2009 Nov;32(11):2027-32.
8. Klein R, Sharrett AR, Klein BE, Chambless LE, Cooper LS, Hubbard LD, Evans G. Are retinal arteriolar abnormalities related to atherosclerosis?: The Atherosclerosis Risk in Communities Study. *Arterioscler Thromb Vasc Biol* 2000 Jun;20(6):1644-50.
9. McGeechan K, Liew G, Macaskill P, Irwig L, Klein R, Klein BE, Wang JJ, Mitchell P, Vingerling JR, de Jong PT, Witteman JC, Breteler MM, Shaw J, Zimmet P, Wong TY. Prediction of incident stroke events based on retinal vessel caliber: a systematic review and individual-participant meta-analysis. *Am J Epidemiol* 2009 Dec 1;170(11):1323-32.
10. Klein R, Klein BE, Moss SE, Wong TY. Retinal vessel caliber and microvascular and macrovascular disease in type 2 diabetes: XXI: the Wisconsin Epidemiologic Study of Diabetic Retinopathy. *Ophthalmology* 2007 Oct;114(10):1884-92.
11. Bayu SM, Wang JJ, Donaghue KC, Cheung N, Iteiz-Aguirre P, Jenkins A, Hsu W, Lee ML, Wong TY. Alterations in Retinal Microvascular Geometry in Young Type 1 Diabetes. *Diabetes Care* 2010 Mar 18.

12. Klein BE, Knudtson MD, Tsai MY, Klein R. The relation of markers of inflammation and endothelial dysfunction to the prevalence and progression of diabetic retinopathy: Wisconsin epidemiologic study of diabetic retinopathy. *Arch Ophthalmol* 2009 Sep;127(9):1175-82.
13. Rosolowsky ET, Niewczas MA, Ficociello LH, Perkins BA, Warram JH, Krolewski AS. Between hyperfiltration and impairment: demystifying early renal functional changes in diabetic nephropathy. *Diabetes Res Clin Pract* 2008 Nov 13;82 Suppl 1:S46-S53.
14. Retnakaran R, Cull CA, Thorne KI, Adler AI, Holman RR. Risk factors for renal dysfunction in type 2 diabetes: U.K. Prospective Diabetes Study 74. *Diabetes* 2006 Jun;55(6):1832-9.
15. Kramer HJ, Nguyen QD, Curhan G, Hsu CY. Renal insufficiency in the absence of albuminuria and retinopathy among adults with type 2 diabetes mellitus. *JAMA* 2003 Jun 25;289(24):3273-7.
16. Perkins BA, Ficociello LH, Silva KH, Finkelstein DM, Warram JH, Krolewski AS. Regression of microalbuminuria in type 1 diabetes. *N Engl J Med* 2003 Jun 5;348(23):2285-93.
17. Hovind P, Rossing P, Tarnow L, Toft H, Parving J, Parving HH. Remission of nephrotic-range albuminuria in type 1 diabetic patients. *Diabetes Care* 2001 Nov;24(11):1972-7.
18. Caramori ML, Fioretto P, Mauer M. Enhancing the predictive value of urinary albumin for diabetic nephropathy. *J Am Soc Nephrol* 2006 Feb;17(2):339-52.
19. Maahs DM, Snell-Bergeon JK, Hokanson JE, Kinney GL, Berl T, Rewers M, Ogden LG. Relationship between cystatin C and coronary artery atherosclerosis progression differs by type 1 diabetes. *Diabetes Technol Ther* 2010 Jan;12(1):25-33.
20. Andersen TB, Erlandsen EJ, Frokiaer J, Eskild-Jensen A, Brochner-Mortensen J. Comparison of within- and between-subject variation of serum cystatin C and serum creatinine in children aged 2-13 years. *Scand J Clin Lab Invest* 2010 Feb;70(1):54-9.
21. Perkins BA, Nelson RG, Ostrander BE, Blouch KL, Krolewski AS, Myers BD, Warram JH. Detection of renal function decline in patients with diabetes and normal or elevated GFR by serial measurements of serum cystatin C concentration: results of a 4-year follow-up study. *J Am Soc Nephrol* 2005 May;16(5):1404-12.
22. Schwartz GJ, Munoz A, Schneider MF, Mak RH, Kaskel F, Warady BA, Furth SL. New equations to estimate GFR in children with CKD. *J Am Soc Nephrol* 2009 Mar;20(3):629-37.
23. Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, III, Feldman HI, Kusek JW, Eggers P, Van LF, Greene T, Coresh J. A new equation to estimate glomerular filtration rate. *Ann Intern Med* 2009 May 5;150(9):604-12.
24. Weiner DE, Krassilnikova M, Tighiouart H, Salem DN, Levey AS, Sarnak MJ. CKD classification based on estimated GFR over three years and subsequent cardiac and mortality outcomes: a cohort study. *BMC Nephrol* 2009;10:26.
25. Baron AD QM: Insulin action and endothelial function. In *Insulin Resistance: the Metabolic Syndrome X*. A.RGaL, Ed. Totowa, NJ: Humana Press, 1999, p. 247-263.

26. Solberg LA, Eggen DA: Localization and sequence of development of atherosclerotic lesions in the carotid and vertebral arteries. *Circulation* 43:711-724, 1971.
27. Wilkinson IB, Franklin SS, Hall IR, Tyrrell S, Cockcroft JR: Pressure amplification explains why pulse pressure is unrelated to risk in young subjects. *Hypertension* 38:1461-1466, 2001.
28. Wilkinson IB, MacCallum H, Flint L, Cockcroft JR, Newby DE, Webb DJ: The influence of heart rate on augmentation index and central arterial pressure in humans. *J Physiol* 525 Pt 1:263-270, 2000.
29. Wilkinson IB, Fuchs SA, Jansen IM, Spratt JC, Murray GD, Cockcroft JR, Webb DJ: Reproducibility of pulse wave velocity and augmentation index measured by pulse wave analysis. *J Hypertens* 16:2079-2084, 1998.
30. Perkins BA, Olaleye D, Zinman B, Bril V. Simple screening tests for peripheral neuropathy in the diabetes clinic. *Diabetes Care* 2001 Feb;24(2):250-6.
31. Moghtaderi A, Bakhshipour A, Rashidi H. Validation of Michigan neuropathy screening instrument for diabetic peripheral neuropathy. *Clin Neurol Neurosurg* 2006 Jul;108(5):477-81.
32. Epidemiology of severe hypoglycemia in the diabetes control and complications trial. The DCCT Research Group. *Am J Med* 1991 Apr;90(4):450-9.
33. Svoren BM, Volkening LK, Butler DA, Moreland EC, Anderson BJ, Laffel LM. Temporal trends in the treatment of pediatric type 1 diabetes and impact on acute outcomes. *J Pediatr* 2007 Mar;150(3):279-85.
34. Beck RW, Buckingham B, Miller K, Wolpert H, Xing D, Block JM, Chase HP, Hirsch I, Kollman C, Laffel L, Lawrence JM, Milaszewski K, Ruedy KJ, Tamborlane WV. Factors predictive of use and of benefit from continuous glucose monitoring in type 1 diabetes. *Diabetes Care* 2009 Nov;32(11):1947-53.
35. Tamborlane WV, Beck RW, Bode BW, Buckingham B, Chase HP, Clemons R, Fiallo-Scharer R, Fox LA, Gilliam LK, Hirsch IB, Huang ES, Kollman C, Kowalski AJ, Laffel L, Lawrence JM, Lee J, Mauras N, O'Grady M, Ruedy KJ, Tansey M, Tsalikian E, Weinzimer S, Wilson DM, Wolpert H, Wysocki T, Xing D. Continuous glucose monitoring and intensive treatment of type 1 diabetes. *N Engl J Med* 2008 Oct 2;359(14):1464-76.
36. Varni JW, Burwinkle TM, Jacobs JR, Gottschalk M, Kaufman F, Jones KL. The PedsQL in type 1 and type 2 diabetes: reliability and validity of the Pediatric Quality of Life Inventory Generic Core Scales and type 1 Diabetes Module. *Diabetes Care* 2003 Mar;26(3):631-7.
37. Radloff L. The CES-D scale: a self report depression scale for research in the general population. *Applied Psychological Measurement* 1977;1(3):385-401.
38. Lawrence JM, Standiford DA, Loots B, Klingensmith GJ, Williams DE, Ruggiero A, Liese AD, Bell RA, Waitzfelder BE, McKeown RE. Prevalence and correlates of depressed mood among youth with diabetes: the SEARCH for Diabetes in Youth study. *Pediatrics* 2006 Apr;117(4):1348-58.
39. Cox DJ, Irvine A, Gonder-Frederick L, Nowacek G, Butterfield J. Fear of hypoglycemia: quantification, validation, and utilization. *Diabetes Care* 1987 Sep;10(5):617-21.

40. Green LB, Wysocki T, Reineck BM. Fear of hypoglycemia in children and adolescents with diabetes. *J Pediatr Psychol* 1990 Oct;15(5):633-41.
41. Clarke WL, Gonder-Frederick A, Snyder AL, Cox DJ. Maternal fear of hypoglycemia in their children with insulin dependent diabetes mellitus. *J Pediatr Endocrinol Metab* 1998 Mar;11 Suppl 1:189-94.
42. Markowitz JT, Butler DA, Volkening LK, Antisdel JE, Anderson BJ, Laffel LM. Brief screening tool for disordered eating in diabetes: internal consistency and external validity in a contemporary sample of pediatric patients with type 1 diabetes. *Diabetes Care* 2010;33:495-500.
43. Goebel-Fabbri AE, Fikkan J, Franko DL, Pearson K, Anderson BJ, Weinger K. Insulin restriction and associated morbidity and mortality in women with type 1 diabetes. *Diabetes Care* 2008;31:415-9.
44. Rubin, RR, Young-Hyman, D, and Peyrot, M. Parent-child responsibility and conflict in diabetes care. *<[11] Journal>* 1989;38:7A.
45. American Diabetes Association. Report of the expert committee on the diagnosis and classification of diabetes mellitus. *Diabetes Care* 1997;7:1183-97.
46. Ford ES. Body mass index, diabetes, and C-reactive protein among U.S. adults. *Diabetes Care* 1999 Dec;22(12):1971-7.
47. Tisnado DM, Adams JL, Liu H, Damberg CL, Chen WP, Hu FA, Carlisle DM, Mangione CM, Kahn KL. What is the concordance between the medical record and patient self-report as data sources for ambulatory care? *Med Care* 2006 Feb;44(2):132-40.