

		(allix label f		u sagai agist
Patient ID				
Number	Site	Sub-site Sequential		

## **SEARCH Specimen Collection Form**

## Before drawing blood or collecting urine specimens:

1. Have y	ou had DKA in the last	weeks that resulted in ho	spitalization	or had to be treated by IV fluids?			
	<b>l</b> No						
	2☐ Yes (if YES, then do NOT draw blood AND do not collect urine specimens)						
1	<b>males only:</b> Are you cu	rrently pregnant?					
	1□ No						
Į.	<ul> <li>Yes (if YES, do NOT draw blood AND do not collect urine specimens)</li> <li>Unsure (if UNSURE, do NOT draw blood AND do not collect urine specimens)</li> </ul>						
	•	rrently menstruating/havin		•			
	•	intendy mensudading/navii	ig your penc	u:			
1	No <i>(if yes, de No</i> T	anllact wine)					
	Yes (if YES, do NOT	•					
4. For <u>Co</u>	<u>hort Visits</u> and female	<i>es only:</i> Were you menstr	ruating wher	you did your overnight urine collection?			
	No						
	l Yes ( <i>if YES, do NOT :</i> hen patient is not mei		mpie and r	epeat overnight urine collection			
VVI	ien patient is not mei	isti uating)	······································				
5 Have v	ou taken any inculin in th	ne last 4 hours? (This does	s <b>NOT</b> includ	de basal insulin per insulin pump.)			
		insulins were taken; mark by					
	No (if NO, go to question						
	Detemir						
1□	Glargine						
	Humulin N Lantus		Δcce	ptable			
	Levemir		Accc	pable			
	Novolin N						
	NPH						
	Humulin R Humulin 50/50		□AM	NOT acceptable if taken within 4 hours			
2 🗖	Humulin 70/30	Time:		prior to fasting blood sample – Proceed			
	Novolin R	Hour Minute	□PM	with blood draw and try to re-schedule a			
	Novolin 70/30			fasting re-draw visit.			
ļ	Regular						
	Apidra Glulisine		□AM				
	Humalog	Time: Hour Minute	□РМ	NOT table if tales within 2 house			
	Humalog mix 50/50			NOT acceptable if taken within 2 hours prior to fasting blood sample – Proceed with blood draw and try to re-schedule a			
3□	Humalog mix 75/25						
	Novolog Novolog mix 70/30			fasting re-draw visit.			
	(by injection or bolus						
	per pump)						

SEARCH 3 Registry and Cohort Studies – Specimen Collection form – 11-01-10

Page 1

1□	Acarbose Actos Avandament Avandia Glucophage Glyset	Acceptable medications
	Metformin Miglitol Precose Pioglitazone Rosiglitazone	Acceptable medications
	Amaryl Byetta Chlorpropamide	Time:
2	DiaBeta Diabinese Exenatide Glimepiride Glipizide Glucotrol Glucovance	Hour Minute  AM PM
	Glyburide Glynase Januvia Liraglutide	NOT acceptable if taken within 8 hours prior to fasting blood sample
	Micronase Nateglinide Prandin Pramlintide Repaglinide	Proceed with blood draw and try to re-schedule a fasting re-draw visit.
	Sitagliptin Starlix Symlin Tolazamide Tolbutamide Victoza	
1		medications: (specify)
		<b>-</b>

7. Have you	had anything to eat or drink in the last 8 hours?
1□ Yes	Ta. if YES, ask the Patient what they had to eat or drink. Describe what they had to eat or drink.
	7b. if Patient consumed non-allowable food or drink, record most recent time  Time: Hour Minute
	IF FASTING LESS THAN 8 HOURS, PROCEED WITH BLOOD DRAW AND TRY TO
	SCHEDULE A FASTING RE-DRAW VISIT.
+	7c. <i>If a re-draw visit is necessary, has Patient agreed?</i> 1 Yes 2 No
2 <b>□</b> No	
8. Glucose r	meter reading: (May use drop from blood collected with venipuncture samples)
ı	If glucose is > 300 mg/dl, perform urinary ketone check and record.
8a. Urin	e ketones: 1 Negative 2 Trace/small 3 Moderate 4 Large 5 Unable to obtain
9. Were any	of the following symptoms observed or reported by the Patient? 1 Yes 2 No (If YES, check all that apply):
	1☐ Abdominal pain
	1☐ Diaphoresis (excessive sweating)
	1☐ Lightheadedness
	1☐ Nausea and or vomiting
	1□ Seizure
	1☐ Tremors or trembling
	1☐ Loss of consciousness due to low blood glucose
	1☐ Loss of consciousness due to phlebotomy (fainting)
	1☐ Blood glucose is < 45 mg./dl.
	1 ■ Blood glucose is > 300 mg./dl. with moderate or large ketones
	1☐ Blood glucose is > 500 mg./dl. with or without ketones
	1☐ Other (specify):
10. Commer 1☐ Ye	es (if YES, describe) :
a∏ No.	comments

## NOTE: Complete SEARCH Unanticipated Occurrence/Condition Reporting Form if any of the below presents:

- seizure
- loss of consciousness due to low blood glucose

11. Specimen obtained by:		(code)	
12. Date specimen obtained:			
	Month	Day	Year
13. Time specimen collected:			☐ AM / ☐ PM (check one)
	Hour	Minute	

Please instruct the Patient to take medication/insulin and provide a breakfast to the Patient.

FOR STUDY USE ONLY					
Date Completed				Completed by	
	Month	Day	Year		
Date Reviewed				Reviewer Code	
	Month	Day	Year		
Date Entered				Data Entry Code	
	Month	Day	Year		